String Functions

YahooBaba

Yahoobaba.net

List of String Functions in MySQL

- UPPER() / UCASE()
- LOWER() / LCASE()
- LENGTH()
- CHAR_LENGTH()
- CONCAT()
- CONCAT_WS()
- LTRIM()
- RTRIM()
- TRIM()
- POSITION()
- LOCATE()
- INSTR()
- SUBSTRING() / SUBSTR()
- MID()
- SUBSTRING_INDEX()
- LEFT()
- RIGHT()
- LPAD()
- RPAD()
- SPACE()
- REVERSE()
- REPEAT()
- REPLACE()
- STRCMP()
- FIELD()
- FIND_IN_SET()
- FORMAT()
- HEX(str)

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - students
  - Views
  - Stored Procedures
  - Functions
- yb

Administration | Schemas

Information

No object selected

```
1 • SELECT id, UPPER(name) AS Name , percentage
2   FROM students;
3
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

id	Name	percentage
1	RAM KUMAR	45
2	SARITA KUMARI	85
3	SALMAN KHAN	39
4	JUHI CHAWLA	47
5	ANIL KAPOOR	74
6	JOHN ABRAHAM	64
7	SHAHID KAPOOR	62

2:16

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - students
  - Views
  - Stored Procedures
  - Functions
- yb

Administration Schemas

Information

No object selected

students students

Limit to 1000 r

```
1 • SELECT id,  name ,CHARACTER_LENGTH(name) AS Characters
2   FROM students;
3
```

Result Grid Filter Rows: Export: Wrap Cell Content:

id	name	Characters
1	Ram Kumar	9
2	Sarita Kumari	13
3	Salman Khan	11
4	Juhi Chawla	11
5	Anil Kapoor	11
6	John Abraham	12
7	Shahid Kapoor	13

```
SELECT id,  CONCAT(name, " - ",percentage) AS Name
FROM students;

SELECT CONCAT("Yahoo", "Baba", "Youtube","Channel") AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
YahooBabaYoutubeChannel

students students

Limit to 1000 r

```
SELECT id,  CONCAT(name, " - ",percentage) AS Name
FROM students;

SELECT LTRIM("    Yahoo Baba    ") AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
Yahoo Baba

Result 8

students × students

Limit to 1000 r

```
1 • SELECT id,  CONCAT(name, " - ",percentage) AS Name
2   FROM students;
3
4 • SELECT POSITION("Baba" IN "Yahoo Baba Baba") AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
7

Result 14 ×

students | students

Limit to 1000 r

```
SELECT id,  CONCAT(name, " - ",percentage) AS Name
FROM students;

SELECT LOCATE("a","Yahoo Baba Baba",3) AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
8

Result 21