MySQL™

String Functions - II

YahooBaba

Yahoobaba.net

List of String Functions in MySQL

- UPPER() / UCASE()
- LOWER() / LCASE()
- LENGTH()
- CHAR_LENGTH()
- CONCAT()
- CONCAT_WS()
- LTRIM()
- RTRIM()
- TRIM()
- POSITION()
- LOCATE()
- INSTR()
- SUBSTRING() / SUBSTR()
- MID()
- SUBSTRING_INDEX()
- LEFT()
- RIGHT()
- LPAD()
- RPAD()
- SPACE()
- REVERSE()
- REPEAT()
- REPLACE()
- STRCMP()
- FIELD()
- FIND_IN_SET()
- FORMAT()
- HEX(str)

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - students
  - Views
  - Stored Procedures
  - Functions
- yb

students | students

Limit to 1000 r

```
1 • SELECT SUBSTRING("Yahoo Baba",3);
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

SUBSTRING("Yahoo Baba",3)
hoo Baba

Administration | Schemas

Information

No object selected

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - students
  - Views
  - Stored Procedures
  - Functions
- yb

students | students

Limit to 1000 r

```
1 • SELECT SUBSTRING("Yahoo Baba",3) AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
hoo Baba

Administration | Schemas

Information

No object selected

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - students
  - Views
  - Stored Procedures
  - Functions
- yb

students | students

Limit to 1000 r

```
1 • SELECT SUBSTRING("Yahoo Baba",3,6) AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
hoo Ba

Administration | Schemas

Information

No object selected

Limit to 1000 ri

```
1   SELECT RIGHT("Yahoo Baba",3) AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
aba

students | students

Limit to 1000 r

```
1   SELECT RPAD("Yahoo Baba",20,"ABC") AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
Yahoo BabaABCABCABCA

students | students

Limit to 1000 r

```
1   SELECT LPAD("Yahoo Baba",20,"*") AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
**********Yahoo Baba

```
1   SELECT REVERSE("Yahoo Baba") AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
abaB oohaY

students students

Limit to 1000 r

```
1   SELECT REPLACE("Yahoo Baba","Baba","Wow") AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
Yahoo Wow

students | students

Limit to 1000 r

```
1   SELECT STRCMP("Yahoo ","yahoo baba") AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
-1

students | students

Limit to 1000 r

```
1   SELECT STRCMP("Yahoo Baba","yahoo baba") AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
0

students students

Limit to 1000 r

```
1   SELECT FIELD("a","X", "a", "k") AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
2

students students

Limit to 1000 r

```
1   SELECT FIELD(5, 0 , 1, 2 , 3, 4 ,5) AS Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name
6

students students

Limit to 1000 r

```
1   SELECT FORMAT(255.3568,2) AS Value;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Value
255.36

students | students

Limit to 1000 r

```
1   SELECT HEX("Yahoo Baba") AS Value;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Value
5961686F6F2042616261