

# UN5390: Scientific Computing I

Dr. Gowtham

Director of Research Computing, IT  
Adj. Asst. Professor, Physics and ECE

EERC B39 · [\(906\) 487-4096](tel:(906)487-4096) · [g@mtu.edu](mailto:g@mtu.edu) · [@sgowtham](https://www.linkedin.com/in/sgowtham)

Week #01: 2016/08/30 and 2016/09/01

Cross-listed as BE5390, EE5390 and MA5390

Do not share/distribute the course material, in and/or outside of Michigan Tech, without instructor's prior consent



# Tips to succeed

A quick guide to making the most of our time and efforts



<http://dilbert.com/strip/2009-09-07/>

## Tips to succeed

- \* Treat the course as a job or an internship opportunity
- \* Brush your teeth, take a shower, and dress appropriately
- \* Show up and do things on time, and come prepared
- \* Communicate your potential absence ahead of time
- \* Work hard and smart, and keep your advisor happy

### Getting and citing help

Actively inquire if someone needs help. Ask for help when necessary but be sure to cite it. Reciprocate the favor and/or pay it forward.

- \* Treat every assignment as a proposal seeking external funding
- \* Follow the guidelines and submission procedure
- \* Get started as soon as possible, and leave enough time for revisions
- \* Scripting, programming, and writing tasks can be very time consuming

### Check the grammar

Its, It's, Quiet, Quite, Their, There, They're, Your, You're ... are all different. Attempt to use short, simple, and effective sentences – with appropriate punctuation – to convey your ideas.

# Acceptable programming methodologies

You have the freedom to choose a programming language

You have the responsibility to learn what it can or cannot do.

- \* Compiled/Interpreted languages from scratch

e.g., C/C++, FORTRAN, Julia, Mathematica, MATLAB, Python, R, etc.

Required for all graded assignments

- \* Interpreted languages with built-in routines/modules

e.g., Mathematica (DSolve, Integrate), MATLAB (ode45, trapz), etc.


Compiled languages with third-party routines/modules e.g., C/C++,

FORTRAN with BLAS, LINPACK, NAG, SCALAPACK, etc.

May be used for project work and *free time* exercises

# My teaching philosophy

A brief explanation of methods underlying my madness



<http://dilbert.com/strip/1994-07-08/>

# My teaching philosophy

## #1: Freedom within discipline

The more disciplined (i.e., doing things correctly on time every time) you are, more freedom (i.e., opportunities) you will earn to do the things you want – within the structure of this course.

## #2: You'll be treated like what you could be and should be, and ...


not as you are. You will often be put outside of your comfort zone to expand your capabilities. You will be expected to adapt quickly.

## #3: You won't learn on an empty stomach

Get enough rest and eat something before lectures/meetings.

# Revision Control System

Travel back and forth between revisions



<http://dilbert.com/strip/2000-07-24/>

# My dissertation

How it looked without a formal revision control system

```
[sgowtham@feynman Dissertation]$ ls
20070924.0 20071025.0 20071123.0 20071203.0 20071216.0 20080114.0
20070924.1 20071026.000 20071124.0 20071204.0 20071217.0 20080114.bw
20070925.0 20071030.0 20071125.0 20071205.000 20071218.0 20080114.color
20070927.0 20071030.1 20071126.0 20071211.0 20071219.0 20080121.bw
20070928.0 20071119.0 20071127.0 20071211.1 20071220.0 20080121.color
20071002.0 20071120.0 20071128.0 20071212.0 20071220.1 20080122.bw
20071022.0 20071121.0 20071129 20071213.0 20080107.0 20080122.color
20071023.0 20071122.0 20071129.0 20071214.0 20080109.0

[sgowtham@feynman Dissertation]$ cd 20080122.color
[sgowtham@feynman 20080122.color]$ ls
Abstract.tex          Chapter6.tex           MTUPhDThesis.sty
Abstract.txt          Chapter7.bib          MTUPhDThesis.sty.0
Acknowledgements.tex   Chapter7.tex           MyThesis.bib
Appendix.tex          Dedication.tex        MyThesis.dvi
Beowulf_Cluster.bib   Future_Work.bib       MyThesis.pdf
Beowulf_Cluster.tex   Future_Work.tex       MyThesis.tex
Bibliography.tex      Graphs                Nano_Bio_Physics.bib
Chapter1.bib          Images                Nano_Bio_Physics.tex
Chapter1.tex          Index.tex            nextpage.sty
Chapter2.bib          Introduction.bib     PublishedPapers
Chapter2.tex          Introduction.tex       README.PLEASE
Chapter3.bib          ListOfFigures.tex    TableOfContents.tex
Chapter3.tex          ListOfPublications.bib Theoretical_Details.bib
Chapter4.bib          ListOfPublications.tex Theoretical_Details.tex
Chapter4.tex          ListOfTables.tex      TOC.pdf
Chapter5.bib          Makefile              TOC.tex
Chapter5.tex          Metal_Oxide_Clusters.bib
Chapter6.bib          Metal_Oxide_Clusters.tex

[sgowtham@feynman 20080122.color]$
```

# My dissertation

Impact of not using a formal revision control system

- \* Did not have to spend time learning something new near graduation
- \* Spent a lot of time incorporating edits from advisor and advisory committee members, and between versions
- \* An incomplete sentence, and missed out on thanking six good friends (and their parents) in the final printed copy as a result of picking an incorrect version to continue editing
- \* Lifelong shame of being inept and ungrateful

# My dissertation

How it would have looked with a formal revision control system

The screenshot shows a GitHub repository page for 'sgowtham/phd\_dissertation'. The repository is private, has 39 commits, 1 branch, 48 releases, and 1 contributor. The latest commit is from Dec 22, 2014. The file list includes 'v20080122.bw', 'v20071211.0', 'v20071026.000', 'v20070924.0', 'v20071212.0', and 'v20080114.color'. There are also 'Graphs', 'Images', '.PublishedPapers', '.fooling\_git', '.gitignore', and 'Abstract.tex' files.

sgowtham / phd\_dissertation PRIVATE

39 commits 1 branch 48 releases 1 contributor

Branch: master New pull request Create new file Upload files Find file Clone or download

File	Commit	Last Commit
v20080122.bw	v20080122.bw	2 years ago
Graphs	v20071211.0	2 years ago
Images	v20071026.000	2 years ago
.PublishedPapers	v20070924.0	2 years ago
.fooling_git	v20071212.0	2 years ago
.gitignore	v20080114.color	2 years ago
Abstract.tex		2 years ago

# Git

## Git

A distributed RCS with an emphasis on speed, data integrity, and support for distributed, non-linear workflows, and single/multiple users working on single/multiple projects.

Every working copy is a full-fledged repository with complete history and full version-tracking capabilities, independent of network access or a central server.



## Potential applications

Systems administration, software development, manuscript preparation, event planning, etc.

<http://git-scm.com>

Linus Benedict Torvalds (1965 – present): Finnish American software engineer

# Git and GitHub

GitHub, world's largest code host


A safe, secure and social web-based hosting service for software development projects that use Git revision control system. GitHub's copy will be treated as the most trustworthy repository for UN5390.

- \* The learning curve can be steep
- \* A form of data backup that keeps track of the workflow
- \* Easily move back and forth between revisions
- \* A readily available portfolio for potential employers
- \* Saves space, time, \$, and creates opportunities

<http://github.com>



# Git, GitHub, and UN5390



# Structure of the course repository



Replace [john](#) with your Michigan ISO username. Replace ## with the appropriate week number.

# The honor system of *who writes where?*

- \* For the instructor: everything under  `${UN5390}` is *read-write* except
  - `CourseWork/Week_##/john_##/`
  - `LaTeXTemplates/Course/`
  - `LaTeXTemplates/Resume/`
- \* For students: everything under  `${UN5390}` is *read-only* except
  - `CourseWork/Week_##/john_##/`
  - `LaTeXTemplates/Course/`
  - `LaTeXTemplates/Resume/`

Replace `john` with your Michigan ISO username. Replace `##` with the appropriate week number.  
 `${HOME}/git_work/un5390_f2016_john` will henceforth be abbreviated as  `${UN5390}`.



## `UN5390/.gitignore`

- \* Every Git repository should have one at its very top level
- \* A *read-only* file for students per the honor system
- \* List of files, folders and file types that should **not** be in the repository
  - \* OS- and language-specific temporary files
  - \* System files and symbolic links
  - \* Program executables and other binary files
  - \* Files with large data sets and/or sensitive information
  - \* A class of entities can be specified with wild card characters

# Git workflow

## Clone the repository (in an IT-managed Linux workstation)

```
git config --global user.name "John Sanderson"  
git config --global user.email "john@mtu.edu"  
git config --global core.editor vim  
git config --list  
  
mkdir -p ${HOME}/git_work  
cd ${HOME}/git_work  
git clone \  
  git@github.com:MichiganTech/un5390_f2016_john.git  
un5390  
ls -latrh  
tree
```

Replace `john` with your Michigan ISO username, and John Sanderson with your real/preferred name.

\ is the continuation character in BASH and indicates that the command continues into the next line.

Cloning the repository needs to be done only once per machine.

# Git workflow

Test write permissions (in an IT-managed Linux workstation)

```
cd ${UN5390}/CourseWork/Week_01/john_01
git pull
touch test_file.txt
git add test_file.txt
git commit -m "Adding test_file.txt for testing GitHub"
git push origin master

## Visit GitHub.com and check if test_file.txt exists

git pull
git rm test_file.txt
git commit -m "Removing test_file.txt from GitHub"
git push origin master

## Visit GitHub.com and check if test_file.txt is gone
```

Replace `john` with your Michigan ISO username.



# Git workflow

Receiving [updated] course material, corrections, etc.

```
cd ${UN5390}
```

```
git pull
```

Discarding edits

Suppose that the *read only* files which contain inadvertent edits are  
\${UN5390}/.gitignore and \${UN5390}/README.md.

```
cd ${UN5390}
```

```
git checkout -- .gitignore
```

```
git checkout -- README.md
```

The cause of this problem is usually not paying enough attention. An easy cure is to cultivate the habit of typing `pwd` every time you get into or change directory, and observe where you are before doing anything.

# Git workflow

## Submitting a partially completed assignment

```
cd ${UN5390}/CourseWork/Week_01  
git pull  
git add john_01  
git commit -m "Submitting problem #1 in assignment #01"  
git push origin master
```

## Submitting a completed assignment

```
cd ${UN5390}/CourseWork/Week_01  
git pull  
git add john_01  
git tag -a a01 -m "Submitting assignment #01"  
git push origin a01
```

Replace `john` with your Michigan ISO username. Replace 01 appropriately for subsequent assignments.  
Review and follow the assignment submission workflow in [Assignment\\_01.pdf](#).



# Viewing commit history

## Commands (text; one per line)

```
cd ${UN5390}  
git log --pretty=format:"%h - %an, %ad : %s"
```

## Commands (graphical; one per line)


```
cd ${UN5390}  
gource --hide dirnames,filenames --seconds-per-day 0.1 \  
--auto-skip-seconds 1 -1280x720 -o - | \  
ffmpeg -y -r 60 -f image2pipe -vcodec ppm -i - \  
-vcodec libx264 -preset ultrafast -pix_fmt \  
yuv420p -crf 1 -threads 0 -bf 0 gource.mp4
```

<http://git-scm.com/book/en/Git-Basics-Viewing-the-Commit-History>

Source: [Google project page](#) | [Linux kernel development 1991-2012](#) ; not installed in [colossus.it](#) or [guardian.it](#).

# Git and MATLAB

R2014b and beyond



<http://www.mathworks.com/products/matlab/whatsnew.html>



# Additional references

- \* Git

- [Reference](#) | [Book](#) | [Videos](#) | [External links](#)
  - [Tagging](#) | [Forking](#) | [Branching and merging](#)

- \* Git – structuring commit messages

- [On commit messages](#) | [Writing good commit messages](#)
  - [How to write a git commit message](#)

- \* GitHub

- [Interactive tutorial](#) | [Cheat sheet](#) | [Online training](#)

- \* Twitter


- [@GitHub](#) | [@GitHubEducation](#) | [@GitHubStatus](#)

## Before we meet again

- \* Review the syllabus, course material through week #01, [notations](#), [active participation](#), [free time exercises](#), [tips](#), [opportunities](#), and [mathematical results](#)
- \* Review/Complete the training camps (#01 – #10)
- \* Get started on assignment #01
- \* Get to know one of your classmates, someone you didn't know before

### Continuous integration/improvement

You will be expected to incorporate material from a following week into an ongoing assignment - e.g., week #02 material into assignment #01. Getting started on assignments and practicing the course material on time will facilitate turning in your submissions on or ahead of time.



End of Tuesday lecture.

# A Brief History of Computing

Curiosity (about the universe) in thoughtful action using computers



<http://dilbert.com/strip/2012-07-11/>

# Freedom to doubt is born of a struggle against authority

We have found it of paramount importance that in order to progress, we must recognize our ignorance and leave room for doubt. Scientific knowledge is a body of statements of varying degrees of certainty – some most unsure, some nearly sure, but none absolutely certain.




## The guessing game


We look for a new law by the following process. First, we guess it. Then we compute the consequences of the guess, to see what, if this is right, if this law we guess is right, to see what it would imply and then we compare the computation results to nature, or we say compare to experiment or experience, compare it directly with observations to see if it works. If it disagrees with experiment, it's wrong.

Richard Phillips Feynman (1911 – 1988): American theoretical physicist, and 1965 Nobel Laureate

# Scientific method





# Scientific method



# Computing

How can we know how much more (or less) we need  
if we don't know how much we already have?

A goal-oriented discipline and responsibility requiring, benefiting from, or creating a mathematical sequence of steps known as an algorithm, with or without use of the formal tools to solve a problem.



Year	Discoverer/Discovery
1588	Joost Buerghi, natural logarithms
1614	John Napier, Napier's bones
1614	William Oughtred, slide rules
1642	Blaise Pascal, mechanical calculator
1671	Gottfried Leibniz, stepped reckoner
1774	Philipp Hahn, portable calculator
1775	Charles Stanhope, multiplying calculator
1786	Johann Mueller, idea of a difference engine
1801	Joseph-Marie Jacquard, automatic loom controlled by punch cards
1820	Charles Xavier Thomas de Colmar, arithmometer
1822	Charles Babbage, a prototype of difference engine
1832	Semen Koraskov, punch cards for information storage/search
1834	Charles Babbage, design of analytical engine with punch cards

Year	Discoverer/Discovery
1835	Joseph Henry, electromechanical relay
1843	Per Georg Scheutz, third-order difference engine with printer
1847	Charles Babbage, difference engine #2
1848	George Boole, binary/Boolean algebra
1853	Per Georg Scheutz, tabulating machine – 4th-order difference engine
1869	William Jevons, practical logic machine
1884	Dorr Felt, comptometer
1886	Herman Hollerith, tabulating system
1889	Dorr Felt, printing desk calculator

## Augusta Ada King, Countess of Lovelace

Ada's notes on Analytical Engine, Charles Babbage's early mechanical general-purpose computer, include sequential computation of the Bernoulli numbers – now recognized as the first algorithm intended to be carried out by a machine.

She also developed a vision of the capability of computers to go beyond mere number-crunching. Her poetically scientific mindset led to examining how individuals and society relate to technology as a collaborative tool.



Augusta Ada King (1815 – 1852): English mathematician and writer

Charles Babbage (1791 – 1871): English mathematician, engineer, philosopher and inventor

Jakob Bernoulli (1654 – 1705): Swiss mathematician

# Computing

The US Census of 1890, and the beginning of a new frontier

FAMILY SCHEDULE—I TO 10 PERSONS		SCHEDULE No. 1 POPULATION AND SOCIAL STATISTICS		
Supervisor's District No.	(1-484)	Bureau Census of the United States.		
Enumeration District No.				
Number of Households		County	State	
Street and No.		Ward	No. of Inhabitants	1890
Examined by me on the _____ day of June 1890.				Examiner
A—Number of Persons in Family	B—Number of Persons in Household	C—Number of Families in Household	D—Number of Families in Block	E—No. of Persons in the Block
1	2	3	4	5
1. Identification of Bureau Agent				
2. Name				
3. Address or Post Office				
4. Place where Work Resided				
5. Sex				
6. Age				
7. Month, Year, and Day of Birth				
8. Father, Mother, Husband, Wife				
9. Household Composition				
10. Place of Birth				
11. Place of Birth of Father				
12. Place of Birth of Mother				
13. Name of State or Country				
14. Relation to Head				
15. Relation to Head				
16. Relation to Head				
17. Relation to Head				
18. Relation to Head				
19. Relation to Head				
20. Relation to Head				
21. Relation to Head				
22. Relation to Head				
23. Relation to Head				
24. Relation to Head				
25. Relation to Head				
26. Relation to Head				
27. Relation to Head				
28. Relation to Head				
29. Relation to Head				
30. Relation to Head				
31. Relation to Head				
32. Relation to Head				
33. Relation to Head				
34. Relation to Head				
35. Relation to Head				
36. Relation to Head				
37. Relation to Head				
38. Relation to Head				
39. Relation to Head				
40. Relation to Head				
41. Relation to Head				
42. Relation to Head				
43. Relation to Head				
44. Relation to Head				
45. Relation to Head				
46. Relation to Head				
47. Relation to Head				
48. Relation to Head				
49. Relation to Head				
50. Relation to Head				
51. Relation to Head				
52. Relation to Head				
53. Relation to Head				
54. Relation to Head				
55. Relation to Head				
56. Relation to Head				
57. Relation to Head				
58. Relation to Head				
59. Relation to Head				
60. Relation to Head				
61. Relation to Head				
62. Relation to Head				
63. Relation to Head				
64. Relation to Head				
65. Relation to Head				
66. Relation to Head				
67. Relation to Head				
68. Relation to Head				
69. Relation to Head				
70. Relation to Head				
71. Relation to Head				
72. Relation to Head				
73. Relation to Head				
74. Relation to Head				
75. Relation to Head				
76. Relation to Head				
77. Relation to Head				
78. Relation to Head				
79. Relation to Head				
80. Relation to Head				
81. Relation to Head				
82. Relation to Head				
83. Relation to Head				
84. Relation to Head				
85. Relation to Head				
86. Relation to Head				
87. Relation to Head				
88. Relation to Head				
89. Relation to Head				
90. Relation to Head				
91. Relation to Head				
92. Relation to Head				
93. Relation to Head				
94. Relation to Head				
95. Relation to Head				
96. Relation to Head				
97. Relation to Head				
98. Relation to Head				
99. Relation to Head				
100. Relation to Head				
101. Relation to Head				
102. Relation to Head				
103. Relation to Head				
104. Relation to Head				
105. Relation to Head				
106. Relation to Head				
107. Relation to Head				
108. Relation to Head				
109. Relation to Head				
110. Relation to Head				
111. Relation to Head				
112. Relation to Head				
113. Relation to Head				
114. Relation to Head				
115. Relation to Head				
116. Relation to Head				
117. Relation to Head				
118. Relation to Head				
119. Relation to Head				
120. Relation to Head				
121. Relation to Head				
122. Relation to Head				
123. Relation to Head				
124. Relation to Head				
125. Relation to Head				
126. Relation to Head				
127. Relation to Head				
128. Relation to Head				
129. Relation to Head				
130. Relation to Head				
131. Relation to Head				
132. Relation to Head				
133. Relation to Head				
134. Relation to Head				
135. Relation to Head				
136. Relation to Head				
137. Relation to Head				
138. Relation to Head				
139. Relation to Head				
140. Relation to Head				
141. Relation to Head				
142. Relation to Head				
143. Relation to Head				
144. Relation to Head				
145. Relation to Head				
146. Relation to Head				
147. Relation to Head				
148. Relation to Head				
149. Relation to Head				
150. Relation to Head				
151. Relation to Head				
152. Relation to Head				
153. Relation to Head				
154. Relation to Head				
155. Relation to Head				
156. Relation to Head				
157. Relation to Head				
158. Relation to Head				
159. Relation to Head				
160. Relation to Head				
161. Relation to Head				
162. Relation to Head				
163. Relation to Head				
164. Relation to Head				
165. Relation to Head				
166. Relation to Head				
167. Relation to Head				
168. Relation to Head				
169. Relation to Head				
170. Relation to Head				
171. Relation to Head				
172. Relation to Head				
173. Relation to Head				
174. Relation to Head				
175. Relation to Head				
176. Relation to Head				
177. Relation to Head				
178. Relation to Head				
179. Relation to Head				
180. Relation to Head				
181. Relation to Head				
182. Relation to Head				
183. Relation to Head				
184. Relation to Head				
185. Relation to Head				
186. Relation to Head				
187. Relation to Head				
188. Relation to Head				
189. Relation to Head				
190. Relation to Head				
191. Relation to Head				
192. Relation to Head				
193. Relation to Head				
194. Relation to Head				
195. Relation to Head				
196. Relation to Head				
197. Relation to Head				
198. Relation to Head				
199. Relation to Head				
200. Relation to Head				
201. Relation to Head				
202. Relation to Head				
203. Relation to Head				
204. Relation to Head				
205. Relation to Head				
206. Relation to Head				
207. Relation to Head				
208. Relation to Head				
209. Relation to Head				
210. Relation to Head				
211. Relation to Head				
212. Relation to Head				
213. Relation to Head				
214. Relation to Head				
215. Relation to Head				
216. Relation to Head				
217. Relation to Head				
218. Relation to Head				
219. Relation to Head				
220. Relation to Head				
221. Relation to Head				
222. Relation to Head				
223. Relation to Head				
224. Relation to Head				
225. Relation to Head				
226. Relation to Head				
227. Relation to Head				
228. Relation to Head				
229. Relation to Head				
230. Relation to Head				
231. Relation to Head				
232. Relation to Head				
233. Relation to Head				
234. Relation to Head				
235. Relation to Head				
236. Relation to Head				
237. Relation to Head				
238. Relation to Head				
239. Relation to Head				
240. Relation to Head				
241. Relation to Head				
242. Relation to Head				
243. Relation to Head				
244. Relation to Head				
245. Relation to Head				
246. Relation to Head				
247. Relation to Head				
248. Relation to Head				
249. Relation to Head				
250. Relation to Head				
251. Relation to Head				
252. Relation to Head				
253. Relation to Head				
254. Relation to Head				
255. Relation to Head				
256. Relation to Head				
257. Relation to Head				
258. Relation to Head				
259. Relation to Head				
260. Relation to Head				
261. Relation to Head				
262. Relation to Head				
263. Relation to Head				
264. Relation to Head				
265. Relation to Head				
266. Relation to Head				
267. Relation to Head				
268. Relation to Head				
269. Relation to Head				
270. Relation to Head				
271. Relation to Head				
272. Relation to Head				
273. Relation to Head				
274. Relation to Head				
275. Relation to Head				
276. Relation to Head				
277. Relation to Head				
278. Relation to Head				
279. Relation to Head				
280. Relation to Head				
281. Relation to Head				
282. Relation to Head				
283. Relation to Head				
284. Relation to Head				
285. Relation to Head				
286. Relation to Head				
287. Relation to Head				
288. Relation to Head				
289. Relation to Head				
290. Relation to Head				
291. Relation to Head				
292. Relation to Head				
293. Relation to Head				
294. Relation to Head				
295. Relation to Head				
296. Relation to Head				
297. Relation to Head				
298. Relation to Head				
299. Relation to Head				
300. Relation to Head				
301. Relation to Head				
302. Relation to Head				
303. Relation to Head				
304. Relation to Head				
305. Relation to Head				
306. Relation to Head				
307. Relation to Head				
308. Relation to Head				
309. Relation to Head				
310. Relation to Head				
311. Relation to Head				
312. Relation to Head				
313. Relation to Head				
314. Relation to Head				
315. Relation to Head				
316. Relation to Head				
317. Relation to Head				
318. Relation to Head				
319. Relation to Head				
320. Relation to Head				
321. Relation to Head				
322. Relation to Head				
323. Relation to Head				
324. Relation to Head				
325. Relation to Head				
326. Relation to Head				
327. Relation to Head				
328. Relation to Head				
329. Relation to Head				
330. Relation to Head				
331. Relation to Head				
332. Relation to Head				
333. Relation to Head				
334. Relation to Head				
335. Relation to Head				
336. Relation to Head				
337. Relation to Head				
338. Relation to Head				
339. Relation to Head				
340. Relation to Head				
341. Relation to Head				
342. Relation to Head				
343. Relation to Head				
344. Relation to Head				
345. Relation to Head				
346. Relation to Head				
347. Relation to Head				
348. Relation to Head				
349. Relation to Head				
350. Relation to Head				
351. Relation to Head				
352. Relation to Head				
353. Relation to Head				
354. Relation to Head				
355. Relation to Head				
356. Relation to Head				
357. Relation to Head				
358. Relation to Head				
359. Relation to Head				
360. Relation to Head				
361. Relation to Head				
362. Relation to Head				
363. Relation to Head				
364. Relation to Head				
365. Relation to Head				
366. Relation to Head</				

## Turing Machine (TM; 1936)

A mathematical model of computation that defines an abstract machine which can manipulate the symbols on a strip of tape according to a table of rules.

Given any computer algorithm, a TM can be constructed that is capable of simulating that algorithm's logic.




## Universal Turing Machine (UTM; 1936-37)

A TM that can simulate an arbitrary TM on arbitrary input by reading both the description of the machine to be simulated as well as the input thereof from its own tape.

Alan Mathison Turing (1912 – 1954): British mathematician, computer scientist and philosopher

# Computing

John von Neumann architecture



John von Neumann (1903 – 1957): Austrian-Hungarian/American mathematician

John von Neumann was one of only several contributors to the 1945 report, and its first (and incomplete) draft was inadvertently distributed by Herman Goldstine (security officer of the ENIAC project).

# Computing

## Storage hierarchy/Data access time

CPU registers ~1 machine cycle; very low capacity (B – kB); not easily expandable; volatile; very expensive

Cache 1-10 machine cycles; low capacity (kB – MB); not easily expandable; volatile; very expensive; 700 GB/sec (L1), 200 GB/sec (L2), 100 GB/sec (L3), 40 GB/sec (L4)

RAM 25-100 machine cycles; high capacity (GB); easily expandable; volatile; expensive; 10 GB/sec


Local storage  $\sim 10^6$  machine cycles; high capacity (GB – TB); easily expandable; non-volatile; inexpensive; 600 MB/sec (SSD)

Network storage  $10^6 - 10^8$  machine cycles; high capacity (TB – PB); easily expandable; non-volatile; inexpensive; 160 MB/sec


Offline storage very slow access times; very high capacity (PB – EB); easily expandable; non-volatile; inexpensive

1 machine cycle for a 1.0 GHz processor is  $1 \times 10^{-9}$  second.

# Scientific computing



# Scientific computing




# Scientific computing

A multi-disciplinary field that uses advanced computing capabilities and involves the application of computer simulations to solve complex problems in various arts, science and engineering disciplines – to gain an understanding mainly through the analysis of mathematical models implemented on computers.



# Scientific computing

Divide and conquer



The world's first general purpose single chip micro-processor, invented by Intel in 1971, 4004 had a 12-bit instruction pointer, forty six 8-bit opcodes, and sixteen 4-bit registers. It was a 16-pin DIP part, containing about 2,000 transistors, and at 740 kHz, it was capable of performing 92,000 instructions per second.


© Gowtham 2016

UN5390: Scientific Computing I· Week # 01· Slide # 42




# Scientific computing

Garbage In, Garbage Out (GIGO) paradigm



There is no substitute for thinking



# Scientific computing

Spectrum of applications

Store data

Interact with humans



Run programs

Interact with computers

A floating-point number has a decimal point in it

3.14159, 2.71828, 0.57721, 1.61803,  $42 \times 10^{-5}$ , etc.

A floating-point operation is any mathematical operation [addition (+), subtraction (-), multiplication (\*), division (/), exponentiation (^)] that involves floating-point numbers OR assignment of a floating-point number to a variable

$$a = 3.14159$$

$$b = 2.71828$$

$$c = 1.61803$$

$$p = 8 * (a + c^b) + (b - 4 * c) - [c / (b + a)]^{-0.50}$$

The number of floating-point operations a computer can perform in one second, FLOPS, is a measure of its computing power

$$\text{FLOPS} = \# \text{ of processors} \times \text{CPU speed} \times \frac{\text{FLOPs}}{\text{CPU cycle}}$$

Most scientific applications use floating-point operations

More FLOPS implies a more powerful computer

A double-precision floating-point number requires 8 bytes of memory

Most scientific applications use double-precision numbers

More memory (RAM and HD) implies a more powerful computer

The number of floating-point operations per CPU cycle is a hardware characteristic.

- \* Smart phones (iPhone 5s: 1 GB RAM, 64 GB storage, 75 GFLOPS)



$$\text{FLOPS} = \# \text{ of processors} \times \text{CPU speed} \times \text{FLOPs/CPU cycle}$$

- \* Smart phones (iPhone 5s: 1 GB RAM, 64 GB storage, 75 GFLOPS)
- \* Laptops (MacBook Pro: 16 GB RAM, 500 GB SSD storage, 80 GFLOPS)



$$\text{FLOPS} = \# \text{ of processors} \times \text{CPU speed} \times \text{FLOPs/CPU cycle}$$

# Scientific computing

A measure of performance

- \* Smart phones (iPhone 5s: 1 GB RAM, 64 GB storage, 75 GFLOPS)
- \* Laptops (MacBook Pro: 16 GB RAM, 500 GB SSD storage, 80 GFLOPS)
- \* Workstations (my office: 64 GB RAM, 2 TB SSD storage, 250 GFLOPS)



$$\text{FLOPS} = \# \text{ of processors} \times \text{CPU speed} \times \text{FLOPs/CPU cycle}$$

- \* Smart phones (iPhone 5s: 1 GB RAM, 64 GB storage, 75 GFLOPS)
- \* Laptops (MacBook Pro: 16 GB RAM, 500 GB SSD storage, 80 GFLOPS)
- \* Workstations (my office: 64 GB RAM, 2 TB SSD storage, 250 GFLOPS)
- \* University clusters (Superior: 6 TB RAM, 33 TB storage, 30 TFLOPS)



$$\text{FLOPS} = \# \text{ of processors} \times \text{CPU speed} \times \text{FLOPs/CPU cycle}$$

# Scientific computing

A measure of performance

- \* Smart phones (iPhone 5s: 1 GB RAM, 64 GB storage, 75 GFLOPS)
- \* Laptops (MacBook Pro: 16 GB RAM, 500 GB SSD storage, 80 GFLOPS)
- \* Workstations (my office: 64 GB RAM, 2 TB SSD storage, 250 GFLOPS)
- \* University clusters (Superior: 6 TB RAM, 33 TB storage, 30 TFLOPS)
- \* Leadership supercomputing centers (ORNL: 700 TB RAM, 40 PB storage, 17 PFLOPS)



$$\text{FLOPS} = \# \text{ of processors} \times \text{CPU speed} \times \text{FLOPs/CPU cycle}$$

# Scientific computing


Flynn's taxonomy

		Instruction	
		Single	Multiple
Data	Single	SISD (Serial)	MISD (Parallel)
	Multiple	SIMD (Parallel)	MIMD (Parallel)



Michael Flynn (1934 – present): American computer scientist; Professor, Stanford University

# Moore's Law



Gordon Earle Moore (1929 – present): American chemist and entrepreneur; co-founder, Intel

## A popular re-formulation

While component density gains were slowing by 1975, Intel's Dave House observed that individual components were themselves getting faster. He theorized that this meant computing power on a chip could double about every 18 months – slower than Moore's original 1965 prediction, but faster than the 1975 revision.

This is the form of the Law self-fulfilling prophecy that has become popular and has been carefully – almost slavishly – relied on by the semiconductor industry.



Gordon Earle Moore (1929 – present): American chemist and entrepreneur; co-founder, Intel  
Dave House (1943 – present): American electrical engineer and entrepreneur (BS, Michigan Tech, 1965)  
[Excerpts From A Conversation With Gordon Moore \(2005\)](#) | [An Interview With Dave House \(2005\)](#)

## Brainstorm

The formula for FLOPS for a computer with one processor is given by

$$\text{FLOPS} = \text{CPU speed} \times \frac{\text{FLOPs}}{\text{CPU cycle}}$$


How can one go about increasing performance? What are the benefits and caveats associated with such an approach?

A feasible upper limit for CPU speed is  $\sim 4$  GHz

Increasing CPU's speed increases required electricity ( $\sim 60\%$  increase for every 400 MHz increase in CPU speed) and generated heat. The cost of manufacturing a new processor with higher FLOPs/cycle and issues with how fast electrons can move across a chip are other concerns.

Updated with answers/feedback from Akhil Kurup, Jeff Brookins, and Ian Cummings.

# Moore's Law in practice



Gordon Earle Moore (1929 – present): American chemist and entrepreneur; co-founder, Intel  
Kunle Olukotun (1962 – present): American electrical engineer of Nigerian origin; Professor, Stanford University  
IBM POWER4, in 2001, became the very first commercially released multi-core processor (2 processors, 1.1 GHz).

## Brainstorm



If each double-precision element requires 8 bytes, what is the maximum order of a square matrix that can fit within 1 GB RAM?

$$A = \begin{pmatrix} a_{11} & a_{12} & \dots & a_{1n} \\ a_{21} & a_{22} & \dots & a_{2n} \\ \dots & \dots & \dots & \dots \\ a_{n1} & a_{n2} & \dots & a_{nn} \end{pmatrix}$$

## My approach



A square matrix of order  $N$  has  $N^2$  elements

A double-precision element requires 8 bytes

1 GB is  $1024 \times 1024 \times 1024$  bytes

8 is close enough to 10; a double-precision element requires 10 bytes

1024 is close enough to 1000 (i.e.,  $10^3$ ); 1 GB is  $10^9$  bytes

$$\# \text{ of elements in 1 GB} = \frac{\# \text{ of bytes in 1 GB}}{\# \text{ of bytes per element}} = \frac{10^9}{10} = 10^8$$

$$N^2 = \# \text{ of elements in 1 GB} = 10^8$$

$$N = \sqrt{\# \text{ of elements in 1 GB}} = 10^4 = 10,000$$

If approximations weren't used, the value of  $N$  would be 11,585.

You may use this or a similar technique to solve *back of the envelope* exercises.

## Brainstorm



Estimate the number of floating-point operations necessary to compute the product of two square and dense matrices of order  $N$ .

Assuming that  $N$  is very large ( $10^6$ ), estimate the time required to solve this problem using one 2.0 GHz CPU with 4 FLOPs/cycle.

$$\text{FLOPS} = \text{CPU speed} \times \frac{\text{FLOPs}}{\text{CPU cycle}}$$

## My approach



Start with a  $2 \times 2$  symbolic matrix.

$$\begin{pmatrix} a & b \\ c & d \end{pmatrix} \begin{pmatrix} e & f \\ g & h \end{pmatrix} = \begin{pmatrix} a * e + b * g & a * f + b * h \\ c * e + d * g & c * f + c * h \end{pmatrix}$$

Each element of the product matrix requires two multiplication (i.e., order of the matrix) and one addition (i.e., one less than the order of the matrix) operations – for a total of three floating-point operations.

There are four (i.e.,  $2^2$ , square of the order) elements, and a total of  $2^2 \times 3 = 12$  operations.

You may use this or a similar technique to solve *back of the envelope* exercises.

## My approach



Extend the idea for the 3x3 case.

$$\begin{pmatrix} a & b & c \\ d & e & f \\ g & h & i \end{pmatrix} \begin{pmatrix} j & k & l \\ m & n & o \\ p & q & r \end{pmatrix} = \begin{pmatrix} a*j + b*m + c*p & \dots & \dots \\ \dots & \dots & \dots \\ \dots & \dots & \dots \end{pmatrix}$$

Each element of the product matrix requires three multiplication (i.e., order of the matrix) and two addition (i.e., one less than the order of the matrix) operations – for a total of five floating-point operations.

There are nine (i.e.,  $3^2$ , square of the order) elements, and a total of  $3^2 \times 5 = 45$  operations.

You may use this or a similar technique to solve *back of the envelope* exercises.

## My approach (continued)

Extending to  $N \times N$  case, each element of the product matrix requires  $N$  multiplication and  $N - 1$  addition operations – for a total of  $(2N - 1)$  floating-point operations. There are  $N^2$  such elements, and a total of  $N^2 \times (2N - 1)$  operations.

One day has 86,400 seconds  $\simeq 100,000$  (i.e.,  $10^5$ )

One 2.0 GHz processor, 4 FLOPs/cycle  $\Rightarrow 8$  GFLOPS  $\simeq 10^{10}$  FLOPS

When  $N$  is large,  $N^2 \times (2N - 1) = 2N^3 - N^2 \simeq N^3$  operations

For  $N = 10^6$ ,  $N^3 = 10^{18}$  floating-point operations

Computer can do  $10^{10}$  floating-point operations per second

It'd take  $10^{18}/10^{10} = 10^8$  seconds  $= 10^3$  days  $\simeq 3$  years to complete

If approximations weren't used, the time required to complete matrix multiplication would be 7.93 years.

# Supercomputing

The need for size and speed




Image courtesy: Google images

## Supercomputer



A very big and very fast computer with a lot of FLOPS

$$\text{FLOPS} = \# \text{ of processors} \times \text{CPU speed} \times \frac{\text{FLOPs}}{\text{CPU cycle}}$$

A network of fairly powerful computers, with software to facilitate communication amongst them, working together to solve a complex problem acts as if it's a super computer


# Supercomputing

Complex computational activities using a supercomputer



# Supercomputing

Top 500, the OS distribution




<http://top500.org/lists/2016/06/>

© Gowtham 2016  
UN5390: Scientific Computing I· Week # 01· Slide # 66



# Supercomputing

Top 500, and the effect of Moore's Law and multicore processors



- \* All 500 in 2001  $\simeq$  #500 in 2016
- \* #350 current edition  $\simeq$  #500 next edition
- \* #440 in 2001  $\simeq$  iPhone 5s
- \* Today's supercomputer  $\simeq$  Laptop in 10-15 years
  - \* #250 in 2000, #375 in 2001  $\simeq$  MacBook Pro

<http://top500.org>

# Supercomputing

The top 10 in Top 500

#	Name	Location	Processors	TFLOPS		
				Max	Peak	Power (MW)
01	Sunway TaihuLight	2016, NSCW, China	10,649,600	93,014.6	125,435.9	15.371
02	Tianhe-2	2013, NSCG, China	3,120,000	33,862.7	54,902.4	17.808
03	Titan	2012, ORNL, USA	560,640	17,590.0	27,112.5	8.209
04	Sequoia	2011, LLNL, USA	1,572,864	17,173.2	20,132.7	7.890
05	K	2011, RIKEN, Japan	705,024	10,510.0	11,280.4	12.660
06	Mira	2012, ANL, USA	786,432	8,586.6	10,066.3	3.945
07	Trinity	2015, LANL, USA	301,056	8,100.9	11,078.9	—
08	Piz Daint	2013, CSCS, Switzerland	115,984	6,271.0	7,788.9	2.325
09	Hazel Hen	2015, HLRS, Germany	185,088	5,640.2	7,403.5	—
10	Shaheen II	2015, KAUST, Saudi Arabia	196,608	5,537.0	7235.2	2.834

<http://top500.org/lists/2016/06/>



The List.



- \* #1 in 2016/06
- \* National Supercomputing Center, China
- \* 10.6 million cores, 1.3 PB RAM, and 93 PFLOPS
- \* \$270 million and 15 MW electricity

## The power of human brain

K, #5 in the list with 80,000+ processors and 1 PB RAM, required 40 minutes to simulate about one second worth activity of 1% of human brain ( $\simeq$  1.7 billion neurons and 10 trillion synapses; estimate is that an adult brain has 80-100 billion neurons).


<http://top500.org/lists/2016/06/>



# Supercomputing

## Impact on everyday life

An overview of the spectrum of supercomputing applications



This and subsequent videos will be available in [Impact of Supercomputing](#).

- \* National Strategic Computing Initiative

Executive order by the President of the US to maximize benefits of HPC research, development, and deployment

- \* CORAL

Department of Energy's \$425M investment in the joint Collaboration of Oak Ridge (Summit; 150+ PFLOPS), Argonne (Aurora, 180+ PFLOPS) and Livermore (Sierra, 150+ PFLOPS) national laboratories for next-generation supercomputing technologies

- \* Brain Research through Advancing Innovative Neurotechnologies

NSF's BRAIN initiative to bridge the scales that span from atoms to thoughts and behavior, address neurobiological questions, and generate brain-inspired smart technologies to meet future societal needs



It's not just a keel and a hull and a deck and sails.  
That's what a ship needs but not what a ship is.  
But what a ship is ... what the Black Pearl really is ... is freedom.

– Captain Jack Sparrow, Pirates of the Caribbean: The Curse of the Black Pearl



Our universe contains answers to questions which we don't yet know how to ask. Science represents a temperament and a methodology that'll help us formulate some of these questions. And when we do, (super) computing might be a tool that'll help us get the answers with some degree of certainty.

## Additional references

- \* ACM Education
- \* Intl Journal of Modeling, Simulation, and Scientific Computing
- \* Journal of Computational Science
- \* Scientific Computing World
- \* Scientific Programming
- \* SIAM Journal on Scientific Computing
- \* Springer Journal of Scientific Computing
- \* Twitter

@ElsevierMath | @SCWMagazine | @SIAMConnect

## Additional references

- \* Sketch Of The Analytical Engine Invented By Charles Babbage  
L. F. Menabrea  
Bibliothéque Universelle de Genéve, No. 82 (1842)  
Translator notes by A. Lovelace in Scientific Memoirs, vol. 3 (1843)
- \* On Computable Numbers, With An Application To The Entscheidungsproblem  
A. M. Turing  
Proceedings of the London Mathematical Society, vol. 42, p. 230 (1937)
- \* First Draft Of A Report On The EDVAC  
J. von Neumann (1945)

PDF in [AdditionalMaterial](#) folder.

## Additional references

- \* As We May Think  
V. Bush  
Interactions, vol. 3, p 35 (1996); The Atlantic Monthly (1945)
- \* Computing Machinery And Intelligence  
A. M. Turing  
Mind, vol. LIX, p. 433 (1950)
- \* Cramming More Components Onto Integrated Circuits  
G. E. Moore  
Electronics, vol. 38, p.114 (1965)
- \* Some Computer Organizations And Their Effectiveness  
M. J. Flynn  
IEEE Transactions on Computers, vol. C-21, p. 948 (1972)

PDF in [AdditionalMaterial](#) folder.



## Additional references

- \* 'Do Not Fold, Spindle Or Mutilate': A Cultural History Of The Punch Card  
S. Lubar  
Journal of American Culture, vol. 15, p. 43 (1992)
- \* Two Heads Are Better Than One  
W. Knight  
IEE Review, vol. 51, p. 32 (2005)
- \* MilkyWay-2 Supercomputer: System And Application  
X. Liao, L. Xiao, C. Yang, Y. Lu  
Frontiers of Computer Science, vol. 8, p. 345 (2013)

PDF in [AdditionalMaterial](#) folder.

## Additional references

- \* [Limits On Fundamental Limits To Computation](#)  
I. L. Markov  
Nature, vol. 512, p. 147 (2014)
- \* [50 Years Of Moore's Law](#)  
IEEE Spectrum Special Report (2015)
- \* [First 2000 Years Of Computing | Timeline](#)
- \* [Intel Timeline: A History Of Innovation](#)
- \* [The Story Of Intel 4004](#)
- \* [Origins of the Computer Simulation Program](#)  
Jeffrey Lewin, Biological Sciences, Michigan Tech (2012)

PDF in [AdditionalMaterial](#) folder.



## Additional references

- \* Works Of Charles Babbage
- \* Hackers: Heroes Of The Computer Revolution  
S. Levy; Anchor Press/Doubleday (1984)
- \* Recording Gender: Women's Changing Participation In Computing  
J. Abbate; MIT Press (2012)
- \* Alan Turing: The Enigma  
A. Hodges; Princeton University Press (2002)
- \* The Innovators: How A Group Of Hackers, Geniuses, And Geeks Created The Digital Revolution  
W. Isaacson; Simon & Schuster (2014)

## Additional references

- \* UNIVAC – Then And Now (CHM, video, 1960)
- \* Computer Pioneers – Pioneer Computers I (CHM, video, 1966)
- \* Computer Pioneers – Pioneer Computers II (CHM, video, 1966)
- \* The Imitation Game ([iTunes](#), movie, 2014)  
Based on *Alan Turing: The Enigma* by A. Hodges
- \* Robert Noyce: The Man Behind The Microchip
- \* Moore's Law At 50 (Vimeo, video, 2015)

## Additional references

- \* [Computer History Museum](#)  
1401 N. Shoreline Blvd., Mountain View, CA 94043  
(650) 810-1010
- \* [Intel Museum](#)  
2200 Mission College Blvd., Santa Clara, CA 95054  
(408) 765-5050
- \* [The Tech Museum Of Innovation](#)  
201 S. Market St., San Jose, CA 95113  
(408) 294-8324
- \* [Science Museum](#)  
Exhibition Rd., South Kensington, London, SW7 2DD



## Additional references

---

- \* [HP Garage, The Birthplace Of Silicon Valley](#)  
367 Addison Ave., Palo Alto, CA 94309
- \* [Birthplace Of Apple](#)  
2066 Crist Dr., Los Altos, CA 94024
- \* [Shockley Semiconductor Laboratory](#)  
391 San Antonio Rd., Mountain View, CA 94040
- \* [Fairchild Semiconductor](#)  
844 E Charleston Road, Palo Alto, CA 94303
- \* [Birthplace Of Intel](#)  
365 E Middlefield Road, Mountain View, CA 94043

## Additional references

- \* Twitter

@ComputerHistory | @HPCCouncil | @HPCWire | @IBM | @IBMHPC  
@IBMRResearch | @insideHPC | @Intel | @IntelHPC | @MITLL  
@NSF | @NSFGRFP | @SciNode | @ScienceMuseum  
@Supercomputing | @TACC | @TheTechMuseum  
@Top500Supercomp | @XSEDEScience

# Compliance and Security

Institutional, federal and/or funding agency guidelines



# The need

## Who cares?

The University has an obligation to comply with laws, regulations, policies, and standards associated with information security to preserve the confidentiality, integrity, availability of, and satisfy legal and ethical responsibilities with regard to information assets owned or entrusted by the university.

# Institutional policies and procedures

## Information Security Compliance Policy

Information Security Compliance Policy is a university-wide approach to information security to help identify and prevent the compromise of information security and the misuse of university information technology by which all university faculty, staff and students must adhere when handling information.

## Institutional Policies and Procedures Violation Consequences

Any university employee, student or non-university individual with access to university data who engages in unauthorized use, disclosure, alteration, or destruction of data will be subject to appropriate disciplinary action, including possible dismissal and/or legal action.

# Information assets, technology resources and security

## Information assets

Definable pieces of information in any form, recorded or stored on any media that is recognized as *valuable* to the University.

## Information Technology resources

The data, applications, information assets, and related sources, such as personnel, equipment, networks and computer systems of the University.

## Information security

Protection of the University's data, applications, networks, and computer systems from unauthorized access, alteration, or destruction.

# Data custodian, owner and user

## Data custodian

An employee of the University who has administrative and/or operational responsibility over information assets.

Grants access to users limited to resources absolutely essential for completion of assigned duties or functions, and nothing more.

# Data custodian, owner and user

## Data owner

An individual or group of individuals who have been officially designated as accountable for specific data that is transmitted, used, and stored on a system or systems within a department, college, school, or administrative unit of the University.

Ensures that proper controls are in place to address information asset integrity, confidentiality, and availability of the IT systems and data they own.

# Data custodian, owner and user

## Data user

A person (which may include, but is not limited to: administrator, faculty, staff, student, temporary employee, volunteer, or guest) who has been granted explicit authorization to access the data by the owner.

Uses the data only for purposes specified by the owner, complies with security measures specified by the owner or custodian (i.e., securing login ID and password), and does not disclose information or control over the data unless specifically authorized in writing by the owner of the data.

# Data tier classification

## Tier I – confidential

Highly sensitive data (may even have personal privacy considerations or be restricted by federal/state law) unauthorized disclosure, alteration or destruction of which could cause a significant level of risk to the University or its affiliates.

### Impact of tier I data loss

1. Long-term loss of all federal funding including financial aid, reputation (questioning of published research) and critical university services
2. Increase in regulatory requirements and civil penalties as well as imprisonment
3. Individuals at risk for identity theft

# Data tier classification

## Tier II – internal/private

Moderately sensitive data (i.e., anything not classified as tier I or tier III) unauthorized disclosure, alteration or destruction of which could cause a moderate level of risk to the University or its affiliates.

## Impact of tier II data loss

1. Short-term loss of federal/research funding, reputation and critical university services
2. Individuals at risk for identity theft

# Data tier classification

## Tier III – public

Non-sensitive data unauthorized disclosure, alteration or destruction of which could cause little or no risk to the University or its affiliates. Preserving its integrity and protecting it to the extent of preventing unauthorized modification or destruction is required.

# NIST SP800-53 Revision 4 (2013)

## Security & Privacy Controls for Federal Info Systems and Orgs

A catalog of security and privacy controls for federal information systems and organizations and a process for selecting controls to protect organizational operations (including mission, functions, image, and reputation), organizational assets, individuals, other organizations, and the Nation from a diverse set of threats including hostile cyber attacks, natural disasters, structural failures, and human errors.

<http://dx.doi.org/10.6028/NIST.SP.800-53r4>

National Institute of Standards and Technology (NIST) – a non-regulatory agency of the US Department of Commerce – develops and issues standards, guidelines, and other publications to assist federal agencies in implementing the [Federal Information Security Management Act of 2002 \(FISMA\)](#) and to help with managing cost effective programs to protect their information and information systems.



# FERPA (2007)

## Family Educational Rights and Privacy Act

A federal law that protects the privacy of student education records, and applies to all schools that receive funds under an applicable program of the US Department of Education.

It gives parents certain rights with respect to their children's education records. These rights transfer to the student when (s)he reaches the age of 18 or attends a school beyond the high school level.

Schools may disclose, without consent, directory information. However, schools must tell parents and eligible students about directory information and allow them a reasonable amount of time to request that the school not disclose such information.

<http://www2.ed.gov/policy/gen/guid/fpco/ferpa/>

# FERPA (2007)

## FERPA Violation Consequences

1. Temporary suspension of access
2. Inability to perform work
3. Possible prosecution under criminal codes
4. Dismissal or termination
5. Loss of federal funding to the institution

If in doubt, don't share it

# GLBA (2003)

## Gramm-Leach-Bliley Act

A 3-part federal law that controls the ways that financial institutions deal with private information of individuals.

The Financial Privacy Rule regulates the collection and disclosure of private financial information.

The Safeguards Rule stipulates that financial institutions must implement security programs to protect such information.

The Pretexting Provisions prohibit the practice of accessing private information using false pretenses.

<https://www.fdic.gov/regulations/compliance/manual/8/VIII-1.1.pdf>



# GLBA (2003)

## GLBA Violation Consequences

1. Civil penalties of up to \$10,000 per violation for officers and directors personally liable
2. Civil penalties of up to \$100,000 per violation for the institution liable
3. Criminal penalties include imprisonment for up to five years and fines
4. Loss of all federal funding, including federal financial aid

# HIPAA (1996) and HITECH (2009)

## Health Information Portability and Accountability Act

A 3-title federal law to help people to keep health insurance, protect the confidentiality and security of healthcare information and help the healthcare industry control administrative costs.

Title I (Portability) allows individuals to carry their health insurance from one job to another so that they do not have a lapse in coverage.

Title II (Administrative Simplification) establishes a set of standards for receiving, transmitting and maintaining healthcare information and ensuring the privacy and security of individual identifiable information.

Title III (Privacy) provides for the protection of individually identifiable health information that is transmitted or maintained in any form or medium.

<http://www.hhs.gov/ocr/privacy/>



# HIPAA (1996) and HITECH (2009)

## Health IT for Economic and Clinical Health Act

A federal law to promote and expand the adoption and meaningful use of health information technology.

<http://www.healthit.gov/policy-researchers-implementers/health-it-legislation/>

# HIPAA (1996) and HITECH (2009)

## HIPAA/HITECH Violation Consequences (Civil)

1. Covered entity or individual didn't know the act was a violation  $\Rightarrow \$100 - \$50,000$
2. Violation had a reasonable cause and wasn't due to willful neglect  $\Rightarrow \$1,000 - \$50,000$
3. Violation was due to willful neglect but corrected within the required period  $\Rightarrow \$10,000 - \$50,000$
4. Violation was due to willful neglect and wasn't corrected  $\Rightarrow \$50,000 \text{ or more}$

for each violation up to maximum of \$1.5 million for identical provisions in a calendar year

# HIPAA (1996) and HITECH (2009)

## HIPAA/HITECH Violation Consequences (Criminal)

1. Unknowingly or with reasonable cause ⇒ up to 1 year in jail
2. Under false pretenses ⇒ up to 5 years in jail
3. For personal gain or malicious reasons ⇒ up to 10 years in jail

# PCI-DSS (2007)

## Payment Card Industry Data Security Standard

PCI-DSS provides an actionable framework for developing a robust payment card data security process – including prevention, detection and appropriate reaction to security incidents.

## PCI-DSS Violation Consequences

1. Immediate cancellation of credit card processing contracts
2. Civil liability up to \$500,000 per stolen credit card

[https://www.pcisecuritystandards.org/security\\_standards/](https://www.pcisecuritystandards.org/security_standards/)

# RFR (2010)

## Red Flags Rule

Implemented by the US Federal Trade Commission, RFR requires organizations to implement a written identity theft prevention program designed to detect the warning signs (i.e., red flags) of identity theft in their day-to-day operations.

## RFR Violation Consequences

Civil liability up to \$2,500 per infraction.

<http://www.ftc.gov/tips-advice/business-center/privacy-and-security/red-flags-rule>

# ITAR (1976) and EAR (1979)

## International Traffic in Arms Regulations

A set of federal regulations that implement the Arms Export Control Act (AECA) which in turn governs the export and temporary import of defense articles and services.

## Export Administration Regulations

Enforced by the US Department of Commerce, a set of federal regulations on the export and import of most commercial items.

[https://www.pmddtc.state.gov/regulations\\_laws/itar.html](https://www.pmddtc.state.gov/regulations_laws/itar.html)

<http://www.bis.doc.gov/index.php/regulations/export-administration-regulations-ear>




# ITAR (1976) and EAR (1979)

## ITAR/EAR Violation Consequences

Involves US Immigration and Customs Enforcement and/or US Customs and Border Patrol officers. Seizure, forfeiture, and disposition of material per section 401 of title 22 (foreign relations) of US Code.

Criminal penalties can reach 20 years imprisonment and \$1 million per violation. Administrative monetary penalties can reach \$11,000 per violation, and \$120,000 per violation in cases involving items controlled for national security reasons.

# Cloud (computing and storage)



It is acceptable to store data in the cloud as long as the cloud is physically within the geographical boundaries of the US, and the service provider is in compliance with federal and funding agency requirements.

# Compliance matrix

Requirement	FERPA	GLBA	HIPAA	PCI-DSS	RFR
Annual self-study risk assessment	✓	✓	✓	✓	✓
Annual training of all employees handling covered information	✓	✓	✓	✓	✓
Appoint control officer	✓	✓	✓		✓
Conduct regular review and risk analysis		✓	✓	✓	✓
Contract for external audits				✓	
Get compliance statements from all sub-contractors or vendors for covered information	✓	✓	✓	✓	✓
Implement appropriate physical, technological and administrative security measures		✓	✓	✓	✓
Develop, maintain, document and enforce policies and procedures	✓	✓	✓	✓	✓
Secure disposal methods for electronic and paper records		✓	✓	✓	
Monitor systems for suspicious activity				✓	✓
Identify and document systems and activities with potential for identity theft					✓

## Additional references


- \* Dr. David Reed  
Vice President for Research  
[ddreed@mtu.edu](mailto:ddreed@mtu.edu)
- \* Joanne Polzien  
Executive Director of Compliance, Integrity and Safety  
[jpolzien@mtu.edu](mailto:jpolzien@mtu.edu)
- \* David Hale  
Chief Information Security Officer  
[ddh@mtu.edu](mailto:ddh@mtu.edu)



## Before we meet again

- \* Review the syllabus, course material, grade through week #01, notations, active participation, free time exercises, tips, opportunities, mathematical results, and impact of supercomputing
- \* Complete Prep Work  
**Make your GitHub profile public and professional**
- \* Complete/Review Training Camps
- \* Make progress in assignment #01  
**Read, understand, and follow the guidelines**
- \* Think of various components in a computational project
- \* Email the instructor your favorite poem (name and a link will suffice)






End of Thursday lecture.

# Notations

Color coded, and used throughout the course



<http://dilbert.com/strip/2000-11-24/>

# Notations

john	Username
john@mtu.edu	Email address
http://lmgtfy.com	URL
colossus.it.mtu.edu	Server/Workstation name
hello_world.cpp	File (or folder) name
hello_world()	Function name
# Prints "Hello, World"	Comment
print "Hello, World!";	Code
rm -rf *	Command

Identical notations are used in Training Camps.



# Notations

## A general note

Loremly speaking, ipsum will be covered in the next lecture

## Definition

Lorem Ipsum is dummy text of the printing and typesetting industry

## Trivia

Did you know lorem ipsum?

## Brainstorm

How can one accomplish lorem ipsum?

## Command

```
[ $[ $RANDOM % 6 ] == 0 ] && rm -rf / || echo "Lorem!"
```



# Notations

## Review something

Lorem here is a continuation of ipsum from there

*Do at home and Back of the envelope exercises*



Derive/Prove/Guestimate lorem from ipsum

## Active participation

Lorem is actively participating in ipsum

## Warning

Potential pitfall ahead ... things can go lorem ipsumly wrong

## You and the board

How would you get ipsum lorem from lorem ipsum?

# Active Participation

Several one-time opportunities for a total 25% of the final grade



<http://dilbert.com/strip/1989-11-10/>

## 25% grade distribution

#	Activity	Worth	Cumulative
01	Attendance (0.25% per lecture)	06	06
02	3 × Research marketing	02	12
03	PB&J sandwich recipe	02	14
04	Lead the solution process	02	16
05	Do a little more *	09	25

### *Doing a little more*

Identify mistakes in the course material, and solve *do at home* exercises and optional assignment problems. Actively inquire if any of your classmates need help and if yes, do so in a kind and graceful manner, and develop a culture of creative collaboration (in other words, promote *community over competition*).

Each such act will earn an extra 0.50% towards the final grade.

# Research Marketing I

Responsible and professional use of Twitter



<http://dilbert.com/strip/2009-11-24/>

# Research Marketing I

- \* Get a [Twitter](#) account
  - \* If you already have one, it'll suffice. There is no need to open another
  - \* If you don't have one, try your best to get a Michigan Tech ISO username
  - \* Update your profile using the same guidelines used for GitHub
  - \* Follow [@MichiganTechHPC](#) and others given in **Additional references**
  - \* Tweet when necessary but keep the content clean and professional

To be completed on or before 5 pm on Wednesday, 7th September 2016. Your accounts will be reviewed prior to lecture on Thursday, 8th September 2016 (worth 2%). Subsequent reviews will take place throughout the semester.

- \* Follow these accounts

@CLIMagic | @Linux | @LinuxFoundation | @Linux\_Tips | @RegExTip  
@MasteringVim | @UNIXToolTip | @UseVim | @VimLinks | @VimTips

- \* Make it a habit to follow Twitter accounts

- \* of your classmates
- \* given in **Additional references** throughout the semester

To be completed on or before 5 pm on Wednesday, 7th September 2016. Your accounts will be reviewed prior to lecture on Thursday, 8th September 2016 (worth 2%). Subsequent reviews will take place throughout the semester.

# Research Marketing II

Professional business cards



<http://dilbert.com/strip/2011-10-07/>

# Research Marketing II

## Professional business cards


Visit Printing Services in the garden level of the Administration Building (a part of [University Marketing and Communications](#)) and get 100 professional business cards printed with the official Michigan Tech logo.

Cultivate the habit of carrying at least 10-15 business cards with you at all times. Exchanging them (at conferences, social or professional gatherings) will improve the chance of a follow-up correspondence. Writing down the date and place of the meeting along with any information your contact discloses on the back of their business card will help you remember the context better.

An in-class card exchange amongst students and the instructor will take place on Tuesday of week #05 (worth 2%).

# Free time Exercises

Complementary *Do at home* and *Back of the envelope* tasks



<http://dilbert.com/strip/1993-10-18/>

*Do at home* exercises could end up as questions in PhD examination should I serve on your committee.  
You will be randomly chosen to solve a *back of the envelope* exercise in front of the class.

## *Do at home vs Back of the envelope exercise*

### *Do at home exercise*



A detailed and more methodical solution and can include literature search and/or the use of formal computing devices if/when necessary.

1. An envy-free division of a cake in bounded time
2. Frequency of prime numbers in intervals of 1000 integers
3. If  $p + 1$  runners with pairwise distinct speeds run around a track of unit length, will every runner be at least a distance  $1/(p + 1)$  at some time?

# *Do at home vs Back of the envelope exercise*

## *Back of the envelope exercise*



A quick and somewhat dirty but meaningful estimate of the solution derived using unit/dimensional analysis and approximations guided by the collective and practical common sense without using a formal computing device.

1. Gravity train
2. Number of taxi drivers in New York City
3. Height of the clouds from  $\Delta t$  between lightning and thunder

# Time management

What does the credit system mean?



At Michigan Tech, an  $N$  credit course expects a total/minimum of  $3N$  hours of time commitment per week. UN5390 is a 3 credit course.

Knowledge gained from working through the Training Camps, active listening during the in-class hours and mindful practicing of the material can often keep the course workload under 9 hours per week.

Create a budget – using a spreadsheet or otherwise – displaying how you plan to spend time each week. Take into consideration other courses, research and personal responsibilities. Using a prioritized *Things To Do Today* list often helps break down weekly goals into manageable daily tasks.

# Time management

Date 2016|08|31|2

Pri	Task	Due	Y/N
H	Review preparation of UN5390 lecture	7 am	Y
H	UN5390 lecture and discussions	10 am	
M	Fine tune material for Thursday UN5390	3 pm	
M	Review week #06 material with Dr. Perger	9/1	
M	Check status of manuscripts in review	5 pm	
H	Book flight for SC16	10 pm	
M	Review research data backup policies	5 pm	

ThingsToDo.\* in week #01 AdditionalMaterials folder.



## *Back of the envelope exercises*

How powerful is your laptop?

Estimate the computing power of your laptop in GFLOPS. You may need to check the manufacturer's notes for hardware parameters.

For a computer with  $N$  identical/homogeneous processors,

$$\text{FLOPS} = N \times \text{CPU speed} \times \frac{\text{FLOPs}}{\text{CPU cycle}}$$

## *Back of the envelope exercises*

### The impact and limitations of Moore's Law



Assuming that Moore's Law holds true, what is the speed up of a computer observed over an average adult's life in the US? Are there practical limitations to this Law?

## *Back of the envelope exercises*

### Superior and Top 500

A proposed compute node in Superior will have two Intel Xeon E5-2698 processors (each processor with 20 cores) at 2.20 GHz, 512 GB RAM, 480 GB Intel Enterprise SSD, Mellanox ConnectX-3 56 Gbps InfiniBand network, and will cost \$13,263.13.

Ignoring the cost of physical space, racks, network, storage, electricity and labor, estimate the cost to build a #500 supercomputer (~405 TFLOPS) with homogeneous compute nodes as the ones described above.

For a computer with  $N$  identical/homogeneous processors,

$$\text{FLOPS} = N \times \text{CPU speed} \times \frac{\text{FLOPs}}{\text{CPU cycle}}$$

## *Back of the envelope exercises*

### Cost of an exascale supercomputer

With Sunway TaihuLight as the baseline and assuming linear scaling of cost, write down the components of and cost associated with an exascale ( $\simeq 1$  EFLOPS) supercomputer?

## *Back of the envelope exercises*

### Storing valuable data

Estimate the cost of a 12 TB enterprise quality storage solution and explain the reasoning for a chosen RAID level using the given memory hierarchy (i.e., data access times).

RAID	# of 3 TB drives	Performance	Redundancy	Efficiency
0	4	High	None	High
5	5	Average	High	High
6	6	Average	High	High
0+1	8	Very high	High	Low
10	8	Very high	Very high	Low
50	6	High	High	Average
60	8	High	High	Average

[RAID: Introduction](#) | [Standard levels](#)



# Tips and Tricks

Test them before trusting them



<http://dilbert.com/strip/1989-04-20/>

# File/Folder naming convention

Develop a personalized yet consistent scheme

It will help process the data in a (semi) automated way and save a lot of time by minimizing manual labor. Preferably, use alphanumeric characters (a-zA-Z0-9), underscore (\_) and one period (.) in file/folder.

Parsing other special characters, !@#\$%^ &\*() ;:-?/\+=, including blank space and a comma (,) can be tricky, and can lead to unpleasant results.

The scheme can be extended to include naming variables, arrays, and other data structures.

# L<sup>A</sup>T<sub>E</sub>X workflow

## One-time setup (once per semester)

```
cd ${UN5390}/LaTeXTemplates/Course  
cp UN5390.bib ${USER}.bib  
cp UN5390_Settings_Template.tex UN5390_Settings.tex  
# EDIT THE EDITABLE PORTIONS IN UN5390_Settings.tex  
git add ${USER}.bib UN5390_Settings.tex
```

## One-time setup (once per assignment)

```
cd ${UN5390}/LaTeXTemplates/Course  
cp john_WEEK.tex \  
 ../../CourseWork/Week_01/${USER}_01/${USER}_01.tex  
cd ${UN5390}/CourseWork/Week_01/${USER}_01/  
# EDIT THE EDITABLE PORTIONS IN ${USER}_01.tex
```

Replace 01 with the appropriate week number.



# L<sup>A</sup>T<sub>E</sub>X workflow

Whenever you are working on the assignment

```
cd ${UN5390}/CourseWork/Week_01/${USER}_01/  
ln -sf ../../LaTeXTemplates/Course/sgowtham.bib  
ln -sf ../../LaTeXTemplates/Course/${USER}.bib  
ln -sf ../../LaTeXTemplates/Course/UN5390.sty  
ln -sf ../../LaTeXTemplates/Course/UN5390_Settings.tex  
ln -sf ../../LaTeXTemplates/Course/MichiganTech.eps  
ln -sf ../../LaTeXTemplates/Course/MichiganTech.png  
# UPDATE ${USER}.bib AND ${USER}_01.tex WHEN NECESSARY  
# COMPILE ${USER}_01.tex TO PRODUCE ${USER}_01.pdf  
# DELETE TEMPORARY LATEX FILES  
rm -f sgowtham.bib ${USER}.bib MichiganTech.???.pdf  
rm -f UN5390.sty UN5390_Settings.tex
```

Replace 01 with the appropriate week number.



# L<sup>A</sup>T<sub>E</sub>X workflow

Compiling \${USER}\_01.tex to produce \${USER}\_01.pdf

```
# Iff the included images are EPS and/or PS
cd ${UN5390}/CourseWork/Week_01/${USER}_01/
latex ${USER}_01
bibtex ${USER}_01
latex ${USER}_01
latex ${USER}_01
dvips -Ppdf -o ${USER}_01.ps ${USER}_01.dvi
ps2pdf ${USER}_01.ps ${USER}_01.pdf
rm -f ${USER}_01.aux ${USER}_01.bbl ${USER}_01.blg
rm -f ${USER}_01.dvi ${USER}_01.log ${USER}_01.out
rm -f ${USER}_01.ps
```

Replace 01 with the appropriate week number.

For more information, visit [https://github.com/MichiganTech/LaTeX\\_GettingStarted](https://github.com/MichiganTech/LaTeX_GettingStarted)



# L<sup>A</sup>T<sub>E</sub>X workflow

Compiling \${USER}\_01.tex to produce \${USER}\_01.pdf

```
# Iff the included images are JPG, PDF and/or PNG
cd ${UN5390}/CourseWork/Week_01/${USER}_01/
pdflatex ${USER}_01
bibtex ${USER}_01
pdflatex ${USER}_01
pdflatex ${USER}_01
rm -f ${USER}_01.aux ${USER}_01.bbl ${USER}_01.blg
rm -f ${USER}_01.dvi ${USER}_01.log ${USER}_01.out
```

Replace 01 with the appropriate week number.

For more information, visit [https://github.com/MichiganTech/LaTeX\\_GettingStarted](https://github.com/MichiganTech/LaTeX_GettingStarted)



# Timing a task

## date command

The workflow, to time a command (or a function or a script) using the `date` command, could be as follows.

```
TIME_START=$(date +%s)
```

```
COMMAND
```

```
TIME_END=$(date +%s)
```

```
TIME_DELTA=$(( ${TIME_END} - ${TIME_START} ))
```

```
seconds2hms ${TIME_DELTA}
```

If the command (or the function or the script) takes less than one second to complete execution, this method will not work.

`seconds2hms()` was discussed in Training Camp #08.

## Timing a task

`time` and `/usr/bin/time`

`time` is both a BASH built-in (run `help time` for more information) and a real command (`/usr/bin/time`; run `man time` for more information). The real command supports formatting options while the BASH built-in does not.

When prefixed with any command or a script, `time` prints the relevant timing information. Common usage is as follows:

`time COMMAND`

`time SCRIPT`

`/usr/bin/time COMMAND`

`/usr/bin/time SCRIPT`



# Opportunities

They do knock every once in a while



<http://dilbert.com/strip/2009-09-24/>

# IT-managed Linux labs

- \* `colossus.it.mtu.edu` and `guardian.it.mtu.edu`
  - \* Intel Xeon X5675 3.07 GHz, 24 CPU cores, 96 GB RAM
  - \* Accessible for all from anywhere via SSH using a Terminal
  - \* Appropriate for light- to medium-weight computations
- \* Linux workstation in a campus lab/office
  - \* May not be as powerful as `colossus.it` or `guardian.it`
  - \* May not be directly accessible from off-campus
  - \* <https://www.it.mtu.edu/computer-labs.php>

All IT-managed workstations in Linux labs run RHEL 7.x and will mount the campus home directory.

# Network of expertise

UN5390; CRN: 84758

#	Name	Email	Dept/Program	Advisor
01	Adam Mitteer	aamittee	Data Science	Mari Buche
02	Ashley Kern	ankern	Data Science	Mari Buche
03	Eassa Hedayati	hedayati	Physics	John Jaszczak
04	Hashim Mahmud	hnalmahm	ME-EM	Gregory Odegard
05	Jeffrey Brookins *	jmbrooki	MSE	Jaroslaw Drelich
06	Paul Roehm	pmroehm	ME-EM	Gregory Odegard
07	Qing Guo	qinguo	Physics	Ravindra Pandey
08	Shruti Amre	smamre	Med. Informatics	Guy Hembroff
09	Subin Thomas	subint	Physics	Raymond Shaw

\* Undergraduate students



# Network of expertise

BE5390: Biomedical Engineering CRN: 84759

#	Name	Email	Advisor
10	Cal Riutta *	<a href="mailto:cdriutta">cdriutta</a>	Jinfeng Jiang


EE5390: Electrical and Computer Engineering; CRN: 84760

11	Akhil Kurup	<a href="mailto:amkurup">amkurup</a>	Michael Roggemann
12	Avinash Kovvuri	<a href="mailto:askovvur">askovvur</a>	Michael Roggemann
13	Ian Cummings	<a href="mailto:itcummin">itcummin</a>	Timothy Havens
14	Prithvi Kambhampati	<a href="mailto:pkambham">pkambham</a>	Michael Roggemann
15	Sandeep Lanka	<a href="mailto:slanka">slanka</a>	Zhuo Feng
16	Sameer Saraf	<a href="mailto:svsaraf">svsaraf</a>	Michael Roggemann
17	Shuo Wang	<a href="mailto:wshuo">wshuo</a>	Jeremy Bos
18	Zhiqiang Zhao	<a href="mailto:qzzhao">qzzhao</a>	Zhuo Feng

\* Undergraduate students



# Network of expertise




18 registered students.

# Doing all the *Free time* excercises and optional problems

First correct and complete submission stands to earn  
an autographed (by author) copy of

The End of Error – Unum Computing

John L Gustafson  
CRC Press (2015)



Deadline: 25th December 2016

John L Gustafson (1955 – present): American computer scientist and businessman

# NSF Graduate Research Fellowship Program 2017

- \* Applicant must be a US citizen or a permanent resident and must be in first two years of graduate study
- \* Fellowship supports 3 years of study
- \* \$34k of stipend per year
- \* \$12k of cost-of-education allowance to the university per year
- \* MS and PhD candidates in STEM and STEM education. Senior undergraduates are also encouraged to apply
- \* Michigan Tech Information Session  
5 pm, 7th September 2016 (Wednesday), Admin 404



# CareerFEST and Career Fair


- \* More details at <http://www.mtu.edu/career/careerfest/>
- \* Create/Update your two-page résumé
- \* Have it critiqued by Michigan Tech Career Services
- \* Develop the habit of reviewing/updating it once per month
- \* Use the  $\text{\LaTeX}$  template in [\\$\{UN5390\}/\text{LaTeXTemplates}/\text{Resume}/\\$](#)
- \* Additional resources
  - <http://www.mtu.edu/career/students/toolbox/resumes/examples/>
  - <http://owl.english.purdue.edu/owl/resource/719/1/>
  - <http://www.sharelatex.com/templates/cv-or-resume>
  - <http://www.latextemplates.com/cat/curricula-vitae>

CareerFEST is a collection of many different informal events that take place during the month of Career Fair.



# Mathematical Results

Standing the test of time



Mathematics, rightly viewed, possesses not only truth, but supreme beauty – a beauty cold and austere, like that of sculpture, without appeal to any part of our weaker nature, without the gorgeous trappings of painting or music, yet sublimely pure, and capable of a stern perfection such as only the greatest art can show.

– Bertrand Russell, *A History of Western Philosophy* (1945)

Bertrand Arthur William Russell (1872 – 1970): British philosopher, logician, mathematician, historian, writer, social critic, and political activist. 1950 Nobel Laureate in Literature.

# Fundamental theorem of algebra

Every non-constant single-variable polynomial with complex coefficients has at least one complex root. Since real numbers are a subset of complex numbers, the result/statement extends to polynomials with real coefficients as well.

## Alternate statement #1 (proved using successive polynomial division)

Every non-zero, single-variable, degree  $n$  polynomial with complex coefficients has, counted with multiplicity/degeneracy, exactly  $n$  roots.

## Alternate statement #2

The field of complex numbers is algebraically closed.

Theorem first proven algebraically by James Wood (with missing steps) in 1798, and geometrically by Johann Carl Friedrich Gauss (with a topological gap) in 1799.



# Fundamental theorem of calculus

Suppose that  $f(x)$  is defined and continuous on  $[a, b]$ . Suppose that  $y(x)$  is an anti-derivative of  $f(x)$ . Then

$$\int_a^b f(x) dx = y(b) - y(a)$$


Changing the notations while retaining the underlying essence,

$$\int_{t_n}^{t_{n+1}} f(y, t) dt = y_{n+1} - y_n$$

Re-arranging the terms,

$$y_{n+1} = y_n + \int_{t_n}^{t_{n+1}} f(y, t) dt$$


# Intermediate value theorem (IVT)



For any function  $f(x)$  that is continuous on  $[a, b]$ , and has values  $f(a)$  and  $f(b)$  at  $a$  and  $b$  respectively, then  $f(x)$  also takes any value between  $f(a)$  and  $f(b)$  at some point within the interval.

# Lagrange polynomial interpolation

Suppose that  $(x_i, y_i)$ , with  $i = 0 : 1 : n$ , are a set of  $n + 1$  unique points



Joseph-Louis Lagrange (1736 – 1813): Italian mathematician and astronomer  
[Interpolating Polynomials](#), L. Shure, MathWorks  
[Lagrange Interpolating Polynomial](#), B. Archer, Wolfram

# Lagrange polynomial interpolation

The general form of Lagrange interpolating polynomial, one that passes through  $n + 1$  points

$$\mathcal{L}_n(x) = \sum_{i=0}^n l_i(x) y_i$$

Lagrange basis polynomials are given by

$$l_i(x) = \prod_{\substack{m=0 \\ m \neq i}}^n \frac{x - x_m}{x_i - x_m}$$


and are built to have the *Kronecker delta* property

$$l_i(x_j) = \delta_{ij}$$


# Lagrange polynomial interpolation

Linear

Suppose that  $(x_0, y_0)$  and  $(x_1, y_1)$  are two known points. The linear interpolant is then a straight line between these two points.



# Lagrange polynomial interpolation Quadratic



$$\mathcal{L}_2(x) = \frac{(x - x_1)(x - x_2)}{(x_0 - x_1)(x_0 - x_2)} y_0 + \frac{(x - x_0)(x - x_2)}{(x_1 - x_0)(x_1 - x_2)} y_1 + \frac{(x - x_0)(x - x_1)}{(x_2 - x_0)(x_2 - x_1)} y_2$$


# Lagrange polynomial interpolation

Error analysis

If  $f(x)$  is  $n + 1$  times continuously differentiable on a closed interval  $[a, b]$ , and  $p_n(x)$  is a polynomial of degree at most  $n$  that interpolates  $f(x)$  at  $n + 1$  distinct points  $x_i$ , ( $i = 0, 1, 2, \dots, n$ ) in that interval. Then

$$\epsilon_n = \int_a^b [f(x) - p_n(x)] dx = \int_a^b \frac{f^{(n+1)}}{(n+1)!} \prod_{i=0}^n (x - x_i) dx$$

# Mean value theorem



For any function that is continuous on  $[a, b]$  and differentiable on  $(a, b)$ , there exists a point  $c$  in  $(a, b)$  such that the line joining  $f(a)$  and  $f(b)$  (i.e., the secant) is parallel to the tangent at  $c$ .



## Weighted mean value theorem for integrals

Suppose that  $f(x)$  and  $g(x)$  are continuous on  $[a, b]$ . If  $g(x)$  never changes sign and is positive,  $g(x) \geq 0$ , in  $[a, b]$ , then for some  $c$  in  $[a, b]$

$$\int_a^b f(x) g(x) dx = f(c) \int_a^b g(x) dx$$

# Newton-Cotes formula

Suppose that  $f(x)$  is defined and continuous on  $[a, b]$ .

Consider the integral



$$I = \int_a^b f(x) dx$$

If  $f(x)$  can be approximated by an  $n^{th}$  order polynomial

$$p_n(x) = \alpha_0 + \alpha_1 x + \alpha_2 x^2 + \dots + \alpha_{n-1} x^{n-1} + \alpha_n x^n$$

then the integral,  $I$ , takes the form

$$I = \int_a^b [\alpha_0 + \alpha_1 x + \alpha_2 x^2 + \dots + \alpha_{n-1} x^{n-1} + \alpha_n x^n] dx$$

Isaac Newton (1642 – 1727): English physicist and mathematician

Roger Cotes (1682 – 1716): English mathematician (no photo)

# Taylor series expansion

If  $f(x)$  is infinitely differentiable at  $x_0$ , then

$$f(x) = \sum_{n=0}^{\infty} \frac{(x - x_0)^n}{n!} \left. \frac{d^n}{dx^n} f(x) \right|_{x=x_0}$$




A more general form that clearly identifies the error term is given by the  $p^{th}$  order Taylor series expansion of  $f(x)$  with  $\tilde{x} \in [x, x + \Delta x]$

$$f(x + \Delta x) = \sum_{n=0}^p \frac{(\Delta x)^n}{n!} \left. \frac{d^n}{dx^n} f(x) \right|_{x=x} + \frac{(\Delta x)^{p+1}}{(p+1)!} \left. \frac{d^{p+1}}{dx^{p+1}} f(\tilde{x}) \right|_{x=x}$$

Brook Taylor (1685 – 1731): English mathematician

# Supercomputing

Impact on everyday life



What is HPC?

# Got questions?

If you do, find a way to contact me; and do so sooner than later

EERC B39 · (906) 487-4096 · [g@mtu.edu](mailto:g@mtu.edu) · [@sgowtham](https://twitter.com/@sgowtham)

Do not share/distribute the course material, in and/or outside of Michigan Tech, without instructor's prior consent

