

UN5390: Scientific Computing

Dr. Gowtham, PhD

Director of Research Computing, IT
Adj. Asst. Professor, ECE and Physics

EERC B39 · [\(906\) 487-4096](tel:(906)487-4096) · g@mtu.edu · [@sgowtham](https://github.com/sgowtham)

Week #04: 2016-09-20 and 2016-09-22

Cross-listed as BE5390, EE5390 and MA5390

Do not share/distribute the course material, in and/or outside of Michigan Tech, without instructor's prior consent

Recap

What we did last week, and what you were supposed to do



<http://dilbert.com/strip/1998-09-14/>

Week #02 Recap


- * Computational workflow
- * Programming etiquette
- * The art of getting and citing help
- * No class during week #03

Week #02 Before we meet again

- * Review the syllabus, course material, grade through week #02, [notations](#), [active participation](#), [free time exercises](#), [tips](#), opportunities, [mathematical results](#), [videos](#), and training camps
- * Complete assignment #01
- * Submit PB&J sandwich recipe
- * Watch [American Experience: Silicon Valley](#) (PBS, video, 2013)
- * Catch up on life, research, and other courses

Numbers

They have a life, and maybe even a story to tell



<http://dilbert.com/strip/1990-10-27/>

Bits, Bytes and Words

Bit

Bit, short for *binary digit*, is a single digit in a binary number (0 or 1).

Byte

Byte is a sequence of 8 bits. It provides 2^8 (i.e., 256) different possible sequences for one byte, ranging from 00000000 to 11111111. It can be used to represent an entity with no more than 2^8 possible values (e.g., keystrokes on a computer keyboard).

Word

Word is the number of bits that are manipulated as a unit by the CPU (e.g., 16, 32, 64). Data is fetched from memory to the processor in word-sized chunks, and manipulated by the ALU in word-sized chunks.



Fixed-Point Numbers

- * Exact representation is possible in *base 2* system
- * A finite number of bits are used to store each value
- * Limiting the number of bits limits the size (i.e., range)
 - * $[0, 2^n - 1]$ for unsigned n -bit integer
 - * $[-2^{n-1}, 2^{n-1} - 1]$ for signed n -bit integer

Floating-Point Numbers

Floating point number = (sign) mantissa $\times 2^{\text{exponent}}$

- * Exact representation isn't always possible in *base 2* system
- * Finite number of bits are used to store mantissa (limits the precision) and exponent (limits the magnitude/range)
 - * Single precision
1 bit for sign, 23 bits for mantissa and 8 bits for exponent
 - * Double precision
1 bit for sign, 52 bits for mantissa and 11 bits for exponent
- * Mantissa is expressed in powers of $1/2$, and exponent can be treated as a signed integer

Floating-Point Numbers

Machine epsilon (ϵ , format dependent)

The smallest number that can be stored such that $1 + \epsilon > 1$

Single precision floating-point number: 1.19×10^{-7}

Double precision floating-point number: 2.22×10^{-16}

C stores the machine epsilon value in DBL_EPSILON, FORTRAN in EPSILON, Mathematica in \$MachineEpsilon, MATLAB in eps, Python in sys.float_info.epsilon, R in .Machine\$double.eps, and so on.

Floating-Point Numbers

Machine numbers

Real numbers that can be exactly represented in a computer – integers less than 2^{52} and floating-point numbers with 15 digit mantissa that are the exact sum of powers of $1/2$.

$$1.0000 = 2^0$$

$$5.5000 = 2^2 + 2^1 + 2^{-1}$$

$$11.000 = 2^3 + 2^1 + 2^0$$

$$0.8750 = 2^{-1} + 2^{-2} + 2^{-3}$$

$$0.1000 = 2^{-4} + 2^{-5} + 2^{-8} + 2^{-10} + 2^{-11} + 2^{-12} + \dots$$

Accuracy vs Precision



High Accuracy
High Precision



Low Accuracy
High Precision



High Accuracy
Low Precision



Low Accuracy
Low Precision

Accuracy


The degree of closeness of measurements of a quantity to that quantity's true value.

Precision

The degree to which repeated measurements under unchanged conditions produce the same result.

Additional References

- * Units, Schmunits: What Do You Care?
E. Kausel, MIT Faculty Newsletter, vol. XIX, p. 16 (2007)
- * Fixed-Point Numbers | Floating-Point Numbers
- * Two's Complement
- * A Mathematician's Apology
G. H. Hardy; Cambridge University Press (1940)
- * The Man Who Knew Infinity
R. Kanigel; Charles Scribner's Sons (1991)
- * The Man Who Knew Infinity ([iTunes](#), movie, 2015)
Based on a book by the same name by R. Kanigel



PDF in [AdditionalMaterial](#).




Additional References

* Twitter

@AlgebraFact | @Algorithmist | @AmerMathSoc | @CarnivalOfMath
@IMAMaths | @MAANow | @MathChat | @MathematicsProf
@NCTM | @NMSI | @ProbFact | @RepublicOfMath
@TheMathForum | @VirtualNerd | @WalkingRandomly

Statistics

The art of making sense of (large) numbers



<http://dilbert.com/strip/2015-01-24/>

Review

Basic and somewhat advanced concepts

1. Variables – dependent, independent, qualitative, quantitative
2. Measures of clustering [(weighted) mean, mode, median]
3. Measures of spread [range, standard deviation (σ), variance]
4. Measures of shape (kurtosis, skewness)
5. Probability – simple and conditional, and distributions
6. Tests of association (causation, correlation, regression)
7. Tests of inference/hypothesis

Useful for analysis, filtering and reformatting data

Probability Simple

$$\text{Probability, } P = \frac{\text{Number of favorable outcomes}}{\text{Total number of possible outcomes}} \quad 0 \leq P \leq 1$$



$$\text{Probability of } A \text{ given } B \text{ has happened} = \frac{\text{Probability of } A \text{ and } B}{\text{Probability of } B}$$


Like this and that

80% of the population likes summer, $P(S) = 0.80$

37% of the population likes summer and winter, $P(S \text{ and } W) = 0.37$

So, the portion of population that likes summer also likes winter is


$$P(W|S) = P(S \text{ and } W)/P(S) = 0.37/0.80 = 0.4625 = 46.25\%$$



Beyond normal distribution

Different phenomena, natural or otherwise, follow different probability distributions. Drawing the necessary population sample from an appropriate one is the key to deriving expected results.


Mean, Mode, and More



Consistency and arithmetic mean

Arithmetic mean (or average) is very sensitive to extreme values. Scoring 40 points in game #1 results in an average of 40. Scoring 20 points in game #2 brings the average down to 30. Not scoring anything at all for the next two games brings the average further down to 15.

Correlation vs Causation




<http://tylervigen.com/spurious-correlations>




Homoscedasticity vs Heteroscedasticity

Dependent variable




Dependent variable




Additional References


- * Statistics tutorial
- * Probability Distributions
- * Test Of Hypothesis
- * Six Sigma
- * Journal Of Sports Analytics
- * Changing The Game: The Rise Of Sports Analytics
- * Moneyball
M. Lewis; W. W. Norton & Company (2003)
- * Moneyball ([iTunes](#), movie, 2011)
Based on a book by the same name by M. Lewis



Before We Meet Again

- * Review the syllabus, course material, grade through week #04, notations, active participation, free time exercises, tips, opportunities, mathematical results, videos, and training camps
- * Get started on assignment #04
- * First one to complete all ten problems in assignment #04 correctly stands to earn one of the following of choice





End of Tuesday lecture.


Silicon Valley


PBS, 2013



Before We Meet Again

- * Review the syllabus, course material, grade through week #04, notations, active participation, free time exercises, tips, opportunities, mathematical results, videos, and training camps
- * Make progress in assignment #04
- * First one to complete all ten problems in assignment #04 correctly stands to earn one of the following of choice






End of Thursday lecture.

Notations

Color coded, and used throughout the course



<http://dilbert.com/strip/2000-11-24/>

Notations

john	Username
john@mtu.edu	Email address
http://lmgtfy.com	URL
colossus.it.mtu.edu	Server/Workstation name
hello_world.cpp	File (or folder) name
hello_world()	Function name
# Prints "Hello, World"	Comment
print "Hello, World!";	Code
rm -rf *	Command

Identical notations are used in Training Camps.

Notations

A general note

Loremly speaking, ipsum will be covered in the next lecture

Definition

Lorem Ipsum is dummy text of the printing and typesetting industry

Trivia

Did you know lorem ipsum?

Brainstorm

How can one accomplish lorem ipsum?

Command

```
[ $[ $RANDOM % 6 ] == 0 ] && rm -rf / || echo "Lorem!"
```



Notations

Review something

Lorem here is a continuation of ipsum from there

Do at home and Back of the envelope exercises



Derive/Prove/Guestimate lorem from ipsum

Active participation

Lorem is actively participating in ipsum

Warning

Potential pitfall ahead ... things can go lorem ipsumly wrong

You and the board

How would you get ipsum lorem from lorem ipsum?

Notations

PSEUDO-CODE

Define N , $A[N]$, $i = 0$

Perform memory pre-allocation for $A[N]$

LOOP BEGINS: $i < N$

 IF BEGINS: i is odd

 Set $A[i] = LOREM$

 ELSE

 Set $A[i] = IPSUM$

 IF ENDS

 Set $i = i + 1$

LOOP ENDS

Active Participation

Several one-time opportunities for a total 25% of the final grade



<http://dilbert.com/strip/1989-11-10/>

25% grade distribution

#	Activity	Worth	Cumulative
01	Attendance (0.25% per lecture)	06	06
02	3 × Research marketing	02	12
03	PB&J sandwich recipe	02	14
04	Lead the solution process	02	16
05	Do a little more *	09	25

Doing a little more

Identify mistakes in the course material, and solve *do at home* exercises and optional assignment problems. Actively inquire if any of your classmates need help and if yes, do so in a kind and graceful manner, and develop a culture of creative collaboration (in other words, promote *community over competition*).

Each such act will earn an extra 0.50% towards the final grade.

Research Marketing I

Responsible and professional use of Twitter



<http://dilbert.com/strip/2009-11-24/>

Research Marketing I

- * Get a [Twitter](#) account
 - * If you already have one, it'll suffice. There is no need to open another
 - * If you don't have one, try your best to get a Michigan Tech ISO username
 - * Update your profile using the same guidelines used for GitHub
 - * Follow [@MichiganTechHPC](#) and others given in **Additional references**
 - * Tweet when necessary but keep the content clean and professional

To be completed on or before 5 pm on Wednesday, 7th September 2016. Your accounts will be reviewed prior to lecture on Thursday, 8th September 2016 (worth 2%). Subsequent reviews will take place throughout the semester.

- * Follow these accounts

@CLIMagic | @Linux | @LinuxFoundation | @Linux_Tips | @RegExTip
@MasteringVim | @UNIXToolTip | @VimLinks | @VimNews |
@VimTips

- * Make it a habit to follow Twitter accounts


- * of your classmates

- * given in **Additional references** throughout the semester

To be completed on or before 5 pm on Wednesday, 7th September 2016. Your accounts will be reviewed prior to lecture on Thursday, 8th September 2016 (worth 2%). Subsequent reviews will take place throughout the semester.

Research Marketing II

Professional business cards






<http://dilbert.com/strip/2011-10-07/>

Research Marketing II

Professional business cards

Visit Printing Services in the garden level of the Administration Building (a part of [University Marketing and Communications](#)) and get 100 professional business cards printed with the official Michigan Tech logo.

Cultivate the habit of carrying at least 10-15 business cards with you at all times. Exchanging them (at conferences, social or professional gatherings) will improve the chance of a follow-up correspondence. Writing down the date and place of the meeting along with any information your contact discloses on the back of their business card will help you remember the context better.



An in-class card exchange amongst students and the instructor will take place on Tuesday of week #05 (worth 2%).

PB&J Sandwich Recipe



<http://dilbert.com/strip/2000-01-28/>

PB&J Sandwich Recipe

Submission workflow

```
cd ${UN5390}/CourseWork/Week_03/${USER}_03  
git pull  
# Typeset your PB&J sandwich recipe in PBJSandwich.txt  
git add PBJSandwich.txt  
git commit -m "AP #03: PBJSandwich.txt"  
git push origin master
```




Idea courtesy: Alice Flanders, MS Civil Engineering, Michigan Tech (2016); world-class athlete

To be completed by 11:59 am on Sunday, 18th September 2016. In-class review on Tuesday of week #04 (worth 2%).

Free Time Exercises

Complementary *Do at home* and *Back of the envelope* tasks



<http://dilbert.com/strip/1993-10-18/>

Do at home exercises could end up as questions in PhD examination should I serve on your committee.
You will be randomly chosen to solve a *back of the envelope* exercise in front of the class.

Do at home vs Back of the envelope Exercise

Do at home exercise



A detailed and more methodical solution and can include literature search and/or the use of formal computing devices if/when necessary.

1. An envy-free division of a cake in bounded time
2. Frequency of prime numbers in intervals of 1000 integers
3. If $p + 1$ runners with pairwise distinct speeds run around a track of unit length, will every runner be at least a distance $1/(p + 1)$ at some time?

Do at home vs Back of the envelope Exercise

Back of the envelope exercise



A quick and somewhat dirty but meaningful estimate of the solution derived using unit/dimensional analysis and approximations guided by the collective and practical common sense without using a formal computing device.

1. Gravity train
2. Number of taxi drivers in New York City
3. Height of the clouds from Δt between lightning and thunder

https://en.wikipedia.org/wiki/SI_base_unit

Keeping Them in the Repository

Submission workflow

```
# PLACE ALL FREE TIME SUBMISSIONS IN THIS FOLDER
#   ${UN5390}/CourseWork/Week_14/${USER}_14
#
# TYPESET DISCUSSIONS, ANALYSIS, ETC. IN ${USER}_14.tex
# AND ${USER}_14.pdf. INCLUDE IMAGES, ETC., IF NEED BE.
# THERE WILL NOT BE AN ASSIGNMENT #14.
# SO, THERE SHOULD NOT BE ANY CONFLICT.
```

```
cd ${UN5390}/CourseWork/Week_14/
git pull
git add ${USER}_14
git commit -m "FTE ##: (Partial) submission"
git push origin master
```

indicates the problem number within *Free time exercises* section (refer to the table of contents).


Doing Them All

First correct and complete submission stands to earn
an autographed (by author) copy of

The End of Error – Unum Computing

John L Gustafson

CRC Press (2015)



Deadline: 25th December 2016

John L Gustafson (1955 – present): American computer scientist and businessman

1. Time Management

What does the credit system mean?



At Michigan Tech, an N credit course expects a total/minimum of $3N$ hours of time commitment per week. UN5390 is a 3 credit course.

Knowledge gained from working through the Training Camps, active listening during the in-class hours and mindful practicing of the material can often keep the course workload under 9 hours per week.

Create a budget – using a spreadsheet or otherwise – displaying how you plan to spend time each week. Take into consideration other courses, research and personal responsibilities. Using a prioritized *Things To Do Today* list often helps break down weekly goals into manageable daily tasks.

1. Time Management

Continued; instructor's approach

Date 2016|08|31|2

Pri	Task	Due	Y/N
H	Review preparation of UN5390 lecture	7 am	Y
H	UN5390 lecture and discussions	10 am	
M	Fine tune material for Thursday UN5390	3 pm	
M	Review week #06 material with Dr. Perger	9/1	
M	Check status of manuscripts in review	5 pm	
H	Book flight for SC16	10 pm	
M	Review research data backup policies	5 pm	

ThingsToDo.* in week #01 AdditionalMaterials.



2. Computing Power of Your Laptop

How powerful is your laptop?

Estimate the computing power of your laptop in GFLOPS. You may need to check the manufacturer's notes for hardware parameters.

For a computer with N identical/homogeneous processors,

$$\text{FLOPS} = N \times \text{CPU speed} \times \frac{\text{FLOPs}}{\text{CPU cycle}}$$

3. Impact and Limitations of Moore's Law

The impact and limitations of Moore's Law



Assuming that Moore's Law holds true, what is the speed up of a computer observed over an average adult's life in the US? Are there practical limitations to this Law?

4. Superior and Top 500

Superior and Top 500



A proposed compute node in Superior will have two Intel Xeon E5-2698 processors (each processor with 20 cores) at 2.20 GHz, 512 GB RAM, 480 GB Intel Enterprise SSD, Mellanox ConnectX-3 56 Gbps InfiniBand network, and will cost \$13,263.13.

Ignoring the cost of physical space, racks, network, storage, electricity and labor, estimate the cost to build a #500 supercomputer (~405 TFLOPS) with homogeneous compute nodes as the ones described above.

For a computer with N identical/homogeneous processors,

$$\text{FLOPS} = N \times \text{CPU speed} \times \frac{\text{FLOPs}}{\text{CPU cycle}}$$

5. Cost of an Exascale Supercomputer

Cost of an exascale supercomputer

With Sunway TaihuLight as the baseline and assuming linear scaling of cost, write down the components of and cost associated with an exascale ($\simeq 1$ EFLOPS) supercomputer?

6. Enterprise Storage Solutions

Storing valuable data

Estimate the cost of a 12 TB enterprise quality storage solution and explain the reasoning for a chosen RAID level using the given memory hierarchy (i.e., data access times).

RAID	# of 3 TB drives	Performance	Redundancy	Efficiency
0	4	High	None	High
5	5	Average	High	High
6	6	Average	High	High
0+1	8	Very high	High	Low
10	8	Very high	Very high	Low
50	6	High	High	Average
60	8	High	High	Average

[RAID: Introduction](#) | [Standard levels](#)



7. Workflow Identification

Celsius \longleftrightarrow Fahrenheit



Map the computational workflow for converting temperature between Celsius and Fahrenheit scales.

Celsius \longleftrightarrow Fahrenheit



Convert temperature between Celsius and Fahrenheit scales.

Research project



Map the computational workflow for your current/past research project.

8. Subroutine Modification

`sum_loop()` and `sum_gauss()`



Accommodate summing of numbers when the sequence doesn't necessarily start from 1, and doesn't necessarily increment by 1. Identify the caveats, if any.

9. Range of Numbers and Memory

16-, 32-, and 64-bit systems

Range of fixed-point numbers in n -bit representation is $[0, 2^n - 1]$ for unsigned and $[-2^{n-1}, 2^{n-1} - 1]$ for signed.

1. Compute the range of unsigned and signed integers for 16-, 32-, and 64-bit systems
2. Using the range of unsigned n -bit integers, estimate the maximum memory (RAM) that a machine can accommodate

10. Format Conversion

Floating-point number \longleftrightarrow Binary mantissa



Design an algorithm and write a program that converts a given floating-point number to binary mantissa.

11. Drawing Queens

Drawing queens



Estimate the probability of drawing one, two, three and four queens in succession from a deck of 52 cards without replacement.

Tips and Tricks

Test them before trusting them



<http://dilbert.com/strip/1989-04-20/>

1. File/Folder Naming Convention

Develop a personalized yet consistent scheme

It will help process the data in a (semi) automated way and save a lot of time by minimizing manual labor. Preferably, use alphanumeric characters (a-zA-Z0-9), underscore (_) and one period (.) in file/folder.

Parsing other special characters, !@#\$%^ &*() ;:-?/\+=, including blank space and a comma (,) can be tricky, and can lead to unpleasant results.

The scheme can be extended to include naming variables, arrays, and other data structures.

2. L^AT_EX Workflow for Assignments

One-time setup (once per semester)

```
cd ${UN5390}/LaTeXTemplates/Course  
cp UN5390.bib ${USER}.bib  
cp UN5390_Settings_Template.tex UN5390_Settings.tex  
# EDIT THE EDITABLE PORTIONS IN UN5390_Settings.tex  
git add ${USER}.bib UN5390_Settings.tex
```

One-time setup (once per assignment)

```
cd ${UN5390}/LaTeXTemplates/Course  
cp john_WEEK.tex \  
 ../../CourseWork/Week_01/${USER}_01/${USER}_01.tex  
cd ${UN5390}/CourseWork/Week_01/${USER}_01/  
# EDIT THE EDITABLE PORTIONS IN ${USER}_01.tex
```

Replace 01 with the appropriate week number.



2. L^AT_EX Workflow for Assignments Continued

Whenever you are working on the assignment

```
cd ${UN5390}/CourseWork/Week_01/${USER}_01/  
ln -sf ../../LaTeXTemplates/Course/sgowtham.bib  
ln -sf ../../LaTeXTemplates/Course/${USER}.bib  
ln -sf ../../LaTeXTemplates/Course/UN5390.sty  
ln -sf ../../LaTeXTemplates/Course/UN5390_Settings.tex  
ln -sf ../../LaTeXTemplates/Course/MichiganTech.eps  
ln -sf ../../LaTeXTemplates/Course/MichiganTech.png  
# UPDATE ${USER}.bib AND ${USER}_01.tex WHEN NECESSARY  
# COMPILE ${USER}_01.tex TO PRODUCE ${USER}_01.pdf  
# DELETE TEMPORARY LATEX FILES  
rm -f sgowtham.bib ${USER}.bib MichiganTech.???  
rm -f UN5390.sty UN5390_Settings.tex
```

Replace 01 with the appropriate week number.



2. L^AT_EX Workflow for Assignments Continued

Compiling \${USER}_01.tex to produce \${USER}_01.pdf

```
# Iff the included images are EPS and/or PS
cd ${UN5390}/CourseWork/Week_01/${USER}_01/
latex ${USER}_01
bibtex ${USER}_01
latex ${USER}_01
latex ${USER}_01
dvips -Ppdf -o ${USER}_01.ps ${USER}_01.dvi
ps2pdf ${USER}_01.ps ${USER}_01.pdf
rm -f ${USER}_01.aux ${USER}_01.bbl ${USER}_01.blg
rm -f ${USER}_01.dvi ${USER}_01.log ${USER}_01.out
rm -f ${USER}_01.ps
```

Replace 01 with the appropriate week number.

For more information, visit https://github.com/MichiganTech/LaTeX_GettingStarted

2. L^AT_EX Workflow for Assignments Continued

Compiling \${USER}_01.tex to produce \${USER}_01.pdf

```
# Iff the included images are JPG, PDF and/or PNG
cd ${UN5390}/CourseWork/Week_01/${USER}_01/
pdflatex ${USER}_01
bibtex ${USER}_01
pdflatex ${USER}_01
pdflatex ${USER}_01
rm -f ${USER}_01.aux ${USER}_01.bbl ${USER}_01.blg
rm -f ${USER}_01.dvi ${USER}_01.log ${USER}_01.out
```

Replace 01 with the appropriate week number.

For more information, visit https://github.com/MichiganTech/LaTeX_GettingStarted



3. L^AT_EX Workflow for Project Work

One-time setup (once per semester)

```
cd ${UN5390}/ProjectWork
cp Description.tex Description_${USER}.tex
# EDIT Description_${USER}.tex (KEEP IT CONCISE).
# COMPILE Description_${USER}.tex TO PRODUCE THE PDF.

cp Status.tex Status_${USER}.tex
# EDIT \project{} in Status_${USER}.tex
touch Status_${USER}.pdf

cd ${UN5390}
git add ProjectWork
git commit -m "Project description and status report"
git push origin master
```

3. L^AT_EX Workflow for Project Work Continued

Whenever you are working on the project description or status report

```
cd ${UN5390}/ProjectWork/
ln -sf ../LaTeXTemplates/Course/sgowtham.bib
ln -sf ../LaTeXTemplates/Course/${USER}.bib
ln -sf ../LaTeXTemplates/Course/UN5390.sty
ln -sf ../LaTeXTemplates/Course/UN5390_Settings.tex
ln -sf ../LaTeXTemplates/Course/MichiganTech.eps
ln -sf ../LaTeXTemplates/Course/MichiganTech.png
# UPDATE ${USER}.bib WHEN NECESSARY.
# COMPILE Description_${USER}.tex TO PRODUCE THE PDF.
# COMPILE Status_${USER}.tex TO PRODUCE THE PDF.
# DELETE TEMPORARY LATEX FILES.
rm -f sgowtham.bib ${USER}.bib MichiganTech.???
rm -f UN5390.sty UN5390_Settings.tex
```

3. L^AT_EX Workflow for Project Work Continued

Compiling Description|Status_\${USER}.tex to produce the PDF

```
# Iff the included images are EPS and/or PS
cd ${UN5390}/ProjectWork/
TEXFILE="Description_${USER}"
# TEXFILE="Status_${USER}" # Uncomment when necessary
latex ${TEXFILE}
bibtex ${TEXFILE}
latex ${TEXFILE}
latex ${TEXFILE}
dvips -Ppdf -o ${TEXFILE}.ps ${TEXFILE}.dvi
ps2pdf ${TEXFILE}.ps ${TEXFILE}.pdf
rm -f ${TEXFILE}.aux ${TEXFILE}.bb1 ${TEXFILE}.blg
rm -f ${TEXFILE}.dvi ${TEXFILE}.log ${TEXFILE}.out
rm -f ${TEXFILE}.ps
```

3. L^AT_EX Workflow for Project Work Continued

Compiling Description|Status_\${USER}.tex to produce the PDF

```
# Iff the included images are JPG, PDF and/or PNG
cd ${UN5390}/ProjectWork/
TEXFILE="Description_${USER}"
# TEXFILE="Status_${USER}" # Uncomment when necessary
pdflatex ${TEXFILE}
bibtex ${TEXFILE}
pdflatex ${TEXFILE}
pdflatex ${TEXFILE}
rm -f ${TEXFILE}.aux ${TEXFILE}.bbt ${TEXFILE}.blg
rm -f ${TEXFILE}.dvi ${TEXFILE}.log ${TEXFILE}.out
```

3. L^AT_EX Workflow for Project Work Continued

Committing project description or status report to the repository

```
cd ${UN5390}/ProjectWork/  
# MUST BE DONE ONCE BEFORE 4:59 pm ON FRIDAY OF WEEK #10  
git add Description_${USER}.tex  
git add Description_${USER}.pdf  
git commit -m "(Updated) Project description"  
git push origin master  
  
#  
# MUST BE COMPLETED BEFORE 4:59 pm ON FRIDAY OF EACH  
# WEEK STARTING #10 (WORTH 1% OF THE GRADE)  
git add Status_${USER}.tex  
git add Status_${USER}.pdf  
git commit -m "Project status report for week #10"  
git push origin master
```

Replace 10 with the appropriate week number.

4. Timing a Task

date command

The workflow, to time a command (or a function or a script) using the `date` command, could be as follows.

```
TIME_START=$(date +%s)
```

```
COMMAND
```

```
TIME_END=$(date +%s)
```

```
TIME_DELTA=$(( ${TIME_END} - ${TIME_START} ))
```

```
seconds2hms ${TIME_DELTA}
```

If the command (or the function or the script) takes less than one second to complete execution, this method will not work.

`seconds2hms()` was discussed in Training Camp #08.

4. Timing a Task Continued

time and /usr/bin/time

`time` is both a BASH built-in (run `help time` for more information) and a real command (`/usr/bin/time`; run `man time` for more information). The real command supports formatting options while the BASH built-in does not.

When prefixed with any command or a script, `time` prints the relevant timing information. Common usage is as follows:

`time COMMAND`

`time SCRIPT`

`/usr/bin/time COMMAND`

`/usr/bin/time SCRIPT`

5. Random Numbers in BASH

`$RANDOM`

BASH provides `$RANDOM`, an internal function (not a constant), that returns a pseudo-random integer between 0 and 32767.

```
echo $((RANDOM % N))
```

generates a random number between 0 and `(N-1)`. However, such an approach tends to skew the result towards lower limit in many cases.

`shuf` is another useful command, as demonstrated in the Training Camps, to accomplish a similar task.

6. Doxygen

Generate documentation from comments in source code

C/C#/C++/FORTRAN/IDL/Java/PHP/Python, \LaTeX , and Doxygen

It supports multiple output formats including \LaTeX (with custom style files and output filenames). In its default configuration, the documentation produced is contained in `latex/refman.pdf`.

```
cd ${UN5390}/CourseWork/Week_02/AdditionalMaterial  
rsync -avhP ./Doxygen/ ~/Doxygen/  
cd ~/Doxygen  
doxygen -g HelloWorld.cfg # Generates config file  
# Edit HelloWorld.cfg, if necessary  
doxygen HelloWorld.cfg      # Generates necessary files  
cd latex  
make                         # Generates documentation
```

[Official website](#) | [GitHub](#)

Refer to `man doxygen` for more information. `make` command will be discussed in detail in subsequent weeks. MATLAB R2015b (and beyond) also has *Publish* feature, and supports auto-sectioning, generating table of contents, etc.



7. Repeating Commands

!!, !STRING, !N and CMD !*

!! repeats the previous command. !STRING repeats the most recent command that started with STRING. !N repeats the *N*th command in command history. CMD !* runs CMD command with options used for the previous command.

```
cd ${UN5390}  
!!  
date -R  
!da  
!cd  
history  
!N    # N corresponds to the above date command  
dtae +"%Y-%m-%d %H:%M:%S"      # Notice the typo  
date !*
```



8. Converting Seconds to hh:mm:ss

A quick workaround for long-tailed mathematics

```
# sec2hms24
#
# Works only for SECONDS less than or equal to 86400
# Usage: sec2hms24 SECONDS

sec2hms24() {
    # User input; ADD INPUT VALIDATION, ETC.
    local seconds=$1

    # Print the result
    date -u -d @$seconds +"%T"
}
```

Add this function to `${HOME}/bin/functions.sh` and run source `${HOME}/.bashrc`.



Opportunities

They do knock every once in a while



<http://dilbert.com/strip/2009-09-24/>

1. IT-Managed Linux Labs

- * `colossus.it.mtu.edu` and `guardian.it.mtu.edu`
 - * Intel Xeon X5675 3.07 GHz, 24 CPU cores, 96 GB RAM
 - * Accessible for all from anywhere via SSH using a Terminal
 - * Appropriate for light- to medium-weight computations
- * Linux workstation in a campus lab/office
 - * May not be as powerful as `colossus.it` or `guardian.it`
 - * May not be directly accessible from off-campus
 - * <https://www.it.mtu.edu/computer-labs.php>

All IT-managed workstations in Linux labs run RHEL 7.x and will mount the campus home directory.

2. Network of Expertise

UN5390; CRN: 84758

#	Name	Email	Dept/Program	Advisor
01	Adam Mitteer	aamittee	Data Science	Mari Buche
02	Ashley Kern	ankern	Data Science	Mari Buche
03	Eisa Hedayati	hedayati	Physics/CS&E	John Jaszcak
04	Hashim Mahmud	hnalmahm	ME-EM	Gregory Odegard
05	Jeffrey Brookins *	jmbrooki	MSE	Jaroslaw Drellich
06	Paul Roehm	pmroehm	ME-EM	Gregory Odegard
07	Qing Guo	qinguo	Physics	Ravindra Pandey
08	Subin Thomas	subint	Physics	Raymond Shaw

* Undergraduate students



2. Network of Expertise Continued

BE5390: Biomedical Engineering CRN: 84759


#	Name	Email	Advisor
09	Cal Riutta *	cdriutta	Jinfeng Jiang

EE5390: Electrical and Computer Engineering; CRN: 84760

10	Akhil Kurup	amkurup	Michael Roggemann
11	Avinaash Kovvuri	askovvur	Michael Roggemann
12	Ian Cummings	itcummin	Timothy Havens
13	Prithvi Kambhampati	pkambham	Michael Roggemann
14	Sandeep Lanka	slanka	Michael Roggemann
15	Sameer Saraf	svsaraf	Michael Roggemann
16	Shuo Wang	wshuo	Jeremy Bos
17	Zhiqiang Zhao	qzzhao	Zhuo Feng

* Undergraduate students

2. Network of Expertise Continued



17 registered students.

3. NSF Graduate Research Fellowship Program 2017

- * Applicant must be a US citizen or a permanent resident
- * Fellowship supports 3 years of study
 - \$34k of stipend per year +
 - \$12k of cost-of-education allowance to the university per year
- * MS and PhD candidates in STEM and STEM education
 - Must be in first two years of graduate study
 - Senior undergraduates are also encouraged to apply
- * Michigan Tech Information Session
 - 5 pm, 7th September 2016 (Wednesday), Admin 404



4. CareerFEST and Career Fair

- * More details at <http://www.mtu.edu/career/careerfest/>
- * Create/Update your two-page résumé
- * Have it critiqued by Michigan Tech Career Services
- * Develop the habit of reviewing/updating it once per month
- * Use the \LaTeX template in [\\$\{UN5390\}/\text{LaTeXTemplates}/\text{Resume}/\\$](#)
- * Additional resources
 - <http://www.mtu.edu/career/students/toolbox/resumes/examples/>
 - <http://owl.english.purdue.edu/owl/resource/719/1/>
 - <http://www.sharelatex.com/templates/cv-or-resume>
 - <http://www.latextemplates.com/cat/curricula-vitae>

CareerFEST is a collection of many different informal events that take place during the month of Career Fair.



5. CareerFEST and Career Fair

Los Alamos National Laboratory

- * Commonly used Linux commands
- * Extensive shell scripting
- * Revision control (Git)
- * Workflow development
- * Statistical analysis (Python, R and Gnuplot)
- * Visualization (Python, R and Gnuplot)
- * White papers and internal publications (\LaTeX)



6. CareerFEST and Career Fair

MIT Lincoln Laboratory

- * Commonly used Linux commands
- * Extensive shell scripting
- * Revision control (Git/Subversion)
- * Workflow development
- * Domain-specific expertise
- * Modeling, simulation, analysis and visualization
 - Choice of language/toolset depends on a project
- * White papers, internal and external publications (\LaTeX)



7. Keweenaw Climate Science Event #1 of four-part event

The Orpheum Theater

6 – 8 pm on Thursday, 8th September 2016

Subsequent events

6th October 2016

3rd November 2016

1st December 2016

No admission fee

Free pizza and soft drinks

More information

Organized by [Keweenaw Climate Community](#), and sponsored by the local chapter of the [American Chemical Society](#) and the [Department of Social Sciences](#) at Michigan Tech.



Mathematical Results

Standing the test of time

Mathematics, rightly viewed, possesses not only truth, but supreme beauty – a beauty cold and austere, like that of sculpture, without appeal to any part of our weaker nature, without the gorgeous trappings of painting or music, yet sublimely pure, and capable of a stern perfection such as only the greatest art can show.

– Bertrand Russell, A History of Western Philosophy (1945)



Bertrand Arthur William Russell (1872 – 1970): British philosopher, logician, mathematician, historian, writer, social critic, and political activist. 1950 Nobel Laureate in Literature.

1. Fundamental Theorem of Algebra

Every non-constant single-variable polynomial with complex coefficients has at least one complex root. Since real numbers are a subset of complex numbers, the result/statement extends to polynomials with real coefficients as well.

Alternate statement #1 (proved using successive polynomial division)

Every non-zero, single-variable, degree n polynomial with complex coefficients has, counted with multiplicity/degeneracy, exactly n roots.

Alternate statement #2

The field of complex numbers is algebraically closed.

Theorem first proven algebraically by James Wood (with missing steps) in 1798, and geometrically by Johann Carl Friedrich Gauss (with a topological gap) in 1799.



2. Fundamental Theorem of Calculus

Suppose that $f(x)$ is defined and continuous on $[a, b]$. Suppose that $y(x)$ is an anti-derivative of $f(x)$. Then

$$\int_a^b f(x) dx = y(b) - y(a)$$


Changing the notations while retaining the underlying essence,

$$\int_{t_n}^{t_{n+1}} f(y, t) dt = y_{n+1} - y_n$$

Re-arranging the terms,

$$y_{n+1} = \boxed{y_n} + \boxed{\int_{t_n}^{t_{n+1}} f(y, t) dt}$$


3. Intermediate Value Theorem (IVT)



For any function $f(x)$ that is continuous on $[a, b]$, and has values $f(a)$ and $f(b)$ at a and b respectively, then $f(x)$ also takes any value between $f(a)$ and $f(b)$ at some point within the interval.

4. Lagrange Polynomial Interpolation

Suppose that (x_i, y_i) , with $i = 0 : 1 : n$, are a set of $n + 1$ unique points



Joseph-Louis Lagrange (1736 – 1813): Italian mathematician and astronomer
[Interpolating Polynomials](#), L. Shure, MathWorks
[Lagrange Interpolating Polynomial](#), B. Archer, Wolfram

4. Lagrange Polynomial Interpolation Continued

The general form of Lagrange interpolating polynomial, one that passes through $n + 1$ points

$$\mathcal{L}_n(x) = \sum_{i=0}^n l_i(x) y_i$$

Lagrange basis polynomials are given by


$$l_i(x) = \prod_{\substack{m=0 \\ m \neq i}}^n \frac{x - x_m}{x_i - x_m}$$

and are built to have the *Kronecker delta* property


$$l_i(x_j) = \delta_{ij}$$

4. Lagrange Polynomial Interpolation Continued; linear

Suppose that (x_0, y_0) and (x_1, y_1) are two known points. The linear interpolant is then a straight line between these two points.



4. Lagrange Polynomial Interpolation Continued; quadratic




$$\mathcal{L}_2(x) = \frac{(x - x_1)(x - x_2)}{(x_0 - x_1)(x_0 - x_2)} y_0 + \frac{(x - x_0)(x - x_2)}{(x_1 - x_0)(x_1 - x_2)} y_1 + \frac{(x - x_0)(x - x_1)}{(x_2 - x_0)(x_2 - x_1)} y_2$$

4. Lagrange Polynomial Interpolation Continued; error analysis

If $f(x)$ is $n + 1$ times continuously differentiable on a closed interval $[a, b]$, and $p_n(x)$ is a polynomial of degree at most n that interpolates $f(x)$ at $n + 1$ distinct points x_i , ($i = 0, 1, 2, \dots, n$) in that interval. Then

$$\epsilon_n = \int_a^b [f(x) - p_n(x)] dx = \int_a^b \frac{f^{(n+1)}}{(n+1)!} \prod_{i=0}^n (x - x_i) dx$$

5. Mean Value Theorem



For any function that is continuous on $[a, b]$ and differentiable on (a, b) , there exists a point c in (a, b) such that the line joining $f(a)$ and $f(b)$ (i.e., the secant) is parallel to the tangent at c .

6. Weighted Mean Value Theorem for Integrals

Suppose that $f(x)$ and $g(x)$ are continuous on $[a, b]$. If $g(x)$ never changes sign and is positive, $g(x) \geq 0$, in $[a, b]$, then for some c in $[a, b]$

$$\int_a^b f(x) g(x) dx = f(c) \int_a^b g(x) dx$$

7. Newton-Cotes Formula

Suppose that $f(x)$ is defined and continuous on $[a, b]$.

Consider the integral



$$I = \int_a^b f(x) dx$$

If $f(x)$ can be approximated by an n^{th} order polynomial

$$p_n(x) = \alpha_0 + \alpha_1 x + \alpha_2 x^2 + \dots + \alpha_{n-1} x^{n-1} + \alpha_n x^n$$

then the integral, I , takes the form

$$I = \int_a^b [\alpha_0 + \alpha_1 x + \alpha_2 x^2 + \dots + \alpha_{n-1} x^{n-1} + \alpha_n x^n] dx$$

Isaac Newton (1642 – 1727): English physicist and mathematician

Roger Cotes (1682 – 1716): English mathematician (no photo)

8. Taylor Series Expansion

If $f(x)$ is infinitely differentiable at x_0 , then

$$f(x) = \sum_{n=0}^{\infty} \frac{(x - x_0)^n}{n!} \left. \frac{d^n}{dx^n} f(x) \right|_{x=x_0}$$




A more general form that clearly identifies the error term is given by the p^{th} order Taylor series expansion of $f(x)$ with $\tilde{x} \in [x, x + \Delta x]$

$$f(x + \Delta x) = \sum_{n=0}^p \frac{(\Delta x)^n}{n!} \left. \frac{d^n}{dx^n} f(x) \right|_{x=x} + \frac{(\Delta x)^{p+1}}{(p+1)!} \left. \frac{d^{p+1}}{dx^{p+1}} f(\tilde{x}) \right|_{x=x}$$

Brook Taylor (1685 – 1731): English mathematician

Videos

If a picture is worth a thousand words ...




People and Personalities



and their stories


1. Richard Phillips Feynman 1918 – 1988



<https://www.youtube.com/watch?v=JIJw3OLB9sl>

2. Ada Augusta King, Countess of Lovelace 1815 – 1852

1815 – 1852




<https://www.youtube.com/watch?v=ILOAuYv87uU>

3. Alan Mathison Turing 1912 – 1954



<https://www.youtube.com/watch?v=Btqro3544p8>

4. Grace Brewster Murray Hopper 1906 – 1992



<https://www.youtube.com/watch?v=Fg82iV-L8ZY>

Computer History Museum




1401 N. Shoreline Blvd., Mountain View, CA 94043
(650) 810-1010

1. The Fairchild Notes



<https://www.youtube.com/watch?v=F-Tea4FzK7k>

2. The Art of Writing Software




<https://www.youtube.com/watch?v=QdVFvsCWXrA>

TED Ed


LESSONS WORTH SHARING

1. Computer Memory



<https://www.youtube.com/watch?v=p3q5zWCw8J4>

2. Hard Drives



<https://www.youtube.com/watch?v=PBn7iWzrKoI>

3. Turing Test



<https://www.youtube.com/watch?v=3wLqsRLvV-c>

4. Algorithm

Pseudocode


let **N** = 0

For each person in room

Set **N** = **N** + 1

<https://www.youtube.com/watch?v=6hfOvs8pY1k>

5. Accuracy vs Precision



<https://www.youtube.com/watch?v=hRAFPdDppzs>

Supercomputing



The International Conference for High Performance Computing,
Networking, Storage and Analysis


1. An Overview



What is HPC?

<https://www.youtube.com/watch?v=9m0gZ2Gft4Q>

2. Aerospace



<https://www.youtube.com/watch?v=jhApQIPQquw>


3. Batteries



<https://www.youtube.com/watch?v=1o4YViBAGU0>

Review of Performance


How well have we been performing?




<http://dilbert.com/strip/2011-06-06/>

Active Participation #01


Research Marketing I: Twitter



Assignment #01



Active Participation #02 PB&J Sandwich Recipe



Got Questions?

If you do, find a way to contact me; and do so sooner than later

EERC B39 · (906) 487-4096 · g@mtu.edu · @sgowtham

Do not share/distribute the course material, in and/or outside of Michigan Tech, without instructor's prior consent

