

Instructions for *ACL Proceedings TEST

Anonymous ACL submission

Abstract

This document is a supplement to the general instructions for *ACL authors. It contains instructions for using the L^AT_EX style files for ACL conferences. The document itself conforms to its own specifications, and is therefore an example of what your manuscript should look like. These instructions should be used both for papers submitted for review and for final versions of accepted papers.

1 Introduction

These instructions are for authors submitting papers to *ACL conferences using L^AT_EX. They are not self-contained. All authors must follow the general instructions for *ACL proceedings,¹ and this document contains additional instructions for the L^AT_EX style files.

The templates include the L^AT_EX source of this document (acl_latex.tex), the L^AT_EX style file used to format it (acl.sty), an ACL bibliography style (acl_natbib.bst), an example bibliography (custom.bib), and the bibliography for the ACL Anthology (anthology.bib).

2 Background

To produce a PDF file, pdfL^AT_EX is strongly recommended (over original L^AT_EX plus dvips+ps2pdf or dvipdf). The style file acl.sty can also be used with luaL^AT_EX and XeL^AT_EX, which are especially suitable for text in non-Latin scripts. The file acl_lualatex.tex in this repository provides an example of how to use acl.sty with either luaL^AT_EX or XeL^AT_EX.

3 System overview

The first line of the file must be

```
\documentclass[11pt]{article}
```

¹<http://acl-org.github.io/ACL-PUB/formatting.html>

To load the style file in the review version:

```
\usepackage[review]{acl}
```

For the final version, omit the review option:

```
\usepackage{acl}
```

To use Times Roman, put the following in the preamble:

```
\usepackage{times}
```

(Alternatives like txfonts or newtx are also acceptable.)

Please see the L^AT_EX source of this document for comments on other packages that may be useful.

Set the title and author using \title and \author. Within the author list, format multiple authors using \and and \And and \AND; please see the L^AT_EX source for examples.

By default, the box containing the title and author names is set to the minimum of 5 cm. If you need more space, include the following in the preamble:

```
\setlength\titlebox{<dim>}
```

where <dim> is replaced with a length. Do not set this length smaller than 5 cm.

4 Experimental setup

El dataset consiste en 3 corpus, correspondiente cada uno a una etapa de la competencia: Train, Dev y Test.

El conjunto de train fue a la vez dividido en train y val con una proporción 80-20 respectivamente. La columna de 'query' fue la concatenación de las columnas 'ocr' y 'text' para el archivo posts y la columna de 'passage' del archivo 'factchecks' fue la concatenación de las columnas 'claim' y 'title'.

Los archivos fueron pre-procesados inicialmente con el código provisto por los organizadores en el archivo 'load.py'.

Command	Output	Command	Output
<code>\a</code>	ä	<code>\c c</code>	ç
<code>\^e</code>	ê	<code>\u g</code>	ğ
<code>\`i</code>	ì	<code>\l</code>	ł
<code>\.I</code>	İ	<code>\~n</code>	ñ
<code>\o</code>	ø	<code>\H o</code>	õ
<code>\'u</code>	ú	<code>\v r</code>	ř
<code>\aa</code>	å	<code>\ss</code>	ß

Table 1: Example commands for accented characters, to be used in, e.g., BibTeX entries.

Para el entrenamiento e inferencia se uso sentence-transformers 3.4.1 y torch==2.5.1, la version de Python 3.12.7 bajo macOS 15.1 (24B83).

Como medida de evaluacion del sistema se utilizo la medida de evaluacion de la competencia, success at 10.

Como medidas de evaluacion de fine-tuning, se utilizo la similitud coseno entre pares positivos y negativos.

Como hiperparametros del modelo se utilizo la siguiente configuracion: `max_seq_length : int = 512``pooling_mode : str = "mean"``Options : mean, max, clseembedding_dim : int = 384``batch_size : int = 4``eval_batch_size : int = 16``Separatebatchsizeforevaluationgradient_accumulation_steps : int = 2``num_epochs : Optional[int] = None``Madeoptionaltobesetbytrain_modeltemperature : float = 0.05``learning_rate : float = 2e - 5``use_amp : bool = True`

4.1 Footnotes

Footnotes are inserted with the `\footnote` command.²

4.2 Tables and figures

See Table ?? for an example of a table and its caption. **Do not override the default caption sizes.**

As much as possible, fonts in figures should conform to the document fonts. See Figure ?? for an example of a figure and its caption.

Using the `graphicx` package graphics files can be included within figure environment at an appropriate point within the text. The `graphicx` package supports various optional arguments to control the appearance of the figure. You must include it explicitly in the L^AT_EX preamble (after the `\documentclass` declaration and before `\begin{document}`) using

²This is a footnote.



Figure 1: A figure with a caption that runs for more than one line. Example image is usually available through the `mwe` package without even mentioning it in the preamble.

`\usepackage{graphicx}`.

4.3 Hyperlinks

Users of older versions of L^AT_EX may encounter the following error during compilation:

```
\pdfendlink ended up in different nest-
ing level than \pdfstartlink.
```

This happens when pdfL^AT_EX is used and a citation splits across a page boundary. The best way to fix this is to upgrade L^AT_EX to 2018-12-01 or later.

4.4 Citations

Table ?? shows the syntax supported by the style files. We encourage you to use the `natbib` styles. You can use the command `\citet` (cite in text) to get “author (year)” citations, like this citation to a paper by ?. You can use the command `\citep` (cite in parentheses) to get “(author, year)” citations (?). You can use the command `\citealp` (alternative cite without parentheses) to get “author, year” citations, which is useful for using citations within parentheses (e.g. ?).

A possessive citation can be made with the command `\citeposs`. This is not a standard `natbib` command, so it is generally not compatible with other style files.

4.5 References

The L^AT_EX and BibTeX style files provided roughly follow the American Psychological Association format. If your own bib file is named `custom.bib`, then placing the following before any appendices in your L^AT_EX file will generate the references section for you:

```
\bibliography{custom}
```





Figure 2: A minimal working example to demonstrate how to place two images side-by-side.

Output	natbib command	ACL only command
(?)	\citep	
?	\citealp	
?	\citett	
(?)	\citeyearpar	
?’s (?)		\citeposs

Table 2: Citation commands supported by the style file. The style is based on the natbib package and supports all natbib citation commands. It also supports commands defined in previous ACL style files for compatibility.

You can obtain the complete ACL Anthology as a BibTeX file from <https://aclweb.org/anthology/anthology.bib.gz>. To include both the Anthology and your own .bib file, use the following instead of the above.

```
\bibliography{anthology,custom}
```

Please see Section ?? for information on preparing BibTeX files.

4.6 Equations

An example equation is shown below:

$$A = \pi r^2 \quad (1)$$

Labels for equation numbers, sections, subsections, figures and tables are all defined with the \label{label} command and cross references to them are made with the \ref{label} command.

This an example cross-reference to Equation ??.

4.7 Appendices

Use \appendix before any appendix section to switch the section numbering over to letters. See Appendix ?? for an example.

5 Results

De acuerdo a las metricas oficiales, el sistema tuvo una puntuacion de 0.867 de Avg. success at 10 (S@10), S@10 (eng) S@10 (fra) S@10 (deu) S@10 (por) S@10 (spa) S@10 (tha) S@10 (msa) S@10 (ara) S@10 (tur) S@10 (pol) 0.796 0.894 0.858 0.796 0.866 0.940 0.978 0.912 0.828 0.806

Los resultados oficiales entregados fueron realizados con el prefijo de query y passage 'passage:' y 'query:'.

En el conjunto de val: Los resultados del modelo base, sin fine-tunar y con los mismos prefijos son los siguientes: 0.834 Avg y por idioma: mean count language ara 0.847 541 deu 0.773 533 eng 0.788 3481 fra 0.896 1277 msa 0.822 849 por 0.799 2057 spa 0.869 4502 tha 0.925 372

Si para el modelo utilizado como base no se le pasaran estos prefijos, recomendados por los creadores del modelo, los resultados son los siguientes: 0.821 Avg. mean count language ara 0.830 541 deu 0.777 533 eng 0.766 3481 fra 0.895 1277 msa 0.817 849 por 0.781 2057 spa 0.857 4502 tha 0.930 372

Como se puede observar, la performance en S@10 se reduce en 0.013 unicamente por el uso de prefijos.

Insertar el resto de resultados		
Unicode cannot be used in Bib _T _E X entries, and some ways of typing special characters can disrupt Bib _T _E X's alphabetization. The recommended way of typing special characters is shown in Table ??.		
Please ensure that Bib _T _E X records contain DOIs or URLs when possible, and for all the ACL materials that you reference. Use the doi field for DOIs and the url field for URLs. If a Bib _T _E X entry has a URL or DOI field, the paper title in the references section will appear as a hyperlink to the paper, using the hyperref L _A T _E X package.		
6 Conclusion		
Since December 2023, a "Limitations" section has been required for all papers submitted to ACL Rolling Review (ARR). This section should be placed at the end of the paper, before the references. The "Limitations" section (along with, optionally, a section for ethical considerations) may be up to one page and will not count toward the final page limit. Note that these files may be used by venues that do not rely on ARR so it is recommended to verify the requirement of a "Limitations" section and other criteria with the venue in question.		
Acknowledgments		
This document has been adapted by Steven Bethard, Ryan Cotterell and Rui Yan from the instructions for earlier ACL and NAACL proceedings, including those for ACL 2019 by Douwe Kiela and Ivan Vulić, NAACL 2019 by Stephanie Lukin and Alla Roskovskaya, ACL 2018 by Shay Cohen, Kevin Gimpel, and Wei Lu, NAACL 2018 by Margaret Mitchell and Stephanie Lukin, Bib _T _E X suggestions for (NA)ACL 2017/2018 from Jason Eisner, ACL 2017 by Dan Gildea and Min-Yen Kan, NAACL 2017 by Margaret Mitchell, ACL 2012 by Maggie Li and Michael White, ACL 2010 by Jing-Shin Chang and Philipp Koehn, ACL 2008 by Johanna D. Moore, Simone Teufel, James Allan, and Sadaoki Furui, ACL 2005 by Hwee Tou Ng and Kemal Oflazer, ACL 2002 by Eugene Charniak and Dekang Lin, and earlier ACL and EACL formats written by several people, including John Chen, Henry S. Thompson and Donald Walker. Additional elements were taken from the formatting instructions of the <i>International Joint Conference on Artificial Intelligence</i> and the <i>Conference on Computer Vision and Pattern Recognition</i> .		
A Appendix		217
This is an appendix.		218