

OS Assignment - 4 Type your text

Name – Sanmay das

Enroll No. - 2011200001045

Dept – CSE (Section – A, Group – 2)

1) Write a shell script to take two numbers as range from the terminal and print non-prime numbers between the given range.

Code

```
echo -n "Enter lower bound: "
read lb
echo -n "Enter upper bound: "
read ub
echo "All the non-prime numbers are..."
for (( i = lb; i <= ub; i++ ))
do
    for (( j = 2; j*j <= i; j++ ))
    do
        if [ `expr $i % $j` -eq 0 ]
        then
            echo -n "$i" " "
            break
        fi
    done
done
echo " "
```

Output


```
Enter lower bound: 12
Enter upper bound: 31
All the non-prime numbers are...
12 14 15 16 18 20 21 22 24 25 26 27 28 30
```

2) Write a shell script to take n numbers of elements in an array and print the third largest number. Value of n must be taken from the terminal.

Code

```
for (( i=0; i < $1; i++ ))
do
    echo -n "Enter a value: "
    read arr[$i]
done
for (( i=1; i < $1; i++ ))
do
    for (( j=0; j < $1-i; j++ ))
    do
        if [ ${arr[$j]} -gt ${arr[`expr $j + 1`]} ]
        then
            t=${arr[$j]}
            arr[$j]=${arr[`expr $j + 1`]}
            arr[`expr $j + 1`]=t
        fi
    done
done
echo "The third largest value is:" ${arr[`expr $1 - 3`]}
```

Output



```
root@kali:~/Desktop# bash assignment4.sh 4
Enter a value: 5
Enter a value: 2
Enter a value: 7
Enter a value: 6
The third largest value is: 5
root@kali:~/Desktop#
```

3) Store n number of elements in an array and find out sum of the array elements. Value of n must be taken from the terminal.

Code

```
sum=0
for (( i=0; i < $1; i++ ))
do
    echo -n "Enter a value: "
    read arr[$i]
    sum=`expr $sum + ${arr[$i]} `
done
echo "The sum of all elements is:" $sum
```

Output

```

root@kali:~/Desktop# bash assignment4.sh 4
Enter a value: 5
Enter a value: 9
Enter a value: 3
Enter a value: 7
The sum of all elements is: 24
root@kali:~/Desktop#

```

4) Write a shell program that will accept 10 numbers from the terminal and will search the position of a given number in the supplied number.

Code

```

echo -n "Enter the number to be searched: "
read n
c=1
for i in $*
do
    if [ $i -eq $n ]
    then
        echo "The position of" $n "is" $c
        break
    fi
    c=`expr $c + 1`
done

```

Output

```

root@kali:~/Desktop# bash assignment4.sh 4 23 5 2 6 2 1 7 4 9
Enter the number to be searched: 1
The position of 1 is 7
root@kali:~/Desktop#

```

5) Write a shell program to sort a list of n numbers. Value of n must be taken from the terminal.

Code

```

for (( i=0; i < $1; i++ ))
do
    echo -n "Enter a value: "
    read arr[$i]
done
for (( i=1; i < $1; i++ ))
do
    for (( j=0; j < $1-i; j++ ))
    do
        if [ ${arr[$j]} -gt ${arr[`expr $j + 1`]} ]
        then
            t=${arr[$j]}
            arr[$j]=${arr[`expr $j + 1`]}
            arr[`expr $j + 1`]=$t
        fi
    done
done

```

```
for (( i=0; i < $1; i++ ))  
do  
    echo -n ${arr[$i]} " "  
done  
echo " "
```

Output

```
root@kali:~/Desktop# bash assignment4.sh 6  
Enter a value: 5  
Enter a value: -9  
Enter a value: -2  
Enter a value: 6  
Enter a value: 3  
Enter a value: 0  
-9 -2 0 3 5 6  
root@kali:~/Desktop#
```