Notifications

In-app, **Telegram** (sent only if the user has `telegramId` and `telegramNotificationsEnabled`)and **Web Push** (sent to every push subscription of the user)

Notification object scheme

```
interface Notification {
  id: string                  // ULID
  createdAt: Date             // ISO string
  updatedAt: Date             // ISO string
  userId: string              // receiver's noo.platform user id
  title: string
  message: string | null      // may contain HTML
  link: string | null         // in-app route, for example '/assigned-works/{id}/read'
  status: 'read' | 'unread'   // default 'unread'
  type: NotificationType
  isBanner: boolean           // default false. When true, shows as a banner
}

type NotificationType =
  | 'work-made'
  | 'work-checked'
  | 'work-transferred'
  | 'poll-answered'
  | 'warning'
  | 'maintenance'
  | 'new-feature'
  | 'announcement'
  | 'welcome'
  | 'mentor-assigned'
```

```
  | 'mentor-removed'
  | 'other'
```

Web Push payload

`WebPushBus` sends a reduced JSON (TTL 24h):

```
{
  id: string
  title: string
  body: string | null   // = notification.message
  link: string | null
  type: NotificationType
}
```

Telegram message

`TelegramBus` sends HTML text: `{emoji} <b>{title}</b>\n{message}`. Emoji by type: `announcement` 📢, `warning` ⚠️, `maintenance` 🔧, `mentor-assigned` 👤, `mentor-removed` 👤❌, `new-feature` 🆕, `poll-answered` 📊, `work-checked` / `work-made` 📝, `work-transferred` 🔄, `welcome` 👋, `other` 🔔.

All notifications sent in the app

System-generated (`NotificationGenerator`, sent to a single user)

Template	Triggered in	Receiver	`type`	Title	Message	Link	Banner
`welcome`	`AuthService` – registration	new user	`welcome`	Добро пожаловать на НОО.Платформу!	Если вы купили платный курс, он откроется вам… (HTML, link to help article)	–	yes
`user.login`	`AuthService` – login creating a new session	user	`warning`	Вход с нового устройства	Вы вошли в аккаунт с устройства `{device}`, браузер: `{browser}`	–	no

Template	Triggered in	Receiver	type	Title	Message	Link	Banner
`user.email-verified`	`AuthService` – email verification	user	`other`	Email подтвержден	Ваш email успешно подтвержден!	–	no
`user.email-changed`	**not triggered anywhere** (template exists only)	user	`other`	Email изменен	Ваш email успешно изменен!	–	no
`user.mentor-assigned-for-student`	`UserService.assignMentor`	student	`mentor-assigned`	Вам назначен куратор	Ваш новый куратор: `{mentor}` по предмету: `{subject}`	–	no
`user.mentor-assigned-for-mentor`	`UserService.assignMentor`	mentor	`mentor-assigned`	У вас новый ученик	Ваш новый ученик: `{student}`, предмет: `{subject}`	–	no
`user.mentor-removed-for-student`	`UserService.assignMentor` (replacing) / `unassignMentor`	student	`mentor-removed`	Куратор откреплен	Теперь `{mentor}` не является вашим куратором по предмету: `{subject}`	–	no
`user.mentor-removed-for-mentor`	`UserService.unassignMentor`	old mentor	`mentor-removed`	Ученик откреплен	Теперь `{student}` не является вашим учеником по предмету: `{subject}`	–	no
`user.role-changed`	`UserService` – role change	user	`other`	Роль изменена	Ваша роль успешно изменена на `{roleName}`	–	no
`user.telegram-updated`	`UserService.updateTelegram`	user	`other`	Telegram обновлен	Ваш Telegram успешно обновлен!	–	no
`assigned-work.work-made-for-student`	`AssignedWorkService` – work submitted	student	`work-made`	Работа сдана	Работа "`{work}`" успешно сдана	`/assigned-works/{id}/read`	no
`assigned-work.work-made-for-mentor`	`AssignedWorkService` – work submitted (not auto-checked)	each mentor	`work-made`	Ученик `{student}` сдал работу	Работа: `{work}`	`/assigned-works/{id}/check`	no

Template	Triggered in	Receiver	`type`	Title	Message	Link	Banner
`assigned-work.work-checked-for-student`	`AssignedWorkService` – work checked	student	`work-checked`	Работа проверена	Работа "`{work}`" проверена кураторами `{mentors joined by " и "}`, оценка: `{score} / {max}`	`/assigned-works/{id}/read`	no
`assigned-work.work-checked-for-mentor`	`AssignedWorkService` – work checked	each mentor	`work-checked`	Работа проверена	Работа "`{work}`" ученика `{student}` проверена	`/assigned-works/{id}/read`	no
`assigned-work.work-transferred-to-another-mentor`	`AssignedWorkService` – transfer to another mentor	new mentor	`work-transferred`	Вам передана работа	Работа "`{work}`" ученика `{student}` передана Вам	`/assigned-works/{id}/read`	no
`poll.poll-answered`	`PollService` – registered user answers a poll	user	`poll-answered`	Опрос пройден	Вы успешно прошли опрос `{poll}`	–	no

Manual (`POST /notification`, teacher or admin only)

Body is validated by `CreateNotificationScheme`:

```
{
  notification: {
    title: string
    message: string | null
    link: string | null
    type: 'maintenance' | 'new-feature' | 'announcement' | 'other'
    isBanner?: boolean            // default false
  },
  sendOptions: {
    selector: 'role' | 'course' | 'all'
    value: string | null          // role name for 'role', course id for 'course'
  }
}
```

One notification row is created for every matching user (all users / all users with the role / all students assigned to a specific course).

Examples

1. Assigned work solved (`assigned-work.work-made-for-mentor`)

Sent to each mentor of the work when a student submits it (skipped if the work was checked automatically). The student at the same time gets `assigned-work.work-made-for-student` ("Работа сдана").

Stored / API object:

```
{
  "id": "01JBCX4M7Q2T8K9V3N5R6W1Y0Z",
  "createdAt": "2026-10-25T14:32:10.123Z",
  "updatedAt": "2026-10-25T14:32:10.123Z",
  "userId": "01HZ8F3K2M4N6P8Q0R2S4T6V8X",
  "title": "Ученик Иван Петров сдал работу",
  "message": "Работа: Пробник ЕГЭ по химии №3",
  "link": "/assigned-works/01JBCX1A2B3C4D5E6F7G8H9J0K/check",
  "status": "unread",
  "type": "work-made",
  "isBanner": false
}
```

Web Push payload:

```
{
  "id": "01JBCX4M7Q2T8K9V3N5R6W1Y0Z",
  "title": "Ученик Иван Петров сдал работу",
  "body": "Работа: Пробник ЕГЭ по химии №3",
  "link": "/assigned-works/01JBCX1A2B3C4D5E6F7G8H9J0K/check",
```

```
  "type": "work-made"
}
```

2. Mentor assigned (`user.mentor-assigned-for-student`)

Sent to the student when an admin/teacher assigns them a mentor for a subject.

Stored / API object:

```
{
  "id": "01JBCY9D3F5H7K9M1P3R5T7V9X",
  "createdAt": "2026-10-25T09:05:44.512Z",
  "updatedAt": "2026-10-25T09:05:44.512Z",
  "userId": "01HZ7A1B2C3D4E5F6G7H8J9K0M",
  "title": "Вам назначен куратор",
  "message": "Ваш новый куратор: Анна Смирнова по предмету: Химия",
  "link": null,
  "status": "unread",
  "type": "mentor-assigned",
  "isBanner": false
}
```

Web Push payload:

```
{
  "id": "01JBCY9D3F5H7K9M1P3R5T7V9X",
  "title": "Вам назначен куратор",
  "body": "Ваш новый куратор: Анна Смирнова по предмету: Химия",
  "link": null,
  "type": "mentor-assigned"
}
```