

# CSS Glossary

Programming reference for CSS covering Comments, Properties, and Selectors

## Glossary of CSS Syntax and Terms

### Comments

Comments in CSS are signified by a forward-slash and asterisk.

#### Example

```
/* This is a single line comment */
```

#### Example

```
/* This  
is a multi-line  
comment */
```

### Properties

#### Definition

Properties are defined within selectors by defining a property and a value. They are separated with a colon and delineated with a semi-colon.

#### Syntax

```
selector {  
  property: value;  
}
```

## Example

```
h1 {  
  color: blue;  
}
```

## Read more

- <http://www.html5dog.com/reference/cssproperties/>

# Defining many properties

Each CSS rule can have as many properties as you like. Each of them applies to the elements that the selector applies to.

## Example

```
h1 {  
  font-size: 24px;  
  font-weight: bold;  
  border: 1px solid black;  
  color: pink;  
}  
/* This will make all <h1> headers big, bold, pink, and inside of a thin black  
rectangle! */
```

# Padding

The padding is the spacing between the content and the border (edge of the element.). We can adjust this value with CSS to move the border closer to or farther from the content. Here, the div with id 'box' will get 10px of padding all around it.

## Example

```
#box {  
  padding: 10px;
```

```
}
```

# Margin

The margin is the space around the element. The larger the margin, the more space between our element and the elements around it. We can adjust the margin to move our HTML elements closer to or farther from each other. Here, the div with id 'box' will get 10px of margin above and below it, and 5px of margin to the left and right.

## Example

```
#box {  
  margin: 10px 5px 10px 5px;  
}
```

# font-family

The font-family property sets the font of an HTML element's text.

## Syntax

```
p {  
  font-family: Arial, Helvetica, sans-serif;  
}
```

# Selectors

What are selectors?

Selectors are used in CSS to select the parts of the HTML that are being styled. You can use several different methods for selecting an element.

## Syntax

```
selector {  
  rules;  
  rules;  
  rules;  
}
```

Read more

- [https://developer.mozilla.org/en-US/docs/Web/Guide/CSS/Getting\\_started/](https://developer.mozilla.org/en-US/docs/Web/Guide/CSS/Getting_started/)

## Class name selectors

You can also select HTML elements by their Class name. Unlike ID selectors, Class selectors select all elements with a matching class.

### Example

```
a.link {  
  font-size: 12px;  
}
```

```
/* HTML Selected: <a href="http://google.com" class="link">,  
<a href="http://codecademy.com" class="link jumbo"> */
```

### Example

```
.jumbo {  
  text-size: 1000px;  
}
```

```
/* HTML Selected: <a href="http://codecademy.com" class="link jumbo">,  
<span class="jumbo"> */
```

## Element selectors

You are able to select HTML elements first by simply using the name of the element.

### Example

```
body {  
  background-color: #333;  
}
```

### Example

```
h1 {  
  color: blue;  
}
```

## Example

```
a {  
  text-decoration: none;  
}
```

# ID selectors

ID selectors are used to select only a single item on a page. Like the term (“identification”) indicates, ID selectors will ONLY select the first element with a matching ID.

## Example

```
#thatThingINeededToStyle {  
  color: blue;  
  font-size: 24px;  
}
```

```
/* HTML Selected: <span id="thatThingINeededToStyle"> */
```

## Example

```
a#codecademy {  
  color: purple;  
}
```

```
/* HTML Selected: <a href="http://codecademy.com" id="codecademy"> */
```

# Attribute selectors

HTML elements are also able to be selected by their attributes.

## Example

```
a[href="http://codecademy.com"] {  
  color: purple;  
}
```

```
}

/* HTML Selected: <a href="http://codecademy.com"> */
```

## Example

```
input[type="text"] {
  width: 100px;
}

/* HTML Selected: <input type="text"> */
```

## Example

```
input[required] {
  border: 1px red solid;
}

/* HTML Selected: <input type="text" required> */
```

## Read more

- <http://dev.opera.com/articles/view/27-css-basics/#attribute>

# Child selectors

You can also use multiple selectors to get the exact elements you want, by using parental nesting. By using the “greater-than” symbol (>), you can select only the direct children of an element, going down only one level.

## Example

```
ul > li {
  display: inline-block
}

/* Selects only the first-level list items in all unordered lists in the HTML */
```

## Example

```
ul a {
  text-decoration: none;
}
```

```
}

/* Selects all anchors which have an unordered list their ancestry */
```

## Example

```
ul + span {
  display: inline;
}

/* Selects only spans that directly follow an unordered list */
```

## Example

```
a ~ h1 {
  color: blue;
}

/* Selects all h1 elements that are in the general vicinity of an anchor */
```

## Read more

- [https://developer.mozilla.org/en-US/docs/Web/CSS/Descendant\\_selectors](https://developer.mozilla.org/en-US/docs/Web/CSS/Descendant_selectors)

# Universal selector

The universal selector (\*) may be used to select all the elements in a particular range. Be aware that the universal selector is the most performance taxing selector, and should be used sparingly.

## Example

```
* {
  background-color: blue;
}

/* Selects ALL HTML elements in the page */
```

## Example

```
body * {
  color: red;
```

```
}

/* Selects ALL children of the body */
```

## Example

```
div > * {
  color: red;
}

/* Selects ALL first-level children of all divs on the page */
```

## Read more

- [https://developer.mozilla.org/en-US/docs/Web/CSS/Universal\\_selectors](https://developer.mozilla.org/en-US/docs/Web/CSS/Universal_selectors)
- <http://www.stevesouders.com/blog/2009/06/18/simplifying-css-selectors/>
- <http://dev.opera.com/articles/view/27-css-basics/#universal>

# Pseudo class selectors

Pseudo Selectors can be used to narrow down a selection with certain rules.

## Example

```
li:first-child {
  color: red;
}

/*
  This selects only <li> elements that have no elements before them
  <ul>
    <li>Selected; will be red</li>
    <li>Not selected</li>
    <li>Not selected</li>
  </ul>
*/

li:last-child {
  color: red;
}

/* This does the opposite; only the last <li> will be red. */
```



## Example

```
a:hover {  
  text-decoration: underline;  
}  
  
/* Will underline all links when the user puts their mouse over them */  
  
a:active {  
  font-weight: bold;  
}  
  
/* Will make all links bold while the user is clicking on them. */
```

## Read more

- <https://developer.mozilla.org/en-US/docs/Web/CSS/Pseudo-classes>
- <http://dev.opera.com/articles/view/27-css-basics/#pseudoclasses>

---

### CODECADEMY

About

For Businesses

Shop

Stories

We're Hiring



### CATALOG

#### BY SUBJECT

Full Catalog

Web

Development

Programming

Data Science

Partnerships

Design

Game

Development

#### BY LANGUAGE

HTML & CSS

Python

JavaScript

Java

SQL

Bash/Shell

Ruby

C++

R

C#

PHP

### RESOURCES

Beta Courses

Articles

Forums

Help

Blog