vaikuntha

- (1) Anisomeles malabarica R. Br. ex Sims (Chopra; KB 3, p. 2011-2012; V 4, p. 70);
 - (2) a) a kind of Ocimum (MW);
 - b) = arjaka (Rn, varga 23, 6; Vśs);
 - c) = kuthera (HK).

śamī

- (1) ACACIA SUNDRA DC. = A. SUMA BUCH.-HAM. EX WALL. (Kav; KB 2, p. 935-936) = MIMOSA SUMA ROXB. (? Index Kewensis) (Chopra; Dutt; HK; Kav; KB 2, p. 935-936; MW; Nadk. 1, nr. 1622; PW);
- (2) A. SUMA KURZ EX BRANDIS (Dutt and HK, considered as a synonym of M. SUMA ROXB.; Chopra: 1 = 2) = A. SUNDRA ROXB.; unclear are: Avk and Nadk. 1, nr. 1622: A. SUMA;
- (3) Prosopis spicigera Linn. (Avk; Bpn, p. 545-546; Chopra; Dgv, nr. 129; Gul; KB 2, p. 910-912; MW; Na 1, nr. 188; Nadk. 1, nr. 2032; PW; V 4, p. 47; Vśs);
 - (4) = somarājī (Vśs : Vernonia anthelmintica Willd.).

śālaparņī

DESMODIUM GANGETICUM DC. (Bpn, p. 285; Chopra; Dutt; DWH 1, p. 428-429; Dy, p. 222; Gul; HK; IRM 3, p. 41; Kav; MW; Nadk. 1, nr. 1192; PW; Sanyal; V 9, p. 58; Vss) = Hedysarum gangeticum Linn. (Avk; Chopra; Dutt; HK; Kav; Nadk. 1, nr. 1192; PW; Vss; Wise).

śālmalĭ

(1) Bombax ceiba Linn. (Chopra; Goudr.; KB 1, p. 354-357; Na 1, nr. 66); (I deviate from the Index Kewensis in this case; see Biswas 1, p. 186: the name adopted acc. to priority is B. ceiba Linn.) = Bombax malabaricum DC. (Avk; Bpn, p. 537; Chopra; Dgv, nr. 48; Dutt; DWH 1, p. 215-218; Ghosh; Gul; HB; HK; Kav; KB 1, p. 354-357; Nadk. 1, nr. 364: raktaśālmalī; Sanyal; V 10, p. 31; Vśs) = B. Heptaphyllum Cav. (Dutt; HK; Kav; MW; Nadk. 1, nr. 364) = B. Heptaphyllum Roxb. (KB 1, p. 354-357) = Salmalia malabarica Schott et Endl. (Chopra; HK; MW; PW; Vśs) = Gossampinus malabarica Merrill; see about the nomenclature: A. Robyns, Contribution à l'étude monographique du genre Bombax s.l., in: Taxon 10, 1961, p.