- (5) Zizyphus Jujuba Lam. (PW: = gṛdhranakhī; gṛdhranakhī designates Capparis sepiaria Linn. acc. to KB);
- (6) Hygrophila spinosa T. Anders. = Asteracantha longifolia Nees (PW: $= grdhranakh\bar{\imath}$);
 - (7) NARDOSTACHYS JATAMANSI DC. (PW: = himsrā);
- (8) the red variety of Solanum nigrum Linn. (Vśs : $= raktak\bar{a}ka-m\bar{a}c\bar{i}$);
 - (9) Ficus hispida Linn.f. = F. oppositifolia Willd. (Wise);
 - (10) = $k\bar{a}katinduka$ (Vśs).

kāndeksu

- (1) Hygrophila spinosa T. Anders. (Kav; KB 3, p. 1864-1865; Vśs) = Asteracantha longifolia Nees (KB 3, p. 1864-1865; MW; PW) = Ruellia longifolia Roxb. (Kav; Vśs);
 - (2) SACCHARUM SPONTANEUM LINN. (HB; Kav; MW; PW; Vśs);
- (3) a particular type or particular types of sugar-cane (Gul: big sugar-cane; Kav, p. 293: a variety of sugar-cane that yields less juice and is much harder; Vss: white sugar-cane, dark sugar-cane).

$k\bar{a}rp\bar{a}s\bar{\imath}$

- (1) Gossypium Herbaceum Linn. (Ainslie 2, p. 282-284; Avk; Bpn, p. 374; Chopra; Dgv, nr. 45; Dutt; Dy, p. 109-112; Gul; KB 1, p. 344-346; Na 1, nr. 55; Nadk. 1, nr. 1145; Roxb., p. 520; Sanyal; V 2, p. 43; Vśs; Watt CP, p. 575-576) = G. Hirsutum Linn. (Vśs; Wise) = G. Indicum Lam. (Nadk. 1, nr. 1147) = G. Religiosum Linn. (Avk);
 - (2) G. ARBOREUM LINN. (Avk);
- (3) [G. STOCKSII MAST. VAR. HERBACEUM LINN.] (Avk; DWH 1, p. 224-228); see Hooker 1, p. 346-347.

$k\bar{a}lam\bar{a}la(ka)=k\bar{a}lam\bar{a}l\bar{a}$

- (1) OCIMUM SANCTUM LINN. (HK; MW);
 - a) the type with dark leaves (PW);
 - b) the black variety (Kav, p. 647);
- (2) kṣudratulasī with dark leaves (Vśs); Cakra on Su.Sū. 38, 18: = parṇāsa with dark flowers; Da. on Su.Sū. 38, 18: = kṛṣṇamallikā, commonly called barbarikā; Da. on Su.Sū. 46, 221: = barbarikā.