

NETWORK RECONNAISSANCE & SCAN ANALYSIS REPORT

Target Environment Audit Log

Generated via Kali Linux Environment
Timestamp: 2026-06-07

01. Local Interface Configuration

Verifying local host IP configuration and network mask scope.


```
$ ip a
```

```
Actions Edit View Help
kali@kali)-[~]
ip a
lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:74:e7:6d brd ff:ff:ff:ff:ff:ff
    inet 192.168.228.130/24 brd 192.168.228.255 scope global dynamic noprefixroute eth0
        valid_lft 1693sec preferred_lft 1693sec
    inet6 fe80::dc88:4c4:5168:60fe/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
```

02. Network Ping Sweep (Host Discovery)

Scanning the target subnet range /24 to detect active online hosts without port probing.

```
$ nmap -sn 192.168.228.130/24
```




```
(kali㉿kali)-[~]  
$ nmap -sn 192.168.228.130/24  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-07 15:55 -0400  
Nmap scan report for 192.168.228.1  
Host is up (0.00034s latency).  
MAC Address: 00:50:56:C0:00:08 (VMware)  
Nmap scan report for 192.168.228.2  
Host is up (0.00022s latency).  
MAC Address: 00:50:56:FF:B3:50 (VMware)  
Nmap scan report for 192.168.228.254  
Host is up (0.00042s latency).  
MAC Address: 00:50:56:EA:7C:D5 (VMware)  
Nmap scan report for 192.168.228.130  
Host is up.  
Nmap done: 256 IP addresses (4 hosts up) scanned in 3.09 seconds
```

1000646965.jpg

03. Stealth Service Version Detection

Executing a SYN stealth probe (-sV) against the specific target host to map services.

```
$ nmap -sV 192.168.228.130
```



```
(kali㉿kali)-[~]  
$ nmap -sV 192.168.228.130  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-07 16:04 -0400  
Stats: 0:02:09 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan  
SYN Stealth Scan Timing: About 64.00% done; ETC: 16:07 (0:01:13 remaining)  
Nmap scan report for 192.168.228.130  
Host is up.  
All 1000 scanned ports on 192.168.228.130 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)  
Service detection performed. Please report any incorrect results at https://nmap.org/  
Nmap done: 1 IP address (1 host up) scanned in 202.04 seconds
```

04. Remote Operating System Detection

Invoking advanced OS fingerprinting using administrative TCP/IP stack analysis signatures.

```
$ sudo nmap -O 192.168.228.130
```

```
(kali㉿kali)-[~]  
$ sudo nmap -O 192.168.228.130  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-07 16:19 -0400  
Nmap scan report for 192.168.228.130  
Host is up (0.0016s latency).  
All 1000 scanned ports on 192.168.228.130 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)  
Too many fingerprints match this host to give specific OS details  
Network Distance: 0 hops  
  
OS detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 0.046047175 seconds
```

05. Aggressive Scan & Network Path Analysis

Executing comprehensive aggressive scan (-A) including OS detection, versioning, script scanning, and traceroute.

```
$ nmap -A 192.168.228.130
```

```
(kali@kali) ~$ nmap -A 198.168.228.130
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-07 16:25 -0400
Nmap scan report for 198.168.228.130
Host is up (0.0077s latency).
All 1000 scanned ports on 198.168.228.130 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)
Warning: OSscan results may be unreliable because we could not find at least 1 open and 1 closed port
Aggressive OS guesses: D-Link DFL-700 firewall (89%), HP Officejet Pro 8500 printer (89%), IBM i 7.4 (89%), ReactOS 0.3.7 (89%), Sanyo PLC-XU88
digital video projector (89%), Sonus GSX9000 VoIP proxy (88%), Asus WL-500gP wireless broadband router (88%), Microsoft Windows 2000 (88%), Micr
oft Windows Server 2003 Enterprise Edition SP2 (88%), Microsoft Windows Server 2003 SP2 (88%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)
HOP RTT ADDRESS
1 0.37 ms 192.168.228.2
2 0.41 ms 198.168.228.130

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 69.04 seconds
```

1000646968.jpg

06. Persistent Report File Generation

Saving identical aggressive audit suite metrics directly to an external text structure for persistence.

```
$ nmap -A 192.168.228.130 -oN scan-report.txt
```

```
(kali@kali)~$  
$ nmap -A 192.168.228.130 -oN scan-report.txt  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-07 16:28 -0400  
Nmap scan report for 192.168.228.130  
Host is up (0.0067s latency).  
All 1000 scanned ports on 192.168.228.130 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Aggressive OS guesses: D-Link DFL-700 firewall (89%), HP Officejet Pro 8500 printer (89%), IBM i 7.4 (89%), ReactOS 0.3.7 (89%), Sanyo PLC-XU88 d  
igital video projector (89%), Sonus GSX9000 VoIP proxy (88%), Asus WL-500gP wireless broadband router (88%), Microsoft Windows 2000 (88%), Micros  
oft Windows Server 2003 Enterprise Edition SP2 (88%), Microsoft Windows Server 2003 SP2 (88%)  
No exact OS matches for host (test conditions non-ideal).  
Network Distance: 2 hops  
  
TRACEROUTE (using port 80/tcp)  
HOP RTT ADDRESS  
1 0.16 ms 192.168.228.2  
2 0.22 ms 192.168.228.130  
  
OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 68.65 seconds
```

1000646969.jpg