347. Top K Frequent Elements

Add to List ▼

Question Editorial Solution

My Submissions (/problems/top-k-frequent-elements/submissions/)

Total Accepted: 46250 Total Submissions: 100247 Difficulty: Medium Contributors: Admin

Given a non-empty array of integers, return the **k** most frequent elements.

For example,

Given [1,1,1,2,2,3] and k = 2, return [1,2].

Note:

- You may assume k is always valid, $1 \le k \le$ number of unique elements.
- Your algorithm's time complexity **must be** better than $O(n \log n)$, where n is the array's size.

Subscribe (/subscribe/) to see which companies asked this question

Show Tags

Show Similar Problems

Have you met this question in a real interview? Yes

Discuss (https://discuss.leetcode.com/category/431)

Top Solutions

Pick One (/problems/random-one-question/)

Python • C (/>

```
class Solution(object):
 1
 2
        def topKFrequent(self, nums, k):
 3
 4
             :type nums: List[int]
 5
             :type k: int
 6
             :rtype: List[int]
 7
 8
            from collections import Counter
 9
            top=[]
10
            for key, value in Counter(nums
                 ).most common(k):
                 top.append(key)
11
12
             return top
13
```

☐ Notes

Custom Testcase

Contribute Testcase **3**

Run Code

Submit Solution

Run Code Status: Finished

Run Code Result:	×
Your input	
[1,1,1,2,2,3] 2	
Your answer	
[1,2]	
Expected answer	
[1,2]	
Show Diff	
Runtime: 55 ms	
Note: is Run Code inconsistent with Submit Solution? If you are using global variables or C/C++, check this (/faq/#different-output) out.	

Frequently Asked Questions (/faq/) | Terms of Service (/tos/)

Privacy

Send Feedback (mailto:admin@leetcode.com?subject=Feedback)
Copyright © 2017 LeetCode