

T. Notificaciones. Investigación de notificaciones y recordatorios de eventos en Apache Cordova **Tarea**

Pruebas en los con Apache Cordova

En primera medida :


```

Directorio de C:\xampp\htdocs
25/11/2017 08:33 p. m. <DIR> .
25/11/2017 08:33 p. m. <DIR> ..
17/09/2017 09:24 p. m. 3.833 applications.html
27/02/2017 04:36 a. m. 177 bitnami.css
06/10/2017 08:01 p. m. <DIR> dashboard
16/07/2015 10:32 a. m. 30.894 favicon.ico
06/10/2017 08:01 p. m. <DIR> img
16/07/2015 10:32 a. m. 260 index.php
17/11/2017 04:06 p. m. <DIR> notAndro
26/10/2017 09:53 p. m. <DIR> notificacion
25/11/2017 03:18 p. m. <DIR> notificacionesAndroidPruebas
25/11/2017 08:35 p. m. <DIR> notificacionesLosPruebas
17/11/2017 04:40 p. m. <DIR> notIOS
06/10/2017 08:01 p. m. <DIR> webalizer
06/10/2017 08:01 p. m. <DIR> xampp
      4 archivos      35.164 bytes
     11 dirs 18.639.966.208 bytes libres

C:\xampp\htdocs>

```

Segunda medida





```
C:\xampp\htdocs>cordova create notificacionesIosPruebas
Creating a new cordova project.

C:\xampp\htdocs>cd notificacionesIosPruebas

C:\xampp\htdocs\notificacionesIosPruebas>cordova platform add ios
Using cordova-fetch for cordova-ios@4.5.1
Adding ios project...
Creating Cordova project for the iOS platform:
  Path: platforms\ios
  Package: io.cordova.hellocordova
  Name: HelloCordova
iOS project created with cordova-ios@4.5.4
Discovered plugin "cordova-plugin-whitelist" in config.xml. Adding it to the project
Installing "cordova-plugin-whitelist" for ios
Adding cordova-plugin-whitelist to package.json
Saved plugin info for "cordova-plugin-whitelist" to config.xml
--save flag or autosave detected
Saving ios@4.5.4 into config.xml file ...

C:\xampp\htdocs\notificacionesIosPruebas>
```

PRUEBAS CON IOS CON APACHE CORDOVA



```

1 <!DOCTYPE html>
2
3 <html>
4   <head>
5     <meta http-equiv="Content-Security-Policy" content="default-src
6       'self' data: gap: https://ssl.gstatic.com 'unsafe-eval';
7       style-src 'self' 'unsafe-inline'; media-src *; img-src 'self'
8       data: content:;">
9     <meta name="format-detection" content="telephone=no">
10    <meta name="msapplication-tap-highlight" content="no">
11    <meta name="viewport" content="user-scalable=no,
12      initial-scale=1, maximum-scale=1, minimum-scale=1,
13      width=device-width">
14    <link rel="stylesheet" type="text/css" href="css/index.css">
15    <title>Hello World</title>
16  </head>
17  <body>

```

CODIGO FUENTE:

PRUEBAS EN PLATFORM IOS EN APACHE CORDOVA

<!DOCTYPE html>

<html>

<head>

```

<meta http-equiv="Content-Security-Policy" content="default-src 'self' data: gap:
https://ssl.gstatic.com 'unsafe-eval'; style-src 'self' 'unsafe-inline'; media-src *; img-src 'self' data:
content:;">

```

```

<meta name="format-detection" content="telephone=no">

```

```

<meta name="msapplication-tap-highlight" content="no">

```

```
<meta name="viewport" content="user-scalable=no, initial-scale=1, maximum-scale=1,
minimum-scale=1, width=device-width">

<link rel="stylesheet" type="text/css" href="css/index.css">

<title>Hello World</title>

</head>

<body>

  <div class="app">

    <h1> Pruebas con IOS en Apache Cordova</h1>

    <div id="deviceready" class="blink">

      <p class="event listening">Connecting to Device</p>

      <p class="event received">Device is Ready</p>

    </div>

  </div>

  <script type="text/javascript" src="cordova.js"></script>

  <script type="text/javascript" src="js/index.js"></script>

</body>

</html>
```