ONLINE CERTIFICATIONS DIRECTORY

QQHM2.E227340
Power Supplies, Medical and Dental - Component

Page Bottom

Power Supplies, Medical and Dental - Component

See General Information for Power Supplies, Medical and Dental - Component

MEAN WELL ENTERPRISES CO LTD   E227340
28 WUQUAN 3RD RD WUGU DIST
NEW TAIPEI, 248 TAIWAN

Model No.	Rated Input			Max Output				SP	EP	FC	GC
	Volts	Hz	SC	V	A	VA	OC				
DELETE[*r]	100-240ac	50/60	0	-	-	-	-	60601-1	20B	0	2
				5dc	1	-	16				
GEM12I05zzzzz (F), GEM12I05zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	5-6dc	2.40-2.00	12	16	ES60601-1:2005+A1:2012	20B	8	2
GEM12I07zzzzz (F), GEM12I07zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	6-8dc	2.00-1.50	12	16	ES60601-1:2005+A1:2012	20B	8	2
GEM12I09zzzzz (F), GEM12I09zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	8-11dc	1.50-1.09	12	16	ES60601-1:2005+A1:2012	20B	8	2
GEM12I12zzzzz (F), GEM12I12zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	11-13dc	1.09-0.92	12	16	ES60601-1:2005+A1:2012	20B	8	2
GEM12I15zzzzz (F), GEM12I15zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	13-16dc	0.92-0.75	12	16	ES60601-1:2005+A1:2012	20B	8	2
GEM12I18zzzzz (F), GEM12I18zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	16-21dc	0.75-0.57	12	16	ES60601-1:2005+A1:2012	20B	8	2
GEM12I24zzzzz (F), GEM12I24zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	21-27dc	0.57-0.44	12	16	ES60601-1:2005+A1:2012	20B	8	2
GEM12I28zzzzz (F), GEM12I28zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	27-33dc	0.44-0.36	12	16	ES60601-1:2005+A1:2012	20B	8	2
GEM12I48zzzzz (F), GEM12I48zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	33-48dc	0.36-0.25	12	16	ES60601-1:2005+A1:2012	20B	8	2
GEM18x05-zzz (^)	100-240Vac	50/60	0	5-6dc	3.00-2.50	15	16	ES60601-1	20B	0	2
GEM18x07-zzz (^)	100-240Vac	50/60	0	6-8dc	2.50-1.87	15	16	ES60601-1	20B	0	2
GEM18x09-zzz (^)[*r]	100-240Vac	50/60	0	8-11dc	2.25-1.64	18.04	16	ES60601-1	20B	0	2
GEM18x12-zzz (^)[*r]	100-240Vac	50/60	0	11-13dc	1.64-1.38	18.04	16	ES60601-1	20B	0	2
GEM18x15-zzz (^)[*r]	100-240Vac	50/60	0	13-16dc	1.38-1.13	18.08	16	ES60601-1	20B	0	2
GEM18x18-zzz (^)[*r]	100-240Vac	50/60	0	16-21dc	1.13-0.86	18.08	16	ES60601-1	20B	0	2
		50/60	0	21-27dc	0.86-0.67	18.09	16	ES60601-1	20B	0	2

GEM18x24-zzz (^)[*r]	100-240Vac									
GEM18x28-zzz (^)[*r]	100-240Vac	50/60	0	27-33dc	0.67-0.55	18.15	16	ES60601-1	20B	0	2
GEM18x48-zzz (^)[*r]	100-240Vac	50/60	0	33-58dc	0.55-0.32	18.56	16	ES60601-1	20B	0	2
GEM30x05zzzzz (d)(!)[*r]	100-240ac	50/60	0	5-6dc	4-3.33	20	16	ES60601-1	20B	6, 7	2
GEM30x07zzzzz (d)(!)[*r]	100-240ac	50/60	0	6-8dc	4.16-3.12	25	16	ES60601-1	20B	6, 7	2
				N/A	N/A	N/A	N/A				
GEM30x09zzzzz (d)(!)[*r]	100-240ac	50/60	0	8-11dc	3.75-2.72	30	16	ES60601-1	20B	6, 7	2
GEM30x12zzzzz (d)(!)[*r]	100-240ac	50/60	0	11-13dc	2.72-2.30	30	16	ES60601-1	20B	6, 7	2
GEM30x15zzzzz (d)(!)[*r]	100-240ac	50/60	0	13-16dc	2.30-1.87	30	16	ES60601-1	20B	6, 7	2
GEM30x18zzzzz (d)(!)[*r]	100-240ac	50/60	0	16-21dc	1.87-1.42	30	16	ES60601-1	20B	6, 7	2
GEM30x24zzzzz (d)(!)[*r]	100-240ac	50/60	0	21-27dc	1.42-1.11	30	16	ES60601-1	20B	6, 7	2
GEM30x28zzzzz (d)(!)[*r]	100-240ac	50/60	0	27-33dc	1.11-0.90	30	16	ES60601-1	20B	6, 7	2
GEM30x48zzzzz (d)(!)[*r]	100-240ac	50/60	0	33-58dc	0.9-0.51	30	16	ES60601-1	20B	6, 7	2
GEM40x05zzzzz (d)(!)[*r]	100-240ac	50/60	0	5-6dc	5-4.16	25	16	ES60601-1	20B	6, 7	2
GEM40x07zzzzz (d)(!)[*r]	100-240ac	50/60	0	6-8dc	5-3.75	30	16	ES60601-1	20B	6, 7	2
GEM40x09zzzzz (d)(!)[*r]	100-240ac	50/60	0	8-11dc	4.5-3.27	36	16	ES60601-1	20B	6, 7	2
GEM40x12zzzzz (d)(!)[*r]	100-240ac	50/60	0	11-13dc	3.63-3.07	40	16	ES60601-1	20B	6, 7	2
GEM40x15zzzzz (d)(!)[*r]	100-240ac	50/60	0	13-16dc	3.07-2.50	40	16	ES60601-1	20B	6, 7	2
GEM40x18zzzzz (d)(!)[*r]	100-240ac	50/60	0	16-21dc	2.5-1.9	40	16	ES60601-1	20B	6, 7	2
GEM40x24zzzzz (d)(!)[*r]	100-240ac	50/60	0	21-27dc	1.9-1.48	40	16	ES60601-1	20B	6, 7	2
GEM40x28zzzzz (d)(!)[*r]	100-240ac	50/60	0	27-33dc	1.48-1.21	40	16	ES60601-1	20B	6, 7	2
GEM40x48zzzzz (d)(!)[*r]	100-240ac	50/60	0	33-58dc	1.21-0.68	40	16	ES60601-1	20B	6, 7	2
GMS36U15 @ (A1 $)[*r]	100-240Vac	50/60	0	15dc	2.4	-	16	ES60601 & A1:2012	20B	0	2
GMS36U48 @ (A1 $)[*r]	100-240Vac	50/60	0	48dc	0.75	-	16	ES60601 & A1:2012	20B	0	2
GSM06Ux-zzz (x can be 05, 06, 07, 09, 12, 15, 18, 24; -zzz can be 0-9, A-Z or Blank for marketing purpose)											
	100-240ac	50/60	0	27dc	1.2	6.24	16, 22	ES60601-1	20B	8	2
GSM120A12 (A1 $)[*r]	100-240ac	50/60	0	-	-	-	-	ES60601-1 A1	20B	0	1
				12dc	8.5	102	16				
GSM120A15 (A1 $)[*r]	100-240ac	50/60	0	15dc	7.0	105	-	ES60601-1 A1	20B	0	1
GSM120A20 (A1 $)[*r]	100-240ac	50/60	0	20dc	6.0	120	16	ES60601-1 A1	20B	0	1
GSM120A24 (A1 $)[*r]	100-240ac	50/60	0	24dc	5.0	120	16	ES60601-1 A1	20B	0	1
GSM120A48 (A1 $)[*r]	100-240ac	50/60	0	24dc	5.0	120	16	ES60601-1 A1	20B	0	1
GSM120B12 (A1 $)[*r]	100-240ac	50/60	0	12	8.5	102	16	ES60601-1 A1	20B	0	2

Model	Input	Freq		Output				Standard			
GSM120B15 (A1 $)[*r]	100-240ac	50/60	0	15	7.0	10.5	16	ES60601-1 A1	20B	0	2
GSM120B20 (A1 $)[*r]	100-240ac	50/60	0	20	6.0	120	16	ES60601-1 A1	20B	0	2
GSM120B24 (A1 $)[*r]	100-240ac	50/60	0	24	5.0	120	16	ES60601-1 A1	20B	0	2
GSM120B48 (A1 $)[*r]	100-240ac	50/60	0	48	2.5	120	16	ES60601-1 A1	20B	0	2
GSM12U05zzzzz (F), GSM12U05zzzzzUSB (F)[*r]											
	100-240ac	50/60	0	5-6dc	2.40-2.00	12	16	ES60601-1:2005+A1:2012	20B	8	2
GSM12U07zzzzz (F), GSM12U07zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	6-8dc	2.00-1.50	12	16	ES60601-1:2005+A1:2012	20B	8	2
GSM12U09zzzzz (F), GSM12U09zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	8-11dc	1.50-1.09	12	16	ES60601-1:2005+A1:2012	20B	8	2
GSM12U12zzzzz (F), GSM12U12zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	11-13dc	1.09-0.92	12	16	ES60601-1:2005+A1:2012	20B	8	2
GSM12U15zzzzz (F), GSM12U15zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	13-16dc	0.92-0.75	12	16	ES60601-1:2005+A1:2012	20B	8	2
GSM12U18zzzzz (F), GSM12U18zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	16-21dc	0.75-0.57	12	16	ES60601-1:2005+A1:2012	20B	8	2
GSM12U24zzzzz (F), GSM12U24zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	21-27dc	0.57-0.44	12	16	ES60601-1:2005+A1:2012	20B	8	2
GSM12U28zzzzz (F), GSM12U28zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	27-33dc	0.44-0.36	12	16	ES60601-1:2005+A1:2012	20B	8	2
GSM12U48zzzzz (F), GSM12U48zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	33-48dc	0.36-0.25	12	16	ES60601-1:2005+A1:2012	20B	8	2
GSM160A12(A1$)	100-240ac	50/60	0	12dc	44.5	138 Max	16	60601-1	20B	0	1
GSM160A15(A1$)	100-240ac	50/60	0	15dc	9.6	144 Max	16	60601-1	20B	0	1
GSM160A20(A1$)	100-240ac	50/60	0	20dc	8	160 Max	16	60601-1	20B	0	1
GSM160A24(A1$)	100-240ac	50/60	0	24dc	6.67	160 Max	16	60601-1	20B	0	1
GSM160A48(A1$)	100-240ac	50/60	0	48dc	3.34	160 Max	16	60601-1	20B	0	1
GSM160B12(A1$) [*r]	100-240ac	50/60	0	12dc	11.5	138 Max	16	ANSI/AAMI ES60601-1 (2005 + C1:09 + A2:10 + A1:12)	20B	0	2
GSM160B15(A1$) [*r]	100-240ac	50/60	0	15dc	9.6	144 Max	16	ANSI/AAMI ES60601-1 (2005 + C1:09 + A2:10 + A1:12)	20B	0	2
GSM160B20(A1$) [*r]	100-240ac	50/60	0	20dc	8	160 Max	16	ANSI/AAMI ES60601-1 (2005 + C1:09 + A2:10 + A1:12)	20B	0	2
GSM160B24(A1$) [*r]	100-240ac	50/60	0	24dc	6.67	160 Max	16	ANSI/AAMI ES60601-1 (2005 + C1:09 + A2:10 + A1:12)	20B	0	2
GSM160B48(A1$) [*r]	100-240ac	50/60	0	48dc	3.34	160 Max	16	ANSI/AAMI ES60601-1 (2005 + C1:09 + A2:10 + A1:12)	20B	0	2
GSM18B05 @ (A1 $)[*r]	100-240Vac	50/60	0	5dc	3	-	16	ES60601 & A1:2012	20B	0	2
		50/60	0	7.5dc	2	-	16	ES60601 & A1:2012	20B	0	2

GSM18B07 @ (A1 $)[*r]	100-240Vac									
GSM18B09 @ (A1 $)[*r]	100-240Vac	50/60	0	9dc	2	-	16	ES60601 & A1:2012	20B	0	2
GSM18B12 @ (A1 $)[*r]	100-240Vac	50/60	0	12dc	1.5	-	16	ES60601 & A1:2012	20B	0	2
GSM18B15 @ (A1 $)[*r]	100-240Vac	50/60	0	15dc	1.2	-	16	ES60601 & A1:2012	20B	0	2
GSM18B18 @ (A1 $)[*r]	100-240Vac	50/60	0	18dc	1	-	16	ES60601 & A1:2012	20B	0	2
GSM18B24 @ (A1 $)[*r]	100-240Vac	50/60	0	24dc	0.75	-	16	ES60601 & A1:2012	20B	0	2
GSM18B48 @ (A1 $)[*r]	100-240Vac	50/60	0	48dc	0.375	-	16	ES60601 & A1:2012	20B	0	2
GSM18U05 @ (A1 $)[*r]	100-240Vac	50/60	0	5dc	3	-	16	ES60601 & A1:2012	20B	0	2
GSM18U07 @ (A1 $)[*r]	100-240Vac	50/60	0	7.5dc	2	-	16	ES60601 & A1:2012	20B	0	2
GSM18U09 @ (A1 $)[*r]	100-240Vac	50/60	0	9dc	2	-	16	ES60601 & A1:2012	20B	0	2
GSM18U12 @ (A1 $)[*r]	100-240Vac	50/60	0	12dc	1.5	-	16	ES60601 & A1:2012	20B	0	2
GSM18U15 @ (A1 $)[*r]	100-240Vac	50/60	0	15dc	1.2	-	16	ES60601 & A1:2012	20B	0	2
GSM18U18 @ (A1 $)[*r]	100-240Vac	50/60	0	18dc	1	-	16	ES60601 & A1:2012	20B	0	2
GSM18U24 @ (A1 $)[*r]	100-240Vac	50/60	0	24dc	0.75	-	16	ES60601 & A1:2012	20B	0	2
GSM18U48 @ (A1 $)[*r]	100-240Vac	50/60	0	48dc	0.375	-	16	ES60601 & A1:2012	20B	0	2
GSM220A12 (A1 $)[*r]	100-240ac	50/60	0	12dc	15	180 W	14	ES60601-1 A1	20B	0	1
GSM220A15 (A1 $)[*r]	100-240ac	50/60	0	15dc	13.4	201 W	14	ES60601-1 A1	20B	0	1
GSM220A20 (A1 $)[*r]	100-240ac	50/60	0	20dc	11	220 W	14	ES60601-1 A1	20B	0	1
GSM220A24 (A1 $)[*r]	100-240ac	50/60	0	24dc	9.2	221 W	14	ES60601-1 A1	20B	0	1
GSM220A48 (A1 $)[*r]	100-240ac	50/60	0	48dc	4.6	221 W	14	ES60601-1 A1	20B	0	1
GSM220B12 (A1 $)	100-240ac	50/60	0	-	-	-	-	ES60601-1 A1	20B	0	2
GSM220B15 (A1 $)	100-240ac	50/60	0	-	-	-	-	ES60601-1 A1	20B	0	2
GSM220B20 (A1 $)	100-240ac	50/60	0	-	-	-	-	ES60601-1 A1	20B	0	2
GSM220B24 (A1 $)	100-240ac	50/60	0	-	-	-	-	ES60601-1 A1	20B	0	2
GSM220B48 (A1 $)	100-240ac	50/60	0	-	-	-	-	ES60601-1 A1	20B	0	2
GSM25B05 @ (A1 $)[*r]	100-240Vac	50/60	0	5dc	4	-	16	ES60601 & A1:2012	20B	0	2
GSM25B07 @ (A1 $)[*r]	100-240Vac	50/60	0	7.5dc	2.93	-	16	ES60601 & A1:2012	20B	0	2
GSM25B09 @ (A1 $)[*r]	100-240Vac	50/60	0	9dc	2.77	-	16	ES60601 & A1:2012	20B	0	2
GSM25B12 @ (A1 $)[*r]	100-240Vac	50/60	0	12dc	2.08	-	16	ES60601 & A1:2012	20B	0	2
GSM25B15 @ (A1 $)[*r]	100-240Vac	50/60	0	15dc	1.66	-	16	ES60601 & A1:2012	20B	0	2
GSM25B18 @ (A1 $)[*r]	100-240Vac	50/60	0	18dc	1.38	-	16	ES60601 & A1:2012	20B	0	2
GSM25B24 @ (A1 $)[*r]	100-240Vac	50/60	0	24dc	1.04	-	16	ES60601 & A1:2012	20B	0	2

GSM25B48 @ (A1$)[*r]	100-240Vac	50/60	0	48dc	0.52	-	16	ES60601 & A1:2012	20B	0	2
GSM25U05 @ (A1$)[*r]	100-240Vac	50/60	0	5dc	4	-	16	ES60601 & A1:2012	20B	0	2
GSM25U07 @ (A1$)[*r]	100-240Vac	50/60	0	7.5dc	2.93	-	16	ES60601 & A1:2012	20B	0	2
GSM25U09 @ (A1$)[*r]	100-240Vac	50/60	0	9dc	2.77	-	16	ES60601 & A1:2012	20B	0	2
GSM25U12 @ (A1$)[*r]	100-240Vac	50/60	0	12dc	2.08	-	16	ES60601 & A1:2012	20B	0	2
GSM25U15 @ (A1$)[*r]	100-240Vac	50/60	0	15dc	1.66	-	16	ES60601 & A1:2012	20B	0	2
GSM25U18 @ (A1$)[*r]	100-240Vac	50/60	0	18dc	1.38	-	16	ES60601 & A1:2012	20B	0	2
GSM25U24 @ (A1$)[*r]	100-240Vac	50/60	0	24dc	1.04	-	16	ES60601 & A1:2012	20B	0	2
GSM25U48 @ (A1$)[*r]	100-240Vac	50/60	0	48dc	0.52	-	16	ES60601 & A1:2012	20B	0	2
GSM36B05 @ (A1$)[*r]	100-240Vac	50/60	0	5dc	4.5	-	16	ES60601 & A1:2012	20B	0	2
GSM36B07 @ (A1$)[*r]	100-240Vac	50/60	0	7dc	4.32	-	16	ES60601 & A1:2012	20B	0	2
GSM36B09 @ (A1$)[*r]	100-240Vac	50/60	0	9dc	4	-	16	ES60601 & A1:2012	20B	0	2
GSM36B12 @ (A1$)[*r]	100-240Vac	50/60	0	12dc	3	-	16	ES60601 & A1:2012	20B	0	2
GSM36B15 @ (A1$)[*r]	100-240Vac	50/60	0	15dc	2.4	-	16	ES60601 & A1:2012	20B	0	2
GSM36B18 @ (A1$)[*r]	100-240Vac	50/60	0	18dc	2	-	16	ES60601 & A1:2012	20B	0	2
GSM36B24 @ (A1$)[*r]	100-240Vac	50/60	0	24dc	1.5	-	16	ES60601 & A1:2012	20B	0	2
GSM36B48 @ (A1$)[*r]	100-240Vac	50/60	0	48dc	0.75	-	16	ES60601 & A1:2012	20B	0	2
GSM36U05 @ (A1$)[*r]	100-240Vac	50/60	0	5dc	4.5	-	16	ES60601 & A1:2012	20B	0	2
GSM36U07 @ (A1$)[*r]	100-240Vac	50/60	0	7dc	4.32	-	16	ES60601 & A1:2012	20B	0	2
GSM36U09 @ (A1$)[*r]	100-240Vac	50/60	0	9dc	4	-	16	ES60601 & A1:2012	20B	0	2
GSM36U12 @ (A1$)[*r]	100-240Vac	50/60	0	12dc	3	-	16	ES60601 & A1:2012	20B	0	2
GSM36U18 @ (A1$)[*r]	100-240Vac	50/60	0	18dc	2	-	16	ES60601 & A1:2012	20B	0	2
GSM36U24 @ (A1$)[*r]	100-240Vac	50/60	0	24dc	1.5	-	16	ES60601 & A1:2012	20B	0	2
GSM40A05	100-240ac	50/60	0	5dc	5	24	16	ES60601-1	20B	0	1
GSM40A05(A1$)[*r]	100-240ac	50/60	0	5dc	5	25	16	ES60601 A1:2012	20B	0	1
GSM40A07	100-240ac	50/60	0	7.5dc	5.34	40.05	16	ES60601-1	20B	0	1
GSM40A07(A1$)[*r]	100-240ac	50/60	0	7.5dc	5.34	40.05	16	ES60601 A1:2012	20B	0	1
GSM40A09	100-240ac	50/60	0	9dc	4.45	40.05	16	ES60601-1	20B	0	1
GSM40A09(A1$)[*r]	100-240ac	50/60	0	9dc	4.45	40.05	16	ES60601 A1:2012	20B	0	1
GSM40A12	100-240ac	50/60	0	12dc	3.34	40.08	16	ES60601-1	20B	0	1
GSM40A12(A1$)[*r]	100-240ac	50/60	0	12dc	3.34	40.08	16	ES60601 A1:2012	20B	0	1
GSM40A13.5-KOD(A1$)[*r]	100-240ac	50/60	0	13.5dc	2.96	40	16	ES60601 A1:2012	20B	0	1

GSM40A15	100-240ac	50/60	0	15dc	2.67	40.05	16	ES60601-1	20B	0	1
GSM40A15(A1$) [*r]	100-240ac	50/60	0	15dc	2.67	40.05	16	ES60601 A1:2012	20B	0	1
GSM40A18	100-240ac	50/60	0	18dc	2.22	39.96	16	ES60601-1	20B	0	1
GSM40A18(A1$) [*r]	100-240ac	50/60	0	18dc	2.22	39.96	16	ES60601 A1:2012	20B	0	1
GSM40A24	100-240ac	50/60	0	24dc	1.67	40.08	16	ES60601-1	20B	0	1
GSM40A24(A1$) [*r]	100-240ac	50/60	0	24dc	1.67	40.08	16	ES60601 A1:2012	20B	0	1
GSM40A48	100-240ac	50/60	0	48dc	0.84	40.32	16	ES60601-1	20B	0	1
GSM40A48(A1$) [*r]	100-240ac	50/60	0	48dc	0.84	40.32	16	ES60601 A1:2012	20B	0	1
GSM40B05	100-240Vac	50/60	0	5dc	5	25	16	ES60601-1 A1	20B	0	2
GSM40B07	100-240Vac	50/60	0	7.5dc	5.34	40	16	ES60601-1 A1	20B	0	2
GSM40B09	100-240Vac	50/60	0	9dc	4.45	40	16	ES60601-1 A1	20B	0	2
GSM40B12	100-240Vac	50/60	0	12dc	3.34	40	16	ES60601-1 A1	20B	0	2
GSM40B15	100-240Vac	50/60	0	15dc	2.67	40	16	ES60601-1 A1	20B	0	2
GSM40B18	100-240Vac	50/60	0	18dc	2.22	40	16	ES60601-1 A1	20B	0	2
GSM40B24	100-240Vac	50/60	0	24dc	1.67	40	16	ES60601-1 A1	20B	0	2
GSM40B48	100-240Vac	50/60	0	48dc	0.84	40	16	ES60601-1 A1	20B	0	2
GSM60A05	100-240ac	50/60	0	5dc	6	30	16	ES60601-1	20B	0	1
GSM60A05(A1$) [*r]	100-240ac	50/60	0	5dc	6	30	16	ES60601 A1:2012	20B	0	1
GSM60A07	100-240ac	50/60	0	7.5dc	6	45	16	ES60601-1	20B	0	1
GSM60A07(A1$) [*r]	100-240ac	50/60	0	7.5dc	6	45	16	ES60601 A1:2012	20B	0	1
GSM60A09	100-240ac	50/60	0	9dc	6	54	16	ES60601-1	20B	0	1
GSM60A09(A1$) [*r]	100-240ac	50/60	0	9dc	6	54	16	ES60601 A1:2012	20B	0	1
GSM60A12	100-240ac	50/60	0	12dc	5	60	16	ES60601-1	20B	0	1
GSM60A12(A1$) [*r]	100-240ac	50/60	0	12dc	5	60	16	ES60601 A1:2012	20B	0	1
GSM60A15	100-240ac	50/60	0	15dc	4	60	16	ES60601-1	20B	0	1
GSM60A18	100-240ac	50/60	0	18dc	3.33	59.94	16	ES60601-1	20B	0	1
GSM60A18(A1$) [*r]	100-240ac	50/60	0	18dc	3.33	59.94	16	ES60601 A1:2012	20B	0	1
GSM60A24	100-240ac	50/60	0	24dc	2.5	60	16	ES60601-1	20B	0	1
GSM60A24(A1$) [*r]	100-240ac	50/60	0	24dc	2.5	60	16	ES60601 A1:2012	20B	0	1
GSM60A48	100-240ac	50/60	0	48dc	1.25	60	16	ES60601-1	20B	0	1
GSM60A48(A1$) [*r]	100-240ac	50/60	0	48dc	1.25	60	16	ES60601 A1:2012	20B	0	1
GSM60B05	100-240Vac	50/60	0	5dc	6	30	16	ES60601-1 A1	20B	0	2

GSM60B07	100-240Vac	50/60	0	7.5dc	6	45	16	ES60601-1 A1	20B	0	2
GSM60B09	100-240Vac	50/60	0	9dc	6	54	16	ES60601-1 A1	20B	0	2
GSM60B12	100-240Vac	50/60	0	12dc	5	60	16	ES60601-1 A1	20B	0	2
GSM60B15	100-240Vac	50/60	0	15dc	4	60	16	ES60601-1 A1	20B	0	2
GSM60B18	100-240Vac	50/60	0	18dc	3.33	60	16	ES60601-1 A1	20B	0	2
GSM60B24	100-240Vac	50/60	0	24dc	2.5	60	16	ES60601-1 A1	20B	0	2
GSM60B48	100-240Vac	50/60	0	48dc	1.25	60	16	ES60601-1 A1	20B	0	2
GSM90A12 (A1$) [*r]	100-240Vac	50/60	0	12dc	6.67	80W	16	ES60601-1 A1	20B	0	1
GSM90A15 (A1$) [*r]	100-240Vac	50/60	0	15dc	6	90W	16	ES60601-1 A1	20B	0	1
GSM90A19 (A1$) [*r]	100-240Vac	50/60	0	19dc	4.74	90W	16	ES60601-1 A1	20B	0	1
GSM90A24 (A1$) [*r]	100-240Vac	50/60	0	24dc	3.75	90W	16	ES60601-1 A1	20B	0	1
GSM90A48 (A1$) [*r]	100-240Vac	50/60	0	48dc	1.87	90W	16	ES60601-1 A1	20B	0	1
GSM90B12 (A1$) [*r]	100-240Vac	50/60	0	12dc	6.67	80	16	ES60601-1 A1	20B	0	2
GSM90B15 (A1$) [*r]	100-240Vac	50/60	0	15dc	6..0	90	16	ES60601-1 A1	20B	0	2
GSM90B19 (A1$) [*r]	100-240Vac	50/60	0	19dc	4.74	90	16	ES60601-1 A1	20B	0	2
GSM90B24 (A1$) [*r]	100-240Vac	50/60	0	24dc	3.75	90	16	ES60601-1 A1	20B	0	2
GSM90B48 (A1$) [*r]	100-240Vac	50/60	0	48dc	1.87	90	16	ES60601-1 A1	20B	0	2
MDD01L-05, MDD01L-09, MDD01L-12, MDD01L-15											
	05Vdc	-	1	See reportdc	See report	See report	20	ES60601-1:2005(R 2012)	20B	0	2
MDD01M-05, MDD01M-09, MDD01M-12, MDD01M-15											
	12Vdc	-	1	-	-	-	-	ES60601-1:2005(R 2012)	20B	0	2
MDD01N-05, MDD01N-09, MDD01N-12, MDD01N-15											
	24Vdc	-	1	-	-	-	-	ES60601-1:2005(R 2012)	20B	0	2
MDD02L-05, MDD02L-09, MDD02L-12, MDD02L-15											
	05Vdc	-	1	-	-	-	-	ES60601-1:2005(R 2012)	20B	0	2
MDD02M-05, MDD02M-09, MDD02M-12, MDD02M-15											
	12Vdc	-	1	-	-	-	-	ES60601-1:2005(R 2012)	20B	0	2
MDD02N-05, MDD02N-09, MDD02N-12											
	24Vdc	-	1	-	-	-	-	ES60601-1:2005(R 2012)	20B	0	2
MDD02N-15@@	24Vdc	-	1	-	-	-	-	ES60601-1:2005(R 2012)	20B	0	2
MDS01L-03, MDS01L-05, MDS01L-12, MDS01L-15											
	5Vdc	-	1	See reportdc	See report	See report	20	ES60601-1:2005(R 2012)	20B	0	2
MDS01M-05, MDS01M-12, MDS01M-15											
	12Vdc	-	1	-	-	-	-	ES60601-1:2005(R 2012)	20B	0	2
MDS01N-05, MDS01N-12, MDS01N-15											
	24Vdc	-	1	See reportdc	See report	See report	20	ES60601-1:2005(R 2012)	20B	0	2
MDS02L-05, MDS02L-12, MDS02L-15											
	05Vdc	-	1	See reportdc	See report	See report	20	ES60601-1:2005(R 2012)	20B	0	2

MDS02M-05, MDS02M-12, MDS02M-15

	12Vdc	-	1	See reportdc	See report	See report	20	ES60601-1:2005(R 2012)	20B	0	2

MDS02N-05, MDS02N-12, MDS02N-15

	24Vdc	-	1	See reportdc	See report	See report	20	ES60601-1:2005(R 2012)	20B	0	2

MES30A-0, MES30B-0, MES30C-0, MES30D-0-U

	100-240ac	50-60	0	3-5	5.0	25	9	60601-1	2T	0	1

MES30A-1, MES30B-1, MES30C-1, MES30D-1-U

	100-240ac	50-60	0	5-6	5.0-4.17	25	9	60601-1	2T	0	1

MES30A-1-1, MES30B-1-1, MES30C-1-1, MES30D-1-1-U

	100-240ac	50-60	0	6-8	4.17-3.13	25	9	60601-1	2T	0	1

MES30A-1-2, MES30B-1-2, MES30C-1-2, MES30D-2-U

	100-240ac	50-60	0	8-11	3.75-2.73	30	9	60601-1	2T	0	1
MES30A-2, MES30C-2[*r]	100-240ac	50-60	0	8-11	3.75-2.73	30	9	ES60601-1	20B	0	1

MES30A-3, MES30B-3, MES30C-3, MES30D-3-U

	100-240ac	50-60	0	11-13	2.73-2.30	30	9	60601-1	2T	0	1

MES30A-4, MES30B-4, MES30C-4, MES30D-4-U

	100-240ac	50-60	0	13-16	2.30-1.88	30	9	60601-1	2T	0	1

MES30A-5, MES30B-5, MES30C-5, MES30D-5-U

	100-240ac	50-60	0	16-21	1.88-1.43	30	9	60601-1	2T	0	1

MES30A-6, MES30B-6, MES30C-6, MES30D-6-U

	100-240ac	50-60	0	21-27	1.43-1.11	30	9	60601-1	2T	0	1

MES30A-7, MES30B-7, MES30C-7, MES30D-7-U

	100-240ac	50-60	0	27-33	1.11-0.90	30	9	60601-1	2T	0	1

MES30A-8, MES30B-8, MES30C-8, MES30D-8-U

	100-240ac	50-60	0	33-48	0.9-0.63	30	9	60601-1	2T	0	1
MES50X-0 (a)[*r]	100-240ac	50/60	0	3-5	7.5	37.5	9	60601-1	20B	8	1
MES50X-1 (a)[*r]	100-240ac	50/60	0	5-6	7.50-6.25	37.5	9	60601-1	20B	8	1
MES50X-1-1 (a)[*r]	100-240ac	50/60	0	6-8	6.66-5.00	40	9	60601-1	20B	8	1
MES50X-2 (a)[*r]	100-240ac	50/60	0	8-11	5.62-4.09	45	9	60601-1	20B	8	1
MES50X-3 (a)[*r]	100-240ac	50/60	0	11-13	4.54-3.84	50	9	60601-1	20B	8	1
MES50X-4 (a)[*r]	100-240ac	50/60	0	13-16	3.84-3.12	50	9	60601-1	20B	8	1
MES50X-5 (a)[*r]	100-240ac	50/60	0	16-21	3.12-2.38	50	9	60601-1	20B	8	1
MES50X-6 (a)[*r]	100-240ac	50/60	0	21-27	2.38-1.85	50	9	60601-1	20B	8	1
MES50X-7 (a)[*r]	100-240ac	50/60	0	27-33	1.85-1.51	50	9	60601-1	20B	8	1
MES50X-8 (a)[*r]	100-240ac	50/60	0	33-48	1.51-1.04	50	9	60601-1	20B	8	1

MFM-05-(g) or MPM-05-(g) (d)[*r]

		50/60	0	3.3dc	1.25	-	16	ES60601-1:2005+A1:2012	20B	0	2

	100-240ac										
				5dc	1	-	16				
				12dc	0.42	-	16				
				15dc	0.33	-	16				
				24dc	0.23	-	16				
MFM-05-5YB or MPM-05-5YB (d)[*r]											
	100-240ac	50/60	0	-	-	-	-	ES60601-1:2005+A1:2012	20B	0	2
				5dc	1	-	16				
MFM-10-(g) or MPM-10-(g) (d)[*r]											
	100-240ac	50/60	0	-	-	-	-	ES60601-1:2005+A1:2012	20B	0	2
				3.3dc	2.5	-	16				
				5dc	2	-	16				
				12dc	0.85	-	16				
				15dc	0.67	-	16				
				24dc	0.42	-	16				
MFM-30-x, MPM-30-xy (x can be 3.3, 5, 12, 15, 24 or 48; y can be ST or blank)[*r]											
	100-240ac	50/60	0	3.3dc	6	-	16	60601-1	20B	0	2
				5dc	6	-	16				
				12dc	2.5	-	16				
				15dc	2	-	16				
				24dc	1.3	-	16				
				48dc	0.63	-	16				
MFM-x-y (x can be 15 or 20, y can be 3.3, 5, 12, 15 or 24)											
	100-240ac	50/60	0	3.3dc	3.5	-	16	60601-1	20B	0	2
				5dc	3	-	16				
				12dc	1.25	-	16				
				15dc	1	-	16				
				24dc	0.63	-	16				
MPD-120A[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	5	-	9				
MPD-120B[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				24	2.9	-	9				
MPD-200A@(A1$) [*r]	100-240ac	50/60	0	5dc	20	-	16	ES60601 & A1:2012	20B	0	1
				12dc	8	-	16				
MPD-200B@(A1$) [*r]	100-240ac	50/60	0	5dc	20	-	16	ES60601 & A1:2012	20B	0	1
				24dc	4	-	16				
MPD-45A[*r]	100-240ac	50/60	0	5	3.2	16.0	9	2601	-	0	0
				12	2	24	9				
MPD-45A@(A1$) [*r]	100-240ac	50/60	0	5dc	3.2	-	16	ES60601 & A1:2012	20B	0	1
				12dc	2	-	16				
MPD-45B[*r]	100-240ac	50/60	0	5	3.2	16.0	9	2601	-	0	0
				24	1.2	28.8	9				
		50/60	0	5dc	3.2	-	16	ES60601 & A1:2012	20B	0	1

MPD-45B@(A1$) [*r]	100-240ac									
				24dc	1.2	-	16			
MPD-65A[*r]	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0
				12	2.8	33.6	9			
MPD-65A@(A1$) [*r]	100-240ac	50/60	0	5dc	5.5	-	16	ES60601 & A1:2012	20B	0	1
				12dc	2.8	-	16			
MPD-65B[*r]	100-240ac	50/60	0	5	3.5	17.5	9	2601	-	0	0
				24	2	48	9			
MPD-65B@(A1$) [*r]	100-240ac	50/60	0	5dc	3.5	-	16	ES60601 & A1:2012	20B	0	1
				24dc	2	-	16			
MPM-x-y (x can be 15 or 20, y can be 3.3, 5, 12, 15 or 24)										
	100-240ac	50/60	0	3.3dc	4.5	-	16	60601-1	20B	0	2
				5dc	4	-	16			
				12dc	1.8	-	16			
				15dc	1.4	-	16			
				24dc	0.9	-	16			
MPQ-120B[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	4.2	-	9			
				-5	0.6	-	9			
				-12	0.6	-	9			
MPQ-120C[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				15	3.2	-	9			
				-5	0.6	-	9			
				-15	0.6	-	9			
MPQ-120D[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	1	-	9			
				24	2.1	-	9			
				-12	0.6	-	9			
MPQ-120E[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	3	-	9			
				15	0.6	-	9			
				24	0.6	-	9			
MPQ-200B@(A1$) [*r]	100-240ac	50/60	0	5dc	15	-	16	ES60601 & A1:2012	20B	0	1
				12dc	7	-	16			
				-5dc	2	-	16			
				-12dc	2	-	16			
MPQ-200C@(A1$) [*r]	100-240ac	50/60	0	5dc	15	-	16	ES60601 & A1:2012	20B	0	1
				15dc	5	-	16			
				-5dc	2	-	16			
				-15dc	2	-	16			
MPQ-200D@(A1$) [*r]	100-240ac	50/60	0	5dc	15	-	16	ES60601 & A1:2012	20B	0	1
				12dc	2	-	16			

Model	Input	Freq		Vout	I			Standard			
				24dc	3	-	16				
				-12dc	2	-	16				
MPQ-200F@(A1$)[*r]	100-240ac	50/60	0	5dc	15	-	16	ES60601 & A1:2012	20B	0	1
				15dc	2	-	16				
				-15dc	2	-	16				
				24dc	2.7	-	16				
MPS-120-12[*r]	100-240ac	50/60	0	12	10	-	9	60601-1	20B	0	1
MPS-120-15[*r]	100-240ac	50/60	0	15	8	-	9	60601-1	20B	0	1
MPS-120-24[*r]	100-240ac	50/60	0	24	5	-	9	60601-1	20B	0	1
MPS-120-3.3[*r]	100-240ac	50/60	0	3.3	24	-	9	60601-1	20B	0	1
MPS-120-48[*r]	100-240ac	50/60	0	48	2.5	-	9	60601-1	20B	0	1
MPS-120-5[*r]	100-240ac	50/60	0	5	22	-	9	60601-1	20B	0	1
MPS-200-12@(A1$)[*r]	100-240ac	50/60	0	12dc	16.7	-	16	ES60601 & A1:2012	20B	0	1
MPS-200-15@(A1$)[*r]	100-240ac	50/60	0	15dc	13.4	-	16	ES60601 & A1:2012	20B	0	1
MPS-200-24@(A1$)[*r]	100-240ac	50/60	0	24dc	8.4	-	16	ES60601 & A1:2012	20B	0	1
MPS-200-3.3@(A1$)[*r]	100-240ac	50/60	0	3.3dc	40	-	16	ES60601 & A1:2012	20B	0	1
MPS-200-32PE@(A1$)[*r]	100-240ac	50/60	0	32dc	6.3	-	16	ES60601 & A1:2012	20B	0	1
MPS-200-48@(A1$)[*r]	100-240ac	50/60	0	48dc	4.2	-	16	ES60601 & A1:2012	20B	0	1
MPS-200-5@(A1$)[*r]	100-240ac	50/60	0	5dc	40	-	16	ES60601 & A1:2012	20B	0	1
MPS-200-7.5@(A1$)[*r]	100-240ac	50/60	0	7.5dc	26.6	-	16	ES60601 & A1:2012	20B	0	1
MPS-30-12[*r]	100-240ac	50/60	0	-	2.5	30	9	NSI/AAMI ES 60601-1: 2005	20B	0	0
MPS-30-15[*r]	100-240ac	50/60	0	-	2	30	9	NSI/AAMI ES 60601-1: 2005	20B	0	0
MPS-30-24[*r]	100-240ac	50/60	0	-	1.2	28.8	9	NSI/AAMI ES 60601-1: 2005	20B	0	0
MPS-30-27[*r]	100-240ac	50/60	0	-	1.1	29.7	9	NSI/AAMI ES 60601-1: 2005	20B	0	0
MPS-30-48[*r]	100-240ac	50/60	0	-	0.6	28.8	9	NSI/AAMI ES 60601-1: 2005	20B	0	0
MPS-30-5[*r]	100-240ac	50/60	0	-	6	30	9	NSI/AAMI ES 60601-1: 2005	20B	0	0
MPS-30-5SI[*r]	100-240ac	50/60	0	-	6	30	9	NSI/AAMI ES 60601-1: 2005	20B	0	0
MPS-45-12[*r]	100-240ac	50/60	0	12	3.7	44.4	9	2601	-	0	0
MPS-45-12@(A1$)[*r]	100-240ac	50/60	0	12dc	3.7	-	16	ES60601 & A1:2012	20B	0	1
MPS-45-13.5[*r]	100-240ac	50/60	0	13.5	3.3	44.6	9	2601	-	0	0
MPS-45-13.5@(A1$)[*r]	100-240ac	50/60	0	13.5dc	3.3	-	16	ES60601 & A1:2012	20B	0	1
MPS-45-15[*r]	100-240ac	50/60	0	15	3	45	9	2601	-	0	0
MPS-45-15@(A1$)[*r]	100-240ac	50/60	0	15dc	3	-	16	ES60601 & A1:2012	20B	0	1
MPS-45-24[*r]	100-240ac	50/60	0	24	1.9	45.6	9	2601	-	0	0

MPS-45-24@(A1$)[*r]	100-240ac	50/60	0	24dc	1.9	-	16	ES60601 & A1:2012	20B	0	1
MPS-45-27[*r]	100-240ac	50/60	0	27	1.7	45.9	9	2601	-	0	0
MPS-45-27@(A1$)[*r]	100-240ac	50/60	0	27dc	1.7	-	16	ES60601 & A1:2012	20B	0	1
MPS-45-3.3[*r]	100-240ac	50/60	0	3.3	8	26.4	9	2601	-	0	0
MPS-45-3.3@(A1$)[*r]	100-240ac	50/60	0	3.3dc	8	-	16	ES60601 & A1:2012	20B	0	1
MPS-45-48[*r]	100-240ac	50/60	0	48	1	48	9	2601	-	0	0
MPS-45-48@(A1$)[*r]	100-240ac	50/60	0	48dc	1	-	16	ES60601 & A1:2012	20B	0	1
MPS-45-5[*r]	100-240ac	50/60	0	5	8	40	9	2601	-	0	0
MPS-45-5@(A1$)[*r]	100-240ac	50/60	0	5dc	8	-	16	ES60601 & A1:2012	20B	0	1
MPS-45-7.5[*r]	100-240ac	50/60	0	7.5	5.5	41.3	9	2601	-	0	0
MPS-45-7.5@(A1$)[*r]	100-240ac	50/60	0	7.5dc	5.4	-	16	ES60601 & A1:2012	20B	0	1
MPS-65-12[*r]	100-240ac	50/60	0	12	5.2	62.4	9	2601	-	0	0
MPS-65-12@(A1$)[*r]	100-240ac	50/60	0	12dc	5.2	-	16	ES60601 & A1:2012	20B	0	1
MPS-65-13.5[*r]	100-240ac	50/60	0	13.5	4.7	63.5	9	2601	-	0	0
MPS-65-13.5@(A1$)[*r]	100-240ac	50/60	0	13.5dc	4.7	-	16	ES60601 & A1:2012	20B	0	1
MPS-65-15[*r]	100-240ac	50/60	0	15	4.2	63.0	9	2601	-	0	0
MPS-65-15@(A1$)[*r]	100-240ac	50/60	0	15dc	4.2	-	16	ES60601 & A1:2012	20B	0	1
MPS-65-24[*r]	100-240ac	50/60	0	24	2.7	64.8	9	2601	-	0	0
MPS-65-24@(A1$)[*r]	100-240ac	50/60	0	24dc	2.7	-	16	ES60601 & A1:2012	20B	0	1
MPS-65-27[*r]	100-240ac	50/60	0	27	2.4	64.8	9	2601	-	0	0
MPS-65-27@(A1$)[*r]	100-240ac	50/60	0	27dc	2.4	-	16	ES60601 & A1:2012	20B	0	1
MPS-65-3.3[*r]	100-240ac	50/60	0	3.3	12	39.6	9	2601	-	0	0
MPS-65-3.3@(A1$)[*r]	100-240ac	50/60	0	3.3dc	12	-	16	ES60601 & A1:2012	20B	0	1
MPS-65-48[*r]	100-240ac	50/60	0	48	1.35	64.8	9	2601	-	0	0
MPS-65-48@(A1$)[*r]	100-240ac	50/60	0	48dc	1.35	-	16	ES60601 & A1:2012	20B	0	1
MPS-65-5[*r]	100-240ac	50/60	0	5	12	60.0	9	2601	-	0	0
MPS-65-5@(A1$)[*r]	100-240ac	50/60	0	5dc	12	-	16	ES60601 & A1:2012	20B	0	1
MPS-65-7.5[*r]	100-240ac	50/60	0	7.5	8	60.0	9	2601	-	0	0
MPS-65-7.5@(A1$)[*r]	100-240ac	50/60	0	7.5dc	8	60.0	16	ES60601 & A1:2012	20B	0	0
MPT-120A[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	4.8	-	9				
				-5	0.6	-	9				
MPT-120B[*r]		50/60	0	5	10	-	9	60601-1	20B	0	1

Model	Input	Freq		V				Standard			
	100-240ac										
				12	4.4	-	9				
				-12	0.6	-	9				
MPT-120BC88[*r]	100-240ac	50/60	0	5	7	-	9	60601-1	20B	0	1
				12	4	-	9				
				24	1	-	9				
MPT-120C[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				15	4	-	9				
				-15	0.6	-	9				
MPT-120D[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				24	2.2	-	9				
				12	0.6	-	9				
MPT-200A@(A1$)[*r]	100-240ac	50/60	0	5dc	20	-	16	ES60601 & A1:2012	20B	0	1
				12dc	7.5	-	16				
				-5dc	2	-	16				
MPT-200B@(A1$)[*r]	100-240ac	50/60	0	5dc	20	-	16	ES60601 & A1:2012	20B	0	1
				12dc	6	-	16				
				-12dc	2	-	16				
MPT-200C@(A1$)[*r]	100-240ac	50/60	0	5dc	20	-	16	ES60601 & A1:2012	20B	0	1
				15dc	4.7	-	16				
				-15dc	2	-	16				
MPT-200D@(A1$)[*r]	100-240ac	50/60	0	5dc	20	-	16	ES60601 & A1:2012	20B	0	1
				24dc	3	-	16				
				12dc	2	-	16				
MPT-45A[*r]	100-240ac	50/60	0	5	3.5	15	9	2601	-	0	0
				12	2	24	9				
				12	2	24	9				
MPT-45A@(A1$)[*r]	100-240ac	50/60	0	5dc	3	-	16	ES60601 & A1:2012	20B	0	1
				12dc	2	-	16				
				-5dc	0.3	-	16				
MPT-45B[*r]	100-240ac	50/60	0	5	3.5	15	9	2601	-	0	0
				12	2	24	9				
				-12	0.3	3.6	9				
MPT-45B@(A1$)[*r]	100-240ac	50/60	0	5dc	3	-	16	ES60601 & A1:2012	20B	0	1
				12dc	2	-	16				
				-12dc	0.3	-	16				
MPT-45C[*r]	100-240ac	50/60	0	5	3.5	15	9	2601	-	0	0
				15	1.6	24	9				
				-15	0.3	4.5	9				
MPT-45C@(A1$)[*r]	100-240ac	50/60	0	5dc	3	-	16	ES60601 & A1:2012	20B	0	1
				15dc	1.6	-	16				

				-15dc	0.3	-	16				
MPT-65A[*r]	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0
				12	2.5	30	9				
				-5	0.5	2.5	9				
MPT-65A@(A1$)[*r]	100-240ac	50/60	0	5dc	5.5	-	16	ES60601 & A1:2012	20B	0	1
				12dc	2.5	-	16				
				-5dc	0.5	-	16				
MPT-65B[*r]	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0
				12	2.5	30	9				
				-12	0.5	6	9				
MPT-65B@(A1$)[*r]	100-240ac	50/60	0	5dc	5.5	-	16	ES60601 & A1:2012	20B	0	1
				12dc	2.5	-	16				
				-12dc	0.5	-	16				
MPT-65C[*r]	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0
				15	2	30	9				
				-15	0.5	7.5	9				
MPT-65C@(A1$)[*r]	100-240ac	50/60	0	5dc	5.5	-	16	ES60601 & A1:2012	20B	0	1
				15dc	2	-	16				
				-15dc	0.5	-	16				
MSP-100-12(A1$)[*r]	100-240ac	50/60	0	12dc	8.5	102	14	ES60601 A1:2012	20B	0	1
MSP-100-12@[*r]	100-240ac	50/60	0	12dc	8.5	102	14	ES60601-1	20B	0	1
MSP-100-15(A1$)[*r]	100-240ac	50/60	0	15dc	7	105	14	ES60601 A1:2012	20B	0	1
MSP-100-15@[*r]	100-240ac	50/60	0	15dc	7	105	14	ES60601-1	20B	0	1
MSP-100-24(A1$)[*r]	100-240ac	50/60	0	24dc	4.5	108	14	ES60601 A1:2012	20B	0	1
MSP-100-24@[*r]	100-240ac	50/60	0	24dc	4.5	108	14	ES60601-1	20B	0	1
MSP-100-3.3(A1$)[*r]	100-240ac	50/60	0	3.3dc	20	66	14	ES60601 A1:2012	20B	0	1
MSP-100-3.3@[*r]	100-240ac	50/60	0	3.3dc	20	66	14	ES60601-1	20B	0	1
MSP-100-36(A1$)[*r]	100-240ac	50/60	0	36dc	2.9	104.4	14	ES60601 A1:2012	20B	0	1
MSP-100-36@[*r]	100-240ac	50/60	0	36dc	2.9	104.4	14	ES60601-1	20B	0	1
MSP-100-48(A1$)[*r]	100-240ac	50/60	0	48dc	2.2	105.6	14	ES60601 A1:2012	20B	0	1
MSP-100-48@[*r]	100-240ac	50/60	0	48dc	2.2	105.6	14	ES60601-1	20B	0	1
MSP-100-5(A1$)[*r]	100-240ac	50/60	0	5dc	17	85	14	ES60601 A1:2012	20B	0	1
MSP-100-5@[*r]	100-240ac	50/60	0	5dc	17	85	14	ES60601-1	20B	0	1
MSP-100-7.5(A1$)[*r]	100-240ac	50/60	0	7.5dc	13.5	101.3	14	ES60601 A1:2012	20B	0	1
MSP-100-7.5@[*r]	100-240ac	50/60	0	7.5dc	13.5	101.3	14	ES60601-1	20B	0	1
MSP-200-12(A1$)[*r]	100-240ac	50/60	0	12dc	16.7	-	14	ES60601 A1:2012	20B	0	1
MSP-200-12@		50/60	0	12dc	16.7	-	14	ES60601-1	20B	0	1

	100-240ac										
MSP-200-12EM (A1$)[*r]	100-240 Vac	50/60	0	12dc	16.7	-	14	ES60601-1 A1:2012	20B	0	1
MSP-200-15(A1$) [*r]	100-240ac	50/60	0	15dc	13.4	-	14	ES60601 A1:2012	20B	0	1
MSP-200-15@	100-240ac	50/60	0	15dc	13.4	-	14	ES60601-1	20B	0	1
MSP-200-15EM (A1$)[*r]	100-240 Vac	50/60	0	15dc	13.4	-	14	ES60601-1 A1:2012	20B	0	1
MSP-200-24(A1$) [*r]	100-240ac	50/60	0	24dc	8.4	-	14	ES60601 A1:2012	20B	0	1
MSP-200-24@	100-240ac	50/60	0	24dc	8.4	-	14	ES60601-1	20B	0	1
MSP-200-24EM (A1$)[*r]	100-240 Vac	50/60	0	24dc	8.4	-	14	ES60601-1 A1:2012	20B	0	1
MSP-200-3.3(A1 $)[*r]	100-240ac	50/60	0	3.3dc	40	-	14	ES60601 A1:2012	20B	0	1
MSP-200-3.3@	100-240ac	50/60	0	3.3dc	40	-	14	ES60601-1	20B	0	1
MSP-200-3.3EM (A1$)[*r]	100-240 Vac	50/60	0	3.3dc	40	-	14	ES60601-1 A1:2012	20B	0	1
MSP-200-36(A1$) [*r]	100-240ac	50/60	0	36dc	5.7	-	14	ES60601 A1:2012	20B	0	1
MSP-200-36@	100-240ac	50/60	0	36dc	5.7	-	14	ES60601-1	20B	0	1
MSP-200-36EM (A1$)[*r]	100-240 Vac	50/60	0	36dc	5.7	-	14	ES60601-1 A1:2012	20B	0	1
MSP-200-48(A1$) [*r]	100-240ac	50/60	0	48dc	4.3	-	14	ES60601 A1:2012	20B	0	1
MSP-200-48@	100-240ac	50/60	0	48dc	4.3	-	14	ES60601-1	20B	0	1
MSP-200-48EM (A1$)[*r]	100-240 Vac	50/60	0	48dc	4.3	-	14	ES60601-1 A1:2012	20B	0	1
MSP-200-5(A1$) [*r]	100-240ac	50/60	0	5dc	35	-	14	ES60601 A1:2012	20B	0	1
MSP-200-5@	100-240ac	50/60	0	5dc	35	-	14	ES60601-1	20B	0	1
MSP-200-5EM(A1 $)[*r]	100-240 Vac	50/60	0	5dc	35	-	14	ES60601-1 A1:2012	20B	0	1
MSP-200-7.5(A1 $)[*r]	100-240ac	50/60	0	7.5dc	26.7	-	14	ES60601 A1:2012	20B	0	1
MSP-200-7.5@	100-240ac	50/60	0	7.5dc	26.7	-	14	ES60601-1	20B	0	1
MSP-200-7.5EM (A1$)[*r]	100-240 Vac	50/60	0	7.5dc	26.7	-	14	ES60601-1 A1:2012	20B	0	1
MSP-30-12 @(A1 $)[*r]	100-240ac	50/60	0	12dc	2.5	30	16	ES60601 & A1:2012	20B	0	1
MSP-30-15 @(A1 $)[*r]	100-240ac	50/60	0	15dc	2	30	16	ES60601 & A1:2012	20B	0	1
MSP-30-24 @(A1 $)[*r]	100-240ac	50/60	0	24dc	1.2	28.8	16	ES60601 & A1:2012	20B	0	1
MSP-30-27 @(A1 $)[*r]	100-240ac	50/60	0	27dc	1.1	29.7	16	ES60601 & A1:2012	20B	0	1
MSP-30-48 @(A1 $)[*r]	100-240ac	50/60	0	48dc	0.6	28.8	16	ES60601 & A1:2012	20B	0	1
MSP-30-5@(A1$) [*r]	100-240ac	50/60	0	5dc	5	25	16	ES60601 & A1:2012	20B	0	1

MSP-30-5SI @(A1$)[*r]	100-240ac	50/60	0	5dc	5	25	16	ES60601 & A1:2012	20B	0	1
MSP-300-12@(A1$)[*r]	100-240ac	50/60	0	12	27	324(b)	14, 19	ES60601 & A1:2012	20B	0	1
MSP-300-15@(A1$)[*r]	100-240ac	50/60	0	15	22	330(b)	14, 19	ES60601 & A1:2012	20B	0	1
MSP-300-24@(A1$)[*r]	100-240ac	50/60	0	24	14	336(b)	14, 19	ES60601 & A1:2012	20B	0	1
MSP-300-3.3@(A1$)[*r]	100-240ac	50/60	0	3.3	60	198(b)	14, 19	ES60601 & A1:2012	20B	0	1
MSP-300-36@(A1$)[*r]	100-240ac	50/60	0	36	9	324(b)	14, 19	ES60601 & A1:2012	20B	0	1
MSP-300-48@(A1$)[*r]	100-240ac	50/60	0	48	7	336(b)	14, 19	ES60601 & A1:2012	20B	0	1
MSP-300-5@(A1$)[*r]	100-240ac	50/60	0	5	60	300(b)	14, 19	ES60601 & A1:2012	20B	0	1
MSP-300-7.5@(A1$)[*r]	100-240ac	50/60	0	7.5	40	300(b)	14, 19	ES60601 & A1:2012	20B	0	1
MSP-450-12@[*r] (A1$)[*r]	100-240Vac	50/60	0	12dc	37.5	450	14	ES60601-1	20B	0	1
MSP-450-15@[*r] (A1$)[*r]	100-240Vac	50/60	0	15dc	30	450	14	ES60601-1	20B	0	1
MSP-450-24@[*r] (A1$)[*r]	100-240Vac	50/60	0	24dc	18.8	451.2	14	ES60601-1	20B	0	1
MSP-450-3.3@ [*r] (A1$)[*r]	100-240Vac	50/60	0	3.3dc	90	297	14	ES60601-1	20B	0	1
MSP-450-36@[*r] (A1$)[*r]	100-240Vac	50/60	0	36dc	12.5	450	14	ES60601-1	20B	0	1
MSP-450-48@[*r] (A1$)[*r]	100-240Vac	50/60	0	48dc	9.5	456	14	ES60601-1	20B	0	1
MSP-450-5@[*r] (A1$)[*r]	100-240Vac	50/60	0	5dc	90	450	14	ES60601-1	20B	0	1
MSP-450-7.5@ [*r]	100-240Vac	50/60	0	7.5dc	60	450	14	ES60601-1	20B	0	1
MSP-600-12 @ (A1$)[*r]	100-240ac	50/60	0	12dc	53	636	14	ES60601 & A1:2012	20B	0	1
MSP-600-15 @ (A1$)[*r]	100-240ac	50/60	0	15dc	43	645	14	ES60601 & A1:2012	20B	0	1
MSP-600-24 @ (A1$)[*r]	100-240ac	50/60	0	24dc	27	648	14	ES60601 & A1:2012	20B	0	1
MSP-600-3.3 @ (A1$)[*r]	100-240ac	50/60	0	3.3dc	120	396	14	ES60601 & A1:2012	20B	0	1
MSP-600-36 @ (A1$)[*r]	100-240ac	50/60	0	36dc	17.5	630	14	ES60601 & A1:2012	20B	0	1
MSP-600-48 @ (A1$)[*r]	100-240ac	50/60	0	48dc	13	624	14	ES60601 & A1:2012	20B	0	1
MSP-600-5 @ (A1$)[*r]	100-240ac	50/60	0	5dc	120	600	14	ES60601 & A1:2012	20B	0	1
MSP-600-7.5 @ (A1$)[*r]	100-240ac	50/60	0	7.5dc	80	600	14	ES60601 & A1:2012	20B	0	1
PM-05-12, NFM-05-12 @ (A1$)[*r]											
	100-240ac	50/60	0	12dc	0.42	5.04	16	ES60601 & A1:2012	20B	0	2
PM-05-15, NFM-05-15 @ (A1$)[*r]											
	100-240ac	50/60	0	15dc	0.33	4.95	16	ES60601 & A1:2012	20B	0	2
PM-05-24, NFM-05-24 @ (A1$)[*r]											
	100-240ac	50/60	0	24dc	0.23	5.52	16	ES60601 & A1:2012	20B	0	2
PM-05-3.3, NFM-05-3.3 @ (A1$)[*r]											
	100-240ac	50/60	0	3.3dc	1.25	4.125	16	ES60601 & A1:2012	20B	0	2
		50/60	0	5dc	1.0	5.0	16	ES60601 & A1:2012	20B	0	2

PM-05-5, NFM-05-5 @ (A1$)[*r]	100-240ac										
PM-10-12, NFM-10-12 (A1$)[*r]	100-240ac	50/60	0	12	0.85	10.2	9	ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
PM-10-15, NFM-10-15 (A1$)[*r]	100-240ac	50/60	0	15	0.67	10.05	9	ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
PM-10-24, NFM-10-24 (A1$)[*r]	100-240ac	50/60	0	24	0.42	10.08	9	ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
PM-10-3.3, NFM-10-3.3 (A1$)[*r]											
	100-240ac	50/60	0	3.3	2.5	8.25	9	ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
PM-10-5, NFM-10-5 (A1$)[*r]	100-240ac	50/60	0	5	2.0	10	9	ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
PM-15-12, NFM-15-12 @ (A1$)[*r]											
	100-240ac	50/60	0	12dc	1.25	15	16	ES60601 & A1:2012	20B	0	2
PM-15-15, NFM-15-15 @ (A1$)[*r]											
	100-240ac	50/60	0	15dc	1.0	15	16	ES60601 & A1:2012	20B	0	2
PM-15-24, NFM-15-24 @ (A1$)[*r]											
	100-240ac	50/60	0	24dc	0.63	15.12	16	ES60601 & A1:2012	20B	0	2
PM-15-3.3, NFM-15-3.3 @ (A1$)[*r]											
	100-240ac	50/60	0	3.3dc	3.5	11.55	16	ES60601 & A1:2012	20B	0	2
PM-15-5, NFM-15-5 @ (A1$)[*r]	100-240ac	50/60	0	5dc	3	15	16	ES60601 & A1:2012	20B	0	2
PM-20-12, NFM-20-12 @ (A1$)[*r]											
	100-240ac	50/60	0	12dc	1.8	21.6	16	ES60601 & A1:2012	20B	0	1
PM-20-15, NFM-20-15 @ (A1$)[*r]											
	100-240ac	50/60	0	15dc	1.4	21.0	16	ES60601 & A1:2012	20B	0	1
PM-20-24, NFM-20-24 @ (A1$)[*r]											
	100-240ac	50/60	0	24dc	0.92	22.08	16	ES60601 & A1:2012	20B	0	1
PM-20-3.3, NFM-20-3.3 @ (A1$)[*r]											
	100-240ac	50/60	0	3.3dc	4.5	14.85	16	ES60601 & A1:2012	20B	0	1
PM-20-5, NFM-20-5 @ (A1$)[*r]	100-240ac	50/60	0	5dc	4.4	22.0	16	ES60601 & A1:2012	20B	0	1
RPD(G)-160B[*r]	100-240ac	50/60	0	5	12(#)	150.4 (#)(b)	9	60601-1	20B	0	1
				5	6(*)	100.2 (*)(b)	9				
				24	3.6(#)	-	9				
				24	2.8(*)	-	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPD-160B@(A1$)[*r]	100-240ac	50/60	0	5dc	6.0(*)	97.2 (*)(b)	16	ES60601 & A1:2012	20B	0	1
				24dc	2.8(*)	-	16				
				5dc	12(#)	146.4 (#)	16				
				24dc	3.6(#)	-	16				
RPD-160BFE@+		50/60	0	24Vdc	1.6A	38.4	-	60601-1	20B	0	0

	100-240Vac									
			5Vdc	2.0	10	1				
RPD-60A@(A1$) [*r]	100-240ac	50/60	0	-	2	-	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPD-60B@(A1$) [*r]	100-240ac	50/60	0	-	1.5	-	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPD-75A[*r]	100-240ac	50/60	0	5	7	71.0	9	60601-1	20B	0	1
				12	3	-	9			
RPD-75A@(A1$) [*r]	100-240ac	50/60	0	5dc	7	71.0	16	ES60601 & A1:2012	20B	0	1
				12dc	3	-	16			
RPD-75B[*r]	100-240ac	50/60	0	5	5	73.0	9	60601-1	20B	0	1
				12	1	-	9			
RPD-75B@(A1$) [*r]	100-240ac	50/60	0	5dc	5	73.0	16	ES60601 & A1:2012	20B	0	1
				12dc	1	-	16			
RPDG-160B@(A1$)[*r]	100-240ac	50/60	0	5dc	6.0(*)	100.2 (*)(b)	16	ES60601 & A1:2012	20B	0	1
				24dc	2.8(*)	-	16			
				5VSBdc	0.6(*)	-	16			
				5dc	12(#)	150.4 (#)(b)	16			
				24dc	3.6(#)	-	16			
				5VSBdc	0.8(#)	-	16			
RPS(G)-160-12 [*r]	100-240ac	50/60	0	12	12.9(#)	158.8 (#)(b)	-	60601-1	20B	0	1
				12	9.1(*)	112.2 (*)(b)	-			
				5VSB	0.8(#)	-	-			
				5VSB	0.6(*)	-	-			
RPS(G)-160-15 [*r]	100-240ac	50/60	0	15	10.3(#)	158.5 (#)(b)	9	60601-1	20B	0	1
				15	7.3(*)	112.5 (*)(b)	9			
				5VSB	0.8(#)	-	9			
				5VSB	0.6(*)	-	9			
RPS(G)-160-24 [*r]	100-240ac	50/60	0	24	6.5(#)	160(#)(b)	9	60601-1	20B	0	1
				24	4.6(*)	113.4 (*)(b)	9			
				5VSB	0.8(#)	-	9			
				5VSB	0.6(*)	-	9			
RPS(G)-160-48 [*r]	100-240ac	50/60	0	48	3.25(#)	160(#)(b)	9	60601-1	20B	0	1
				48	2.1(*)	103.8 (*)(b)	9			
				5VSB	0.8(#)	-	9			
				5VSB	0.6(*)	-	9			
RPS(G)-160-5[*r]	100-240ac	50/60	0	5	30(#)	154(#)(b)	9	60601-1	20B	0	1
				5	20(*)	103(*)(b)	9			
				5VSB	0.8(#)	-	9			
				5VSB	0.6(*)	-	9			
RPS-120-12 (c)		50/60	0	12dc	7	-	16	-	20B	0	0

Model	Input	Freq		Output				Std			
	100-240ac										
RPS-120-12-C (c)	100-240ac	50/60	0	12dc	10	-	16	60601-1	20B	0	1
RPS-120-15 (c)	100-240ac	50/60	0	15dc	8	-	16	60601-1	20B	0	0
RPS-120-15-C (c)	100-240ac	50/60	0	15dc	8	-	16	60601-1	20B	0	1
RPS-120-24 (c)	100-240ac	50/60	0	24dc	5	-	16	60601-1	20B	0	0
RPS-120-24-C (c)	100-240ac	50/60	0	24dc	5	-	16	60601-1	20B	0	1
RPS-120-27 (c)	100-240ac	50/60	0	27dc	4.5	-	16	60601-1	20B	0	0
RPS-120-27-C (c)	100-240ac	50/60	0	27dc	4.5	-	16	60601-1	20B	0	1
RPS-120-48 (c)	100-240ac	50/60	0	48dc	2.5	-	16	60601-1	20B	0	0
RPS-120-48-C (c)	100-240ac	50/60	0	48dc	2.5	-	16	60601-1	20B	0	1
RPS-160-12@(A1$)[*r]	100-240ac	50/60	0	12dc	9.1(*)	109.2 (*)(b)	16	ES60601 & A1:2012	20B	0	1
				12dc	12.9(#)	154.8 (#)(b)	16				
RPS-160-15@(A1$)[*r]	100-240ac	50/60	0	15dc	7.3(*)	109.5 (*)(b)	16	ES60601 & A1:2012	20B	0	1
				15dc	10.3(#)	154.5 (#)(b)	16				
RPS-160-24@(A1$)[*r]	100-240ac	50/60	0	24dc	4.6(*)	110.4 (*)(b)	16	ES60601 & A1:2012	20B	0	1
				24dc	6.5(#)	156.0 (#)(b)	16				
RPS-160-48@(A1$)[*r]	100-240ac	50/60	0	48dc	2.1(*)	100.8 (*)(b)	16	ES60601 & A1:2012	20B	0	1
				48dc	3.25(#)	156.0 (#)(b)	16				
RPS-160-5@(A1$)[*r]	100-240ac	50/60	0	5dc	20(*)	100(*)(b)	16	ES60601 & A1:2012	20B	0	1
				5dc	30(#)	150(#)	16				
RPS-200-12 (c)	100-240ac	50/60	0	12dc	16.7	-	16	ANSI/AAMI ES60601-1	20B	0	0
RPS-200-12-C (c)	100-240ac	50/60	0	12dc	16.7	-	16	ANSI/AAMI ES60601-1	20B	0	1
RPS-200-15 (c)	100-240ac	50/60	0	15dc	13.4	-	16	ANSI/AAMI ES60601-1	20B	0	0
RPS-200-15-C (c)	100-240ac	50/60	0	15dc	13.4	-	16	ANSI/AAMI ES60601-1	20B	0	1
RPS-200-24 (c)	100-240ac	50/60	0	24dc	8.4	-	16	ANSI/AAMI ES60601-1	20B	0	0
RPS-200-24-C (c)	100-240ac	50/60	0	24dc	8.4	-	16	ANSI/AAMI ES60601-1	20B	0	1
RPS-200-27 (c)	100-240ac	50/60	0	27dc	7.5	-	16	ANSI/AAMI ES60601-1	20B	0	0
RPS-200-27-C (c)	100-240ac	50/60	0	27dc	7.5	-	16	ANSI/AAMI ES60601-1	20B	0	1
RPS-200-48 (c)	100-240ac	50/60	0	48dc	4.2	-	16	ANSI/AAMI ES60601-1	20B	0	0
RPS-200-48-C (c)	100-240ac	50/60	0	48dc	4.2	-	16	ANSI/AAMI ES60601-1	20B	0	1
RPS-30-12 (A1$)	100-240ac	50/60	0	12dc	-	-	-	60601-1	20B	0	2
RPS-30-15 (A1$)	100-240ac	50/60	0	15dc	-	-	-	60601-1	20B	0	2
RPS-30-24 (A1$)		50/60	0	24dc	-	-	-	60601-1	20B	0	2

	100-240ac									
RPS-30-3.3 (A1$)	100-240ac	50/60	0	3.3dc	-	-	-	60601-1	20B	0	2
RPS-30-48 (A1$)	100-240ac	50/60	0	48dc	-	-	-	60601-1	20B	0	2
RPS-30-5 (A1$)	100-240ac	50/60	0	5dc	-	-	-	60601-1	20B	0	2
RPS-30-7.5 (A1$)	100-240ac	50/60	0	7.5dc	-	-	-	60601-1	20B	0	2
RPS-300-12-C@ (A1$)[*r]	100-240ac	50/60	0	12dc	25(#)	300(#)	16	ES60601+A1	20B	0	1
				12dc	15(*)	180(*)	16				
RPS-300-12@(A1$)[*r]	100-240ac	50/60	0	12dc	25(#)	300(#)	16	ES60601+A1	20B	0	1
				12dc	16.67(*)	200(*)	16				
RPS-300-15-C@ (A1$)[*r]	100-240ac	50/60	0	15dc	20(#)	300(#)	16	ES60601+A1	20B	0	1
				15dc	12(*)	180(*)	16				
RPS-300-15@(A1$)[*r]	100-240ac	50/60	0	15dc	20(#)	300(#)	16	ES60601+A1	20B	0	1
				15dc	13.33(*)	200(*)	16				
RPS-300-24-C@ (A1$)[*r]	100-240ac	50/60	0	24dc	12.5(#)	300(#)	16	ES60601+A1	20B	0	1
				24dc	7.5(*)	180(*)	16				
RPS-300-24@(A1$)[*r]	100-240ac	50/60	0	24dc	12.5(#)	300(#)	16	ES60601+A1	20B	0	1
				24dc	8.33(*)	200(*)	16				
RPS-300-27-C@ (A1$)[*r]	100-240ac	50/60	0	27dc	11.12(#)	300.24 (#)	16	ES60601+A1	20B	0	1
				27dc	6.67(*)	180(*)	16				
RPS-300-27@(A1$)[*r]	100-240ac	50/60	0	27dc	11.12(#)	300(#)	16	ES60601+A1	20B	0	1
				27dc	7.4(*)	200(*)	16				
RPS-300-48-C@ (A1$)[*r]	100-240ac	50/60	0	48dc	6.25(#)	300(#)	16	ES60601+A1	20B	0	1
				48dc	3.75(*)	180(*)	16				
RPS-300-48@(A1$)[*r]	100-240ac	50/60	0	48dc	6.25(#)	300(#)	16	ES60601+A1	20B	0	1
				48dc	4.17(*)	200(*)	16				
RPS-40-18.2 @ (A1$)[*r]	100-240ac	50-60	0	18.2dc	2.2	40.04	16	ES60601-1	20B	0	1
RPS-400-12, -12-C	100-240ac	50/60	0	12dc	20.8	250.2 W	16	60601-1	20B	0	1
RPS-400-12-SF, -12-TF%	100-240ac	50/60	0	12dc	33.3	401.4 W	16	60601-1	20B	0	1
RPS-400-15, -15-C	100-240ac	50/60	0	15dc	16.7	250.2 W	16	60601-1	20B	0	1
RPS-400-15-SF, -15-TF%	100-240ac	50/60	0	15dc	26.7	401.4 W	16	60601-1	20B	0	1
RPS-400-18, -18-C	100-240ac	50/60	0	18dc	13.9	250.2 W	16	60601-1	20B	0	1
RPS-400-18-C[*r]	100-240ac	50/60	0	18dc	13.9	250.2	16	60601-1	20B	0	1
RPS-400-18-C% [*r]	100-240ac	50/60	0	18dc	22.3	401.1	16	60601-1	20B	0	1
RPS-400-18-SF, -18-TF%	100-240ac	50/60	0	18dc	22.3	401.4 W	16	60601-1	20B	0	1
RPS-400-24, -24-C	100-240ac	50/60	0	24dc	10.5	250.2 W	16	60601-1	20B	0	1
		50/60	0	24dc	16.7		16	60601-1	20B	0	1

Model	Input	Freq		Output	Current	Power		Standard			
RPS-400-24-SF, -24-TF%	100-240ac					401.4 W					
RPS-400-27, -27-C	100-240ac	50/60	0	27dc	9.3	250.2 W	16	60601-1	20B	0	1
RPS-400-27-SF, -27-TF%	100-240ac	50/60	0	27dc	14.9	401.4 W	16	60601-1	20B	0	1
RPS-400-36, -36-C	100-240ac	50/60	0	36dc	7	250.2 W	16	60601-1	20B	0	1
RPS-400-36-SF, -36-TF%	100-240ac	50/60	0	36dc	11.2	401.4 W	16	60601-1	20B	0	1
RPS-400-48, -48-C	100-240ac	50/60	0	48dc	5.3	250.2 W	16	60601-1	20B	0	1
RPS-400-48-SF, -48-TF%	100-240ac	50/60	0	48dc	8.4	401.4 W	16	60601-1	20B	0	1
RPS-45-12[*r]	100-240ac	50/60	0	12dc	3.8	-	16	60601-1	-	0	2
RPS-45-15[*r]	100-240ac	50/60	0	15dc	3	-	16	60601-1	-	0	2
RPS-45-24[*r]	100-240ac	50/60	0	24dc	1.9	-	16	60601-1	-	0	2
RPS-45-3.3[*r]	100-240ac	50/60	0	3.3dc	8	-	16	60601-1	-	0	2
RPS-45-48[*r]	100-240ac	50/60	0	48dc	0.94	-	16	60601-1	-	0	2
RPS-45-5[*r]	100-240ac	50/60	0	5dc	8	-	16	60601-1	-	0	2
RPS-45-7.5[*r]	100-240ac	50/60	0	7.5dc	5.4	-	16	60601-1	-	0	2
RPS-60-12, RPS-60-12G@(A1$)[*r]											
	100-240ac	50/60	0	-	5	60	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPS-60-15@(A1$)[*r]	100-240ac	50/60	0	-	4	60	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPS-60-24, RPS-60-24CA@(A1$)[*r]											
	100-240ac	50/60	0	-	2.5	60	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPS-60-3.3@ (A1$)[*r]	100-240ac	50/60	0	-	10	33	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPS-60-48@(A1$)[*r]	100-240ac	50/60	0	-	1.25	60	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPS-60-5@(A1$)[*r]	100-240ac	50/60	0	-	10	50	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPS-65-12[*r]	100-240ac	50/60	0	12dc	5.42	-	16	60601-1	-	0	2
RPS-65-15[*r]	100-240ac	50/60	0	15dc	4.34	-	16	60601-1	-	0	2
RPS-65-24[*r]	100-240ac	50/60	0	24dc	2.71	-	16	60601-1	-	0	2
RPS-65-3.3[*r]	100-240ac	50/60	0	3.3dc	11	-	16	60601-1	-	0	2
RPS-65-48[*r]	100-240ac	50/60	0	48dc	1.36	-	16	60601-1	-	0	2
RPS-65-5[*r]	100-240ac	50/60	0	5dc	10	-	16	60601-1	-	0	2
RPS-65-7.5[*r]	100-240ac	50/60	0	7.5dc	8	-	16	60601-1	-	0	2
RPS-75-12[*r]	100-240ac	50/60	0	12	6.3	75.6	9	60601-1	20B	0	1
RPS-75-12@(A1$)[*r]	100-240ac	50/60	0	12dc	6.3	75.6	16	ES60601 & A1:2012	20B	0	1
RPS-75-15[*r]	100-240ac	50/60	0	15	5	75	9	60601-1	20B	0	1
RPS-75-15@(A1$)[*r]	100-240ac	50/60	0	15dc	5	75	16	ES60601 & A1:2012	20B	0	1

RPS-75-24[*r]	100-240ac	50/60	0	24	3.2	76.8	9	60601-1	20B	0	1
RPS-75-24@(A1$)[*r]	100-240ac	50/60	0	24dc	3.2	76.8	16	ES60601 & A1:2012	20B	0	1
RPS-75-3.3[*r]	100-240ac	50/60	0	3.3	15	49.5	9	60601-1	20B	0	2
RPS-75-3.3@(A1$)[*r]	100-240ac	50/60	0	3.3dc	15	49.5	16	ES60601 & A1:2012	20B	0	1
RPS-75-36[*r]	100-240ac	50/60	0	36	2.1	75.6	9	60601-1	20B	0	1
RPS-75-36@(A1$)[*r]	100-240ac	50/60	0	36dc	2.1	75.6	16	ES60601 & A1:2012	20B	0	1
RPS-75-48[*r]	100-240ac	50/60	0	48	1.6	76.8	9	60601-1	20B	0	1
RPS-75-48@(A1$)[*r]	100-240ac	50/60	0	48dc	1.6	76.8	16	ES60601 & A1:2012	20B	0	1
RPS-75-5[*r]	100-240ac	50/60	0	5	14	70	9	60601-1	20B	0	2
RPS-75-5@(A1$)[*r]	100-240ac	50/60	0	5dc	14	70	16	ES60601 & A1:2012	20B	0	1
RPSG-160-12@(A1$)[*r]	100-240ac	50/60	0	12dc	9.1(*)	112.2(*)(b)	16	ES60601 & A1:2012	20B	0	1
				5VSBdc	0.6(*)	-	16				
				12dc	12.9(#)	158.8(#)(b)	16				
				5VSBdc	0.8(#)	-	16				
RPSG-160-15@(A1$)[*r]	100-240ac	50/60	0	15dc	7.3(*)	112.5(*)(b)	16	ES60601 & A1:2012	20B	0	1
				5VSBdc	0.6(*)	-	16				
				15dc	10.3(#)	158.5(#)(b)	16				
				5VSBdc	0.8(#)	-	16				
RPSG-160-24@(A1$)[*r]	100-240ac	50/60	0	24dc	4.6(*)	113.4(*)(b)	16	ES60601 & A1:2012	20B	0	1
				5VSBdc	0.6(*)	-	16				
				24dc	6.5(#)	160.0(#)(b)	16				
				5VSBdc	0.8(#)	-	16				
RPSG-160-48@(A1$)[*r]	100-240ac	50/60	0	48dc	2.1(*)	103.8(*)(b)	16	ES60601 & A1:2012	20B	0	1
				5VSBdc	0.6(*)	-	16				
				48dc	3.25(#)	160.0(#)(b)	16				
				5VSBdc	0.8(#)	-	16				
RPSG-160-5@(A1$)[*r]	100-240ac	50/60	0	5dc	20.0(*)	103.0(*)(b)	16	ES60601 & A1:2012	20B	0	1
				5VSBdc	0.6(*)	-	16				
				5dc	30.0(#)	154.0(#)(b)	16				
				5VSBdc	0.8(#)	-	16				
RPT(G)-160A[*r]	100-240ac	50/60	0	5	14(#)	145(#)(b)	9	60601-1	20B	0	1
				5	9(*)	98.6(*)(b)	9				
				12	5.5(#)	-	9				
				12	3.8(*)	-	9				
				-5	1.0(#)	-	9				
				-5	1.0(*)	-	9				
				5VSB	0.8(#)	-	9				

Model	Input	Freq		Vout	Current	Power		Standard			
				5VSB	0.6(*)	-	9				
RPT(G)-160B[*r]	100-240ac	50/60	0	5	14(#)	146(#)(b)	9	60601-1	20B	0	1
				5	9(*)	98.4(*)(b)	9				
				12	5.0(#)	-	9				
				12	3.4(*)	-	9				
				-12	1.0(#)	-	9				
				-12	0.8(*)	-	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPT(G)-160C[*r]	100-240ac	50/60	0	5	14(#)	143(#)(b)	9	60601-1	20B	0	1
				5	9(*)	99(*)(b)	9				
				15	3.6(#)	-	9				
				15	2.6(*)	-	9				
				-15	1.0(#)	-	9				
				-15	0.8(*)	-	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPT(G)-160D[*r]	100-240ac	50/60	0	5	11(#)	147.8(#)(b)	9	60601-1	20B	0	1
				5	8(*)	98.2(*)(b)	9				
				12	5.0(#)	-	9				
				12	2.6(*)	-	9				
				24	1.2(#)	-	9				
				24	1.0(*)	-	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPT-160A@(A1$)[*r]	100-240ac	50/60	0	5dc	9.0(*)	95.6(*)(b)	16	ES60601 & A1:2012	20B	0	1
				12dc	3.8(*)	-	16				
				-5dc	1.0(*)	-	16				
				5dc	14(#)	141.0(#)(b)	16				
				12dc	5.5(#)	-	16				
				-5dc	1.0(#)	-	16				
RPT-160B@(A1$)[*r]	100-240ac	50/60	0	5dc	9.0(*)	95.4(*)(b)	16	ES60601 & A1:2012	20B	0	1
				12dc	3.4(*)	-	16				
				-12dc	0.8(*)	-	16				
				5dc	14(#)	142.0(#)(b)	16				
				12dc	3.4(#)	-	16				
				-12dc	1.0(#)	-	16				
RPT-160C@(A1$)[*r]	100-240ac	50/60	0	5dc	9.0(*)	96.0(*)(b)	16	ES60601 & A1:2012	20B	0	1
				15dc	2.6(*)	-	16				
				-15dc	0.8(*)	-	16				
				5dc	14.0(#)	139.0(#)(b)	16				
				15dc	3.6(#)	-	16				
				-15dc	1.0(#)	-	16				

Model	Input V	Hz		Output V	A	W		Std			
RPT-160D@(A1$) [*r]	100-240ac	50/60	0	5dc	8.0(*)	95.2 (*)(b)	16	ES60601 & A1:2012	20B	0	1
				12dc	2.6(*)	-	16				
				24dc	1.0(*)	-	16				
				5dc	11.0(#)	143.8 (#)(b)	16				
				12dc	5.0(#)	-	16				
				24dc	1.2(#)	-	16				
RPT-6003@(A1$) [*r]	100-240ac	50/60	0	-	0.7	-	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPT-60A@(A1$) [*r]	100-240ac	50/60	0	-	0.5	-	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPT-60B@(A1$) [*r]	100-240ac	50/60	0	-	0.5	-	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPT-60C@(A1$) [*r]	100-240ac	50/60	0	-	0.5	-	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPT-60D@(A1$) [*r]	100-240ac	50/60	0	-	0.5	-	9	ANSI/AAMI ES 60601-1: 2005	20B	0	2
RPT-7503[*r]	100-240ac	50/60	0	3.3	6	61.8	9	60601-1	20B	0	1
				5	6	-	9				
				12	1	-	9				
RPT-7503@(A1$) [*r]	100-240ac	50/60	0	3.3dc	6	61.8	16	ES60601 & A1:2012	20B	0	1
				5dc	6	-	16				
				12dc	1	-	16				
RPT-75A[*r]	100-240ac	50/60	0	5	6	68.5	9	60601-1	20B	0	1
				12	3	-	-				
				-5	0.5	-	-				
RPT-75A@(A1$) [*r]	100-240ac	50/60	0	5dc	6	68.5	16	ES60601 & A1:2012	20B	0	1
				12dc	3	-	16				
				-5dc	0.5	-	16				
RPT-75B[*r]	100-240ac	50/60	0	5	6	72	9	60601-1	20B	0	-
				12	3	-	-				
				-12	0.5	-	-				
RPT-75B@(A1$) [*r]	100-240ac	50/60	0	5dc	6	72	16	ES60601 & A1:2012	20B	0	1
				12dc	3	-	16				
				-12dc	0.5	-	16				
RPT-75C[*r]	100-240ac	50/60	0	5	6	72	9	60601-1	20B	0	1
				15	2.3	-	-				
				-15	0.5	-	-				
RPT-75C@(A1$) [*r]	100-240ac	50/60	0	5dc	6	72	16	ES60601 & A1:2012	20B	0	1
				15dc	2.3	-	16				
				-15dc	0.5	-	16				
RPT-75D[*r]	100-240ac	50/60	0	5	5	73	9	60601-1	20B	0	1
				24	1.5	-	-				
				12	1	-	-				
RPT-75D@(A1$) [*r]	100-240ac	50/60	0	5dc	5	73	16	ES60601 & A1:2012	20B	0	1
				24dc	1.5	-	16				

Model	Input	Freq		Output	Current	Watts		Standard			
				12dc	1	-	16				
RPTG-160A@(A1$)[*r]	100-240ac	50/60	0	-5dc	1.0(*)	98.6 (*)(b)	16	ES60601 & A1:2012	20B	0	1
				12dc	3.8(*)	-	16				
				-5dc	1.0(*)	-	16				
				5VSBdc	0.6(*)	-	16				
				5dc	14.0(#)	145.0 (#)(b)	16				
				12dc	5.5(#)	-	16				
				-5dc	1.0(#)	-	16				
				5VSBdc	0.8(#)	-	16				
RPTG-160B@(A1$)[*r]	100-240ac	50/60	0	5dc	9.0(*)	98.4 (*)(b)	16	ES60601 & A1:2012	20B	0	1
				12dc	3.4(*)	-	16				
				-12dc	0.8(*)	-	16				
				5VSBdc	0.6(*)	-	16				
				5dc	14.0(#)	146.0 (#)(b)	16				
				12dc	5.0(#)	-	16				
				-12dc	1.0(#)	-	16				
				5VSBdc	0.8(#)	-	16				
RPTG-160C@(A1$)[*r]	100-240ac	50/60	0	5dc	9.0(*)	99.0 (*)(b)	16	ES60601 & A1:2012	20B	0	1
				15dc	2.6(*)	-	16				
				-15dc	0.8(*)	-	16				
				5VSBdc	0.6(*)	-	16				
				5dc	14.0(#)	143.0 (#)(b)	16				
				15dc	3.6(#)	-	16				
				-15dc	1.0(#)	-	16				
				5VSBdc	0.8(#)	-	16				
RPTG-160D@(A1$)[*r]	100-240ac	50/60	0	5dc	8.0(*)	98.2 (*)(b)	16	ES60601 & A1:2012	20B	0	1
				12dc	2.6(*)	-	16				
				24dc	1.0(*)	-	16				
				5VSBdc	0.6(*)	-	16				
				5dc	11.0(#)	147.8 (#)(b)	16				
				12dc	5.0(#)	-	16				
				24dc	1.2(#)	-	16				
				5VSBdc	0.8(#)	-	16				

[*r] - Output values are rated.

- Rated ratingw with 20.5CFM FAN cooling.

% - Rating shown is the maximum rating when used with 25 CFM cooling fan

(!) - x can be B, U or I; -z can be 0 to 9, A to Z, hyphen or blank; B = Desktop C8 inlet type; U = Wall mount American plug I = interchangeable plug

(a) - Where X may be A or C.

(A1$) - product certified to ANSI/AAMI ES60601-1:2005 & A1:2012 and CAN/CSA-C22.2 No. 60601-1 (2014)

(b) - Ratings in W not VA.

(c) - Rating shown is the maximum rating when used with 10CFM cooling Fan.

(d) - Evaluated by ANSI/AAMI ES60601-1 (2005/(R)2012 + A1:2012, C1:2009/(R)2012 + A2:2010/(R)2012) CAN/CSA-C22.2 No. 60601-1:14

(F) - refers to where x can be U,I; y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; z can be 0 to 9, A to Z, hyphen or blank; U = Wall mount American plug; I = interchangeable plug

(g) - Where y can be 3.3, 5, 12, 15, or 24

(^) - Where x can be B, U or I; y can be 05, 07, 09, 12, 15, 18, 24 ,28 ,48; -zzz can be 0-9, A-Z or blank for marketing purpose; B = IEC-320 C8 AC Inlet, U = Wall mount American plug, I = American interchangeable plug

* - Rated ratings without 20.5CFM FAN cooling.

\+ - Class II SMPS

@ - product certified to ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08.

@@ - Product certified to ANSI/AAMI ES 60601-1: 2005/A1:2012; CAN/CSA-C22.2 No. 60601-1:2014

Marking: Company name and model designation.
Last Updated on 2017-11-23

Questions?   Print this page   Terms of Use   Page Top

Ⓤ ONLINE CERTIFICATIONS DIRECTORY

QQHM8.E227340
Power Supplies, Medical and Dental Certified for Canada - Component

Page Bottom

Power Supplies, Medical and Dental Certified for Canada - Component

See General Information for Power Supplies, Medical and Dental Certified for Canada - Component

MEAN WELL ENTERPRISES CO LTD   E227340
28 WUQUAN 3RD RD WUGU DIST
NEW TAIPEI, 248 TAIWAN

Model No.	Rated Input Volts	Hz	SC	Max Output V	A	VA	OC	SP	EP	FC	GC
DELETE[*r]	100-240ac	50/60	0	-	-	-	-	60601-1	20B	0	2
				5dc	1	-	16				
GEM12I05zzzzz (F), GEM12I05zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	5-6dc	2.40-2.00	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GEM12I07zzzzz (F), GEM12I07zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	6-8dc	2.00-1.50	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GEM12I09zzzzz (F), GEM12I09zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	8-11dc	1.50-1.09	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GEM12I12zzzzz (F), GEM12I12zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	11-13dc	1.09-0.92	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GEM12I15zzzzz (F), GEM12I15zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	13-16dc	0.92-0.75	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GEM12I18zzzzz (F), GEM12I18zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	16-21dc	0.75-0.57	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GEM12I24zzzzz (F), GEM12I24zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	21-27dc	0.57-0.44	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GEM12I28zzzzz (F), GEM12I28zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	27-33dc	0.44-0.36	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GEM12I48zzzzz (F), GEM12I48zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	33-48dc	0.36-0.25	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GEM18x05-zzz (^)	100-240Vac	50/60	0	5-6dc	3.00-2.50	15	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
GEM18x07-zzz (^)	100-240Vac	50/60	0	6-8dc	2.50-1.87	15	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
GEM18x09-zzz (^) [*r]	100-240Vac	50/60	0	8-11dc	2.25-1.64	18.04	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
GEM18x12-zzz (^) [*r]	100-240Vac	50/60	0	11-13dc	1.64-1.38	18.04	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
GEM18x15-zzz (^) [*r]	100-240Vac	50/60	0	13-16dc	1.38-1.13	18.08	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
GEM18x18-zzz (^) [*r]	100-240Vac	50/60	0	16-21dc	1.13-0.86	18.08	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
		50/60	0	21-27dc	0.86-0.67	18.09	16		20B	0	2

Model	Input	Freq		Output V	Current	Power		Standard			
GEM18x24-zzz (^) [*r]	100-240Vac							CAN/CSA-C22.2 No. 60601-1:08			
GEM18x28-zzz (^) [*r]	100-240Vac	50/60	0	27-33dc	0.67-0.55	18.15	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
GEM18x48-zzz (^) [*r]	100-240Vac	50/60	0	33-58dc	0.55-0.32	18.56	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
GEM30x05zzzzz (d) (!)[*r]	100-240ac	50/60	0	5-6dc	4-3.33	20	16	60601-1:2008	20B	6, 7	2
GEM30x07zzzzz (d) (!)[*r]	100-240ac	50/60	0	6-8dc	4.16-3.12	25	16	60601-1:2008	20B	6, 7	2
				N/A	N/A	N/A	N/A				
GEM30x09zzzzz (d) (!)[*r]	100-240ac	50/60	0	8-11dc	3.75-2.72	30	16	60601-1:2008	20B	6, 7	2
GEM30x12zzzzz (d) (!)[*r]	100-240ac	50/60	0	11-13dc	2.72-2.30	30	16	60601-1:2008	20B	6, 7	2
GEM30x15zzzzz (d) (!)[*r]	100-240ac	50/60	0	13-16dc	2.30-1.87	30	16	60601-1:2008	20B	6, 7	2
GEM30x18zzzzz (d) (!)[*r]	100-240ac	50/60	0	16-21dc	1.87-1.42	30	16	60601-1:2008	20B	6, 7	2
GEM30x24zzzzz (d) (!)[*r]	100-240ac	50/60	0	21-27dc	1.42-1.11	30	16	60601-1:2008	20B	6, 7	2
GEM30x28zzzzz (d) (!)[*r]	100-240ac	50/60	0	27-33dc	1.11-0.90	30	16	60601-1:2008	20B	6, 7	2
GEM30x48zzzzz (d) (!)[*r]	100-240ac	50/60	0	33-58dc	0.9-0.51	30	16	60601-1:2008	20B	6, 7	2
GEM40x05zzzzz (d) (!)[*r]	100-240ac	50/60	0	5-6dc	5-4.16	25	16	60601-1:2008	20B	6, 7	2
GEM40x07zzzzz (d) (!)[*r]	100-240ac	50/60	0	6-8dc	5-3.75	30	16	60601-1:2008	20B	6, 7	2
GEM40x09zzzzz (d) (!)[*r]	100-240ac	50/60	0	8-11dc	4.5-3.27	36	16	60601-1:2008	20B	6, 7	2
GEM40x12zzzzz (d) (!)[*r]	100-240ac	50/60	0	11-13dc	3.63-3.07	40	16	60601-1:2008	20B	6, 7	2
GEM40x15zzzzz (d) (!)[*r]	100-240ac	50/60	0	13-16dc	3.07-2.50	40	16	60601-1:2008	20B	6, 7	2
GEM40x18zzzzz (d) (!)[*r]	100-240ac	50/60	0	16-21dc	2.5-1.9	40	16	60601-1:2008	20B	6, 7	2
GEM40x24zzzzz (d) (!)[*r]	100-240ac	50/60	0	21-27dc	1.9-1.48	40	16	60601-1:2008	20B	6, 7	2
GEM40x28zzzzz (d) (!)[*r]	100-240ac	50/60	0	27-33dc	1.48-1.21	40	16	60601-1:2008	20B	6, 7	2
GEM40x48zzzzz (d) (!)[*r]	100-240ac	50/60	0	33-58dc	1.21-0.68	40	16	60601-1:2008	20B	6, 7	2
GMS36U15 @ (A1$) [*r]	100-240Vac	50/60	0	15dc	2.4	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GMS36U48 @ (A1$) [*r]	100-240Vac	50/60	0	48dc	0.75	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM06Ux-zzz (x can be 05, 06, 07, 09, 12, 15, 18, 24; -zzz can be 0-9, A-Z or Blank for marketing purpose)											
	100-240ac	50/60	0	27dc	1.2	6.24	16, 22	CAN/CSA-C22.2 No. 60601-1:08	20B	8	2
GSM120A12 (A1$) [*r]	100-240ac	50/60	0	-	-	-	-	60601-1:2014	20B	0	1
				12dc	8.5	102	16				
GSM120A15 (A1$) [*r]	100-240ac	50/60	0	15dc	7.0	105	-	60601-1:2014	20B	0	1
GSM120A20 (A1$) [*r]	100-240ac	50/60	0	20dc	6.0	120	16	60601-1:2008	20B	0	1
GSM120A24 (A1$) [*r]	100-240ac	50/60	0	24dc	5.0	120	16	60601-1:2014	20B	0	1
GSM120A48 (A1$) [*r]	100-240ac	50/60	0	24dc	5.0	120	16	60601-1:2014	20B	0	1
GSM120B12 (A1$) [*r]	100-240ac	50/60	0	12	8.5	102	16	60601-1:2008	20B	0	2

Model	Input	Freq		Output		Max		Standard			
GSM120B15 (A1$) [*r]	100-240ac	50/60	0	15	7.0	10.5	16	60601-1:2008	20B	0	2
GSM120B20 (A1$) [*r]	100-240ac	50/60	0	20	6.0	120	16	60601-1:2008	20B	0	2
GSM120B24 (A1$) [*r]	100-240ac	50/60	0	24	5.0	120	16	60601-1:2008	20B	0	2
GSM120B48 (A1$) [*r]	100-240ac	50/60	0	48	2.5	120	16	60601-1:2008	20B	0	2
GSM12U05zzzzz (F), GSM12U05zzzzzUSB (F)[*r]											
	100-240ac	50/60	0	5-6dc	2.40-2.00	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GSM12U07zzzzz (F), GSM12U07zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	6-8dc	2.00-1.50	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GSM12U09zzzzz (F), GSM12U09zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	8-11dc	1.50-1.09	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GSM12U12zzzzz (F), GSM12U12zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	11-13dc	1.09-0.92	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GSM12U15zzzzz (F), GSM12U15zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	13-16dc	0.92-0.75	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GSM12U18zzzzz (F), GSM12U18zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	16-21dc	0.75-0.57	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GSM12U24zzzzz (F), GSM12U24zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	21-27dc	0.57-0.44	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GSM12U28zzzzz (F), GSM12U28zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	27-33dc	0.44-0.36	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GSM12U48zzzzz (F), GSM12U48zzzzz-USB (F)[*r]											
	100-240ac	50/60	0	33-48dc	0.36-0.25	12	16	CSA-C22.2 No. 60601-1:14	20B	8	2
GSM160A12(A1$)	100-240ac	50/60	0	12dc	44.5	138 Max	16	60601-1	20B	0	1
GSM160A15(A1$)	100-240ac	50/60	0	15dc	9.6	144 Max	16	60601-1	20B	0	1
GSM160A20(A1$)	100-240ac	50/60	0	20dc	8	160 Max	16	60601-1	20B	0	1
GSM160A24(A1$)	100-240ac	50/60	0	24dc	6.67	160 Max	16	60601-1	20B	0	1
GSM160A48(A1$)	100-240ac	50/60	0	48dc	3.34	160 Max	16	60601-1	20B	0	1
GSM160B12(A1$) [*r]	100-240ac	50/60	0	12dc	11.5	138 Max	16	CAN/CSA-C22.2 No. 60601-1 (2014)	20B	0	2
GSM160B15(A1$) [*r]	100-240ac	50/60	0	15dc	9.6	144 Max	16	CAN/CSA-C22.2 No. 60601-1 (2014)	20B	0	2
GSM160B20(A1$) [*r]	100-240ac	50/60	0	20dc	8	160 Max	16	CAN/CSA-C22.2 No. 60601-1 (2014)	20B	0	2
GSM160B24(A1$) [*r]	100-240ac	50/60	0	24dc	6.67	160 Max	16	CAN/CSA-C22.2 No. 60601-1 (2014)	20B	0	2
GSM160B48(A1$) [*r]	100-240ac	50/60	0	48dc	3.34	160 Max	16	CAN/CSA-C22.2 No. 60601-1 (2014)	20B	0	2
GSM18B05 @ (A1$) [*r]	100-240Vac	50/60	0	5dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18B07 @ (A1$) [*r]	100-240Vac	50/60	0	7.5dc	2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18B09 @ (A1$) [*r]	100-240Vac	50/60	0	9dc	2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2

GSM18B12 @ (A1$) [*r]	100-240Vac	50/60	0	12dc	1.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18B15 @ (A1$) [*r]	100-240Vac	50/60	0	15dc	1.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18B18 @ (A1$) [*r]	100-240Vac	50/60	0	18dc	1	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18B24 @ (A1$) [*r]	100-240Vac	50/60	0	24dc	0.75	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18B48 @ (A1$) [*r]	100-240Vac	50/60	0	48dc	0.375	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18U05 @ (A1$) [*r]	100-240Vac	50/60	0	5dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18U07 @ (A1$) [*r]	100-240Vac	50/60	0	7.5dc	2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18U09 @ (A1$) [*r]	100-240Vac	50/60	0	9dc	2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18U12 @ (A1$) [*r]	100-240Vac	50/60	0	12dc	1.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18U15 @ (A1$) [*r]	100-240Vac	50/60	0	15dc	1.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18U18 @ (A1$) [*r]	100-240Vac	50/60	0	18dc	1	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18U24 @ (A1$) [*r]	100-240Vac	50/60	0	24dc	0.75	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM18U48 @ (A1$) [*r]	100-240Vac	50/60	0	48dc	0.375	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM220A12 (A1$) [*r]	100-240ac	50/60	0	12dc	15	180 W	14	60601-1:2008	20B	0	1
GSM220A15 (A1$) [*r]	100-240ac	50/60	0	15dc	13.4	201 W	14	60601-1:2008	20B	0	1
GSM220A20 (A1$) [*r]	100-240ac	50/60	0	20dc	11	220 W	14	60601-1:2008	20B	0	1
GSM220A24 (A1$) [*r]	100-240ac	50/60	0	24dc	9.2	221 W	14	60601-1:2008	20B	0	1
GSM220A48 (A1$) [*r]	100-240ac	50/60	0	48dc	4.6	221 W	14	60601-1:2008	20B	0	1
GSM220B12 (A1$)	100-240ac	50/60	0	-	-	-	-	60601-1:2008	20B	0	2
GSM220B15 (A1$)	100-240ac	50/60	0	-	-	-	-	60601-1:2008	20B	0	2
GSM220B20 (A1$)	100-240ac	50/60	0	-	-	-	-	60601-1:2008	20B	0	2
GSM220B24 (A1$)	100-240ac	50/60	0	-	-	-	-	60601-1:2008	20B	0	2
GSM220B48 (A1$)	100-240ac	50/60	0	-	-	-	-	60601-1:2008	20B	0	2
GSM25B05 @ (A1$) [*r]	100-240Vac	50/60	0	5dc	4	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25B07 @ (A1$) [*r]	100-240Vac	50/60	0	7.5dc	2.93	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25B09 @ (A1$) [*r]	100-240Vac	50/60	0	9dc	2.77	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25B12 @ (A1$) [*r]	100-240Vac	50/60	0	12dc	2.08	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25B15 @ (A1$) [*r]	100-240Vac	50/60	0	15dc	1.66	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25B18 @ (A1$) [*r]	100-240Vac	50/60	0	18dc	1.38	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25B24 @ (A1$) [*r]	100-240Vac	50/60	0	24dc	1.04	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25B48 @ (A1$) [*r]	100-240Vac	50/60	0	48dc	0.52	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25U05 @ (A1$) [*r]	100-240Vac	50/60	0	5dc	4	-	16	60601-1:2008 & 60601-1:2014	20B	0	2

GSM25U07 @ (A1$) [*r]	100-240Vac	50/60	0	7.5dc	2.93	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25U09 @ (A1$) [*r]	100-240Vac	50/60	0	9dc	2.77	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25U12 @ (A1$) [*r]	100-240Vac	50/60	0	12dc	2.08	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25U15 @ (A1$) [*r]	100-240Vac	50/60	0	15dc	1.66	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25U18 @ (A1$) [*r]	100-240Vac	50/60	0	18dc	1.38	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25U24 @ (A1$) [*r]	100-240Vac	50/60	0	24dc	1.04	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM25U48 @ (A1$) [*r]	100-240Vac	50/60	0	48dc	0.52	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36B05 @ (A1$) [*r]	100-240Vac	50/60	0	5dc	4.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36B07 @ (A1$) [*r]	100-240Vac	50/60	0	7dc	4.32	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36B09 @ (A1$) [*r]	100-240Vac	50/60	0	9dc	4	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36B12 @ (A1$) [*r]	100-240Vac	50/60	0	12dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36B15 @ (A1$) [*r]	100-240Vac	50/60	0	15dc	2.4	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36B18 @ (A1$) [*r]	100-240Vac	50/60	0	18dc	2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36B24 @ (A1$) [*r]	100-240Vac	50/60	0	24dc	1.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36B48 @ (A1$) [*r]	100-240Vac	50/60	0	48dc	0.75	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36U05 @ (A1$) [*r]	100-240Vac	50/60	0	5dc	4.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36U07 @ (A1$) [*r]	100-240Vac	50/60	0	7dc	4.32	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36U09 @ (A1$) [*r]	100-240Vac	50/60	0	9dc	4	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36U12 @ (A1$) [*r]	100-240Vac	50/60	0	12dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36U18 @ (A1$) [*r]	100-240Vac	50/60	0	18dc	2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM36U24 @ (A1$) [*r]	100-240Vac	50/60	0	24dc	1.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
GSM40A05	100-240ac	50/60	0	5dc	5	24	16	ES60601-1	20B	0	1
GSM40A05(A1$) [*r]	100-240ac	50/60	0	5dc	5	25	16	60601-1:2014	20B	0	1
GSM40A07	100-240ac	50/60	0	7.5dc	5.34	40.05	16	ES60601-1	20B	0	1
GSM40A07(A1$) [*r]	100-240ac	50/60	0	7.5dc	5.34	40.05	16	60601-1:2014	20B	0	1
GSM40A09	100-240ac	50/60	0	9dc	4.45	40.05	16	ES60601-1	20B	0	1
GSM40A09(A1$) [*r]	100-240ac	50/60	0	9dc	4.45	40.05	16	60601-1:2014	20B	0	1
GSM40A12	100-240ac	50/60	0	12dc	3.34	40.08	16	ES60601-1	20B	0	1
GSM40A12(A1$) [*r]	100-240ac	50/60	0	12dc	3.34	40.08	16	60601-1:2014	20B	0	1
GSM40A13.5-KOD (A1$)[*r]	100-240ac	50/60	0	13.5dc	2.96	40	16	60601-1:2014	20B	0	1
GSM40A15	100-240ac	50/60	0	15dc	2.67	40.05	16	ES60601-1	20B	0	1
GSM40A15(A1$) [*r]	100-240ac	50/60	0	15dc	2.67	40.05	16	60601-1:2014	20B	0	1

GSM40A18	100-240ac	50/60	0	18dc	2.22	39.96	16	ES60601-1	20B	0	1
GSM40A18(A1$) [*r]	100-240ac	50/60	0	18dc	2.22	39.96	16	60601-1:2014	20B	0	1
GSM40A24	100-240ac	50/60	0	24dc	1.67	40.08	16	ES60601-1	20B	0	1
GSM40A24(A1$) [*r]	100-240ac	50/60	0	24dc	1.67	40.08	16	60601-1:2014	20B	0	1
GSM40A48	100-240ac	50/60	0	48dc	0.84	40.32	16	ES60601-1	20B	0	1
GSM40A48(A1$) [*r]	100-240ac	50/60	0	48dc	0.84	40.32	16	60601-1:2014	20B	0	1
GSM40B05	100-240Vac	50/60	0	5dc	5	25	16	60601-1: 2014	20B	0	2
GSM40B07	100-240Vac	50/60	0	7.5dc	5.34	40	16	60601-1: 2014	20B	0	2
GSM40B09	100-240Vac	50/60	0	9dc	4.45	40	16	60601-1: 2014	20B	0	2
GSM40B12	100-240Vac	50/60	0	12dc	3.34	40	16	60601-1: 2014	20B	0	2
GSM40B15	100-240Vac	50/60	0	15dc	2.67	40	16	60601-1: 2014	20B	0	2
GSM40B18	100-240Vac	50/60	0	18dc	2.22	40	16	60601-1: 2014	20B	0	2
GSM40B24	100-240Vac	50/60	0	24dc	1.67	40	16	60601-1: 2014	20B	0	2
GSM40B48	100-240Vac	50/60	0	48dc	0.84	40	16	60601-1: 2014	20B	0	2
GSM60A05	100-240ac	50/60	0	5dc	6	30	16	ES60601-1	20B	0	1
GSM60A05(A1$) [*r]	100-240ac	50/60	0	5dc	6	30	16	60601-1:2014	20B	0	1
GSM60A07	100-240ac	50/60	0	7.5dc	6	45	16	ES60601-1	20B	0	1
GSM60A07(A1$) [*r]	100-240ac	50/60	0	7.5dc	6	45	16	60601-1:2014	20B	0	1
GSM60A09	100-240ac	50/60	0	9dc	6	54	16	ES60601-1	20B	0	1
GSM60A09(A1$) [*r]	100-240ac	50/60	0	9dc	6	54	16	60601-1:2014	20B	0	1
GSM60A12	100-240ac	50/60	0	12dc	5	60	16	ES60601-1	20B	0	1
GSM60A12(A1$) [*r]	100-240ac	50/60	0	12dc	5	60	16	60601-1:2014	20B	0	1
GSM60A15	100-240ac	50/60	0	15dc	4	60	16	ES60601-1	20B	0	1
GSM60A18	100-240ac	50/60	0	18dc	3.33	59.94	16	ES60601-1	20B	0	1
GSM60A18(A1$) [*r]	100-240ac	50/60	0	18dc	3.33	59.94	16	60601-1:2014	20B	0	1
GSM60A24	100-240ac	50/60	0	24dc	2.5	60	16	ES60601-1	20B	0	1
GSM60A24(A1$) [*r]	100-240ac	50/60	0	24dc	2.5	60	16	60601-1:2014	20B	0	1
GSM60A48	100-240ac	50/60	0	48dc	1.25	60	16	ES60601-1	20B	0	1
GSM60A48(A1$) [*r]	100-240ac	50/60	0	48dc	1.25	60	16	60601-1:2014	20B	0	1
GSM60B05	100-240Vac	50/60	0	5dc	6	30	16	60601-1: 2014	20B	0	2
GSM60B07	100-240Vac	50/60	0	7.5dc	6	45	16	60601-1: 2014	20B	0	2
GSM60B09	100-240Vac	50/60	0	9dc	6	54	16	60601-1: 2014	20B	0	2

GSM60B12	100-240Vac	50/60	0	12dc	5	60	16	60601-1: 2014	20B	0	2
GSM60B15	100-240Vac	50/60	0	15dc	4	60	16	60601-1: 2014	20B	0	2
GSM60B18	100-240Vac	50/60	0	18dc	3.33	60	16	60601-1: 2014	20B	0	2
GSM60B24	100-240Vac	50/60	0	24dc	2.5	60	16	60601-1: 2014	20B	0	2
GSM60B48	100-240Vac	50/60	0	48dc	1.25	60	16	60601-1: 2014	20B	0	2
GSM90A12 (A1$) [*r]	100-240Vac	50/60	0	12dc	6.67	80W	16	60601-1:2008	20B	0	1
GSM90A15 (A1$) [*r]	100-240Vac	50/60	0	15dc	6	90W	16	60601-1:2008	20B	0	1
GSM90A19 (A1$) [*r]	100-240Vac	50/60	0	19dc	4.74	90W	16	60601-1:2008	20B	0	1
GSM90A24 (A1$) [*r]	100-240Vac	50/60	0	24dc	3.75	90W	16	60601-1:2008	20B	0	1
GSM90A48 (A1$) [*r]	100-240Vac	50/60	0	48dc	1.87	90W	16	60601-1:2008	20B	0	1
GSM90B12 (A1$) [*r]	100-240Vac	50/60	0	12dc	6.67	80	16	60601-1:2008	20B	0	2
GSM90B15 (A1$) [*r]	100-240Vac	50/60	0	15dc	6..0	90	16	60601-1:2008	20B	0	2
GSM90B19 (A1$) [*r]	100-240Vac	50/60	0	19dc	4.74	90	16	60601-1:2008	20B	0	2
GSM90B24 (A1$) [*r]	100-240Vac	50/60	0	24dc	3.75	90	16	60601-1:2008	20B	0	2
GSM90B48 (A1$) [*r]	100-240Vac	50/60	0	48dc	1.87	90	16	60601-1:2008	20B	0	2
MDD01L-05, MDD01L-09, MDD01L-12, MDD01L-15											
	05Vdc	-	1	See reportdc	See report	See report	20	60601-1:2014	20B	0	2
MDD01M-05, MDD01M-09, MDD01M-12, MDD01M-15											
	12Vdc	-	1	-	-	-	-	60601-1:2014	20B	0	2
MDD01N-05, MDD01N-09, MDD01N-12, MDD01N-15											
	24Vdc	-	1	-	-	-	-	60601-1:2014	20B	0	2
MDD02L-05, MDD02L-09, MDD02L-12, MDD02L-15											
	05Vdc	-	1	-	-	-	-	60601-1:2014	20B	0	2
MDD02M-05, MDD02M-09, MDD02M-12, MDD02M-15											
	12Vdc	-	1	-	-	-	-	60601-1:2014	20B	0	2
MDD02N-05, MDD02N-09, MDD02N-12											
	24Vdc	-	1	-	-	-	-	60601-1:2014	20B	0	2
MDD02N-15@@	24Vdc	-	1	-	-	-	-	60601-1:2014	20B	0	2
MDS01L-03, MDS01L-05, MDS01L-12, MDS01L-15											
	5Vdc	-	1	See reportdc	See report	See report	20	60601-1:2014	20B	0	2
MDS01M-05, MDS01M-12, MDS01M-15											
	12Vdc	-	1	-	-	-	-	60601-1:2014	20B	0	2
MDS01N-05, MDS01N-12, MDS01N-15											
	24Vdc	-	1	See reportdc	See report	See report	20	60601-1:2014	20B	0	2
MDS02L-05, MDS02L-12, MDS02L-15											
	05Vdc	-	1	See reportdc	See report	See report	20	60601-1:2014	20B	0	2
MDS02M-05, MDS02M-12, MDS02M-15											
	12Vdc	-	1	See reportdc	See report	See report	20	60601-1:2014	20B	0	2

MDS02N-05, MDS02N-12, MDS02N-15

	24Vdc	-	1	See reportdc	See report	See report	20	60601-1:2014	20B	0	2

MES30A-0, MES30B-0, MES30C-0, MES30D-0-U

	100-240ac	50-60	0	3-5	5.0	25	9	60601-1	2T	0	1

MES30A-1, MES30B-1, MES30C-1, MES30D-1-U

	100-240ac	50-60	0	5-6	5.0-4.17	25	9	60601-1	2T	0	1

MES30A-1-1, MES30B-1-1, MES30C-1-1, MES30D-1-1-U

	100-240ac	50-60	0	6-8	4.17-3.13	25	9	60601-1	2T	0	1

MES30A-1-2, MES30B-1-2, MES30C-1-2, MES30D-2-U

	100-240ac	50-60	0	8-11	3.75-2.73	30	9	60601-1	2T	0	1
MES30A-2, MES30C-2[*r]	100-240ac	50-60	0	8-11	3.75-2.73	30	9	ES60601-1	20B	0	1

MES30A-3, MES30B-3, MES30C-3, MES30D-3-U

	100-240ac	50-60	0	11-13	2.73-2.30	30	9	60601-1	2T	0	1

MES30A-4, MES30B-4, MES30C-4, MES30D-4-U

	100-240ac	50-60	0	13-16	2.30-1.88	30	9	60601-1	2T	0	1

MES30A-5, MES30B-5, MES30C-5, MES30D-5-U

	100-240ac	50-60	0	16-21	1.88-1.43	30	9	60601-1	2T	0	1

MES30A-6, MES30B-6, MES30C-6, MES30D-6-U

	100-240ac	50-60	0	21-27	1.43-1.11	30	9	60601-1	2T	0	1

MES30A-7, MES30B-7, MES30C-7, MES30D-7-U

	100-240ac	50-60	0	27-33	1.11-0.90	30	9	60601-1	2T	0	1

MES30A-8, MES30B-8, MES30C-8, MES30D-8-U

	100-240ac	50-60	0	33-48	0.9-0.63	30	9	60601-1	2T	0	1
MES50X-0 (a)[*r]	100-240ac	50/60	0	3-5	7.5	37.5	9	60601-1	20B	8	1
MES50X-1 (a)[*r]	100-240ac	50/60	0	5-6	7.50-6.25	37.5	9	60601-1	20B	8	1
MES50X-1-1 (a)[*r]	100-240ac	50/60	0	6-8	6.66-5.00	40	9	60601-1	20B	8	1
MES50X-2 (a)[*r]	100-240ac	50/60	0	8-11	5.62-4.09	45	9	60601-1	20B	8	1
MES50X-3 (a)[*r]	100-240ac	50/60	0	11-13	4.54-3.84	50	9	60601-1	20B	8	1
MES50X-4 (a)[*r]	100-240ac	50/60	0	13-16	3.84-3.12	50	9	60601-1	20B	8	1
MES50X-5 (a)[*r]	100-240ac	50/60	0	16-21	3.12-2.38	50	9	60601-1	20B	8	1
MES50X-6 (a)[*r]	100-240ac	50/60	0	21-27	2.38-1.85	50	9	60601-1	20B	8	1
MES50X-7 (a)[*r]	100-240ac	50/60	0	27-33	1.85-1.51	50	9	60601-1	20B	8	1
MES50X-8 (a)[*r]	100-240ac	50/60	0	33-48	1.51-1.04	50	9	60601-1	20B	8	1

MFM-05-(g) or MPM-05-(g) (d)[*r]

	100-240ac	50/60	0	3.3dc	1.25	-	16	CSA-C22.2 No. 60601-1:14	20B	0	2
				5dc	1	-	16				
				12dc	0.42	-	16				

Model	Input	Freq		Output	Current			Standard			
				15dc	0.33	-	16				
				24dc	0.23	-	16				
MFM-05-5YB or MPM-05-5YB (d)[*r]											
	100-240ac	50/60	0	-	-	-	-	CSA-C22.2 No. 60601-1:14	20B	0	2
				5dc	1	-	16				
MFM-10-(g) or MPM-10-(g) (d)[*r]											
	100-240ac	50/60	0	-	-	-	-	CSA-C22.2 No. 60601-1:14	20B	0	2
				3.3dc	2.5	-	16				
				5dc	2	-	16				
				12dc	0.85	-	16				
				15dc	0.67	-	16				
				24dc	0.42	-	16				
MFM-30-x, MPM-30-xy (x can be 3.3, 5, 12, 15, 24 or 48; y can be ST or blank)[*r]											
	100-240ac	50/60	0	3.3dc	6	-	16	60601-1	20B	0	2
				5dc	6	-	16				
				12dc	2.5	-	16				
				15dc	2	-	16				
				24dc	1.3	-	16				
				48dc	0.63	-	16				
MFM-x-y (x can be 15 or 20, y can be 3.3, 5, 12, 15 or 24)											
	100-240ac	50/60	0	3.3dc	3.5	-	16	60601-1:2008	20B	0	2
				5dc	3	-	16				
				12dc	1.25	-	16				
				15dc	1	-	16				
				24dc	0.63	-	16				
MPD-120A[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	5	-	9				
MPD-120B[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				24	2.9	-	9				
MPD-200A@(A1$)[*r]	100-240ac	50/60	0	5dc	20	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	8	-	16				
MPD-200B@(A1$)[*r]	100-240ac	50/60	0	5dc	20	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				24dc	4	-	16				
MPD-45A[*r]	100-240ac	50/60	0	5	3.2	16.0	9	2601	-	0	0
				12	2	24	9				
MPD-45A@(A1$)[*r]	100-240ac	50/60	0	5dc	3.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	2	-	16				
MPD-45B[*r]	100-240ac	50/60	0	5	3.2	16.0	9	2601	-	0	0
				24	1.2	28.8	9				
MPD-45B@(A1$)[*r]	100-240ac	50/60	0	5dc	3.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				24dc	1.2	-	16				
MPD-65A[*r]	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0

Model	Input	Freq		Output				Standard			
				12	2.8	33.6	9				
MPD-65A@(A1$) [*r]	100-240ac	50/60	0	5dc	5.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	2.8	-	16				
MPD-65B[*r]	100-240ac	50/60	0	5	3.5	17.5	9	2601	-	0	0
				24	2	48	9				
MPD-65B@(A1$) [*r]	100-240ac	50/60	0	5dc	3.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				24dc	2	-	16				
MPM-x-y (x can be 15 or 20, y can be 3.3, 5, 12, 15 or 24)											
	100-240ac	50/60	0	3.3dc	4.5	-	16	60601-1:2008	20B	0	2
				5dc	4	-	16				
				12dc	1.8	-	16				
				15dc	1.4	-	16				
				24dc	0.9	-	16				
MPQ-120B[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	4.2	-	9				
				-5	0.6	-	9				
				-12	0.6	-	9				
MPQ-120C[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				15	3.2	-	9				
				-5	0.6	-	9				
				-15	0.6	-	9				
MPQ-120D[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	1	-	9				
				24	2.1	-	9				
				-12	0.6	-	9				
MPQ-120E[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	3	-	9				
				15	0.6	-	9				
				24	0.6	-	9				
MPQ-200B@(A1$) [*r]	100-240ac	50/60	0	5dc	15	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	7	-	16				
				-5dc	2	-	16				
				-12dc	2	-	16				
MPQ-200C@(A1$) [*r]	100-240ac	50/60	0	5dc	15	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	5	-	16				
				-5dc	2	-	16				
				-15dc	2	-	16				
MPQ-200D@(A1$) [*r]	100-240ac	50/60	0	5dc	15	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	2	-	16				
				24dc	3	-	16				
				-12dc	2	-	16				
MPQ-200F@(A1$) [*r]	100-240ac	50/60	0	5dc	15	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	2	-	16				

				-15dc	2	-	16				
				24dc	2.7	-	16				
MPS-120-12[*r]	100-240ac	50/60	0	12	10	-	9	60601-1	20B	0	1
MPS-120-15[*r]	100-240ac	50/60	0	15	8	-	9	60601-1	20B	0	1
MPS-120-24[*r]	100-240ac	50/60	0	24	5	-	9	60601-1	20B	0	1
MPS-120-3.3[*r]	100-240ac	50/60	0	3.3	24	-	9	60601-1	20B	0	1
MPS-120-48[*r]	100-240ac	50/60	0	48	2.5	-	9	60601-1	20B	0	1
MPS-120-5[*r]	100-240ac	50/60	0	5	22	-	9	60601-1	20B	0	1
MPS-200-12@(A1$)[*r]	100-240ac	50/60	0	12dc	16.7	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-200-15@(A1$)[*r]	100-240ac	50/60	0	15dc	13.4	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-200-24@(A1$)[*r]	100-240ac	50/60	0	24dc	8.4	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-200-3.3@(A1$)[*r]	100-240ac	50/60	0	3.3dc	40	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-200-32PE@(A1$)[*r]	100-240ac	50/60	0	32dc	6.3	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-200-48@(A1$)[*r]	100-240ac	50/60	0	48dc	4.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-200-5@(A1$)[*r]	100-240ac	50/60	0	5dc	40	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-200-7.5@(A1$)[*r]	100-240ac	50/60	0	7.5dc	26.6	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-30-12[*r]	100-240ac	50/60	0	-	2.5	30	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
MPS-30-15[*r]	100-240ac	50/60	0	-	2	30	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
MPS-30-24[*r]	100-240ac	50/60	0	-	1.2	28.8	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
MPS-30-27[*r]	100-240ac	50/60	0	-	1.1	29.7	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
MPS-30-48[*r]	100-240ac	50/60	0	-	0.6	28.8	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
MPS-30-5[*r]	100-240ac	50/60	0	-	6	30	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
MPS-30-5SI[*r]	100-240ac	50/60	0	-	6	30	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
MPS-45-12[*r]	100-240ac	50/60	0	12	3.7	44.4	9	2601	-	0	0
MPS-45-12@(A1$)[*r]	100-240ac	50/60	0	12dc	3.7	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-45-13.5[*r]	100-240ac	50/60	0	13.5	3.3	44.6	9	2601	-	0	0
MPS-45-13.5@(A1$)[*r]	100-240ac	50/60	0	13.5dc	3.3	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-45-15[*r]	100-240ac	50/60	0	15	3	45	9	2601	-	0	0
MPS-45-15@(A1$)[*r]	100-240ac	50/60	0	15dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-45-24[*r]	100-240ac	50/60	0	24	1.9	45.6	9	2601	-	0	0
MPS-45-24@(A1$)[*r]	100-240ac	50/60	0	24dc	1.9	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-45-27[*r]	100-240ac	50/60	0	27	1.7	45.9	9	2601	-	0	0
		50/60	0	27dc	1.7	-	16		20B	0	1

MPS-45-27@(A1$) [*r]	100-240ac							60601-1:2008 & 60601-1:2014			
MPS-45-3.3[*r]	100-240ac	50/60	0	3.3	8	26.4	9	2601	-	0	0
MPS-45-3.3@(A1$) [*r]	100-240ac	50/60	0	3.3dc	8	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-45-48[*r]	100-240ac	50/60	0	48	1	48	9	2601	-	0	0
MPS-45-48@(A1$) [*r]	100-240ac	50/60	0	48dc	1	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-45-5[*r]	100-240ac	50/60	0	5	8	40	9	2601	-	0	0
MPS-45-5@(A1$) [*r]	100-240ac	50/60	0	5dc	8	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-45-7.5[*r]	100-240ac	50/60	0	7.5	5.5	41.3	9	2601	-	0	0
MPS-45-7.5@(A1$) [*r]	100-240ac	50/60	0	7.5dc	5.4	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-65-12[*r]	100-240ac	50/60	0	12	5.2	62.4	9	2601	-	0	0
MPS-65-12@(A1$) [*r]	100-240ac	50/60	0	12dc	5.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-65-13.5[*r]	100-240ac	50/60	0	13.5	4.7	63.5	9	2601	-	0	0
MPS-65-13.5@(A1$) [*r]	100-240ac	50/60	0	13.5dc	4.7	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-65-15[*r]	100-240ac	50/60	0	15	4.2	63.0	9	2601	-	0	0
MPS-65-15@(A1$) [*r]	100-240ac	50/60	0	15dc	4.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-65-24[*r]	100-240ac	50/60	0	24	2.7	64.8	9	2601	-	0	0
MPS-65-24@(A1$) [*r]	100-240ac	50/60	0	24dc	2.7	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-65-27[*r]	100-240ac	50/60	0	27	2.4	64.8	9	2601	-	0	0
MPS-65-27@(A1$) [*r]	100-240ac	50/60	0	27dc	2.4	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-65-3.3[*r]	100-240ac	50/60	0	3.3	12	39.6	9	2601	-	0	0
MPS-65-3.3@(A1$) [*r]	100-240ac	50/60	0	3.3dc	12	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-65-48[*r]	100-240ac	50/60	0	48	1.35	64.8	9	2601	-	0	0
MPS-65-48@(A1$) [*r]	100-240ac	50/60	0	48dc	1.35	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-65-5[*r]	100-240ac	50/60	0	5	12	60.0	9	2601	-	0	0
MPS-65-5@(A1$) [*r]	100-240ac	50/60	0	5dc	12	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
MPS-65-7.5[*r]	100-240ac	50/60	0	7.5	8	60.0	9	2601	-	0	0
MPS-65-7.5@(A1$) [*r]	100-240ac	50/60	0	7.5dc	8	60.0	16	60601-1:2008 & 60601-1:2014	20B	0	0
MPT-120A[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	4.8	-	9				
				-5	0.6	-	9				
MPT-120B[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	4.4	-	9				
				-12	0.6	-	9				
MPT-120BC88[*r]		50/60	0	5	7	-	9	60601-1	20B	0	1

	100-240ac										
				12	4	-	9				
				24	1	-	9				
MPT-120C[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				15	4	-	9				
				-15	0.6	-	9				
MPT-120D[*r]	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				24	2.2	-	9				
				12	0.6	-	9				
MPT-200A@(A1$)[*r]	100-240ac	50/60	0	5dc	20	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	7.5	-	16				
				-5dc	2	-	16				
MPT-200B@(A1$)[*r]	100-240ac	50/60	0	5dc	20	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	6	-	16				
				-12dc	2	-	16				
MPT-200C@(A1$)[*r]	100-240ac	50/60	0	5dc	20	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	4.7	-	16				
				-15dc	2	-	16				
MPT-200D@(A1$)[*r]	100-240ac	50/60	0	5dc	20	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				24dc	3	-	16				
				12dc	2	-	16				
MPT-45A[*r]	100-240ac	50/60	0	5	3.5	15	9	2601	-	0	0
				12	2	24	9				
				12	2	24	9				
MPT-45A@(A1$)[*r]	100-240ac	50/60	0	5dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	2	-	16				
				-5dc	0.3	-	16				
MPT-45B[*r]	100-240ac	50/60	0	5	3.5	15	9	2601	-	0	0
				12	2	24	9				
				-12	0.3	3.6	9				
MPT-45B@(A1$)[*r]	100-240ac	50/60	0	5dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	2	-	16				
				-12dc	0.3	-	16				
MPT-45C[*r]	100-240ac	50/60	0	5	3.5	15	9	2601	-	0	0
				15	1.6	24	9				
				-15	0.3	4.5	9				
MPT-45C@(A1$)[*r]	100-240ac	50/60	0	5dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	1.6	-	16				
				-15dc	0.3	-	16				
MPT-65A[*r]	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0
				12	2.5	30	9				

				-5	0.5	2.5	9				
MPT-65A@(A1$)[*r]	100-240ac	50/60	0	5dc	5.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	2.5	-	16				
				-5dc	0.5	-	16				
MPT-65B[*r]	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0
				12	2.5	30	9				
				-12	0.5	6	9				
MPT-65B@(A1$)[*r]	100-240ac	50/60	0	5dc	5.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	2.5	-	16				
				-12dc	0.5	-	16				
MPT-65C[*r]	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0
				15	2	30	9				
				-15	0.5	7.5	9				
MPT-65C@(A1$)[*r]	100-240ac	50/60	0	5dc	5.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	2	-	16				
				-15dc	0.5	-	16				
MSP-100-12(A1$)[*r]	100-240ac	50/60	0	12dc	8.5	102	14	60601-1:2014	20B	0	1
MSP-100-12@[*r]	100-240ac	50/60	0	12dc	8.5	102	14	ES60601-1	20B	0	1
MSP-100-15(A1$)[*r]	100-240ac	50/60	0	15dc	7	105	14	60601-1:2014	20B	0	1
MSP-100-15@[*r]	100-240ac	50/60	0	15dc	7	105	14	ES60601-1	20B	0	1
MSP-100-24(A1$)[*r]	100-240ac	50/60	0	24dc	4.5	108	14	60601-1:2014	20B	0	1
MSP-100-24@[*r]	100-240ac	50/60	0	24dc	4.5	108	14	ES60601-1	20B	0	1
MSP-100-3.3(A1$)[*r]	100-240ac	50/60	0	3.3dc	20	66	14	60601-1:2014	20B	0	1
MSP-100-3.3@[*r]	100-240ac	50/60	0	3.3dc	20	66	14	ES60601-1	20B	0	1
MSP-100-36(A1$)[*r]	100-240ac	50/60	0	36dc	2.9	104.4	14	60601-1:2014	20B	0	1
MSP-100-36@[*r]	100-240ac	50/60	0	36dc	2.9	104.4	14	ES60601-1	20B	0	1
MSP-100-48(A1$)[*r]	100-240ac	50/60	0	48dc	2.2	105.6	14	60601-1:2014	20B	0	1
MSP-100-48@[*r]	100-240ac	50/60	0	48dc	2.2	105.6	14	ES60601-1	20B	0	1
MSP-100-5(A1$)[*r]	100-240ac	50/60	0	5dc	17	85	14	60601-1:2014	20B	0	1
MSP-100-5@[*r]	100-240ac	50/60	0	5dc	17	85	14	ES60601-1	20B	0	1
MSP-100-7.5(A1$)[*r]	100-240ac	50/60	0	7.5dc	13.5	101.3	14	60601-1:2014	20B	0	1
MSP-100-7.5@[*r]	100-240ac	50/60	0	7.5dc	13.5	101.3	14	ES60601-1	20B	0	1
MSP-200-12(A1$)[*r]	100-240ac	50/60	0	12dc	16.7	-	14	60601-1:2014	20B	0	1
MSP-200-12@	100-240ac	50/60	0	12dc	16.7	-	14	60601-1:2008	20B	0	1
MSP-200-12EM(A1$)[*r]	100-240 Vac	50/60	0	12dc	16.7	-	14	60601-1:2014	20B	0	1
MSP-200-15(A1$)[*r]	100-240ac	50/60	0	15dc	13.4	-	14	60601-1:2014	20B	0	1

MSP-200-15@	100-240ac	50/60	0	15dc	13.4	-	14	60601-1:2008	20B	0	1
MSP-200-15EM(A1$)[*r]	100-240 Vac	50/60	0	15dc	13.4	-	14	60601-1:2014	20B	0	1
MSP-200-24(A1$)[*r]	100-240ac	50/60	0	24dc	8.4	-	14	60601-1:2014	20B	0	1
MSP-200-24@	100-240ac	50/60	0	24dc	8.4	-	14	60601-1:2008	20B	0	1
MSP-200-24EM(A1$)[*r]	100-240 Vac	50/60	0	24dc	8.4	-	14	60601-1:2014	20B	0	1
MSP-200-3.3(A1$)[*r]	100-240ac	50/60	0	3.3dc	40	-	14	60601-1:2014	20B	0	1
MSP-200-3.3@	100-240ac	50/60	0	3.3dc	40	-	14	60601-1:2008	20B	0	1
MSP-200-3.3EM(A1$)[*r]	100-240 Vac	50/60	0	3.3dc	40	-	14	60601-1:2014	20B	0	1
MSP-200-36(A1$)[*r]	100-240ac	50/60	0	36dc	5.7	-	14	60601-1:2014	20B	0	1
MSP-200-36@	100-240ac	50/60	0	36dc	5.7	-	14	60601-1:2008	20B	0	1
MSP-200-36EM(A1$)[*r]	100-240 Vac	50/60	0	36dc	5.7	-	14	60601-1:2014	20B	0	1
MSP-200-48(A1$)[*r]	100-240ac	50/60	0	48dc	4.3	-	14	60601-1:2014	20B	0	1
MSP-200-48@	100-240ac	50/60	0	48dc	4.3	-	14	60601-1:2008	20B	0	1
MSP-200-48EM(A1$)[*r]	100-240 Vac	50/60	0	48dc	4.3	-	14	60601-1:2014	20B	0	1
MSP-200-5(A1$)[*r]	100-240ac	50/60	0	5dc	35	-	14	60601-1:2014	20B	0	1
MSP-200-5@	100-240ac	50/60	0	5dc	35	-	14	60601-1:2008	20B	0	1
MSP-200-5EM(A1$)[*r]	100-240 Vac	50/60	0	5dc	35	-	14	60601-1:2014	20B	0	1
MSP-200-7.5(A1$)[*r]	100-240ac	50/60	0	7.5dc	26.7	-	14	60601-1:2014	20B	0	1
MSP-200-7.5@	100-240ac	50/60	0	7.5dc	26.7	-	14	60601-1:2008	20B	0	1
MSP-200-7.5EM(A1$)[*r]	100-240 Vac	50/60	0	7.5dc	26.7	-	14	60601-1:2014	20B	0	1
MSP-30-12 @(A1$)[*r]	100-240ac	50/60	0	12dc	2.5	30	16	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-30-15 @(A1$)[*r]	100-240ac	50/60	0	15dc	2	30	16	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-30-24 @(A1$)[*r]	100-240ac	50/60	0	24dc	1.2	28.8	16	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-30-27 @(A1$)[*r]	100-240ac	50/60	0	27dc	1.1	29.7	16	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-30-48 @(A1$)[*r]	100-240ac	50/60	0	48dc	0.6	28.8	16	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-30-5@(A1$)[*r]	100-240ac	50/60	0	5dc	5	25	16	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-30-5SI @(A1$)[*r]	100-240ac	50/60	0	5dc	5	25	16	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-300-12@(A1$)[*r]	100-240ac	50/60	0	12	27	324(b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-300-15@(A1$)[*r]	100-240ac	50/60	0	15	22	330(b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-300-24@(A1$)[*r]	100-240ac	50/60	0	24	14	336(b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-300-3.3@(A1$)[*r]	100-240ac	50/60	0	3.3	60	198(b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-300-36@(A1$)[*r]	100-240ac	50/60	0	36	9	324(b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1

Model											
MSP-300-48@(A1$) [*r]	100-240ac	50/60	0	48	7	336(b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-300-5@(A1$) [*r]	100-240ac	50/60	0	5	60	300(b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-300-7.5@(A1$) [*r]	100-240ac	50/60	0	7.5	40	300(b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-450-12@[*r] (A1$)[*r]	100-240Vac	50/60	0	12dc	37.5	450	14	60601-1:2008	20B	0	1
MSP-450-15@[*r] (A1$)[*r]	100-240Vac	50/60	0	15dc	30	450	14	60601-1:2008	20B	0	1
MSP-450-24@[*r] (A1$)[*r]	100-240Vac	50/60	0	24dc	18.8	451.2	14	60601-1:2008	20B	0	1
MSP-450-3.3@[*r] (A1$)[*r]	100-240Vac	50/60	0	3.3dc	90	297	14	60601-1:2008	20B	0	1
MSP-450-36@[*r] (A1$)[*r]	100-240Vac	50/60	0	36dc	12.5	450	14	60601-1:2008	20B	0	1
MSP-450-48@[*r] (A1$)[*r]	100-240Vac	50/60	0	48dc	9.5	456	14	60601-1:2008	20B	0	1
MSP-450-5@[*r] (A1$)[*r]	100-240Vac	50/60	0	5dc	90	450	14	60601-1:2008	20B	0	1
MSP-450-7.5@[*r]	100-240Vac	50/60	0	7.5dc	60	450	14	60601-1:2008	20B	0	1
MSP-600-12 @ (A1 $)[*r]	100-240ac	50/60	0	12dc	53	636	14	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-600-15 @ (A1 $)[*r]	100-240ac	50/60	0	15dc	43	645	14	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-600-24 @ (A1 $)[*r]	100-240ac	50/60	0	24dc	27	648	14	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-600-3.3 @ (A1 $)[*r]	100-240ac	50/60	0	3.3dc	120	396	14	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-600-36 @ (A1 $)[*r]	100-240ac	50/60	0	36dc	17.5	630	14	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-600-48 @ (A1 $)[*r]	100-240ac	50/60	0	48dc	13	624	14	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-600-5 @ (A1$) [*r]	100-240ac	50/60	0	5dc	120	600	14	60601-1:2008 & 60601-1:2014	20B	0	1
MSP-600-7.5 @ (A1 $)[*r]	100-240ac	50/60	0	7.5dc	80	600	14	60601-1:2008 & 60601-1:2014	20B	0	1
PM-05-12, NFM-05-12 @ (A1$)[*r]											
	100-240ac	50/60	0	12dc	0.42	5.04	16	60601-1:2008 & 60601-1:2014	20B	0	2
PM-05-15, NFM-05-15 @ (A1$)[*r]											
	100-240ac	50/60	0	15dc	0.33	4.95	16	60601-1:2008 & 60601-1:2014	20B	0	2
PM-05-24, NFM-05-24 @ (A1$)[*r]											
	100-240ac	50/60	0	24dc	0.23	5.52	16	60601-1:2008 & 60601-1:2014	20B	0	2
PM-05-3.3, NFM-05-3.3 @ (A1$)[*r]											
	100-240ac	50/60	0	3.3dc	1.25	4.125	16	60601-1:2008 & 60601-1:2014	20B	0	2
PM-05-5, NFM-05-5 @ (A1$)[*r]	100-240ac	50/60	0	5dc	1.0	5.0	16	60601-1:2008 & 60601-1:2014	20B	0	2
PM-10-12, NFM-10-12 (A1$)[*r]	100-240ac	50/60	0	12	0.85	10.2	9	ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
PM-10-15, NFM-10-15 (A1$)[*r]	100-240ac	50/60	0	15	0.67	10.05	9	ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
PM-10-24, NFM-10-24 (A1$)[*r]	100-240ac	50/60	0	24	0.42	10.08	9	ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
PM-10-3.3, NFM-10-3.3 (A1$)[*r]											

Model											
	100-240ac	50/60	0	3.3	2.5	8.25	9	ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
PM-10-5, NFM-10-5 (A1$)[*r]	100-240ac	50/60	0	5	2.0	10	9	ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
PM-15-12, NFM-15-12 @ (A1$)[*r]											
	100-240ac	50/60	0	12dc	1.25	15	16	60601-1:2008 & 60601-1:2014	20B	0	2
PM-15-15, NFM-15-15 @ (A1$)[*r]											
	100-240ac	50/60	0	15dc	1.0	15	16	60601-1:2008 & 60601-1:2014	20B	0	2
PM-15-24, NFM-15-24 @ (A1$)[*r]											
	100-240ac	50/60	0	24dc	0.63	15.12	16	60601-1:2008 & 60601-1:2014	20B	0	2
PM-15-3.3, NFM-15-3.3 @ (A1$)[*r]											
	100-240ac	50/60	0	3.3dc	3.5	11.55	16	60601-1:2008 & 60601-1:2014	20B	0	2
PM-15-5, NFM-15-5 @ (A1$)[*r]	100-240ac	50/60	0	5dc	3	15	16	60601-1:2008 & 60601-1:2014	20B	0	2
PM-20-12, NFM-20-12 @ (A1$)[*r]											
	100-240ac	50/60	0	12dc	1.8	21.6	16	60601-1:2008 & 60601-1:2014	20B	0	1
PM-20-15, NFM-20-15 @ (A1$)[*r]											
	100-240ac	50/60	0	15dc	1.4	21.0	16	60601-1:2008 & 60601-1:2014	20B	0	1
PM-20-24, NFM-20-24 @ (A1$)[*r]											
	100-240ac	50/60	0	24dc	0.92	22.08	16	60601-1:2008 & 60601-1:2014	20B	0	1
PM-20-3.3, NFM-20-3.3 @ (A1$)[*r]											
	100-240ac	50/60	0	3.3dc	4.5	14.85	16	60601-1:2008 & 60601-1:2014	20B	0	1
PM-20-5, NFM-20-5 @ (A1$)[*r]	100-240ac	50/60	0	5dc	4.4	22.0	16	60601-1:2008 & 60601-1:2014	20B	0	1
RPD(G)-160B[*r]	100-240ac	50/60	0	5	12(#)	150.4 (#)(b)	9	60601-1	20B	0	1
				5	6(*)	100.2 (*)(b)	9				
				24	3.6(#)	-	9				
				24	2.8(*)	-	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPD-160B@(A1$)[*r]	100-240ac	50/60	0	5dc	6.0(*)	97.2(*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				24dc	2.8(*)	-	16				
				5dc	12(#)	146.4 (#)	16				
				24dc	3.6(#)	-	16				
RPD-160BFE@+	100-240Vac	50/60	0	24Vdc	1.6A	38.4	-	60601-1:2008	20B	0	0
				5Vdc	2.0	10	1				
RPD-60A@(A1$)[*r]	100-240ac	50/60	0	-	2	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
RPD-60B@(A1$)[*r]	100-240ac	50/60	0	-	1.5	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
RPD-75A[*r]	100-240ac	50/60	0	5	7	71.0	9	60601-1	20B	0	1
				12	3	-	9				

Model	AC	Freq		Vout	Current	Power		Standard			
RPD-75A@(A1$)[*r]	100-240ac	50/60	0	5dc	7	71.0	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	3	-	16				
RPD-75B[*r]	100-240ac	50/60	0	5	5	73.0	9	60601-1	20B	0	1
				12	1	-	9				
RPD-75B@(A1$)[*r]	100-240ac	50/60	0	5dc	5	73.0	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	1	-	16				
RPDG-160B@(A1$)[*r]	100-240ac	50/60	0	5dc	6.0(*)	100.2(*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				24dc	2.8(*)	-	16				
				5VSBdc	0.6(*)	-	16				
				5dc	12(#)	150.4(#)(b)	16				
				24dc	3.6(#)	-	16				
				5VSBdc	0.8(#)	-	16				
RPS(G)-160-12[*r]	100-240ac	50/60	0	12	12.9(#)	158.8(#)(b)	-	60601-1	20B	0	1
				12	9.1(*)	112.2(*)(b)	-				
				5VSB	0.8(#)	-	-				
				5VSB	0.6(*)	-	-				
RPS(G)-160-15[*r]	100-240ac	50/60	0	15	10.3(#)	158.5(#)(b)	9	60601-1	20B	0	1
				15	7.3(*)	112.5(*)(b)	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPS(G)-160-24[*r]	100-240ac	50/60	0	24	6.5(#)	160(#)(b)	9	60601-1	20B	0	1
				24	4.6(*)	113.4(*)(b)	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPS(G)-160-48[*r]	100-240ac	50/60	0	48	3.25(#)	160(#)(b)	9	60601-1	20B	0	1
				48	2.1(*)	103.8(*)(b)	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPS(G)-160-5[*r]	100-240ac	50/60	0	5	30(#)	154(#)(b)	9	60601-1	20B	0	1
				5	20(*)	103(*)(b)	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPS-120-12 (c)	100-240ac	50/60	0	12dc	7	-	16	-	20B	0	0
RPS-120-12-C (c)	100-240ac	50/60	0	12dc	10	-	16	60601-1	20B	0	1
RPS-120-15 (c)	100-240ac	50/60	0	15dc	8	-	16	60601-1	20B	0	0
RPS-120-15-C (c)	100-240ac	50/60	0	15dc	8	-	16	60601-1	20B	0	1
RPS-120-24 (c)	100-240ac	50/60	0	24dc	5	-	16	60601-1	20B	0	0
RPS-120-24-C (c)	100-240ac	50/60	0	24dc	5	-	16	60601-1	20B	0	1

RPS-120-27 (c)	100-240ac	50/60	0	27dc	4.5	-	16	60601-1	20B	0	0
RPS-120-27-C (c)	100-240ac	50/60	0	27dc	4.5	-	16	60601-1	20B	0	1
RPS-120-48 (c)	100-240ac	50/60	0	48dc	2.5	-	16	60601-1	20B	0	0
RPS-120-48-C (c)	100-240ac	50/60	0	48dc	2.5	-	16	60601-1	20B	0	1
RPS-160-12@(A1$) [*r]	100-240ac	50/60	0	12dc	9.1(*)	109.2 (*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	12.9(#)	154.8 (#)(b)	16				
RPS-160-15@(A1$) [*r]	100-240ac	50/60	0	15dc	7.3(*)	109.5 (*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	10.3(#)	154.5 (#)(b)	16				
RPS-160-24@(A1$) [*r]	100-240ac	50/60	0	24dc	4.6(*)	110.4 (*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				24dc	6.5(#)	156.0 (#)(b)	16				
RPS-160-48@(A1$) [*r]	100-240ac	50/60	0	48dc	2.1(*)	100.8 (*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				48dc	3.25(#)	156.0 (#)(b)	16				
RPS-160-5@(A1$) [*r]	100-240ac	50/60	0	5dc	20(*)	100(*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5dc	30(#)	150(#)	16				
RPS-200-12 (c)	100-240ac	50/60	0	12dc	16.7	-	16	CAN/CSA-C22.2 No. 60601-1	20B	0	0
RPS-200-12-C (c)	100-240ac	50/60	0	12dc	16.7	-	16	CAN/CSA-C22.2 No. 60601-1	20B	0	1
RPS-200-15 (c)	100-240ac	50/60	0	15dc	13.4	-	16	CAN/CSA-C22.2 No. 60601-1	20B	0	0
RPS-200-15-C (c)	100-240ac	50/60	0	15dc	13.4	-	16	CAN/CSA-C22.2 No. 60601-1	20B	0	1
RPS-200-24 (c)	100-240ac	50/60	0	24dc	8.4	-	16	CAN/CSA-C22.2 No. 60601-1	20B	0	0
RPS-200-24-C (c)	100-240ac	50/60	0	24dc	8.4	-	16	CAN/CSA-C22.2 No. 60601-1	20B	0	1
RPS-200-27 (c)	100-240ac	50/60	0	27dc	7.5	-	16	CAN/CSA-C22.2 No. 60601-1	20B	0	0
RPS-200-27-C (c)	100-240ac	50/60	0	27dc	7.5	-	16	CAN/CSA-C22.2 No. 60601-1	20B	0	1
RPS-200-48 (c)	100-240ac	50/60	0	48dc	4.2	-	16	CAN/CSA-C22.2 No. 60601-1	20B	0	0
RPS-200-48-C (c)	100-240ac	50/60	0	48dc	4.2	-	16	CAN/CSA-C22.2 No. 60601-1	20B	0	1
RPS-30-12 (A1$)	100-240ac	50/60	0	12dc	-	-	-	60601-1	20B	0	2
RPS-30-15 (A1$)	100-240ac	50/60	0	15dc	-	-	-	60601-1	20B	0	2
RPS-30-24 (A1$)	100-240ac	50/60	0	24dc	-	-	-	60601-1	20B	0	2
RPS-30-3.3 (A1$)	100-240ac	50/60	0	3.3dc	-	-	-	60601-1	20B	0	2
RPS-30-48 (A1$)	100-240ac	50/60	0	48dc	-	-	-	60601-1	20B	0	2
RPS-30-5 (A1$)	100-240ac	50/60	0	5dc	-	-	-	60601-1	20B	0	2
RPS-30-7.5 (A1$)	100-240ac	50/60	0	7.5dc	-	-	-	60601-1	20B	0	2
RPS-300-12-C@(A1$)[*r]	100-240ac	50/60	0	12dc	25(#)	300(#)	16	60601-1:2014	20B	0	1
				12dc	15(*)	180(*)	16				

RPS-300-12@(A1$)[*r]	100-240ac	50/60	0	12dc	25(#)	300(#)	16	60601-1:2014	20B	0	1
				12dc	16.67(*)	200(*)	16				
RPS-300-15-C@(A1$)[*r]	100-240ac	50/60	0	15dc	20(#)	300(#)	16	60601-1:2014	20B	0	1
				15dc	12(*)	180(*)	16				
RPS-300-15@(A1$)[*r]	100-240ac	50/60	0	15dc	20(#)	300(#)	16	60601-1:2014	20B	0	1
				15dc	13.33(*)	200(*)	16				
RPS-300-24-C@(A1$)[*r]	100-240ac	50/60	0	24dc	12.5(#)	300(#)	16	60601-1:2014	20B	0	1
				24dc	7.5(*)	180(*)	16				
RPS-300-24@(A1$)[*r]	100-240ac	50/60	0	24dc	12.5(#)	300(#)	16	60601-1:2014	20B	0	1
				24dc	8.33(*)	200(*)	16				
RPS-300-27-C@(A1$)[*r]	100-240ac	50/60	0	27dc	11.12(#)	300.24(#)	16	60601-1:2014	20B	0	1
				27dc	6.67(*)	180(*)	16				
RPS-300-27@(A1$)[*r]	100-240ac	50/60	0	27dc	11.12(#)	300(#)	16	60601-1:2014	20B	0	1
				27dc	7.4(*)	200(*)	16				
RPS-300-48-C@(A1$)[*r]	100-240ac	50/60	0	48dc	6.25(#)	300(#)	16	60601-1:2014	20B	0	1
				48dc	3.75(*)	180(*)	16				
RPS-300-48@(A1$)[*r]	100-240ac	50/60	0	48dc	6.25(#)	300(#)	16	60601-1:2014	20B	0	1
				48dc	4.17(*)	200(*)	16				
RPS-40-18.2 @(A1$)[*r]	100-240ac	50-60	0	18.2dc	2.2	40.04	16	60601-1:2008	20B	0	1
RPS-400-12, -12-C	100-240ac	50/60	0	12dc	20.8	250.2 W	16	60601-1	20B	0	1
RPS-400-12-SF, -12-TF%	100-240ac	50/60	0	12dc	33.3	401.4 W	16	60601-1	20B	0	1
RPS-400-15, -15-C	100-240ac	50/60	0	15dc	16.7	250.2 W	16	60601-1	20B	0	1
RPS-400-15-SF, -15-TF%	100-240ac	50/60	0	15dc	26.7	401.4 W	16	60601-1	20B	0	1
RPS-400-18, -18-C	100-240ac	50/60	0	18dc	13.9	250.2 W	16	60601-1	20B	0	1
RPS-400-18-C[*r]	100-240ac	50/60	0	18dc	13.9	250.2	16	60601-1	20B	0	1
RPS-400-18-C%[*r]	100-240ac	50/60	0	18dc	22.3	401.1	16	60601-1	20B	0	1
RPS-400-18-SF, -18-TF%	100-240ac	50/60	0	18dc	22.3	401.4 W	16	60601-1	20B	0	1
RPS-400-24, -24-C	100-240ac	50/60	0	24dc	10.5	250.2 W	16	60601-1	20B	0	1
RPS-400-24-SF, -24-TF%	100-240ac	50/60	0	24dc	16.7	401.4 W	16	60601-1	20B	0	1
RPS-400-27, -27-C	100-240ac	50/60	0	27dc	9.3	250.2 W	16	60601-1	20B	0	1
RPS-400-27-SF, -27-TF%	100-240ac	50/60	0	27dc	14.9	401.4 W	16	60601-1	20B	0	1
RPS-400-36, -36-C	100-240ac	50/60	0	36dc	7	250.2 W	16	60601-1	20B	0	1
RPS-400-36-SF, -36-TF%	100-240ac	50/60	0	36dc	11.2	401.4 W	16	60601-1	20B	0	1
RPS-400-48, -48-C	100-240ac	50/60	0	48dc	5.3	250.2 W	16	60601-1	20B	0	1
RPS-400-48-SF, -48-TF%	100-240ac	50/60	0	48dc	8.4	401.4 W	16	60601-1	20B	0	1

Model	Input	Freq		Vout	Current	Power		Standard			
RPS-45-12[*r]	100-240ac	50/60	0	12dc	3.8	-	16	60601-1	-	0	2
RPS-45-15[*r]	100-240ac	50/60	0	15dc	3	-	16	60601-1	-	0	2
RPS-45-24[*r]	100-240ac	50/60	0	24dc	1.9	-	16	60601-1	-	0	2
RPS-45-3.3[*r]	100-240ac	50/60	0	3.3dc	8	-	16	60601-1	-	0	2
RPS-45-48[*r]	100-240ac	50/60	0	48dc	0.94	-	16	60601-1	-	0	2
RPS-45-5[*r]	100-240ac	50/60	0	5dc	8	-	16	60601-1	-	0	2
RPS-45-7.5[*r]	100-240ac	50/60	0	7.5dc	5.4	-	16	60601-1	-	0	2
RPS-60-12, RPS-60-12G@(A1$)[*r]											
	100-240ac	50/60	0	-	5	60	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
RPS-60-15@(A1$)[*r]	100-240ac	50/60	0	-	4	60	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
RPS-60-24, RPS-60-24CA@(A1$)[*r]											
	100-240ac	50/60	0	-	2.5	60	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
RPS-60-3.3@ (A1$)[*r]	100-240ac	50/60	0	-	10	33	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
RPS-60-48@(A1$)[*r]	100-240ac	50/60	0	-	1.25	60	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
RPS-60-5@(A1$)[*r]	100-240ac	50/60	0	-	10	50	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
RPS-65-12[*r]	100-240ac	50/60	0	12dc	5.42	-	16	60601-1	-	0	2
RPS-65-15[*r]	100-240ac	50/60	0	15dc	4.34	-	16	60601-1	-	0	2
RPS-65-24[*r]	100-240ac	50/60	0	24dc	2.71	-	16	60601-1	-	0	2
RPS-65-3.3[*r]	100-240ac	50/60	0	3.3dc	11	-	16	60601-1	-	0	2
RPS-65-48[*r]	100-240ac	50/60	0	48dc	1.36	-	16	60601-1	-	0	2
RPS-65-5[*r]	100-240ac	50/60	0	5dc	10	-	16	60601-1	-	0	2
RPS-65-7.5[*r]	100-240ac	50/60	0	7.5dc	8	-	16	60601-1	-	0	2
RPS-75-12[*r]	100-240ac	50/60	0	12	6.3	75.6	9	60601-1	20B	0	1
RPS-75-12@(A1$)[*r]	100-240ac	50/60	0	12dc	6.3	75.6	16	60601-1:2008 & 60601-1:2014	20B	0	1
RPS-75-15[*r]	100-240ac	50/60	0	15	5	75	9	60601-1	20B	0	1
RPS-75-15@(A1$)[*r]	100-240ac	50/60	0	15dc	5	75	16	60601-1:2008 & 60601-1:2014	20B	0	1
RPS-75-24[*r]	100-240ac	50/60	0	24	3.2	76.8	9	60601-1	20B	0	1
RPS-75-24@(A1$)[*r]	100-240ac	50/60	0	24dc	3.2	76.8	16	60601-1:2008 & 60601-1:2014	20B	0	1
RPS-75-3.3[*r]	100-240ac	50/60	0	3.3	15	49.5	9	60601-1	20B	0	2
RPS-75-3.3@(A1$)[*r]	100-240ac	50/60	0	3.3dc	15	49.5	16	60601-1:2008 & 60601-1:2014	20B	0	1
RPS-75-36[*r]	100-240ac	50/60	0	36	2.1	75.6	9	60601-1	20B	0	1
RPS-75-36@(A1$)[*r]	100-240ac	50/60	0	36dc	2.1	75.6	16	60601-1:2008 & 60601-1:2014	20B	0	1
RPS-75-48[*r]	100-240ac	50/60	0	48	1.6	76.8	9	60601-1	20B	0	1

RPS-75-48@(A1$) [*r]	100-240ac	50/60	0	48dc	1.6	76.8	16	60601-1:2008 & 60601-1:2014	20B	0	1
RPS-75-5[*r]	100-240ac	50/60	0	5	14	70	9	60601-1	20B	0	2
RPS-75-5@(A1$) [*r]	100-240ac	50/60	0	5dc	14	70	16	60601-1:2008 & 60601-1:2014	20B	0	1
RPSG-160-12@(A1$)[*r]	100-240ac	50/60	0	12dc	9.1(*)	112.2 (*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5VSBdc	0.6(*)	-	16				
				12dc	12.9(#)	158.8 (#)(b)	16				
				5VSBdc	0.8(#)	-	16				
RPSG-160-15@(A1$)[*r]	100-240ac	50/60	0	15dc	7.3(*)	112.5 (*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5VSBdc	0.6(*)	-	16				
				15dc	10.3(#)	158.5 (#)(b)	16				
				5VSBdc	0.8(#)	-	16				
RPSG-160-24@(A1$)[*r]	100-240ac	50/60	0	24dc	4.6(*)	113.4 (*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5VSBdc	0.6(*)	-	16				
				24dc	6.5(#)	160.0 (#)(b)	16				
				5VSBdc	0.8(#)	-	16				
RPSG-160-48@(A1$)[*r]	100-240ac	50/60	0	48dc	2.1(*)	103.8 (*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5VSBdc	0.6(*)	-	16				
				48dc	3.25(#)	160.0 (#)(b)	16				
				5VSBdc	0.8(#)	-	16				
RPSG-160-5@(A1$) [*r]	100-240ac	50/60	0	5dc	20.0(*)	103.0 (*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5VSBdc	0.6(*)	-	16				
				5dc	30.0(#)	154.0 (#)(b)	16				
				5VSBdc	0.8(#)	-	16				
RPT(G)-160A[*r]	100-240ac	50/60	0	5	14(#)	145(#)(b)	9	60601-1	20B	0	1
				5	9(*)	98.6(*)(b)	9				
				12	5.5(#)	-	9				
				12	3.8(*)	-	9				
				-5	1.0(#)	-	9				
				-5	1.0(*)	-	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPT(G)-160B[*r]	100-240ac	50/60	0	5	14(#)	146(#)(b)	9	60601-1	20B	0	1
				5	9(*)	98.4(*)(b)	9				
				12	5.0(#)	-	9				
				12	3.4(*)	-	9				
				-12	1.0(#)	-	9				
				-12	0.8(*)	-	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPT(G)-160C[*r]		50/60	0	5	14(#)		9	60601-1	20B	0	1

Model	Input	Freq		Output	Current	Power		Standard			
	100-240ac					143(#)(b)					
				5	9(*)	99(*)(b)	9				
				15	3.6(#)	-	9				
				15	2.6(*)	-	9				
				-15	1.0(#)	-	9				
				-15	0.8(*)	-	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPT(G)-160D[*r]	100-240ac	50/60	0	5	11(#)	147.8(#)(b)	9	60601-1	20B	0	1
				5	8(*)	98.2(*)(b)	9				
				12	5.0(#)	-	9				
				12	2.6(*)	-	9				
				24	1.2(#)	-	9				
				24	1.0(*)	-	9				
				5VSB	0.8(#)	-	9				
				5VSB	0.6(*)	-	9				
RPT-160A@(A1$)[*r]	100-240ac	50/60	0	5dc	9.0(*)	95.6(*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	3.8(*)	-	16				
				-5dc	1.0(*)	-	16				
				5dc	14(#)	141.0(#)(b)	16				
				12dc	5.5(#)	-	16				
				-5dc	1.0(#)	-	16				
RPT-160B@(A1$)[*r]	100-240ac	50/60	0	5dc	9.0(*)	95.4(*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	3.4(*)	-	16				
				-12dc	0.8(*)	-	16				
				5dc	14(#)	142.0(#)(b)	16				
				12dc	3.4(#)	-	16				
				-12dc	1.0(#)	-	16				
RPT-160C@(A1$)[*r]	100-240ac	50/60	0	5dc	9.0(*)	96.0(*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	2.6(*)	-	16				
				-15dc	0.8(*)	-	16				
				5dc	14.0(#)	139.0(#)(b)	16				
				15dc	3.6(#)	-	16				
				-15dc	1.0(#)	-	16				
RPT-160D@(A1$)[*r]	100-240ac	50/60	0	5dc	8.0(*)	95.2(*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	2.6(*)	-	16				
				24dc	1.0(*)	-	16				
				5dc	11.0(#)	143.8(#)(b)	16				
				12dc	5.0(#)	-	16				
				24dc	1.2(#)	-	16				
RPT-6003@(A1$)[*r]	100-240ac	50/60	0	-	0.7	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
RPT-60A@(A1$)[*r]		50/60	0	-	0.5	-	9		20B	0	2

	100-240ac							CAN/CSA-C22.2 No. 60601-1:08			
RPT-60B@(A1$)[*r]	100-240ac	50/60	0	-	0.5	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
RPT-60C@(A1$)[*r]	100-240ac	50/60	0	-	0.5	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
RPT-60D@(A1$)[*r]	100-240ac	50/60	0	-	0.5	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
RPT-7503[*r]	100-240ac	50/60	0	3.3	6	61.8	9	60601-1	20B	0	1
				5	6	-	9				
				12	1	-	9				
RPT-7503@(A1$)[*r]	100-240ac	50/60	0	3.3dc	6	61.8	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5dc	6	-	16				
				12dc	1	-	16				
RPT-75A[*r]	100-240ac	50/60	0	5	6	68.5	9	60601-1	20B	0	1
				12	3	-	-				
				-5	0.5	-	-				
RPT-75A@(A1$)[*r]	100-240ac	50/60	0	5dc	6	68.5	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	3	-	16				
				-5dc	0.5	-	16				
RPT-75B[*r]	100-240ac	50/60	0	5	6	72	9	60601-1	20B	0	-
				12	3	-	-				
				-12	0.5	-	-				
RPT-75B@(A1$)[*r]	100-240ac	50/60	0	5dc	6	72	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	3	-	16				
				-12dc	0.5	-	16				
RPT-75C[*r]	100-240ac	50/60	0	5	6	72	9	60601-1	20B	0	1
				15	2.3	-	-				
				-15	0.5	-	-				
RPT-75C@(A1$)[*r]	100-240ac	50/60	0	5dc	6	72	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	2.3	-	16				
				-15dc	0.5	-	16				
RPT-75D[*r]	100-240ac	50/60	0	5	5	73	9	60601-1	20B	0	1
				24	1.5	-	-				
				12	1	-	-				
RPT-75D@(A1$)[*r]	100-240ac	50/60	0	5dc	5	73	16	60601-1:2008 & 60601-1:2014	20B	0	1
				24dc	1.5	-	16				
				12dc	1	-	16				
RPTG-160A@(A1$)[*r]	100-240ac	50/60	0	-5dc	1.0(*)	98.6(*)(b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	3.8(*)	-	16				
				-5dc	1.0(*)	-	16				
				5VSBdc	0.6(*)	-	16				
				5dc	14.0(#)	145.0 (#)(b)	16				
				12dc	5.5(#)	-	16				

			-5dc	1.0(#)	-	16				
			5VSBdc	0.8(#)	-	16				
RPTG-160B@(A1$) [*r]	100-240ac	50/60	0	5dc	9.0(*)	98.4(*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
			12dc	3.4(*)	-	16				
			-12dc	0.8(*)	-	16				
			5VSBdc	0.6(*)	-	16				
			5dc	14.0(#)	146.0 (#)(b)	16				
			12dc	5.0(#)	-	16				
			-12dc	1.0(#)	-	16				
			5VSBdc	0.8(#)	-	16				
RPTG-160C@(A1$) [*r]	100-240ac	50/60	0	5dc	9.0(*)	99.0(*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
			15dc	2.6(*)	-	16				
			-15dc	0.8(*)	-	16				
			5VSBdc	0.6(*)	-	16				
			5dc	14.0(#)	143.0 (#)(b)	16				
			15dc	3.6(#)	-	16				
			-15dc	1.0(#)	-	16				
			5VSBdc	0.8(#)	-	16				
RPTG-160D@(A1$) [*r]	100-240ac	50/60	0	5dc	8.0(*)	98.2(*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
			12dc	2.6(*)	-	16				
			24dc	1.0(*)	-	16				
			5VSBdc	0.6(*)	-	16				
			5dc	11.0(#)	147.8 (#)(b)	16				
			12dc	5.0(#)	-	16				
			24dc	1.2(#)	-	16				
			5VSBdc	0.8(#)	-	16				

[*r] - Output values are rated.

- Rated ratingw with 20.5CFM FAN cooling.

% - Rating shown is the maximum rating when used with 25 CFM cooling fan

(!) - x can be B, U or I; -z can be 0 to 9, A to Z, hyphen or blank; B = Desktop C8 inlet type; U = Wall mount American plug I = interchangeable plug

(a) - Where X may be A or C.

(A1$) - product certified to ANSI/AAMI ES60601-1:2005 & A1:2012 and CAN/CSA-C22.2 No. 60601-1 (2014)

(b) - Ratings in W not VA.

(c) - Rating shown is the maximum rating when used with 10CFM cooling Fan.

(d) - Evaluated by ANSI/AAMI ES60601-1 (2005/(R)2012 + A1:2012, C1:2009/(R)2012 + A2:2010/(R)2012) CAN/CSA-C22.2 No. 60601-1:14

(F) - refers to where x can be U,I; y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; z can be 0 to 9, A to Z, hyphen or blank; U = Wall mount American plug; I = interchangeable plug

(g) - Where y can be 3.3, 5, 12, 15, or 24

(^) - Where x can be B, U or I; y can be 05, 07, 09, 12, 15, 18, 24 ,28 ,48; -zzz can be 0-9, A-Z or blank for marketing purpose; B = IEC-320 C8 AC Inlet, U = Wall mount American plug, I = American interchangeable plug

* - Rated ratings without 20.5CFM FAN cooling.

+ - Class II SMPS

@ - product certified to ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08.

@@ - Product certified to ANSI/AAMI ES 60601-1: 2005/A1:2012; CAN/CSA-C22.2 No. 60601-1:2014

Marking: Company name, model designation and the Recognized Component Mark for Canada, ℅ᴿᵁ .
Last Updated on 2017-11-23

Questions?   Print this page   Terms of Use   Page Top