#### Black & White Series

# React Development Environment

Thinking in React


# React Program in an Environment

Available at: frameworks/react/3-js-file

#### Development Environment

- **Registry**: download, update, and manage local libraries and coding tools:
  - libraries: React, Bootstrap, Chart, etc.
  - o coding tools: transpiler, linter, resolver, etc.
- Run coding tools:
  - online for testing;
  - batch for deployment.
- **Bundler**: connect, pack, and deploy the package or application.

#### Development Environment



- Registry
- Run coding tools
- Bundler

# package.json and Environment

- package.json records libraries/development dependencies and development task scripts;
- package-lock.json a picture of the current setup;

### Library Dependencies

package.json

```
"dependencies": {
    "react": "^18.3.1",
    "react-dom": "^18.3.1"
},
```

# Development Dependencies

package.json

```
"devDependencies": {
    "@eslint/js": "^9.8.0",
    ...
    "@vitejs/plugin-react": "^4.3.1",
    "eslint": "^9.8.0",
    ...
    "globals": "^15.9.0",
    "vite": "^5.4.0"
}
```

#### Scripts

package.json


```
"scripts": {
   "dev": "vite",
   "build": "vite build",
   "lint": "eslint .",
   "preview": "vite preview"
},
```

### vite.config.js


#### Specific Vite configurations

```
import { defineConfig } from 'vite'
import react from '@vitejs/plugin-react'

// https://vitejs.dev/config/
export default defineConfig({
   plugins: [react()],
})
```




### JSX and Babel Transpiler




### Independent JS File


index.html



### Babel via Dev/Building



## Babel via Dev/Building



#### References

Writing Markup with JSX

#### André Santanchè

www.ic.unicamp.br/~santanch/

#### Web2Learn

santanche.github.io/web2learn/