#### Black & White Series

# JavaScript Environment

JavaScript for C or Java Programmers

## JavaScript

- Invented by Brendan Eich at Netscape
- ECMAScript -> standardization (ECMA, 2011)
- Originally for small in-browser scripts
- Local hardware access limitations
  - security
  - platform independence

#### Experimental environment

Javascript Playground

(https://playcode.io/)

interactive environment ideal for starters

### Inspection Output

```
console.log(<string>)
```

- A simple form of producing outputs for:
  - inspection
  - learning
- Not presented on the page
  - unfit for application output

```
console.log('The dinosaur jumped into the mud')
```

## Sequence of Instructions

- One instruction per line
  - o a semicolon, in the end, is optional

```
console.log('=== Dinosaur Story ===')
console.log('The dinosaur jumped into the mud')
```

- Several instructions in the same line
  - separated by semicolons (mandatory)


```
console.log('=== Dinosaur Story ==='); console.log('The dinosaur jumped into the mud');
```

# Inserting in a Page

#### Non-usual form

#### References

- Mozilla MDN https://developer.mozilla.org
- Eloquent JavaScript https://eloquentjavascript.net/



#### André Santanchè

www.ic.unicamp.br/~santanch/

#### Web2Learn

santanche.github.io/web2learn/