Welcome to active-data

Hagen Geissler Your Name

1 Before you start

Try to mentally step back for a second and imagine you standing infront of a 100 gigabyte data chunk format JSON, rock solid painted in black.

Your existence depends on finding the little data Nugget who lives in Giga-Byte 52.17 you never seen the thing bevor, what do you do.

2 AI-micro-structures

They are called like that because they have multiple properties some are related to the nugget you still searching. The name giving properties come from the genetic way the data is organised.





Figure 1:

3 Optimized data-surface



3.1 Data Restructure

- Each knot in the data structure is identified
- same query distance for each knot in the structure
- generations for revisions
- \bullet scanning for knowledge
- \bullet uncontrolled data-evolution by matrix exchange and fitness comparrison

3.2 Fitness


- querying based on a matrix within a semantic domain
- data fitness based on query matrix

3.3 Data States


- growing
- unknown

\bullet semantically signed

4 Concept Theory




5 Concept applied on Data




6 Coding it

It will work by adding a closed unit (mesh + matrix + reactor) in front of a CouchDb The unit uses a array of algorithms to bring light to the data map it and restructure to harmonised entity most likely we will have in the common toolbox (linux,perl, couchdb, POE, RamDisk, JSON) core toolbox (tetgen, meshlab, CPAN::[Math,AI,Algorithm,Statistics]). The matrix we start with will be able to express (static,liquid,common,unique,dominant) semantic signing for data.

7 Concept applied on Query




7.1 Unknown Data with tet-gen



Entities and Emergence

- Micro-structure



- ProcreationSymbiotic

