

EXPNO:4A	SUPPORT VECTOR MACHINES (SVM)
----------	-------------------------------

AIM:

To build an SVM model for a binary classification task, tune its hyperparameters, and evaluate it using accuracy, precision, recall, F1-score, confusion matrix, and ROC-AUC.

ALGORITHM:

1. Import libraries: numpy, pandas, matplotlib, sklearn.
2. Load data: Use a standard binary dataset (Breast Cancer Wisconsin) from sklearn.datasets.
1. Train/Test split: 80/20 split with a fixed random_state.
2. Preprocess: Standardize features (StandardScaler).
3. SVMs are sensitive to feature scale.
4. Model selection: Use SVC (RBF kernel).
5. Hyperparameter tuning: Grid search on C and gamma with cross-validation
6. (GridSearchCV).
7. Train final model: Fit on training data using best parameters.
8. Evaluate: Predict on test set; compute metrics and plot ROC curve.
9. Report: Best params, metrics, and brief observations.

CODE:

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
from sklearn.datasets import load_iris
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import StandardScaler
from sklearn.svm import SVC
from sklearn.metrics import (
    accuracy_score,
```

```

    confusion_matrix,
    classification_report,
    roc_curve,
    roc_auc_score
)
data = load_iris()
X = pd.DataFrame(data.data, columns=data.feature_names)
y = pd.Series(data.target, name="target")
X_train, X_test, y_train, y_test = train_test_split(
    X,
    y,
    test_size=0.20,
    random_state=42,
    stratify=y
)
scaler = StandardScaler()
X_train_sc = scaler.fit_transform(X_train)
X_test_sc = scaler.transform(X_test)
svm_model = SVC(
    kernel="rbf",
    C=1,
    gamma="scale",
    probability=True,
    random_state=42
)

```

```

svm_model.fit(X_train_sc, y_train)

y_pred = svm_model.predict(X_test_sc)
accuracy = accuracy_score(y_test, y_pred)
print("=== SVM Iris Classification ===")
print("Accuracy:", round(accuracy, 4))
cm = confusion_matrix(y_test, y_pred)
print("\nConfusion Matrix:")
print(cm)
print("\nClassification Report:")
print(
    classification_report(
        y_test,
        y_pred,
        target_names=data.target_names
    )
)
y_prob = svm_model.predict_proba(X_test_sc)

y_test_binary = (y_test == 2).astype(int)
y_prob_binary = y_prob[:, 2]
fpr, tpr, thresholds = roc_curve(
    y_test_binary,
    y_prob_binary
)
auc = roc_auc_score(

```

```
y_test_binary,  
y_prob_binary  
)  
print("ROC-AUC:", round(auc, 4))  
plt.figure()  
plt.plot(  
    fpr,  
    tpr,  
    label=f"SVM (AUC = {auc:.3f})"  
)  
plt.plot(  
    [0, 1],  
    [0, 1],  
    linestyle="--"  
)  
plt.xlabel("False Positive Rate")  
plt.ylabel("True Positive Rate")  
plt.title("ROC Curve - SVM (Iris)")  
plt.legend()  
plt.grid(True)  
plt.show()
```

OUTPUT:

```
=== SVM Iris Classification ===
```

```
Accuracy: 0.9667
```

```
Confusion Matrix:
```


```
[[10  0  0]
 [ 0  9  1]
 [ 0  0 10]]
```

```
Classification Report:
```

	precision	recall	f1-score	support
setosa	1.00	1.00	1.00	10
versicolor	1.00	0.90	0.95	10
virginica	0.91	1.00	0.95	10
accuracy			0.97	30
macro avg	0.97	0.97	0.97	30
weighted avg	0.97	0.97	0.97	30

```
ROC-AUC: 0.995
```

ROC Curve - SVM (Iris)



RESULT:

The Support Vector Machine (SVM) model was successfully implemented and evaluated on the given dataset. The model effectively classified the data by finding the optimal hyperplane that maximized the margin between different classes.

The SVM achieved high accuracy and demonstrated strong performance, especially in handling linearly and non-linearly separable data using kernel functions. This confirms that SVM is a powerful and reliable algorithm for classification tasks.