Marked out of 3.00

Flag question

Sample Output 2 true

Answer: (penalty regime: 0 %)

```c
#include<stdio.h>
int main()
{
    int a,b,c,d;
    scanf("%d %d",&a,&b);
    c=a%10;
    d=b%10;
    if(c==d){
        printf("true");
    }
    else
    {
        printf("false");
    }
}
```

	Input	Expected	Got	
✓	25 53	false	false	✓
✓	27 77	true	true	✓

Passed all tests! ✓

Answer: (penalty regime: 0 %)

```c
#include<stdio.h>
int main()
{
    int n;
    scanf("%d",&n);
    if(n%2==0)
    {
        printf("Not Weird");
    }
    else
    {
        printf("Weird");
    }

}
```

	Input	Expected	Got	
✓	3	Weird	Weird	✓
✓	24	Not Weird	Not Weird	✓

Passed all tests! ✓

Week-03-01-Practice Session-Coding: Attempt review | REC-CIS - SANTHOSH M - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=68559&cmid=73

REC-CIS

```c
#include<stdio.h>
int main()
{
    int a,b,c;
    scanf("%d %d %d",&a,&b,&c);
    if((a*a+b*b==(c*c)) || (a*a+c*c==(b*b)) || (b*b+c*c==(a*a)))
    {
        printf("yes");
    }else{
        printf("no");
    }
}
```

	Input	Expected	Got	
✓	3 5 4	yes	yes	✓
✓	5 8 2	no	no	✓

Passed all tests! ✓

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main()
{
    int sides;
    scanf("%d",&sides);
    switch(sides)
    {
        case 3:
        printf("Triangle");
        break;
        case 4:
        printf("Quadrilateral");
        break;
        case 5:
        printf("Pentagon");
        break;
        case 6:
        printf("Hexagon");
        break;
        case 7:
        printf("Heptagon");
        break;
        case 8:
        printf("Octagon");
        break;
        case 9:
        printf("Nonagon");
        break;
        case 10:
        printf("Decagon");
        break;
        default:
        printf("The number of sides is not supported.");
    }

```

```c
        case 5:
        printf("Pentagon");
        break;
        case 6:
        printf("Hexagon");
        break;
        case 7:
        printf("Heptagon");
        break;
        case 8:
        printf("Octagon");
        break;
        case 9:
        printf("Nonagon");
        break;
        case 10:
        printf("Decagon");
        break;
        default:
        printf("The number of sides is not supported.");
    }


}
```

	Input	Expected	Got	
✓	3	Triangle	Triangle	✓
✓	7	Heptagon	Heptagon	✓
✓	11	The number of sides is not supported.	The number of sides is not supported.	✓

Passed all tests! ✓

Week-03-03-Practice Session-Coding: Attempt review | REC-CIS - SANTHOSH M - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=132338&cmid=75

REC-CIS

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main()
{
int d,m,y,feb;
scanf("%d%d%d",&d,&m,&y);
if((y%100==0&&y%400)||(y%4==0))
feb=29;
else
feb=28;
switch(m){
case 1:
printf("%d",d);
break;
case 2:
printf("%d",31+d);
break;
case 3:
printf("%d",31+feb+d);
break;
case 4:
printf("%d",31+feb+31+d);
break;
case 5:
printf("%d",31+feb+31+30+d);
break;
case 6:
printf("%d",31+feb+31+30+31+d);
break;
case 7:
printf("%d",31+feb+31+30+31+30+d);
break;
case 8:
printf("%d",31+feb+31+30+31+30+31+d);
break;
case 9:
printf("%d",31+feb+31+30+31+30+31+31+d);
```

```
case 6:
printf("%d",31+feb+31+30+31+d);
break;
case 7:
printf("%d",31+feb+31+30+31+30+d);
break;
case 8:
printf("%d",31+feb+31+30+31+30+31+d);
break;
case 9:
printf("%d",31+feb+31+30+31+30+31+31+d);
break;
case 10:
printf("%d",31+feb+31+30+31+30+31+31+30+d);
break;
case 11:
printf("%d",31+feb+31+30+31+30+31+31+30+31+d);
break;
case 12:
printf("%d",31+feb+31+30+31+30+31+31+30+31+30+d);
break;
}
}
```

	Input	Expected	Got	
✓	18 6 2020	170	170	✓

Passed all tests! ✓

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main()
{
    int a,b;
    char c;
    scanf("%c%d%d",&c,&a,&b);
    switch(c)
    {
        case 'R':
        printf("%d",a*b);
        break;
        case 'S':
        printf("%.0f",(0.5)*a*b);
        break;
        case 'T':
        printf("%d",a*b);
        break;
        default:
        printf("0");

    }
}
```

	Input	Expected	Got	
✓	T 10 20	200	200	✓
✓	S 30 40	600	600	✓

1

Example Output Monday

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main()
{
    int n,day;
    scanf("%d",&n);
    if(n<296)
    day=n;
    else
    day=n-296;
    day%=10;
    day=day+1;
    day%=10;
    switch(day)
    {
        case 1:
        printf("Sunday");
        break;
        case 2:
        printf("Monday");
        break;
        case 3:
        printf("Tuesday");
        break;
        case 4:
        printf("Wednesday");
        break;
        case 5:
        printf("Thursday");
        break;
        case 8:
        printf("Kryptonday");
        break;

    }
```

```
        case 2:
        printf("Monday");
        break;
        case 3:
        printf("Tuesday");
        break;
        case 4:
        printf("Wednesday");
        break;
        case 5:
        printf("Thursday");
        break;
        case 8:
        printf("Kryptonday");
        break;

    }
}
```

	Input	Expected	Got	
✓	7	Kryptonday	Kryptonday	✓
✓	1	Monday	Monday	✓

Passed all tests! ✓

Finish review