

REC-CIS

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int a,t,n;
4     scanf("%d",&t);
5     while(t--){
6         scanf("%d",&n);
7         a=n/4;
8         if((n%2==0 && a%2!=0) || n==1 || n==3){
9             printf("Yes\n");}
10        else{
11            printf("No\n");
12        }
13    }
14 }
```

	Input	Expected	Got	
✓	3	Yes	Yes	✓
	1	Yes	Yes	
	6	No	No	
	7			

REC-CIS

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int n,sum=0;
4     scanf("%d",&n);
5     while(n>0){
6         if(n%10==0 || n%10==4 || n%10==6 || n%10==9){
7             sum+=1;
8         }else if(n%10 ==1 || n%10 == 2 || n%10==3 || n%10 ==5|| n%10==7){
9             sum+=0;
10        }else if(n%10==8){
11            sum+=2;
12        }else{
13            continue;
14        }n=n/10;
15    }printf("%d",sum);
16 }
17 }
```

	Input	Expected	Got	
✓	630	2	2	✓
✓	1288	4	4	✓

Passed all tests! ✓

REC-CIS

```
1 #include<stdio.h>
2 int main(){
3     int n,sum=0,coin=1,count=0;
4     scanf("%d",&n);
5     do{
6         sum += coin;
7         coin *=2;
8         count ++;
9     }
10    while(sum<n);
11    printf("%d",count);
12 }
```

	Input	Expected	Got	
✓	10	4	4	✓
✓	5	3	3	✓
✓	20	5	5	✓
✓	500	9	9	✓
✓	1000	10	10	✓

REC-CIS

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,x=0;
5     while(scanf("%d",&n)==1){
6         if(n%2!=0){
7             x++;
8         }
9     }
10    printf("%d",x);
11 }
```

	Input	Expected	Got	
✓	5 10 15 20 25 30 35 40 45 50	5	5	✓

Passed all tests! ✓

REC-CIS

```
1 #include<stdio.h>
2 int main()
3 {
4     int a,x,y;
5     scanf("%d",&a);
6     x=a%10;
7     y=a/10;
8     if(x==0 || x==1 || x==6 || x==8 || x==9)
9     {
10         printf("true");
11     }
12     else if(x==1&&y==1)
13     {
14         printf("false");
15     }
16     else{
17         printf("false");
18     }
19 }
20 }
```

	Input	Expected	Got	
✓	6	true	true	✓
✓	89	true	true	✓
✓	25	false	false	✓

Passed all tests! ✓

REC-CIS

```
1 #include<stdio.h>
2 int main()
3 {
4     long long int n,k,sum=0;
5     scanf("%lld\n %lld",&n,&k);
6     for(int i=1;i<=n;i++){
7         sum +=i;
8         if(sum==k){
9             sum -=1;
10        }
11    }
12    printf("%lld",sum%1000000007);
13
14 }
```

	Input	Expected	Got	
✓	2 2	3	3	✓
✓	2 1	2	2	✓
✓	3 3	5	5	✓

Passed all tests! ✓