

1. a) Hyperlinks with <a> tag and href, target attributes

html

Copy

```
<!DOCTYPE html>
<html>
<head>
  <title>Hyperlink Example</title>
</head>
<body>
  <h2>Hyperlink Examples</h2>
  <a href="https://www.google.com" target="_blank">Open Google in new
tab</a><br>
  <a href="https://www.wikipedia.org" target="_self">Open Wikipedia in
same tab</a>
</body>
</html>
```

1. b) Internal and External JavaScript

HTML File (index.html):

html

Copy

```
<!DOCTYPE html>
<html>
<head>
  <title>JavaScript Example</title>
  <script>
    // Internal JavaScript
    function greet() {
      alert("Hello from Internal JavaScript!");
    }
  </script>
  <script src="external.js"></script> <!-- External JS -->
</head>
<body>
  <button onclick="greet()">Internal JS</button>
```

```
<button onclick="externalGreet()">External JS</button>
</body>
</html>
```

External File (external.js):

```
javascript
Copy
function externalGreet() {
    alert("Hello from External JavaScript!");
}
```

2. a) CSS Color Referencing

```
html
Copy
<!DOCTYPE html>
<html>
<head>
    <title>CSS Color References</title>
    <style>
        .nameColor { color: red; }
        .hexColor { color: #00ff00; }
        .rgbColor { color: rgb(0, 0, 255); }
    </style>
</head>
<body>
    <p class="nameColor">This is red using color name.</p>
    <p class="hexColor">This is green using HEX code.</p>
    <p class="rgbColor">This is blue using RGB code.</p>
</body>
</html>
```

2. b) Document Object Properties and Methods

```
html
Copy
```

```
<!DOCTYPE html>
<html>
<head>
  <title>Document Object Example</title>
</head>
<body>
  <script>
    document.write("Title of the document: " + document.title +
" <br>");
    document.write("URL of the document: " + document.URL + " <br>");
    document.write("Last modified: " + document.lastModified);
  </script>
</body>
</html>
```

3. a) HTML Table Example

html

Copy

```
<!DOCTYPE html>
<html>
<head>
  <title>HTML Table</title>
</head>
<body>
  <table border="1">
    <tr>
      <th>Day</th>
      <th colspan="2">Time</th>
    </tr>
    <tr>
      <td rowspan="2">Monday</td>
      <td>10 AM</td>
      <td>11 AM</td>
    </tr>
    <tr>
      <td>12 PM</td>
      <td>1 PM</td>
```

```
        </tr>
    </table>
</body>
</html>
```

3. b) Switch Case for Weekdays

```
html
Copy
<!DOCTYPE html>
<html>
<head>
    <title>Weekdays with Switch</title>
</head>
<body>
    <script>
        let day = new Date().getDay();
        let weekday;
        switch(day) {
            case 0: weekday = "Sunday"; break;
            case 1: weekday = "Monday"; break;
            case 2: weekday = "Tuesday"; break;
            case 3: weekday = "Wednesday"; break;
            case 4: weekday = "Thursday"; break;
            case 5: weekday = "Friday"; break;
            case 6: weekday = "Saturday"; break;
            default: weekday = "Invalid day";
        }
        document.write("Today is " + weekday);
    </script>
</body>
</html>
```

4. a) CSS Font and Text

```
html
Copy
```

```
<!DOCTYPE html>
<html>
<head>
  <title>CSS Font and Text</title>
  <style>
    .style1 {
      font-size: 20px;
      font-weight: bold;
      font-style: italic;
    }
  </style>
</head>
<body>
  <p class="style1">This is styled text using font-size, weight, and
style.</p>
</body>
</html>
```

4. b) Window Object Properties and Methods

```
html
Copy
<!DOCTYPE html>
<html>
<head>
  <title>Window Object Example</title>
</head>
<body>
  <script>
    alert("Window width: " + window.innerWidth + "px\nWindow height: "
+ window.innerHeight + "px");
    window.open("https://www.example.com", "_blank");
  </script>
</body>
</html>
```

5. a) Thumbnail Image Gallery

html

Copy

```
<!DOCTYPE html>
<html>
<head>
  <title>Image Gallery</title>
</head>
<body>
  <h2>Thumbnail Gallery</h2>
  <a href="full1.jpg" target="_blank">
    
  </a>
  <a href="full2.jpg" target="_blank">
    
  </a>
  <a href="full3.jpg" target="_blank">
    
  </a>
</body>
</html>
```

5. b) Print 1 to 10 using Loops

html

Copy

```
<!DOCTYPE html>
<html>
<head>
  <title>Loop Examples</title>
</head>
<body>
  <script>
    document.write("<strong>Using for loop:</strong><br>");
    for (let i = 1; i <= 10; i++) {
      document.write(i + " ");
    }
  </script>
```

```

document.write("<br><strong>Using while loop:</strong><br>");
let j = 1;
while (j <= 10) {
    document.write(j + " ");
    j++;
}

document.write("<br><strong>Using do-while loop:</strong><br>");
let k = 1;
do {
    document.write(k + " ");
    k++;
} while (k <= 10);
</script>
</body>
</html>

```

6.a) Pseudo-element Selector and Combinator Selector

```

html
Copy
<!DOCTYPE html>
<html>
<head>
    <title>CSS Selectors</title>
    <style>
        /* Pseudo-element */
        p::first-letter {
            font-size: 200%;
            color: red;
        }

        /* Combinator: descendant */
        div p {
            color: blue;
        }

        /* Combinator: child */
        ul > li {

```

```
        font-weight: bold;
    }
</style>
</head>
<body>
    <div>
        <p>This paragraph is inside a div.</p>
    </div>
    <ul>
        <li>Item 1</li>
        <li>Item 2</li>
    </ul>
</body>
</html>
```

6.b) Math Object Example

```
html
Copy
<!DOCTYPE html>
<html>
<head>
    <title>Math Object</title>
</head>
<body>
    <script>
        document.write("Math.PI: " + Math.PI + "<br>");
        document.write("Math.sqrt(25): " + Math.sqrt(25) + "<br>");
        document.write("Math.pow(2, 4): " + Math.pow(2, 4) + "<br>");
        document.write("Math.random(): " + Math.random() + "<br>");
    </script>
</body>
</html>
```

7.a) Images as Links to Profiles

html

Copy

```
<!DOCTYPE html>
<html>
<head>
  <title>Profile Images</title>
</head>
<body>
  <h2>Profile Links</h2>
  <a href="https://your-profile.com" target="_blank">
    
  </a>
  <a href="https://friends-profile.com" target="_blank">
    
  </a>
</body>
</html>
```

7.b) Armstrong Number Check

html

Copy

```
<!DOCTYPE html>
<html>
<head>
  <title>Armstrong Number</title>
</head>
<body>
  <script>
    let num = 153;
    let temp = num, sum = 0;
    while (temp > 0) {
      let digit = temp % 10;
      sum += digit ** 3;
      temp = Math.floor(temp / 10);
    }
  </script>

```

```
    if (sum === num) {
        document.write(num + " is an Armstrong number.");
    } else {
        document.write(num + " is not an Armstrong number.");
    }
</script>
</body>
</html>
```

8.a) Semantic Tags Example

html

Copy

```
<!DOCTYPE html>
<html>
<head>
    <title>Semantic Tags</title>
</head>
<body>
    <header><h1>Welcome to My Page</h1></header>
    <nav><a href="#">Home</a> | <a href="#">About</a></nav>
    <main>
        <section>
            <article>
                <h2>Article Title</h2>
                <p>This is an article inside a section.</p>
                <figure>
                    
                    <figcaption>Image description</figcaption>
                </figure>
            </article>
        </section>
        <aside>Side content</aside>
    </main>
    <footer>&copy; 2025 My Site</footer>
</body>
```

</html>

8.b) String Object Example

html

Copy

```
<!DOCTYPE html>
```

```
<html>
```

<head>

<title>String Object</title>

</head>

<body>

```
<script>
```

```
let str = "Hello, JavaScript!";
```

```
document.write("Length: " + str.length + "<br>");
```

```
document.write("Uppercase: " + str.toUpperCase() + "<br>");
```

```
document.write("Substring (0,5): " + str.substring(0, 5) +
"<br>");
```

```
document.write("Index of 'Script': " + str.indexOf("Script"));
```

</script>

</body>

</html>

9.a) CSS Box Model Example

html

Copy

```
<!DOCTYPE html>
```

```
<html>
```

<head>

```
<title>CSS Box Model</title>
```

<style>

```
.box {
```

```
width: 200px;
```

padding: 20px;

```
border: 5px solid black;
```

```
        margin: 30px;
        background-color: lightblue;
    }
</style>
</head>
<body>
    <div class="box">This box demonstrates content, padding, border, and
margin.</div>
</body>
</html>
```

9.b) Bank Denomination Program

```
html
Copy
<!DOCTYPE html>
<html>
<head>
    <title>Bank Denomination</title>
</head>
<body>
    <script>
        let amount = 163;
        let notes = [100, 50, 20, 10, 5, 2, 1];
        for (let i = 0; i < notes.length; i++) {
            let count = Math.floor(amount / notes[i]);
            if (count > 0) {
                document.write(count + " - " + notes[i] + "s<br>");
            }
            amount %= notes[i];
        }
    </script>
</body>
</html>
```

10.a) CSS Selector Types

html

Copy

```
<!DOCTYPE html>
<html>
<head>
  <title>CSS Selectors</title>
  <style>
    /* Simple Selectors */
    p { color: blue; }
    #unique { font-weight: bold; }
    .highlight { background: yellow; }
    * { font-family: Arial; }

    /* Grouping */
    h1, h2 { color: green; }

    /* Pseudo-class */
    a:hover { color: red; }

    /* Pseudo-element */
    p::after { content: " 🔍"; }
  </style>
</head>
<body>
  <h1>Heading One</h1>
  <h2>Heading Two</h2>
  <p id="unique" class="highlight">Styled paragraph</p>
  <a href="#">Hover me</a>
</body>
</html>
```

10.b) Date Object Example

html

Copy

```
<!DOCTYPE html>
```

```

<html>
<head>
  <title>Date Object</title>
</head>
<body>
  <script>
    let now = new Date();
    document.write("Current Date: " + now.toString() + "<br>");
    document.write("Current Time: " + now.toLocaleTimeString() +
"<br>");
    document.write("Year: " + now.getFullYear() + "<br>");
    document.write("Month: " + (now.getMonth() + 1));
  </script>
</body>
</html>

```

11.a) Working of Lists in HTML

```

html
Copy
<!DOCTYPE html>
<html>
<head>
  <title>HTML Lists</title>
</head>
<body>
  <h2>Ordered List</h2>
  <ol>
    <li>HTML</li>
    <li>CSS</li>
    <li>JavaScript</li>
  </ol>

  <h2>Unordered List</h2>
  <ul>
    <li>Apple</li>
    <li>Banana</li>
    <li>Mango</li>
  </ul>

```

```
<h2>Description List</h2>
<dl>
  <dt>HTML</dt>
  <dd>HyperText Markup Language</dd>
  <dt>CSS</dt>
  <dd>Cascading Style Sheets</dd>
</dl>
</body>
</html>
```

11.b) Fibonacci Series Function

```
html
Copy
<!DOCTYPE html>
<html>
<head>
  <title>Fibonacci Series</title>
</head>
<body>
  <script>
    function fibonacci(n) {
      let a = 0, b = 1, next;
      document.write("Fibonacci Series: ");
      for (let i = 1; i <= n; i++) {
        document.write(a + " ");
        next = a + b;
        a = b;
        b = next;
      }
    }

    fibonacci(10); // Change number for more terms
  </script>
</body>
</html>
```

12.a) Time Table using HTML Table

html

Copy

```
<!DOCTYPE html>
<html>
<head>
  <title>Time Table</title>
</head>
<body>
  <h2>Weekly Time Table</h2>
  <table border="1">
    <tr>
      <th>Day</th>
      <th>9-10 AM</th>
      <th>10-11 AM</th>
      <th>11-12 PM</th>
    </tr>
    <tr>
      <td>Monday</td>
      <td>Math</td>
      <td>Science</td>
      <td>English</td>
    </tr>
    <tr>
      <td>Tuesday</td>
      <td>History</td>
      <td>Math</td>
      <td>Computer</td>
    </tr>
  </table>
</body>
</html>
```

12.b) Factorial Function in JavaScript

html

Copy

```
<!DOCTYPE html>
<html>
<head>
  <title>Factorial</title>
</head>
<body>
  <script>
    function factorial(n) {
      let fact = 1;
      for (let i = 1; i <= n; i++) {
        fact *= i;
      }
      document.write("Factorial of " + n + " is " + fact);
    }

    factorial(5); // Change number to test different values
  </script>
</body>
</html>
```

13.a) Thumbnail Image Gallery

html

Copy

```
<!DOCTYPE html>
<html>
<head>
  <title>Thumbnail Gallery</title>
</head>
<body>
  <h2>Thumbnail Image Gallery</h2>
  <a href="full1.jpg" target="_blank"></a>
```

```
<a href="full2.jpg" target="_blank"></a>
<a href="full3.jpg" target="_blank"></a>
</body>
</html>
```

13.b) Regex and String Object Methods

```
html
Copy
<!DOCTYPE html>
<html>
<head>
  <title>Regex and String</title>
</head>
<body>
  <script>
    let text = "The rain in Spain stays mainly in the plain.";

    // Using RegEx
    let result = text.match(/ain/g);
    document.write("Matched substrings: " + result + "<br>");

    // Other String methods
    document.write("Length: " + text.length + "<br>");
    document.write("Uppercase: " + text.toUpperCase() + "<br>");
    document.write("Replace: " + text.replace("rain", "sun") +
"<br>");
  </script>
</body>
</html>
```