



VIT[®]
Vellore Institute of Technology
(Deemed to be University under section 3 of UGC Act, 1956)

Digital Assignment Lab - 2

Course Name :- Agile Development Process and Devops Lab

Course code :- ISWE406P

Name :- G SAI SANTHOSH

Reg-No:- 23MIS0227

Version Check :


```
PS C:\Users\saisa> javac -version
javac 25.0.2
PS C:\Users\saisa> python --version
Python 3.14.2
```

PS C:\Users\saisa> java -jar "C:\Program Files\jenkins.war"

```
PS C:\Users\saisa> java -jar "C:\Program Files\jenkins.war" --httpPort=8081
Running from: C:\Program Files\jenkins.war
webroot: C:\Users\saisa\.jenkins\war
2026-02-05 13:03:14.666+0000 [id=3] INFO winstone.Logger$logInternal: Beginning extraction from war file
2026-02-05 13:03:14.715+0000 [id=3] WARNING o.e.j.ee9.nested.ContextHandler$extContextPath: Empty contextPath
2026-02-05 13:03:14.764+0000 [id=3] INFO org.eclipse.jetty.server.Server$doStart: jetty-12.1.5; built: 2025-12-03T22:18:24.732Z; git: 4905d99d7b6801e792d7b73946cf7b66e4be25d6; jvm 25.0.2+10-LTS-69
2026-02-05 13:03:15.379+0000 [id=3] INFO o.e.j.e.w.StandardDescriptorProcessor$visitServlet: NO JSP Support for /, did not find org.eclipse.jetty.ee9.jsp.JettyJspServlet
2026-02-05 13:03:15.424+0000 [id=3] INFO o.e.j.s.DefaultSessionIdManager$doStart: Session workerName=node0
WARNING: A terminally deprecated method in sun.misc.Unsafe has been called
WARNING: sun.misc.Unsafe: objectFieldOffset has been called by com.thoughtworks.xstream.converters.reflection.SunUnsafeReflectionProvider (file:/C:/Users/saisa/.jenkins/war/WEB-INF/lib/xstream-1.4.21.jar)
WARNING: Please consider reporting this to the maintainers of class com.thoughtworks.xstream.converters.reflection.SunUnsafeReflectionProvider
WARNING: sun.misc.Unsafe: objectFieldOffset will be removed in a future release
2026-02-05 13:03:15.770+0000 [id=3] INFO hudson.WebAppMain$contextInitialized: Jenkins home directory: C:\Users\saisa\.jenkins found at: $user.home/.jenkins
2026-02-05 13:03:15.882+0000 [id=3] INFO o.e.j.s.handler.ContextHandler$doStart: Started oeje9n.ContextHandler$CoreContextHandler@29ad44e3{Jenkins v2.541.1,/ ,b=file:///C:/Users/saisa/.jenkins/war/,a
tedHandler@15bcf458{STARTED}}
2026-02-05 13:03:15.908+0000 [id=3] INFO o.e.j.s.server.AbstractConnector$doStart: Started oejs.ServerConnector@938875e7d{HTTP/1.1,(http/1.1)}{0.0.0.0:8081}
2026-02-05 13:03:15.999+0000 [id=3] INFO org.eclipse.jetty.server.Server$doStart: Started oejs.Server@4816dde{STARTING}[12.1.5,sto=0] @1149ms
2026-02-05 13:03:15.910+0000 [id=60] INFO winstone.Logger$logInternal: Winstone Servlet Engine running: controlPort=disabled
2026-02-05 13:03:16.007+0000 [id=58] INFO jenkins.model.Jenkins$<init>: Starting version 2.541.1
2026-02-05 13:03:16.089+0000 [id=71] INFO jenkins.InitReactorRunner$1$onAttained: Started initialization
2026-02-05 13:03:16.101+0000 [id=92] INFO jenkins.InitReactorRunner$1$onAttained: Listed all plugins
2026-02-05 13:03:16.664+0000 [id=99] INFO jenkins.InitReactorRunner$1$onAttained: Prepared all plugins
2026-02-05 13:03:16.668+0000 [id=79] INFO jenkins.InitReactorRunner$1$onAttained: Started all plugins
2026-02-05 13:03:16.678+0000 [id=70] INFO jenkins.InitReactorRunner$1$onAttained: Augmented all extensions
2026-02-05 13:03:16.780+0000 [id=93] INFO jenkins.InitReactorRunner$1$onAttained: System config loaded
2026-02-05 13:03:16.781+0000 [id=96] INFO jenkins.InitReactorRunner$1$onAttained: System config adapted
2026-02-05 13:03:16.783+0000 [id=72] INFO jenkins.InitReactorRunner$1$onAttained: Loaded all jobs
2026-02-05 13:03:16.782+0000 [id=84] INFO jenkins.InitReactorRunner$1$onAttained: Configuration for all jobs updated
2026-02-05 13:03:16.812+0000 [id=114] INFO hudson.util.Retrier$start: Attempt #1 to do the action check updates server
2026-02-05 13:03:17.012+0000 [id=85] INFO jenkins.install.SetupWizard$init:
[CRLF]>
[CRLF]> *****
[CRLF]> *****
[CRLF]> *****
[CRLF]> *****
[CRLF]> Jenkins initial setup is required. An admin user has been created and a password generated.
[CRLF]> Please use the following password to proceed to installation:
[CRLF]>
[CRLF]> 7ee705d2922141509ddaf39f48656d9
[CRLF]>
[CRLF]> This may also be found at: C:\Users\saisa\.jenkins\secrets\initialAdminPassword
[CRLF]>
[CRLF]> *****
[CRLF]> *****
[CRLF]> *****
2026-02-05 13:03:28.950+0000 [id=85] INFO jenkins.InitReactorRunner$1$onAttained: Completed initialization
2026-02-05 13:03:28.962+0000 [id=58] INFO hudson.lifecycle.Lifecycle$onReady: Jenkins is fully up and running
2026-02-05 13:03:31.277+0000 [id=114] INFO h.n.DownloadService$doLoadableLoad: Obtained the updated data file for hudson.tasks.Maven.MavenInstaller
2026-02-05 13:03:31.278+0000 [id=114] INFO hudson.util.Retrier$start: Performed the action check updates server successfully at the attempt #1
WARNING: A restricted method in java.lang.System has been called
WARNING: java.lang.System:load has been called by com.sun.jna.Native in an unnamed module (file:/C:/Users/saisa/.jenkins/war/WEB-INF/lib/jna-5.18.1.jar)
WARNING: Use --enable-native-access=ALL-UNNAMED to avoid a warning for callers in this module
WARNING: Restricted methods will be blocked in a future release unless native access is enabled
```


Open Local Host: <http://localhost:8081>

Jenkins Interface:




1 . Jenkins First_Job :

Configuration :




Console output :




2.First Java Job Jenkins :


Helloworld.java in a working space



Console output:




GitHub Program-1 Repo:




3.GitHubjob :

Hello.py in GitHub :



Configuration:



Jenkins / GitHubJob / Configure

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

Repository URL ?

Credentials ?
 + Add

Advanced ▾

+ Add Repository

Branches to build ?

Branch Specifier (blank for 'any') ?

+ Add Branch

Save Apply

Jenkins / GitHubJob / Configure

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

☐ GitHub hook trigger for GITScm polling ?

☒ Poll SCM ?

Schedule ?

⚠ Do you really mean "every minute" when you say "* * * * *"? Perhaps you meant "H * * * *" to poll once per hour
Would last have run at Thursday, 5 February 2026, 9:51:00pm India Standard Time; would next run at Thursday, 5 February 2026, 9:52:00pm India Standard Time.

☐ Ignore post-commit hooks ?

Environment


Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.

☒ Delete workspace before build starts


Advanced ▾

☐ Use secret text(s) or file(s) ?

Save Apply




Console Output :






4.Dev_job :

First.py in GitHub




Configuration:





Console Output :



```
> git.exe --version # timeout=10
> git --version # 'git version 2.52.0.windows.1'
using GIT_ASKPASS to set credentials Python_GitHub
> git.exe fetch --tags --force --progress -- https://github.com/santhoshh005/Program-1.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git.exe config remote.origin.url https://github.com/santhoshh005/Program-1.git # timeout=10
> git.exe config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision ac22fd543f9d9b094937c43f251b03833babb98 (refs/remotes/origin/main)
> git.exe config core.sparsecheckout # timeout=10
> git.exe checkout -f ac22fd543f9d9b094937c43f251b03833babb98 # timeout=10
Commit message: "Add print statement for QA job"
> git.exe rev-list --no-walk ac22fd543f9d9b094937c43f251b03833babb98 # timeout=10
[DEV_Job] $ cmd /c call C:\Users\saisa\AppData\Local\Temp\jenkins1351516422073514762.bat


C:\Users\saisa\.jenkins\workspace\DEV_Job>python First.py
First one in Python For CD

C:\Users\saisa\.jenkins\workspace\DEV_Job>exit 0
Triggering a new build of QA_Job
Finished: SUCCESS
```


Jenkins 2.541.1



5.QA_job :


Add.py in GitHub




Configuration:








Console Output :



Views:


Java_version :



The screenshot shows the Jenkins web interface for the 'Java_Version' view. The browser address bar indicates the URL is 'localhost:8081/view/Java_Version/'. The Jenkins logo and 'Java_Version' breadcrumb are at the top left. A sidebar on the left contains links: '+ New Item', 'Build History', 'Edit View', 'Delete View', 'Project Relationship', and 'Check File Fingerprint'. On the right, there's an 'Add description' button. Below the sidebar, there are two dropdown menus: 'Build Queue' (showing 'No builds in the queue.') and 'Build Executor Status' (showing '0/2'). The main content area features a tabbed interface with 'All', 'DEV_QA_Pipeline', and 'Java_Version' (selected). Below the tabs is a table with columns: 'S', 'Name', 'Last Success', 'Last Failure', and 'Last Duration'. The table contains one row for 'Jenkins_First_Job' with a green status icon, a duration of '58 min', and a last success time of '#2'. A 'Last Failure' column shows 'N/A'. A 'Last Duration' column shows '0.16 sec'. Below the table is a horizontal scrollbar and a legend for 'Icon: S M L'. At the bottom right, it says 'REST API' and 'Jenkins 2.541.1'.

S	Name	Last Success	Last Failure	Last Duration
✓	Jenkins_First_Job	58 min #2	N/A	0.16 sec

Edit View :




The screenshot shows the Jenkins 'Edit View' configuration page for 'Java_Version'. The browser address bar indicates the URL is 'localhost:8081/view/Java_Version/configure'. The Jenkins logo and 'Java_Version / Edit View' breadcrumb are at the top left. A sidebar on the left contains links: 'Edit View', 'Delete View', 'Project Relationship', and 'Check File Fingerprint'. On the right, there's a 'Description' field with a placeholder 'Describe the purpose of this view.' and a 'Plain text: Preview' link. Below the description is a 'Jobs' section with the text 'Select the jobs to show in this view.' and a list of checkboxes: 'Recurse in subfolders', 'DEV_Job', 'FirstJavaJob', 'GitHubJob', 'Jenkins_First_Job' (checked), and 'QA_Job'. At the bottom, there are 'Save' and 'Apply' buttons.

Jobs

Select the jobs to show in this view.

- ☐ Recurse in subfolders
- ☐ DEV_Job
- ☐ FirstJavaJob
- ☐ GitHubJob
- ☒ Jenkins_First_Job
- ☐ QA_Job

Build Pipeline View :



Edit view of Build Pipeline :

Browser: New Tab | Edit View - Jenkins | +
URL: localhost:8081/view/DEV_QA_Pipeline/configure

Jenkins / DEV_QA_Pipeline / Edit View

+ New Item

Build History

Edit View

Delete View

Project Relationship

Check File Fingerprint

Build Queue

No builds in the queue.

Build Executor Status

0/2

Edit View

Name: DEV_QA_Pipeline

Description: Describe the purpose of this view.

Plain text: [Preview](#)

Build Pipeline View Title

Pipeline Flow

Layout

[Save](#) [Apply](#)

Browser: New Tab | Edit View - Jenkins | +
URL: localhost:8081/view/DEV_QA_Pipeline/configure

Jenkins / DEV_QA_Pipeline / Edit View

Upstream / downstream config

Select Initial Job ?
DEV_Job

Trigger Options

Build Cards
Standard build card

[Use the default build cards](#)

Restrict triggers to most recent successful builds ?
☐ Yes
☒ No

Always allow manual trigger on pipeline steps ?
☐ Yes
☒ No

[Save](#) [Apply](#)

Build History:

New Tab

All - Jenkins

localhost:8081/view/all/builds

Gmail

YouTube

Maps

All Bookmarks

Jenkins

All

Build History

+ New Item

Build History

Project Relationship

Check File Fingerprint

Build Queue

No builds in the queue.

Build Executor Status

0/2

Build History of Jenkins

S	Build	Time Since	1	Status
✓	QA_Job #3	59 min		stable
✓	DEV_Job #8	1 hr 0 min		stable
✓	QA_Job #2	1 hr 2 min		stable
✓	Jenkins_First_Job #2	1 hr 2 min		stable
✓	GitHubJob #5	1 hr 2 min		stable
✓	FirstJavaJob #2	1 hr 2 min		stable
✓	DEV_Job #7	1 hr 2 min		stable
✓	DEV_Job #6	1 hr 8 min		stable
✓	DEV_Job #5	1 hr 8 min		stable
✓	QA_Job #1	1 hr 9 min		stable
✓	GitHubJob #4	1 hr 9 min		stable