



Agile Lab MID-Term

23MIS0227

G.Sai Santhosh



```

PS C:\Users\batch1\Documents\maven\new> tree /f
Folder PATH listing for volume Windows
Volume serial number is 368D-E1FD
C:..
├── agile-lab
│   ├── Jenkinsfile
│   ├── pom.xml
│   └── README.md
└── src
    ├── main
    │   ├── java
    │   │   └── com
    │   │       └── example
    │   │           App.java
    └── test
        ├── java
        │   └── com
        │       └── example
        │           AppTest.java

```

```

PS C:\Users\batch1\Documents\maven\agile-lab> git clone https://github.com/santhoshh005/agile-lab.git
Cloning into 'agile-lab'...
remote: Enumerating objects: 22, done.
remote: Counting objects: 100% (22/22), done.
remote: Compressing objects: 100% (11/11), done.
remote: Total 22 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (22/22), 4.68 KiB | 4.68 MiB/s, done.
Resolving deltas: 100% (2/2), done.
PS C:\Users\batch1\Documents\maven\agile-lab> 

```

pipeline script :

```

pipeline{
  agent any

  tools{
    maven 'M3'
  }

  stages{

```

```

stage('Code Checkout'){
    steps{
        git branch: 'main',
        url: 'https://github.com/santhoshh005/agile-lab.git'
    }
}
stage('Build'){
    steps{
        bat 'mvn clean test'
    }
}
stage('Install'){
    steps{
        bat 'mvn clean install'
    }
}
}
}

```

AppTest.java

```

package com.example;

import org.junit.Test;
import static org.junit.Assert.*;

public class AppTest {

    @Test
    public void testGrades() {
        App app = new App();

        assertEquals("Grade S", app.getGrade(95));
        assertEquals("Grade A", app.getGrade(85));
        assertEquals("Grade B", app.getGrade(72));
        assertEquals("Grade C", app.getGrade(60));
        assertEquals("Grade D", app.getGrade(55));
        assertEquals("Grade E", app.getGrade(45));
        assertEquals("Grade F", app.getGrade(30));
    }

    @Test
    public void testEdgeCases() {
        App app = new App();

        assertEquals("Grade S", app.getGrade(100));
        assertEquals("Grade F", app.getGrade(0));
    }

    @Test

```

```
public void testBoundaryValues() {
    App app = new App();

    assertEquals("Grade E", app.getGrade(40));
    assertEquals("Grade D", app.getGrade(50));
    assertEquals("Grade C", app.getGrade(60));
    assertEquals("Grade B", app.getGrade(70));
    assertEquals("Grade A", app.getGrade(80));
    assertEquals("Grade S", app.getGrade(90));
}
}
```

App.java

```
public class App {

    public String getGrade(int a) {

        if (a < 0 || a > 100) {
            return "Invalid Marks";
        }

        if (a >= 90) {
            return "Grade S";
        } else if (a >= 80) {
            return "Grade A";
        } else if (a >= 70) {
            return "Grade B";
        } else if (a >= 60) {
            return "Grade C";
        } else if (a >= 50) {
            return "Grade D";
        } else if (a >= 40) {
            return "Grade E";
        } else {
            return "Grade F";
        }
    }
}
```

```

[INFO] --- compiler:3.13.0:testCompile (default-testCompile) @ simple-maven-app ---
[INFO] Recompiling the module because of changed dependency.
[WARNING] File encoding has not been set, using platform encoding UTF-8, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\test-classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[WARNING] source value 8 is obsolete and will be removed in a future release
[WARNING] target value 8 is obsolete and will be removed in a future release
[WARNING] To suppress warnings about obsolete options, use -Xlint:-options.
[INFO]
[INFO] --- surefire:3.2.5:test (default-test) @ simple-maven-app ---
[INFO] Using auto detected provider org.apache.maven.surefire.junit4.JUnit4Provider
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running com.example.AppTest
[INFO] Tests run: 3, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.035 s -- in com.example.AppTest
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 3, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 1.281 s
[INFO] Finished at: 2026-04-02T15:22:38+05:30
[INFO] -----
PS C:\Users\batch1\Documents\maven\agile-lab>

```

```

PS C:\Users\batch1\Documents\maven\agile-lab> mvn clean test
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.example:simple-maven-app >-----
[INFO] Building simple-maven-app 1.0-SNAPSHOT
[INFO]   from pom.xml
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- clean:3.2.0:clean (default-clean) @ simple-maven-app ---
[INFO] Deleting C:\Users\batch1\Documents\maven\agile-lab\target
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ simple-maven-app ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory C:\Users\batch1\Documents\maven\agile-lab\src\main\resources
[INFO]
[INFO] --- compiler:3.13.0:compile (default-compile) @ simple-maven-app ---
[INFO] Recompiling the module because of changed source code.
[WARNING] File encoding has not been set, using platform encoding UTF-8, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[WARNING] source value 8 is obsolete and will be removed in a future release
[WARNING] target value 8 is obsolete and will be removed in a future release
[WARNING] To suppress warnings about obsolete options, use -Xlint:-options.
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ simple-maven-app ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory C:\Users\batch1\Documents\maven\agile-lab\src\test\resources
[INFO]
[INFO] --- compiler:3.13.0:testCompile (default-testCompile) @ simple-maven-app ---
[INFO] Recompiling the module because of changed dependency.
[WARNING] File encoding has not been set, using platform encoding UTF-8, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\test-classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[WARNING] source value 8 is obsolete and will be removed in a future release
[WARNING] target value 8 is obsolete and will be removed in a future release
[WARNING] To suppress warnings about obsolete options, use -Xlint:-options.
[INFO]
[INFO] --- surefire:3.2.5:test (default-test) @ simple-maven-app ---
[INFO] Using auto detected provider org.apache.maven.surefire.junit4.JUnit4Provider
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----

```

Jenkins

MavenPipeline

Configuration

Configure

General

Office 365 Connector / Power Automate workflows

Triggers

Pipeline

Advanced

☐ Poll SCM

☐ Trigger builds remotely (e.g., from scripts)

Pipeline

Define your Pipeline using Groovy directly or pull it from source control.

Definition

Pipeline script

Script

```
1= pipeline{
2  agent any
3
4  tools{
5    maven 'M3'
6  }
7
8  stages{
9    stage('Code Checkout'){
10     steps{
11       git branch: 'main',
12         url: 'https://github.com/santhosh0005/agile-lab.git'
13     }
14   }
15   stage('Build'){
```

☒ Use Groovy Sandbox

Pipeline Syntax

Advanced

Advanced

Save

Apply

Help us localize this page

RE



Jenkins / MavenPipeline ▾ / Stages

Stages

March 2, 2026



Jenkins / MavenPipeline



Status



Changes



Build Now



Configure



Delete Pipeline



Stages



Rename



Pipeline Syntax



MavenPipeline

Permalinks

- Last build (#4), 38 min ago
- Last stable build (#4), 38 min ago
- Last successful build (#4), 38 min ago
- Last completed build (#4), 38 min ago

Builds >



Filter



Today



#4 9:22 PM

