

GOVERNMENT OF INDIA MINISTRY OF SKILL DEVELOPMENT & ENTREPRENEURSHIP DIRECTORATE GENERAL OF TRAINING

COMPETENCY BASED CURRICULUM

TURNER

(Duration: Two Years)

CRAFTSMEN TRAINING SCHEME (CTS) NSQF LEVEL- 5



SECTOR -CAPITAL GOODS AND MANUFACTURING





(Engineering Trade)

(Revised in 2019)

Version: 1.2

CRAFTSMEN TRAINING SCHEME (CTS)

NSQF LEVEL - 5

Developed By

Ministry of Skill Development and Entrepreneurship

Directorate General of Training

CENTRAL STAFF TRAINING AND RESEARCH INSTITUTE

EN-81, Sector-V, Salt Lake City, Kolkata – 700 091 www.cstaricalcutta.gov.in

CONTENTS

SI.No.	Topics	Page No.
1.	Course Information	1
2.	Training System	3
3.	Job Role	7
4.	General Information	8
5.	Learning Outcome	11
6.	Assessment Criteria	13
7.	Trade Syllabus	19
	Annexure I(List of Trade Tools & Equipment)	38
	Annexure II (List of Trade experts)	51



During the two years duration a candidate is trained on subjects Professional Skill, Professional Knowledge, Engineering Drawing, Workshop Science & Calculation and Employability Skills related to job role. In addition to this a candidate is entrusted to make/do project work and Extra Curricular Activities to build up confidence. The practical skills are imparted in simple to complex manner & simultaneously theory subject is taught in the same fashion to apply cognitive knowledge while executing task. The practical part starts with basic fitting & turning and executes complex turning operation both in conventional lathe and CNC turn centre at the end of the course. The broad components covered under Professional Skill subject are as below:

<u>FIRST YEAR:</u> The practical part starts with basic fitting & different turning including setting of different shaped job on different chucks. The different turning operations — Plain, Facing, Drilling, Boring (counter and stepped) Grooving, Parallel turning, stepped turning, Parting, Chamfering, U-cut, Reaming, Internal recess & Knurling. The skills on grinding of different cutting tools viz., V tool, side cutting, parting and thread cutting (both LH & RH) are also imparted. During this period the testing alignment of lathe by checking different parameters viz., axial slip of main spindle, true running of head stock, parallelism of main spindle and alignment of both the centres are also covered. The observation of all safety aspects is mandatory during execution any task. The safety aspects cover components like OSH&E, PPE, Fire extinguisher, First Aid and in addition 5S being taught.

This section covers setting of different components (Form tool, Compound slide, Tail stock offset, taper turning attachment) & parameters (feed, speed, depth of cut) of lathe for taper/ angular turning of jobs. Different boring operations (plain, stepped and eccentric) are also undertaken to gain the skill in producing components involving such operations. Different thread cutting (BSW, Metric, Square, ACME, Buttress) by setting machining parameters are being taught in the practical. The use different accessories of lathe (Driving Plate, Steady rest, dog carrier and different centres) are also part of the practical training. During this period the basic maintenance and preventive maintenance of lathe and grinding machine are also covered.

SECOND YEAR: On achieving above mentioned skill sets the candidate is engaged in producing different precision of engineering component with an appropriate accuracy (± 0.02 mm). The machining of different irregular shaped job using different lathe accessories and also producing different utility items viz., Crank Shaft (single throw), Stub arbor, etc. are covered to enhance their competency and perform the job as per practical requirement. The machining of different components along with assembly of such components (male & female) by performing different turning activities is also covered. The accuracy achieved is of an accuracy of ± 0.02 mm outside and ± 0.05 mm for inside turning.



A dedicated time of 13 weeks devoted for CNC operations which involve setting both job and tools and operating the CNC turn centre to produce components as per drawing by preparing part programmes. The candidate gets enough training both on multi-media-based CNC simulated and on actual intermediate production based CNC machine. The candidate is also imparted training on process plan to produce components by performing special operation on lathe viz., worm shaft cutting and also producing different engineering components viz., drill chuck, collet chuck, screw jack, box nut etc., to develop competency in producing components which is tangible and significant in work and industry ready for executing such work as per demand.

Professional Knowledge subject is simultaneously taught in the same fashion to apply cognitive knowledge while executing task. In addition, components like cutting tools and its specification, method of brazing and soldering, calculation involving gear ratio and gearing, and tool life, lubrication and functions, jigs and fixtures, interchangeability, quality control procedure and technical English are also covered under theory part.

Total three projects need to be completed by the candidates in a group. In addition to above components the core skills components viz., Workshop calculation & science, Engineering drawing, employability skills are also covered. These core skills are essential skills which are necessary to perform the job in any given situation.



2.1 GENERAL

Directorate General of Training (DGT) under Ministry of Skill Development & Entrepreneurship offers range of vocational training courses catering to the need of different sectors of economy/ Labour market. The vocational training programmes are delivered under aegis of Directorate General of Training (DGT). Craftsman Training Scheme (CTS) with variantsand Apprenticeship Training Scheme (ATS) are two pioneer programmes of DGT for strengthening vocational training.

Turner trade under CTS is one of the most popular courses delivered nationwide through network of ITIs. The course is of two years duration. It mainly consists of Domain area and Core area. In the Domain area Trade Theory & Practical impart professional skills and knowledge, while Core area Workshop Calculation and science, Engineering Drawing and Employability Skills imparts requisite core skill & knowledge and life skills. After passing out the training programme, the trainee is being awarded National Trade Certificate (NTC) by DGT having worldwide recognition.

Candidates need broadly to demonstrate that they are able to:

- Read & interpret technical parameters/documentation, plan and organize work processes, identify necessary materials and tools;
- Perform task with due consideration to safety rules, accident prevention regulations and environmental protection stipulations;
- Apply professional knowledge, core skills & employability skills while performing the job and machining work.
- Check the job/components as per drawing for functioning, identify and rectify errors in job/components.
- Document the technical parameters related to the task undertaken.

2.2 PROGRESSION PATHWAYS:

- Can join industry as Technician and will progress further as Senior Technician, Supervisor and can rise to the level of Manager.
- Can become Entrepreneur in the related field.
- Can appear in 10+2 examination through National Institute of Open Schooling (NIOS) for acquiring higher secondary certificate and can go further for General/ Technical education.



- Can take admission in diploma course in notified branches of Engineering by lateral entry.
- Can join Apprenticeship programme in different types of industries leading to National Apprenticeship certificate (NAC).
- Can join Crafts Instructor Training Scheme (CITS) in the trade for becoming instructor in ITIs.
- Can join Advanced Diploma (Vocational) courses under DGT as applicable.

2.3 COURSE STRUCTURE:

Table below depicts the distribution of training hours across various course elements during a period of two years: -

C NI -	Course Florens	Notional Training Hours	
S No.	Course Element	1 st Year	2 nd Year
1	Professional Skill (Trade Practical)	1000	1000
2	Professional Knowledge (Trade Theory)	280	360
3 Workshop Calculation & Science		80	80
4 Engineering Drawing		80	80
5 Employability Skills		160	80
	Total	1600	1600

2.4 ASSESSMENT & CERTIFICATION

The trainee will be tested for his skill, knowledge and attitude during the period of course through formative assessment and at the end of the training programme through summative assessment as notified by the DGT from time to time.

- a) The **Continuous Assessment** (Internal)during the period of training will be done by **Formative assessment method** by testing for assessment criteria listed against learning outcomes. The training institute has to maintain individual *trainee portfolio* as detailed in assessment guideline. The marks of internal assessment will be as per the formative assessment template provided on www.bharatskills.gov.in
- b) The final assessment will be in the form of summative assessment. The All India Trade Test for awarding NTC will be conducted by Controller of examinations, DGT as per guideline. The pattern and marking structure are being notified by DGT from time to time. The learning outcome and assessment criteria will be basis for setting question papers for final assessment. The examiner during final examination will also check individual trainee's profile as detailed in assessment guideline before giving marks for practical examination.



2.4.1 PASS REGULATION

For the purposes of determining the overall result, weightage of 100% is applied for six months and one-year duration courses and 50% weightage is applied to each examination for two years courses. The minimum pass percent for Trade Practical and Formative assessment is 60% & for all other subjects is 33%. There will be no Grace marks.

2.4.2 ASSESSMENT GUIDELINE

Appropriate arrangements should be made to ensure that there will be no artificial barriers to assessment. The nature of special needs should be taken into account while undertaking assessment. Due consideration should be given while assessing for teamwork, avoidance/reduction of scrap/wastage and disposal of scarp/wastage as per procedure, behavioral attitude, sensitivity to environment and regularity in training. The sensitivity towards OSHE and self-learning attitude are to be considered while assessing competency.

Assessment will be evidence based comprising the following:

- Job carried out in labs/workshop
- Record book/ daily diary
- Answer sheet of assessment
- Viva-voce
- Progress chart
- Attendance and punctuality
- Assignment
- Project work

Evidences and records of internal (Formative) assessments are to be preserved until forthcoming examination for audit and verification by examination body. The following marking pattern to be adopted while assessing:

Performance Level	Evidence
(a) Weightage in the range of 60 -75% to be all	lotted during assessment
For performance in this grade, the candidate with occasional guidance and showing due	 Demonstration of good skill in the use of hand tools, machine tools and workshop
regard for safety procedures and practices, has produced work which demonstrates	equipment60-70% accuracyachieved while
attainment of an acceptable standard of craftsmanship.	undertaking different work with those demanded by the component/job.



- A fairly good level of neatness and consistency in the finish
- Occasional support in completing the project/job.

(b) Weightage in the range of above 75% - 90% to be allotted during assessment

For this grade, the candidate, with little guidance and showing due regard for safety procedures and practices, has produced work which demonstrates attainment of a reasonable standard of craftsmanship.

- Good skill levels in the use of hand tools, machine tools and workshop equipment
- 70-80% accuracyachieved while undertaking different work with those demanded by the component/job.
- A good level of neatness and consistency in the finish
- Little support in completing the project/job

(c) Weightage in the range of above 90% to be allotted during assessment

For performance in this grade, the candidate, with minimal or no support in organization and execution and with due regard for safety procedures and practices, has produced work which demonstrates attainment of a high standard of craftsmanship.

- High skill levels in the use of hand tools, machine tools and workshop equipment
- Above 80% accuracyachieved while undertaking different work with those demanded by the component/job.
- A high level of neatness and consistency in the finish.
- Minimal or no support in completing the project.



Turner; Lathe Operator makes metal articles to required specifications using lathe and cutting tools. Studies drawings and other specifications of parts to be made. Selects metal, holds it in chuck, fixture on lathe as required, centres it by manipulating chuck jaws or otherwise using dial indicator or marking block and securely tightens it in position. Selects correct cutting tool, grinds it if necessary and holds it tight in tool post at correct height. Sets feed and speed and starts machine. Manipulates hand wheels or starts automatic controls to guide cutting tool into or along metal. Controls flow of coolant (cutting lubricant) on edge of tool. Arranges gears in machine to obtain required pitch for screw cutting. Calculates tapers and sets machine for taper turning, controls lathe during operation by means of hand wheels and levers and frequently checks progress of cutting with measuring instruments such as calipers and rule, micrometers, etc. Stops machine, removes completed part and checks it further with instruments to ensure accuracy. Repeats operations if necessary. Cleans and oils machine. Demonstrate the setting & operation of CNC turning machine and produce components as per drawing by preparing part programmes. May be designated as Turner according to nature of work done. May improvise devices and make simple adjustments to machine. May recondition lathe tools.

Plan and organize assigned work and detect & resolve issues during execution. Demonstrate possible solutions and agree tasks within the team. Communicate with required clarity and understand technical English. Sensitive to environment, self-learning and productivity.

May be designated as Turner according to nature of work done

Reference NCO 2015:7223.0601 - Turner



4. GENERAL INFORMATION

Name of the Trade	TURNER	
Trade Code	DGT/1013	
	DG1/1013	
NCO - 2015	7223.0601	
NSQF Level	Level – 5	
Duration of Craftsmen Training	Two years(3200 hours)	
Entry Qualification	Passed 10 th class examination with Science and Mathematics or its equivalent.	
Minimum Age	14 years as on first day of academic session.	
Eligibility for PwD	LD, LC, DW, AA, LV, DEAF	
Unit Strength (No. Of Student)	20 (There is no separate provision of supernumerary seats)	
Space Norms	110 Sq.m.	
Power Norms	18.5 KW	
Instructors Qualification for		
1. Turner Trade	B.Voc/Degree in Mechanical Engineering from AICTE/UGC recognized Engineering College/ university with one-year experience in the relevant field. OR 3 years Diploma in Mechanical Engineering from AICTE recognized board of technical education or relevant Advanced Diploma (Vocational) from DGT with two years' experience in the relevant field. OR NTC/NAC passed in the trade of "Turner" with three years' experience in the relevant field. Essential Qualification: Relevant National Craft Instructor Certificate (NCIC) in any of the variants under DGT. NOTE:- Out of two Instructors required for the unit of 2(1+1), one must have Degree/Diploma and other must have NTC/NAC qualifications. However, both of them must possess NCIC in any of	
2. Workshop Calculation	its variants. B.Voc/Degree in Engineering from AICTE/UGC recognized	



& Science	Engineering College/ university with one-year experience in the relevant field.	
	OR	
	03 years Diploma in Engineering from AICTE recognized board of technical education or relevant Advanced Diploma (Vocational) from DGT with two years' experience in the relevant field.	
	OR	
	NTC/ NAC in any one of the engineering trades with three years' experience.	
	Essential Qualification:	
	National Craft Instructor Certificate (NCIC) in relevant trade OR	
	NCIC in RoDA or any of its variants under DGT	
3. Engineering Drawing	B.Voc/Degree in Engineering from AICTE/UGC recognized Engineering College/ university with one-year experience in the relevant field. OR	
	3 years Diploma in Engineering from AICTE recognized board of	
	technical education or relevant Advanced Diploma (Vocational) from DGT with two years' experience in the relevant field.	
	OR NTC/ NAC in any one of the Mechanical group (Gr-I) trades categorized under Engg. Drawing'/ D'man Mechanical / D'man Civil' with three years' experience.	
	Essential Qualification:	
	National Craft Instructor Certificate (NCIC) in relevant trade OR	
	NCIC in RoDA / D'man (Mech /civil) or any of its variants under DGT.	
4. Employability Skill	MBA/ BBA / Any Graduate/ Diploma in any discipline with Two years' experience with short term ToT Course in Employability Skills from	
	DGT institutes.	
	(Must have studied English/ Communication Skills and Basic	
	Computer at 12th / Diploma level and above) OR	
	Existing Social Studies Instructors in ITIs with short term ToT Course	
	in Employability Skills from DGT institutes.	
5. Minimum Age for	21 Years	
Instructor		



List of Tools and	
List of Tools and	As per Annexure – I
Equipment	As per Annexure 1

Distribution of training on Hourly basis: (Indicative only)

Year	Total Hrs. /week	Trade Practical	Trade Theory	Workshop Cal. & Sc.	Engg. Drawing	Employability Skills
1 st	40 Hours	25 Hours	7 Hours	2 Hours	2 Hours	4 Hours
2 nd	40 Hours	25 Hours	9 Hours	2 Hours	2 Hours	2 Hours



Learning outcomes are reflection of total competencies of a trainee and assessment will be carried out as per assessment criteria.

5.1 LEARNING OUTCOMES (TRADE SPECIFIC)

FIRST YEAR:

- 1. Plan and organize the work to make job as per specification applying different types of basic fitting operations & check for dimensional accuracy following safety precautions. [Basic Fitting Operation Marking, Hack sawing, filing, drilling, taping etc.]
- 2. Set different shaped jobs on different chuck and demonstrate conventional lathe machine operation observing standard operation practice. [Different chucks: 3 jaws & 4 jaws, different shaped jobs: round, hexagonal, square]
- 3. Prepare different cutting tool to produce jobs to appropriate accuracy by performing different turning operations. [Different cutting tool V tool, side cutting, parting, thread cutting (both LH & RH), Appropriate accuracy: ±0.06mm, Different turning operation Plain, facing, drilling, boring (counter & stepped), grooving, Parallel Turning, Step Turning, parting, chamfering, U -cut, Reaming, internal recess, knurling.
- 4. Test the alignment of lathe by checking different parameters and adjust the tool post. [Different parameters Axial slip of main spindle, true running of head stock, parallelism of main spindle, alignment of both the centres.]
- 5. Set different components of machine & parameters to produce taper/ angular components and ensure proper assembly of the components. [Different component of machine: Form tool, Compound slide, tail stock offset, taper turning attachment. Different machine parameters- Feed, speed, depth of cut.]
- 6. Set the different machining parameter & tools to prepare job by performing different boring operations. [Different machine parameter- Feed, speed & depth of cut; Different boring operation Plain, stepped & eccentric]
- 7. Set the different machining parameters to produce different threaded components applying method/ technique and test for proper assembly of the components. [Different thread: BSW, Metric, Square, ACME, Buttress.]
- 8. Set the different machining parameter & lathe accessories to produce components applying techniques and rules and check the accuracy. [Different machining parameters: Speed, feed & depth of cut; Different lathe accessories: Driving Plate, Steady rest, dog carrier and different centres.]
- 9. Plan and perform basic maintenance of lathe & grinding machine and examine their functionality.



SECOND YEAR:

- 10. Plan & set the machine parameter to produce precision engineering component to appropriate accuracy by performing different turning operation. [Appropriate accuracy ±0.02mm/ (MT 3) (proof turning); Different turning operation Plain turning, taper turning, boring threading, knurling, grooving, chamfering etc.]
- 11. Set & Produce components on irregular shaped job using different lathe accessories. [Different Lathe accessories: Face plate, angle plate]
- 12. Plan and set the machine using lathe attachment to produce different utility component/ item as per drawing. [Different utility component/ item Crank shaft (single throw), stub arbour with accessories etc.]
- 13. Set the machining parameters and produce & assemble components by performing different boring operations with an appropriate accuracy. [Different boring operation eccentric boring, stepped boring; appropriate accuracy ±0.05mm]
- 14. Calculate to set machine setting to produce different complex threaded component and check for functionality. [Different complex threaded component- Half nut, multi start threads (BSW, Metric & Square)]
- 15. Set (both job and tool) CNC turn centre and produce components as per drawing by preparing part programme.
- 16. Manufacture and assemble components to produce utility items by performing different operations & observing principle of interchangeability and check functionality. [Utility item: screw jack/ vice spindle/ Box nut, marking block, drill chuck, collet chuck etc.; different operations: threading (Square, BSW, ACME, Metric), Thread on taper, different boring (Plain, stepped)]
- 17. Make a process plan to produce components by performing special operations on lathe and check for accuracy. [Accuracy ±0.02mm or proof machining & ±0.05mm bore; Special operation Worm shaft cutting (shaft) boring, threading etc.]



	LEARNING OUTCOMES	ASSESSMENT CRITERIA
		FIRST YEAR
1.	Plan and organize the work to make job as per specification applying different types of basic fitting operations & check for dimensional accuracy following safety precautions. [Basic Fitting Operation – Marking, Hack sawing, filing, drilling, taping etc.]	Plan & Identify tools, instruments and equipments for marking and make this available for use in a timely manner. Select raw material and visually inspect for defects. Mark as per specification applying desired mathematical calculation and observing standard procedure. Measure all dimensions in accordance with standard specifications and tolerances. Identify Hand Tools for different fitting operations and make these available for use in a timely manner. Prepare the job for Hacksawing, chiselling, filing, drilling, tapping, grinding. Perform basic fitting operations viz., Hacksawing, filing, drilling, tapping and grinding to close tolerance as per specification to make the job. Observe safety procedure during above operation as per standard norms and company guidelines. Check for dimensional accuracy as per standard procedure. Avoid waste, ascertain unused materials and components for disposal, store these in an environmentally appropriate manner and prepare for disposal.
2.	Set different shaped jobs on different chuck and demonstrate conventional lathe machine operation observing standard operation practice. [Different chucks: - 3 jaws & 4 jaws, different shaped jobs: - round, hexagonal, square]	Identify and acquaint with lathe machine operation with its components. Identify different work holding devices and acquaint with functional application of each device. Mount the appropriate work holding device and check for its functional usage to perform turning operations. Set the job on chuck as per shape. Set the lathe on appropriate speed & feed. Operate the lathe to demonstrate lathe operation, observing standard operating practice. Observe safety procedure during above operation as per standard norms and company guidelines.



3.	Prepare different cutting tool to produce jobs to	Identify cutting tool materials used on lathe machine as per the specification and their application.
	appropriate accuracy by	Plan and Grind cutting tools
	performing different	Measure the tool angles with gauge and Bevel protractor as per
	turning operations.	tool signature.
	[Different cutting tool – V	Mount the job and set machine parameter.
	tool, side cutting, parting,	Perform turning operations viz., facing, Parallel Turning, Step
	thread cutting (both LH &	Turning, chamfering, grooving, U -cut, parting, drilling, boring
	RH), Appropriate accuracy:	(counter & stepped), Reaming, internal recess and knurling to make
	- ±0.06mm, Different	component as per specification.
	turning operation – Plain,	
	facing, drilling, boring	Check accuracy/ correctness of job using appropriate gauge and measuring instruments for their functional requirement.
	(counter & stepped),	Avoid waste, ascertain unused materials and components for
	grooving, Parallel Turning,	•
	Step Turning, parting,	disposal, store these in an environmentally appropriate manner and prepare for disposal.
	chamfering, U -cut,	and prepare for disposal.
	Reaming, internal recess,	
	knurling.	
4.	Test the alignment of lathe	Plan for testing alignment of lathe
	by checking different	Select appropriate items and tools for testing the alignment.
	parameters and adjust the	Demonstrate possible solutions and agree tasks within the team.
	tool post. [Different	Perform testing of alignment and adjust the tool post as per
	parameters – Axial slip of	instruction of machine manual/ standard testing procedure.
	main spindle, true running	Check for desired functionality.
	of head stock, parallelism	Record the different parameters in a standard format.
	of main spindle, alignment	
	of both the centres.]	
	of both the centres.]	
5.	of both the centres.] Set different components	Plan and select appropriate method to produce taper/ angular
5.		Plan and select appropriate method to produce taper/ angular components.
5.	Set different components	
5.	Set different components of machine& parameters	components.
5.	Set different components of machine& parameters to produce taper/ angular	components. Evaluate angles to set up the tool and machine component for
5.	Set different components of machine& parameters to produce taper/ angular components and ensure	components. Evaluate angles to set up the tool and machine component for machining.
5.	Set different components of machine& parameters to produce taper/ angular components and ensure proper assembly of the components. [Different component of machine: -	components. Evaluate angles to set up the tool and machine component for machining. Demonstrate possible solutions and agree tasks within the team.
5.	Set different components of machine& parameters to produce taper/ angular components and ensure proper assembly of the components. [Different]	components. Evaluate angles to set up the tool and machine component for machining. Demonstrate possible solutions and agree tasks within the team. Produce taper/ angular components as per standard operating



	taperturning attachment. Different machine parameters- Feed, speed, depth of cut.]	Assemble the components to ascertain functionality.
6.	Set the different machining parameter & tools to prepare job by performing different boring operations. [Different machine parameter- Feed, speed & depth of cut; Different boring operation — Plain, stepped & eccentric]	Plan for different boring (Plain, stepped & eccentric), Select appropriate tools and counterbalance while holding the work piece as per requirement. Set the different machining parameters as per requirement. Demonstrate possible solutions within the team. Set job and produce component following the standard operating procedure. Measure with instruments/gauges as per drawing. Comply with safety rules when performing the above operations. Avoid wastage, ascertain unused materials and components for disposal, store these in an environmentally appropriate manner and prepare for disposal.
7.	Set the different machining parameters to produce different threaded components applying method/ technique and test for proper assembly of the components. [Different thread: - BSW, Metric, Square, ACME, Buttress.]	Plan and select appropriate method to produce threaded components. Plan and prepare thread cutting tool in compliance to standard thread parameters. Produce components as per drawing. Check accuracy/ correctness of job using appropriate gauge and measuring instruments for their functional requirement and suit to male /female part. Test the proper assembly of the threaded components.
8.	Set the different machining parameter & lathe accessories to produce components applying techniques and rules and check the accuracy. [Different machining parameters: - Speed, feed & depth of cut; Different lathe accessories: - Driving	Identify different lathe accessories of lathe machine as per functional application. Mount appropriate lathe accessories to set up a job for machining. Observe safety/ precaution during mounting the accessories. Check for the alignment of accessories to machine as per standard procedure. Set the machining parameter and produce the component applying technique/ machine. Check the accuracy of the component using instruments.



	Plate, Steady rest, dog carrier and different centres.]	
9.	Plan and perform basic maintenance of lathe & grinding machine and examine their functionality.	Plan for periodic and preventive maintenance of lathe/ grinding machine. Select appropriate items and tools for maintenance. Demonstrate possible solutions and agree tasks within the team. Perform maintenance as per schedule of machine manual. Check for desired functionality.
		SECOND YEAR
10.	Plan & set the machine parameter to produce precision engineering component to appropriate accuracy by performing different turning operation. [Appropriate accuracy - ±0.02mm/ (MT - 3) (proof turning); Different turning operation — Plain turning, taper turning, boring threading, knurling, grooving, chamfering etc.]	Plan and select appropriate method to produce components. Grind form cutting tool. Set the machine parameters. Produce components by performing different turning operations as per standard operating procedure and as per drawing. Check accuracy/ correctness of job using appropriate gauge and measuring instruments.
11.	Set & Produce components on irregular shaped job using different lathe accessories. [Different Lathe accessories: - Face plate, angle plate]	Plan and select appropriate method to produce irregular shaped components with internal taper turning. Work out different parameters to set up the tool for machining. Set the lathe accessories and mount the job. Produce components as per standard operating procedure by using appropriate tools. Check accuracy/ correctness of job using appropriate gauge and measuring instruments.
12.	Plan and set the machine using lathe attachment to produce different utility component/ item as per	Select appropriate tools and plan for turning and counterbalance while holding the work piece as per requirement. Comply with safety rules when performing the above operations. Demonstrate possible solutions within the team.



	drawing. [Different utility component/ item — Crank shaft (single throw), stub arbour with accessories etc.]	Set the lathe attachment as per requirement and produce component observing standard operating procedure. Measure with instruments/gauges as per drawing.
13.	Set the machining	Plan for different boring (Plain, stepped & eccentric) and
13.	parameters and produce & assemble components by	counterbalance while holding the work piece as per requirement and select appropriate tools.
	performing different boring	Set the different machining parameters as per requirement.
	operations with an	Demonstrate possible solutions within the team.
	appropriate accuracy. [Different boring operation	Set job and produce component following the standard operating procedure.
	 eccentric boring, stepped 	Measure with instruments/gauges as per drawing.
	boring; appropriate	Comply with safety rules when performing the above operations.
	accuracy - ±0.05mm]	Avoid wastage, ascertain unused materials and components for
		disposal, store these in an environmentally appropriate manner
		and prepare for disposal.
14.	Calculate to set machine setting to produce	Plan and select appropriate method to produce components with multi start threading.
	different complex threaded	Prepare appropriate tool for generating required thread form.
	component and check for	Calculate and set machine
	functionality. [Different	Mount the job and turn multi start thread (male and female).
	complex threaded	Check accuracy/ correctness of job using appropriate gauge and
	component- Half nut, multi	measuring instruments.
	start threads (BSW, Metric & Square)]	Match the male & female component for checking for functionality
15.	Set (both job and tool) CNC turn centre and produce	Plan and prepare part programme as per drawing, simulate for it's correctness with appropriate software.
	components as per	Prepare tooling layout and select tools as required
	drawing by preparing part	Demonstrate possible solution within the team.
	programme.	Set selected tools on to the machine
		Test/Dry run the part programme on the machine
		Set up the job and machine the component as per standard
		operating procedure involving parallel, step, taper, drilling, boring,
		1



Check accuracy/ correctness of job using appropriate gauge and measuring instruments. Observe safety/ precaution during machining. Avoid wastage, ascertain unused materials and components for disposal, store these in an environmentally appropriate manner and prepare for disposal. 16. Manufacture and assemble Plan and select tools and materials for the part components and components to produce make this available for use in a timely manner. utility items by performing Produce part components as per drawing different operations Check for accuracy of all the part components and suitability to the observing principle of higher assembly. interchangeability and Assemble all the part components as per the guidelines given in check functionality. [Utility the drawing. item: - screw jack/ vice Check for functionality of the screw jack, vice spindle/ Box nut, spindle/ Box nut, marking marking block, drill chuck, collet chuck etc., as per standard block, drill chuck, collet operating procedure. etc.; different chuck Avoid waste, ascertain unused materials and components for threading operations: disposal, store these in an environmentally appropriate manner (Sauare, BSW, ACME, and prepare for disposal. Metric), Thread on taper, different boring (Plain, stepped)] 17. Make a process plan to Plan and select appropriate method to produce components with produce components by worm gear cutting. performing Prepare appropriate tool for producing required worm shaft. special operations on lathe and Set the job and turn worm shaft, match for accurate fitting with check for accuracy. female gauge. [Accuracy - ±0.02mm or Check accuracy/ correctness of job using appropriate gauge and proof machining measuring instruments. ±0.05mm bore; Special operation – Worm shaft cutting (shaft) boring, threading etc.]



	SYLLABUS FOR TURNER TRADE					
	FIRST YEAR					
Duration	Reference Learning Outcome		Professional Skills (Trade Practical) With Indicative Hours	Professional Knowledge (Trade Theory)		
Professional Skill 175 Hrs.; Professional Knowledge 49 Hrs.	Plan and organize the work to make job as per specification applying different types of basic fitting operations & check for dimensional accuracy following safety precautions.[Basic Fitting Operation – Marking, Hack sawing, filing, drilling, taping etc.]	2.	Importance of trade training, List of tools & Machinery used in the trade. (1 hr.) Safety attitude development of the trainee by educating them to use Personal Protective Equipment (PPE). (5 hrs.) First Aid Method and basic training. (2 hrs.) Safe disposal of waste materials like cotton waste, metal chips/burrs etc. (2 hrs.) Hazard identification and avoidance. (2 hrs.) Safety signs for Danger, Warning, caution & personal safety message. (1 hr.) Preventive measures for electrical accidents & steps to be taken in such accidents. (2 hrs.) Use of Fire extinguishers. (7 hrs.) Practice and understand precautions to be followed while working in fitting jobs.	All necessary guidance to be provided to the newcomers to become familiar with the working of Industrial Training Institute system including stores procedures. Soft Skills: its importance and Job area after completion of training. Importance of safety and general precautions observed in the in the industry/shop floor. Introduction of First aid. Operation of electrical mains. Introduction of PPEs. Response to emergencies e.g.; power failure, fire, and system failure. Importance of housekeeping & good shop floor practices. Introduction to 5S concept & its application. Occupational Safety & Health: Health, Safety and Environment guidelines, legislations & regulations as applicable. (07 Hrs.)		



	(2.1)	
10	(2 hrs.) Safe use of tools and	
10.	equipments used in the	
	trade. (1 hr.)	
11.	Identification of tools	Measurement, line standard
	&equipments as per desired	and end standard, steel rule-
	specifications for marking &	different types, graduation and
	sawing (Hand tools, Fitting	limitation. Hammer and chisel-
	tools & Measuring tools) (2	materials, types and uses. Prick
	hrs.)	punch and scriber. (07 Hrs.)
12.	Selection of material as per	
	application Visual	
	inspection of raw material	
	for rusting, scaling,	
4.0	corrosion etc. (1 hr.)	
13.	Marking out lines, gripping	
	suitably in vice jaws, hack	
	sawing to given dimensions,	
	sawing different types of metals of different sections.	
	(16 hrs.)	
14.	Practice on hammering,	
	marking out, chipping,	
	chisel grinding. (6 hrs.)	
15.	Filing practice on plain	Vice – types and uses, Files-
	surfaces, right angle by	different types of uses, cut,
	filing. (45 hrs.)	grade, shape, materials etc. Try
16.	Use of calipers and scale	square-different types, parts,
	measurement. (5 hrs.)	material used etc. Calipers-
		types and uses (firm joint).
4-	en la la la	(14Hrs.)
17.	Filing at right angle, marking	Vee – block, scribing block,
	& hack sawing. (25 hrs.)	straight edge and its uses.
		Hacksaw-their types & uses. (07 Hrs.)
18.	Marking operation on flat &	Center punch- materials,
	round job. (10 hrs.)	construction & material uses.
19.	Drilling operation: Drill on	Drill machine-different parts.
	flat, square bar and round	Hacksaw blades- sizes, different



			bar of different material (Sensitive drill machine). (15 hrs.) Different threading (BSW, BSP, BA, Metric, UNC, UNF) with the help of taps and dies both external & internal (including pipes) using collet chuck. (19 hrs.) Extraction of broken tap. (6	Parts. Hacksaw blades-sizes, different pitch for different materials. Nomenclature of drill. (07 Hrs.) Surface plate its necessity and use. Tap - different types (Taper 2 nd and bottoming) care while tapping. Dies different types and uses. Calculation involved to find Out drill size (Metric and Inch). (07 Hrs.)
Professional Skill 50 Hrs.;	Set different shaped jobs on different	22.	hrs.) Identify & function of different parts of lathe.	Getting to know the lathe with its main components, lever
Professional Knowledge 14 Hrs.	chuck and demonstrate conventional lathe machine operation observing standard operation practice. [Different chucks: - 3 jaws & 4 jaws,	23.	Practice on operation of lathe (dry/idle run). (20 hrs.) Setting lathe on different speed and feed. (5 hrs.)	•
	different shaped jobs: - round, hexagonal, square]		Mounting of chuck on machine spindle and unloading –3-jaw chuck & 4-jaw chuck. (15 hrs.) Setting practice on round & square/ hexagonal bar. (3 hrs.)	Classification of lathe in Function and construction of different parts of Lathe. (07 Hrs.)
		26.	Dismantling and assembling of 3 jaw and 4 jaw chucks. (7 hrs.)	
Professional Skill 250Hrs.; Professional Knowledge 70Hrs.	Prepare different cutting tool to produce jobs to appropriate accuracy by performing		Turning of round stock and square/hexagonal as per availability on 4-jaw independent chuck. (15hrs.) Turning of round stock on 3-jaw self centering chuck.	Types of lathe drivers, merit and demerit. Description in details-head stock- cone pulley type- all geared type-construction & function. Tumbler gear set.



different turning	(10hrs.)	Reducing speed-necessary &
operations.		uses. Back Gear Unit –its
[Different cutting		construction use. (07Hrs.)
tool – V tool, side	29. Grinding of R.H. and L.H., V-	Lathe cutting tool-different
cutting, parting,	tool, side cutting tools,	types, shapes and different
thread cutting (both	parting tool. (15 hrs.)	angles (clearances and rake),
LH & RH),	30. Checking of angles with	specification of lathe tools. (07
Appropriate	angle gauge / bevel	Hrs.)
accuracy: -	protractor. (1 hr.)	
±0.06mm, Different	31. Grinding of "V" tools for	
turning operation –	threading of Metric 60-	
Plain, facing,	degree threads. (9 hrs.)	
drilling, boring	32. Facing operation to correct	Combination drill- appropriate
(counter &	length (10hrs.)	selection of size from chart of
stepped), grooving,	33. Centre drilling and drilling	combination drill. Drill, chuck-
Parallel Turning,	operation to required size.	its uses.
Step Turning,	(05hrs.)	
parting,	34. Make square block by	Lathe accessories, chuck
chamfering, U -cut,	turning using 4-jaw chuck	independent, self-centering,
Reaming, internal	and perform drilling, boring	collet, magnetic etc., its
recess, knurling.	and grooving operation.	function, construction and
	(10hrs.)	uses. (07Hrs.)
	35. Parallel turning, step	Vernier caliper-its construction,
	turning, parting, grooving,	principle graduation and
	chamfering practice. (48	reading, least count etc. Digital
	hrs.)	vernier caliper.
	36. Measurement with scale	Outside micrometer –different
	and outside caliper to ± 0.5	parts, principle, graduation,
	mm. accuracy. (2 hrs.)	reading, construction. Digital
		micrometer.
		Cutting speed, feed depth of
		cut, calculation involved-speed
		feed R.P.M. etc. recommended
		for different materials. (14 Hrs.)
	37. Step turning within ± 0.06	Different types of micrometer,
	mm with different shoulder,	Outside micrometer. Vernier
	U/cut on outside diameter.	scale graduation and reading.
	(15 hrs.)	Sources of error with



		38.	Drilling on Lathe-step	micrometer & how to avoid
			drilling, drill grinding	them. Use of digital measuring
			practice. (10 hrs.)	instruments. (07Hrs.)
		39.	Boring practice-Plain.	Drills-different parts, types, size
			Counter& step, internal	etc., different cutting angles,
			recessing. (20 hrs.)	cutting speed for different
		40.	Reaming in lathe using solid	material. Boring tool. Counter -
			and adjustable reamer. (15	sinking and Counter boring.
			hrs.)	Letter and number drill, core
		41.	Make bore by trepanning	drill etc.
			(10 hrs.)	Reamers-types and uses.
		42.	Drill grinding. (5 hrs.)	Lubricant and coolant-types,
				necessity, system of
				distribution, selection of
				coolant for different material:
				Handling and care. (14 Hrs.)
		43.	Turning practice-between	Knurling meaning, necessity,
			centres on mandrel (Gear	types, grade, cutting speed for
			blanks). (20 hrs.)	knurling. Lathe mandrel-
		44.	Fitting of dissimilar	different types and their uses.
			materials- M.S. in brass,	Concept of interchangeability,
			aluminium, in cast iron etc.	Limit, Fit and tolerance as per
			(20 hrs.)	BIS: 919-unilateral and bilateral
		45.	Knurling practice in lathe	system of limit, Fits- different
			(Diamond, straight, helical	types, symbols for holes and
			& square). (10 hrs.)	shafts. Hole basis & shaft basis
				etc. Representation of
				Tolerance in drawing. (14 Hrs.)
Professional	Test the alignment	46.	Checking alignment of lathe	Driving plate. Face plate & fixed
Skill 25 Hrs.;	of lathe by checking		centres such as Levelling,	& traveling steadies-
Professional	different		axial slip of main spindle,	construction and use. Transfer
Knowledge	parameters and		true running of head stock	caliper-its construction and
07 Hrs.	adjust the tool post.		centre, parallelism of the	uses. Lathe centers-types and
07 1113.	[Different		main spindle to saddle	their uses. Lathe carrier-
	parameters – Axial		movement, alignment both	function types & uses.
	slip of main spindle,		the centres. (20 hrs.)	Mandrel – Different types and
	true running of	47.	Adjustment of tool post. (3	its use.
	head stock,		hrs.)	Magnetic stand dial indicator,
	parallelism of main	48.	Mounting job in between	its used and care. (07 Hrs.)



	spindle, alignment		centres. (2 hrs.)	
	of both the centres.]			
Professional Skill 75 Hrs.;	Set different components of machine & parameters to produce taper/	49.	Make taper turning by form tool and compound slide swivelling. (25 hrs.)	Taper – different methods of expressing tapers, different standard tapers. Method of taper turning, important dimensions of taper. Taper
Professional Knowledge 21 Hrs.	produce taper/ angular components and			turning by swiveling compound slide, its calculation. (07 Hrs.)
211113.	ensure proper assembly of the components. [Different		Male and female taper turning by taper turning attachment, offsetting tail stock. (22 hrs.)	Bevel protector & Vernier bevel protractor-its function & reading.
	component of machine: - Form	51.	Matching by Prussian Blue. (2 hrs.)	Method of taper angle measurement.
	slide, tail stock offset, taper turning		Checking taper by bevel protector and sine bar. (1 hr.)	Sine bar-types and use. Slip gauges-types, uses and selection. (14 Hrs.)
	attachment. Different machine parameters- Feed, speed, depth of cut.]	53.	Make MT3 lathe dead centre and check with female part. (Proof machining) (25 hrs.)	
Professional Skill 75 Hrs.;	Set the different machining parameter & tools	54.	Turning and boring practice on CI (preferable) or steel. (23 hrs.)	Method of brazing solder, flux used for tip tools.
Professional Knowledge	to prepare job by performing	55.	Tip brazing on shank. (2 hrs.)	Basic process of soldering, welding and brazing. (07 Hrs.)
21 Hrs.	different boring operations. [Different machine parameter- Feed,		Eccentric marking practice. (2 hrs.) Perform eccentric turning. (18 hrs.)	Vernier height gauge, function, description & uses, templatesits function and construction. Screw thread-definition,
	speed & depth of cut; Different boring operation — Plain,		Use of Vernier height Gauge and V-block. (1 hr.) Perform eccentric boring.	purpose ⁢'s different elements. Driving plate and lathe carrier
	stepped & eccentric]		(18 hrs.) Make a simple eccentric with dia. of 22mm and throw/offset of 5mm. (11	and their usage. Fundamentals of thread cutting on lathe. Combination set-square head. Center head, protractor head-



			hrs.)	its function construction and
				uses. (14 Hrs.)
Professional	Set the different	61.	Screw thread cutting	Different types of screw
Skill 250Hrs.;	machining		(B.S.W) external (including	thread- their forms and
	parameters to		angular approach method)	elements. Application of each
	produce different		R/H & L/H, checking of	type of thread. Drive train.
Professional	threaded		thread by using screw	Chain gear formula calculation.
Knowledge	components		thread gauge and thread	Different methods of forming
70Hrs.	applying method/		plug gauge. (16hrs.)	threads. Calculation involved in
	technique and test	62.	Screw thread cutting	finding core dia., gear train
	for proper assembly		(B.S.W) internal R/H & L/H,	(simple gearing) calculation.
	of the components.		checking of thread by using	Calculations involving driver-
	[Different thread: -		screw thread gauge and	driven, lead screw pitch and
	BSW, Metric,		thread ring gauge. (16hrs.)	thread to be cut. (14Hrs.)
	Square, ACME,	63.	Fitting of male & female	
	Buttress.]		threaded components	
			(BSW) (4hrs.)	
		64.	Prepare stud with nut	
			(standard size). (14hrs.)	
		65.	Grinding of "V" tools for	Thread chasing dial function,
			threading of Metric 60-	construction and use.
			degree threads and check	Calculation involving pitch
			with gauge. (3 hrs.)	related to ISO profile.
		66.	Screw thread cutting	Conventional chart for different
			(External) metric thread-	profiles, metric, B.A., With
			tool grinding. (15 hrs.)	worth, pipe etc. Calculation
		67.	Screw thread (Internal)	involving gear ratios and
			metric & threading tool	gearing (Simple & compound
			grinding. (16 hrs.)	gearing). Screw thread
		68.	Fitting of male and female	micrometer and its use.
			thread components (Metric)	(14Hrs.)
			(2 hrs.)	,
		69.	Make hexagonal bolt and	
			nut (metric) and assemble.	
			(14 hrs.)	
		70.	Cutting metric threads on	Calculation involving gear ratios
			inch lead screw and inch	metric threads cutting on inch
			threads on Metric Lead	L/S
			Screw. (25 hrs.)	Lathe and vice-versa. (07 Hrs.)
			()	11 2 2112 1010 (07 11.01)



		71.	Practice of negative rake	Tool life, negative top rake-its
		•	tool on non-ferrous metal	application and performance
		;	and thread cutting along	with respect to positive top
		,	with fitting with ferrous	rake (07 Hrs.)
			metal. (25 hrs.)	
		72.	Cutting Square thread	Calculation involving tool
			(External) (16 hrs.)	Thickness, core dia., pitch
		73.	Cutting Square thread	•
			(Internal). (18 hrs.)	sq. thread. (14 Hrs.)
		74.	Fitting of male and female	
			Square threaded	
			components. (2 hrs.)	
			Tool grinding for Square	
			thread (both External &	
			Internal). (2 hrs.)	
			Make square thread for	
		:	screw jack (standard) for	
			minimum 100mm length	
			bar. (12 hrs.)	
		77.	Acme threads cutting (male	Calculation involved – depth,
			& female) & tool grinding.	core dia., pitch proportion etc.
			(08 hrs.)	of Acme thread.
		78.	Fitting of male and female	Calculation involved depth,
		•	threaded components.(7	core dia., pitch proportion, use
			hrs.)	of buttress thread. (07 Hrs.)
		79.	Cut Acme thread over 25	
		I	mm dia. rod and within	
			length of 100mm. (10	
			hrs.)	
		80.	Buttress threads cutting	Buttress thread cutting (male &
			(male & female) & tool	female) & tool grinding(07Hrs.)
			grinding. (13hrs.)	
		81.	Fitting of male & female	
		-	threaded components. (2	
			hrs.)	
		82.	Make carpentry vice lead	
			screw.(10hrs.)	
Professional	Set the different	83.	Make job using different	Different lathe accessories,
	machining		lathe accessories viz.,	their use and care. (14 Hrs.)



Skill 50 Hrs.;	parameter & lathe		driving plate, steady rest,	
Professional	accessories to		dog carrier and different	
	produce		centres. (30hrs.)	
Knowledge	components	84.	Make test mandrel	
14 Hrs.	applying techniques		(L=200mm) and counter	
	and rules and check		bore at the end. (20 hrs.)	
	the accuracy.			
	[Different			
	machining			
	parameters: -			
	Speed, feed & depth			
	of cut; Different			
	lathe accessories: -			
	Driving Plate,			
	Steady rest, dog			
	carrier and different			
	centres.]			
Professional	Plan and perform	85.	Balancing, mounting	Lubricant-function, types,
Skill 50 Hrs.;	basic maintenance		&dressing of grinding wheel	sources of lubricant. Method of
	of lathe & grinding		(Pedestal). (10hrs.)	lubrication. Dial test indicator
Professional	machine and	86.	Periodical lubrication	use for parallelism and
Knowledge	examine their		procedure on lathe. (20	concentricity etc. in respect of
14 Hrs.	functionality.		hrs.)	lathe work Grinding wheel
	·	87.	Preventive maintenance of	abrasive, grit, grade, bond etc.
			lathe. (20 hrs.)	(14 Hrs.)
In-plant traini	ng / Project work			
Broad area:				
a)	Drill extension socket			
b)	conical brush			
c)	V-belt pulley			
d)	Tail Stock Centre (MT	– 3)		
e)	Taper ring gauge			
f)	Sprocket			
g)	Socket spanner			



	SYLLABUS FOR TURNER TRADE				
			SECOND YEAR		
Duration	Reference Learning Outcome		Professional Skills (Trade Practical) With Indicative Hours	Professional Knowledge (Trade Theory)	
Professional Skill 125 Hrs.; Professional Knowledge 45Hrs.	Plan & set the machine parameter to produce precision engineering component to appropriate accuracy by performing different turning operation. [Appropriate accuracy - ±0.02mm/ (MT - 3)]	88.89.90.91.	Form turning practice by hand. (8 hrs.) Re-sharpening of form tools using bench grinder. (2 hrs.) Tool machine handle turning by combination feed. (15 hrs.) Turn Morse taper plug	Form tools-function-types and uses, Template-purpose & use. Dial test indicator- construction & uses Calculation involving modified rake and clearance angles of lathe tool at above and below the center height. Subsequent effect of tool setting. Jig and fixture-definition, type and use. Chip breaker on toolpurpose and type (09 hrs.) Cutting tool material-H.C.S.,	
	(proof turning); Different turning operation — Plain turning, taper turning, boring threading, knurling, grooving,	92.	(different number) and check with ring gauge / suitable MT sleeve. (25 hrs.) Make revolving tail stock centre- Bush type (C-40). (Proof machining) (25 hrs.)	HSS, Tungsten. Carbide, Ceramic etc, - Constituents and their percentage. Tool life, quality of a cutting material. (18 hrs.)	
	chamfering etc.]	93.	Make Morse taper sleeve and check by taper plug gauge. (25 hrs.) Make mandrel/ plug gauge with an accuracy of ±0.02mm using tungsten carbide tools including throw-away tips. (25 hrs.)	Checking of taper with sin bar and roller-calculation involved (09 hrs.) Cutting speed, feed, turning time, depth of cut calculation, cutting speed chart (tungsten carbide tool) etc. Basic classification of tungsten carbide tips. (09 hrs.)	



Professional	Set & Produce	95.	Setting and turning	Accessories used on face plate
Skill 50 Hrs.;	components on		operation involving face	–their uses. Angle plate-its
5 6 1	irregular shaped		and angle plate (25 hrs.)	construction & use. Balancing-
Professional	job using different	96.	Make angle plate using	its necessity.
Knowledge	lathe accessories.		face plate. (25 hrs.)	Surface finish symbols used on
18 Hrs.	[Different Lathe			working blueprints- I.S. system
	accessories: - Face			lapping, honing etc. (18 hrs.)
	plate, angle plate]			
Professional	Plan and set the	97.	Holding and truing of	Preventive maintenance, its
Skill 125 Hrs.;	machine using		Crankshaft – single throw	necessity, frequency of
Duefossienel	lathe attachment		(Desirable). (50 hrs.)	lubrication. Preventive
Professional	to produce			maintenance schedule., TPM
Knowledge	different utility			(Total Productive
45 Hrs.	component/ item			Maintenance), EHS
	as per drawing.			(Environment, health, Safety)
	[Different utility			Marking table-construction and
	component/ item -			function. Angle plate-
	Crank shaft (single			construction, eccentricity
	throw), stub arbour			checking. (18 hrs.)
	with accessories	98.	Turning of long shaft using	Roller and revolving steadies,
	etc.]		steady rest (within 0.1	Necessary, construction, uses
			mm). (25 hrs.)	etc. (09 hrs.)
		99.	Use of attachments on	Different types of attachments
			lathe for different	used in lathe.
			operations. (25 hrs.)	Various procedures of thread
		100.	Turning standard stub	measurement thread screw
			arbor with accessories	pitch gauge.
			collar, tie rod, lock nut. (25	Screw thread micrometer,
			hrs.)	microscope etc. (18 hrs.)
Professional	Set the machining	101.	Perform eccentric boring	Tool maker's button and its
Skill 100 Hrs.;	parameters and		and make male & female	parts, construction and uses,
Professional	produce &		eccentric fitting. (15 hrs.)	telescopic gauge its
Knowledge	assemble	102.	Position boring using tool	construction and uses. (09 hrs.)
36 Hrs.	components by		maker's button. (10 hrs.)	
	performing	103.	Boring and stepped boring	Inside micrometer principle,
	different boring		(within ± 0.05 mm) (15	construction graduation,
	operations with an		hrs.)	reading, use etc. (Metric &
	appropriate	104.	Cutting of helical grooves	Inch.) (09 hrs.)
	accuracy. [Different		in bearing and bushes (Oil	



	boring operation –	groove) (10 hrs.)	
	eccentric boring, stepped boring; appropriate accuracy - ±0.05mm]	105. Turning & boring of split bearing – (using boring bar and fixture)(50 hrs.)	Care for holding split bearing. Fixture and its use in turning. (18 hrs.)
Professional Skill 125 Hrs.; Professional Knowledge 45 Hrs.	Calculate to set machine setting to produce different complex threaded component and check for functionality.	106. Cutting thread of 8 and 11 TPI. (25 hrs.) 107. Multi start thread cutting (B.S.W.) external &internal. (25 hrs.)	Calculation involving fractional threads. Odd & even threads. (09 hrs.) Multiple thread function, use, different between pitch & lead, formulate to find out start, pitch, lead. Gear ratio etc. (09
	[Different complex threaded component- Half nut, multi start threads (BSW, Metric & Square)]	108. Multi start thread cutting (Metric) (External & internal). (25 hrs.) 109. Multi-start thread cutting, square form (Male & Female). (25 hrs.)	Indexing of start - different methods tool shape for multistart thread. Setting of a lathe calculation for required change wheel (09 hrs.) Calculation involving shape of tool, change wheel, core dia etc. Calculation involving shape, size pitch, core dia. Etc. (09 hrs.)
		110. Make half nut as per standard lead screw. (25 hrs.)	Helix angle, leading angle & following angles. Thread dimensions-tool shape, gear, gear calculation, pitch, depth, lead etc. (09 hrs.)
Professional Skill 250Hrs.; Professional Knowledge 90Hrs.	Set (both job and tool) CNC turn centre and produce components as per drawing by preparing part programme.	 111. Personal and CNC machine Safety: Safe handling of tools, equipment and CNC machine. (2 hrs.) 112. Identify CNC machine, CNC console. (5 hrs.) 113. Demonstration of CNC lathe machine and its parts - bed, spindle motor and 	CNC technology basics: Difference between CNC and conventional lathes. Advantages and disadvantages of CNC machines over conventional machines. Machine model, control system and specification.



drive, chuck, tailstock,	Axes convention of CNC
turret, axes motor and ball	machine - Machine axes
screws, guide ways, LM	identification for CNC turn
guides, console, control	centre.
switches, coolant system,	
hydraulic system, chip	Importance of feedback devices
conveyor, steady rest.	for CNC control.
(10 hrs.)	
114. Working of parts explained	Concept of Co-ordinate
using Multimedia based	geometry, concept of machine
simulatorfor CNC parts	axis. (09 hrs.)
shown on machine. (6	
hrs.)	
115. Identify machine over	
travel limits and	
emergency stop. (2	
hrs.)	
116. Conduct a preliminary	Programming – sequence,
check of the readiness of	formats, different codes and
the CNC turning centre viz.,	words.
cleanliness of machine,	Co-ordinate system points and
referencing – zero return,	simulations.
functioning of lubrication,	Workpiece zero points and
coolant level, correct	ISO/DIN G and M codes for
working of sub-system. (2	CNC.
hrs.)	Different types of programming
117. Identification of safety	techniques of CNC machine.
switches and interlocking	Describe the stock removal
of DIH modes. (1 hr.)	cycle in CNC turning for OD / ID
118. Machine starting &	operation.
operating in Reference	L/H and R/H tool relation on
Point, JOG and Incremental	speed.
Modes. (10hrs.)	Describe CNC interpolation,
119. Check CNC part	open and close loop control
programming with simple	systems. Co-ordinate systems
exercises and using various	and Points.
programming codes and	Program execution in different
words. (09hrs.)	modes like manual, single block
120. Check the programme	and auto.



simulation on machine OR practice in simulation software in respective control system. (09hrs.) 121. Absolute and incremental programming assignments and simulations. (09hrs.) 122. Linear interpolation, and Circular interpolation assignments and simulations on software. (10hrs.)	Absolute and incremental programming. Canned cycles. Cutting parameters- cutting speed, feed rate, depth of cut, constant surface speed, limiting spindle speed, tool wear, tool life, relative effect of each cutting parameter on tool life. Selection of cutting parameters from a tool manufacturer's catalog for various operations. Process planning & sequencing, tool layout & selection and cutting parameters selection. Tool path study of machining operations Prepare various programs as per drawing. (18hrs.)
 123. Perform Work and tool setting: - Job zero/work coordinate system and tool setup and live tool setup. (15hrs.) 124. Carryout jaw adjustment according to Diameter and tooling setup on Turret. (15hrs.) 125. CNC turning centre operation in various modes: JOG, EDIT, MDI, SINGLE BLOCK, AUTO. (15hrs.) 126. Program entry. (2hrs.) 	Tool Nose Radius Compensation (G41/42) and its importance (TNRC). Cutting tool materials, cutting tool geometry – insert types, holder types, insert cutting edge geometry Describe Tooling system for turning - Setting work and tool offsets Describe the tooling systems for CNC TURNING Centers Cutting tool materials for CNC Turning and its
 127. Set the tool offsets, entry of tool nose radius and orientation. (15hrs.) 128. Conduct work off set measurement, Tool off set measurement and entry in 	applications - ISO nomenclature for turning tool holders, boring tool holders, indexable inserts. - Tool holders and inserts for radial grooving, face



CNC Control. (10hrs.) 129. Make Tool nose radius and tool orientation entry in CNC control. (8hrs.) 130. Jaw removal and mounting on CNC Lathe. (8hrs.) 131. Manual Data Input (MDI) and MPG mode operations and checking of zero offsets and tool offsets. (12hrs.)	grooving, threading, drilling. (36 hrs.)
132. Program checking in dry run, single block modes. (6 hrs.)	Prepare various part programs as per drawing & check using CNC simulator.
133. Checking finish size by over sizing through tool offsets. (9 hrs.)	Processes and Tool selection related to grooving, drilling, boring & threading. (27 hrs.)
134. Part program preparation, Simulation & Automatic Mode Execution for the exercise on Simple turning & Facing (step turning) (10 hrs.)	
135. Part program preparation, Simulation & Automatic Mode Execution for the exercise on Turning with Radius / chamfer with TNRC. (10 hrs.)	
136. Part program preparation, Simulation & Automatic Mode Execution of CNC Machine for the exercise on Blueprint programming contours with TNRC. (10 hrs.)	
137. Machining parts on CNC lathe with parallel, taper, step, radius turning,	



grooving & threading. (15 hrs.) 138. Carryout Drilling /Boring cycles in CNC Turning. (15 hrs.) (First 60 % of the practice is on CNC machine simulator, followed by 40 % on machine.)	
Correction. Geometry and wear offset correction. (10 hrs.) 140. Produce components on CNC Machine involving different turning operations viz., Stock removal cycle OD Drilling / boring cycles Stock removal cycle ID Carryout threading in different pitches. (18 hrs.) 141. Produce components by involving turning operation and part programme exercises of CNC turning turning operation. OD Produce components on CNC turning operation.	escribe Tapping on CNC rning. Degramming for Doving/Threading on D/ID in CNC Turning. Duble shooting in CNC The machine Pentify Factors affecting The part quality/ Doductivity. The operation Degramming of operation Degramming in CNC The machine T



		142. Part off: Part Prog. (4 hrs.)	
		143. Produce job involving	
		profile turning, threading	
		on taper, boring, etc.	
		operations. (22 hrs.)	
		144. Demo on M/C on bar	
		feeding system.	
		(simulation/ video) (1 hr.)	
		145. DNC system setup.	
		(Optional)	
		146. Run the machine on DNC	
		mode.(Optional)	
		147. CAM programme	
		execution. (Optional)	
		148. Data Input-Output on CNC	
		machine. (2 hrs.)	
Professional	Manufacture and	149. Thread on taper surface	Setting of tools for taper
Skill 100 Hrs.;	assemble	(Vee form). (50 hrs.)	threads-calculation of taper
	components to		setting and thread depth.
Professional	produce utility		
Knowledge	items by		Heat treatment – meaning &
36 Hrs.	performing		procedure hardening,
	different		tempering, carbonizing etc.
	operations &		
	observing principle		Different types of metal used in
	of		engineering application. (18
	interchangeability		hrs.)
	and check	150. Manufacturing & Assembly	Interchangeability meaning,
	functionality.	of Screw jack/vice/Box nut	procedure for adoption, quality
	[Utility item: -	by performing different	control procedure for quality
	screw jack/ vice	lathe operation. (To use	production. (09hrs.)
	spindle/ Box nut,	earlier produce screw	
	marking block, drill	jack). (25 hrs.)	
	chuck, collet chuck	151. Prepare different types of	Importance of Technical English
	etc.; different	documentation as per	terms used in industry –(in
	operations: -	industrial need by different	simple definition only)Technical
	threading (Square,	methods of recording	forms, process charts, activity
	BSW, ACME,	information. (4 hrs.)	logs in required formats of
	Metric), Thread on	152. Turn Bevel gear blank. (21	industry, estimation, cycle



	taper, different	hrs.)	time, productivity reports, job
	boring (Plain,		cards. (09 hrs.)
	stepped)]		
Professional	Make a process	153. Read a part drawing, make	Terms used in part drawings
Skill 125 Hrs.;	plan to produce	a process plan for turning	and interpretation of drawings
Duefossianal	components by	operation and make	– tolerances, geometrical
Professional	performing special	arborwith clamping nut	symbols - cylindricity,
Knowledge	operations on lathe	(hexagonal). (50hrs.)	parallelism. etc. (18 hrs.)
45 Hrs.	and check for	154. Practice of special	Automatic lathe-its main parts,
	accuracy. [Accuracy	operations on lathes -	types diff. Tools used-circular
	- ±0.02mm or proof	worm gear cutting. (Shaft)	tool etc. (09 hrs.)
	machining &	(25 hrs.)	
	±0.05mm bore;	155. Boring on lathe using soft	Related theory and calculation.
	Special operation –	jaws to make bush with	(18 hrs.)
	Worm shaft cutting	collar (standard) on	
	(shaft) boring,	nonferrous metal and	
	threading etc.]	check with dial bore gauge	
		to accuracy of +/- 0.05	
		mm. (30hrs.)	
		156. Make Arbor support bush.	
		(Proof Machining) (20hrs.)	

In-plant training/ Project work (Any Project to be done on CNC machine)

- a) Taper Sunk
- b) Socket with Split Collet
- c) Screw Jack
- d) Spindle with Hub
- e) Morse Taper Eccentric
- f) Crank Shaft with Taper Sleeve



SYLLABUS FOR CORE SKILLS

- 1. Workshop Calculation & Science (Common for two years courses) (80Hrs. + 80 Hrs.)
- 2. Engineering Drawing (Common for Group-I (Mechanical Trade Group)) (80Hrs. + 80 Hrs.)
- 3. Employability Skills (Common for all CTS trades) (160Hrs. + 80 Hrs.)

Learning outcomes, assessment criteria, syllabus and Tool List of Core Skills subjects which is common for a group of trades, provided separately in www.bharatskills.gov.in



	LIST OF TOOLS AND EQUIPMENT						
	Turner Trade (CTS) (For batch of 20 candidates)						
S No.	Name of the Tool & Equipment	Specification	Quantity				
A. TRA	INEES TOOL KIT (For each additional unit t	rainees tool kit Sl. 1-10 is required	d additionally)				
1	Caliper outside spring joint	150 mm	(20 +1) nos.				
2	Caliper inside spring joint	150 mm	(20 +1) nos.				
3	Caliper odd-leg firm joint	150 mm	(20 +1) nos.				
4	Steel Rule	150 mm, Graduated both in Metric and English Unit	(20 +1) nos.				
5	Scriber	150mm x 3 mm	(20 +1) nos.				
6	Hammer ball peen	250 gm with handle	(20 +1) nos.				
7	Centre punch	100 mm	(20 +1) nos.				
8	Prick punch	100 mm	(20 +1) nos.				
9	Divider spring joint	150 mm	(20 +1) nos.				
10	Safety goggles clear glass (Good quality)		(20 +1) nos.				
B. INST	RUMENTS AND GENERAL SHOP OUTFIT						
11	Surface Plate - Granite	1000 x 1000 mm with Stand and Cover	1 no.				
12	Work bench	240 x 120x 90cm high	1 no.				
13	Marking table (CI)	120 x 120 cm	1 no				
14	Bench vice	125 mm jaw	6 nos.				
15	V-Block	150X100X100 mm with Clamp (Hardened & Ground)	1 pair each				
16	Universal Surface gauge	250 mm arm	2 nos.				
17	Hammer ball peen	750 gm with handle	6 nos.				
18	Chisel cold flat	20 x 150 mm	6 nos.				
19	Hammer copper/brass	500 gm with handle	12 nos.				
20	Hacksaw fixed	200 mm (Pistol grip)	6 nos.				
21	File flat	300 mm rough	6 nos.				
22	File flat	250 mm 2nd cut	6 nos.				
23	File flat	250 mm smooth	6 nos.				
24	File half round	250 mm 2nd cut	6 nos.				
25	File round	250 mm smooth	6 nos.				
26	File half round	150 mm smooth	2 Sets				



27	Knurling tool revolving head	(Rough, med, fine) diamond and straight	2 Sets
28	Combination set	300 mm (Complete Set)	6 nos.
29	Screwdriver	10 X 200 mm	1 set
30	Spanner double ended	6 mm to 21 mm	2 nos.
31	Spanner adjustable	200 mm	
32	Pliers flat nose	150 mm side cutting	15 nos.
33	Caliper transfer inside	150 mm	3 nos.
34	Micrometer Outside	0 to 25 mm, Least Count 0.01 mm with NABL Accredited lab. Certificate	2 sets
35	Micrometer Outside	25 to 50 mm, Least Count 0.01 mm with NABL Accredited lab. Certificate	2 nos.
36	Micrometer Outside	50to 75 mm, Least Count 0.01 mm with NABL Accredited lab. Certificate	2 sets
37	Micrometer Inside	up to 25 mm, Least Count 0.01 mm with NABL Accredited lab. Certificate	2 nos.
38	Micrometer Inside	up to 25 to 50 mm, Least Count 0.01 mm with NABL Accredited lab. Certificate	2 nos.
39	Depth Gauge Micrometer	0 to 150 mm, Least Count 0.01 mm with NABL Accredited lab. Certificate	2 nos.
40	Vernier Caliper Outside, Inside and Depth	200 mm /8 inches with metric & inch scale (L.C. = 0.02mm) with NABL Accredited lab. Certificate	6 nos.
41	Dial Vernier Caliper with metric	200 mm, Least Count 0.05 mm 6 no with NABL Accredited lab. Certificate	
42	Vernier Bevel Protractor	300 mm blade with NABL Accredited lab. Certificate	6 nos.
43	Vernier Micrometer	0 - 25 mm o/s LC 0.001mm with NABL Accredited lab. Certificate	2 nos.



44	Vernier Micrometer	25 - 50 mm, outside Least Count 0.001mm with NABL Accredited lab. Certificate	2 sets
45	Vernier Micrometer	0 inch to 1 inch.Outside Least Count 0.001 inch with NABL Accredited lab. Certificate	2 nos.
46	Gauge Feeler	Thickness - 0.05 mm to 0.3 mm by 0.05 and 0.4 mm to 1 mm by 0.1 mm - 13 leaves	1 each
47	Gauge - Radius Set	1 mm to 25 mm by 0.5 mm	6 nos.
48	Centre Gauge	com. 60°, 55° and 29°	2 sets
49	Screw Pitch Gauge	Whitworth & Metric each (0.25 to 6mm)	2 sets
50	Drill Angle Gauge		2 sets
51	Universal Dial Test Indicator - Plunger Type	Range 0 - 10 mm, Graduation 0.01 mm complete with Clamping Devices and Magnetic Stand	2 sets
52	Vernier Height Gauge	0 - 300 mm, LC = 0.02 mm with NABL Accredited lab. Certificate	1 set
53	Try Square	150 blades	4 nos.
54	Magnifying Glass	75 mm with magnifying factor 10X	4 nos.
55	Plain Ring and Plug Gauge	(12,16,20,25,30,32,36,40,45,50 mm)	1 set each
56	Wheel Dresser Hunting on-type with star cutter		1 No.
57	Wheel Dresser Diamond	(inserted-0.75 or 1 Carat)	2 nos.
58	Screw Thread micrometer interchangeable	(0-25 mm)	1 no.
59	Morse Taper Plug & Ring Gauge	No. 0 to 7 MT	1 set
60	Sine Bar with centers	200 mm	2 nos.
61	Slip Gauge metric set	(87 pieces in a Box) with workshop grade	2 nos.
62	Morse Taper	Sleeves No. 0-1, 1-2, 2-3, 3-4, 4-5.	1 set
63	Drill Drift		1 Set.



64	Twist Drill	straight shank 3 to 12 mm by 1 mm	1 No.
65	Drill Twist Set	Taper Shank - 14 mm to 20 mm by 1 mm	1 set (Box)
66	Drill Chuck	12 mm cap with key	2 Sets.
67	Tap & Die	B.A. No. 0 to 10 in a box	2 nos.
68	Tap and Die Set	Metric - 3 to 24 mm	2 Sets
69	Tap & Die	B.S.F. up to 1 inch	2 Sets.
70	Tap & Die	B.S.W. up to 1 inch	2 Sets.
71	Reamer machine	straight flute 6 to 25 mm	1 Set.
72	Reamer Adjustable	10 to 20 mm	1 set.
73	Tool Holder RH & straight for mm		1 no.
	square tool bit		
74	Parting Tool Holder with H.S.S. blade		12 nos.
75	Tool Bits	12 X 150 mm sq. assorted shaped	15 nos.
76	Boring Tool holder	6 mm sq. tool bit	15 nos.
77	Steel Rule	300 mm with Metric and Inch	15 nos.
78	Oil Can	½ pint (pressure feed system)	06 nos.
79	Dog Carrier	25, 50 and 75 mm	12 nos.
80	Angle Plate	Adjustable - 150 X 175 X 250	02 nos.
		mm	
81	Spirit Level	0.05 mm / 200 mm	2 nos.
82	Tool Maker's button		1 set
83	Combination Drill / Centre Drill	A3, A4 & A5	1 set
84	Oil Stone	12 mm sq. x 100 long fine	12 nos.
85	Tap Wrench (adjustable)		09 nos.
86	Die Handle		2 nos.
87	Tool Bit assorted sizes on holder		10 nos.
88	Machine Vice - Swivel Base	100 mm	01 no.
89	Chalk Board on mobile stand		1 no.
90	Spare Grinding Wheel Ajax type for		1 no.
	carbide tool		
91	Almirah	1980x 910 x 480 mm	2 no.
92	St. Locker with drawer (Pigeonholes)		1 no.
93	Desk		1 no.
94	Stool		4 nos.
95	Angle Gauge for tool grinding		6 nos.



96	Hand Chaser	M-12 & M-16 (External)	2 nos.
97	Hand Chaser	M-12 & M-16 (Internal)	2 nos.
98	Revolving Center (to suit Lathe tailstock)		6 nos.
99	Tool Cemented carbide assorted shaped (External) for steel turning	set of 12 nos.	1 No.
100	Thread Plug Gauge	M-20 & M-21	1 set
101	Thread Ring Gauge	M-20 & M-21	1 no.
102	Machine Chaser	M-12 TO M-21 (Std. Series) to suit on	1 set
103	Coventry Die head		2 nos.
104	Gauge Drill Grinding		1 No.
105	Magnetic Chuck	150 mm dia.(Circulartype)	1 set.
106	Lathe Mandrels (Diff. Types)		1 no.
107	Coventry Type Die Head (Self-opening)		1 no.
108	Collapsible Tap with attachment		2 nos.
109	Fire Extinguisher and buckets		2 nos. each
110	Bore dial gauge stems	12 to 35 mm, 35 to 65 mm., dial gauge indicator of 0.01 accuracy.	1 set each
C:MA	CHINERIES AND EQUIPMENTS		
111.	Lathe S.S. & S.C. (All geared head stock) with minimum specification as:	150 mm center height, to admit 750 mm between centers. Machine to be motorized and supplied with coolant installation, 4-jaw Independent chuck 150 mm, 3-jaw self-centering chuck 150 mm, fixed steady, traveling steady, face plate, driving plate, 4-way tool post, quick change gear box for Metric or British threads, live and dead centers with taper attachments, Motor Capacity - 5.5 KW	5 nos.



112.	Lathe S.S & S.C.(all geared type) with minimum specification as:	150 mm. Center height, 1000 mm between centers, gap bed machine to be motorized and supplied with coolant installation, 4-jaw independent chuck 250 mm , 3-jaw self-centering chuck 200 mm fixed steady, face plate, driving plate, 4-way tool post, quick change gear box for Metric/British threads, live and dead centers with taper attachments, Motor Capacity - 5.5 KW	1 no.
113.	Lathe tool room S.S. & S.C. (all geared type) with minimum specification as:	150 mm center height, 1000 mm between centers. Machine to be motorized and supplied with coolant installation, 4-jaw independent chuck 250 mm, 3-jaw self-centering chuck 150 mm fixed steady, traveling steady, face plate, driving plate, 1-way tool post, draw in type collets set up to 25 mm, 0.5 mm, relieving attachments, Motor Capacity -5.5 KW	1 no.
114.	Grinding machine pedestal type	D.E. 200 mm dia. Wheel with wheel guard and vision, Motor Capacity -0.75 KW	1 no.
115.	Drill machine pillar type-motorized	up to 12 mm. Cap, Motor Capacity -0.75 KW	1 no.
116.	Power saw machine – hydraulic feed system	400 mm. Blade size, Motor Capacity -0.75 KW	1 no.
D: LIST	OF ADDITIONAL MACHINES, TOOLS & EQU	IPMENT FOR CNC TURN CENTRE:	
117.	CNC lathe/CNC turn Centre	[specification as per Annex-A & A (I)]	As per Annex-A & A (I)
118.	a) Simulator b) Desktop Computers	[specification as per Annex-A & A (I)]	As per Annex-A & A (I)



119.	Tool holders	[specification as per Annex-A	As per
		& A (I)]	Annex-A & A (I)
120.	LCD projector / large screen TV		1 no.
121.	Digimatic Electronic VernierCaliper	inch and mm 8"/200 mm. LCM	2 nos.
		0.005"/0.001 mm	
122.	Digimatic electronic outside Micrometer	(0 to 25 mm & 25 to 50 mm) LC	1 no. each
		0.001 mm.	

NOTE: -

- 1. No additional items are required to be provided to the batch working in the second and third shiftexcept the items under trainee's toolkit.
- 2. Institute having centralized computer lab may use the existing infrastructure to impart simulation training & in that case not required to procure item no. 118b.
- 3. Preferably all tools must be hardened, toughened and grounded.
- 4. Internet facility is desired to be provided in the classroom.



Annexure – A

			uo i - li				
	CNC Lab						
	Space and Power Requirement						
1	Space Required (in Sq. Meter):		40 (For below 65 (For above		•		
2	Power Required (in KW):		6 (For below	4(2+2) uni	ts)		
	C	NC Lab Infra	12.5(For 4(2 12.5(For 4(2	(+2) & abov	e units)		
			Quan	tity			
SNo.	Name of Item	Category	4 (2+2) units & Above	Below 4 (2+2) units	Unit	Remark	
3	CNC turn Centre [specification as per Annex-A(I)]	Machine	1	NIL	Numb er	Refer Instructions	
4	Multimedia based simulator for CNC technology and interactive CNC part programming software for turning & milling with virtual machine operation and simulation using popular operation control system such as Fanuc, Siemens, etc. (Webbased or licensed based) (12 trainees + 1faculty) With help of this software the trainees should be able to Write, Edit, Verify & Simulate	Software	10	10.	users		
5	Desktop Computers compatible to run simulation software with LAN facility	Machine	10	10	Numb er	CPU: 32/64 Bit i3/i5/i7 or latest processor, Speed: 3 GHz or Higher. RAM:-4 GB DDR-III or Higher, Wi-Fi Enabled. Network Card:	



b)

						Integrated Gigabit Ethernet, with USB Mouse, USB Keyboard and Monitor (Min. 17 Inch.) Licensed Operating System and Antivirus compatible with trade related software.
6	Printer - (Laser/ Inkjet)	Machine	1	1	Numb er	Optional
7	Air Conditioner	Machine	As required	As required	Numb er	Optional
8	UPS	Machine	As required	As required	Numb er	Optional

Instructions

For units less than 4(2+2), ITI can enter into MoU with Facilitator who will provide the Training to Trainees admitted and undergoing training in above Trades.

The Facilitator should be Government ITI, Engineering/ Polytechnic College, Recognized Training Institute, Industry, Private ITI (Facilitators are arranged in descending preference order). The Facilitator should have all the above training infrastructure. (Including CNC Machines and Multimedia software for CNC). If any of the facility is not available with facilitator then the same should be provided in the ITI. The facilities of CNC should be made available to ITI trainees at the time of examination. This clause should be part of MoU to be signed. The training provider must be within the range of 15 Km or within city whichever is less.

NOTE: - "It is on the discretion of the ITI that it may procure CNC simulation software with extra features in addition to the specification defined against CNC simulator".



Annexure -A (I)

	Detailed specification for 2 axis CNC Lathe / Turning centre				
1	MACHINE CAPACITY	Units	Size		
a	Swing over bed	mm	350 or higher		
b	Turning diameter	mm	135 or higher		
С	Distance between centres	mm	250 or higher		
d	Maximum Turning Length	mm	200 or higher		
e	Slant angle (bed or saddle)	degrees	30 to horizontal or higher		
f	Cast Iron grade for bed and saddle		Grade 25 or equivalent		
g	Machine weight net	kg	1500 or higher		
2	SPINDLE				
а	Spindle nose		A2-4 / A2-5		
b	Bore through Spindle	mm	35 or higher		
С	Maximum spindle speed	RPM	4000 or higher		
d	Spindle power, continuous	kW	3.7 or higher		
e	Minimum spindle speed @ full power	RPM	1200 or lower		
f	Type of drive		AC servo spindle motor (digital)		
g	Chuck size	mm	135 or higher		
h	Chuck type		3-jaw hydraulic, Hydraulic Power		
			operated		
i	Spindle bearing class		P4 class		
j	Front Bearing Dia. (ID)	mm	60 or higher		
3	AXES				
a	X - axis Travel	mm	100 or higher		
b	Z - axis Travel	mm	200 or higher		
С	Programmable feed rate- X & Z	mm/min	10 - 10000		
d	Minimum programmable command - X & Z	mm	0.001		
e	Rapid traverse - X & Z	m/min	20 or higher		
f	Type of drive - X & Z		AC servo motor		
g	Motor torque - Z axis	Nm	3 or higher		
h	Motor torque - X axis	Nm	3 or higher with brake		
i	Ball screw - Z & X axes (diameter x	mm	25 x 10 or higher		
	pitch)				
j	Ball screw finish - Z & X axes		Hardened and Ground		
k	Ball screw class- Z & X axes		Pre-loaded with C3 or better		
I	Guideway type - Z & X axes		Antifriction linear motion guideway		
m	Guideway size - Z & X axes	mm	25 or higher		
n	Guideway precision - Z & X axes		P class		
4	TURRET				



а	Bi-Directional Tool Turret		Electromechanical/Servo/Hydraulic
b	No. of Tools	Nos.	8 or higher
С	Tool shank size	mm	20 x 20 or higher
d	Maximum boring bar diameter	mm	25 or higher
5	TAIL STOCK		
а	Quill Diameter	mm	65 or higher
b	Quill Stroke	mm	70 or higher
С	Quill Taper		MT-4 or higher
d	Quill actuation		Hydraulic
е	Tail stock base travel manual	mm	150 or higher
f	Thrust (Adjustable)	Kgf	300 or higher
6	COOLANT/LUBRICATION/HYDRAULI	C	
а	Coolant tank Capacity	Litres	100 or higher
b	Coolant pump motor	kW	0.37
С	Coolant pump out put	LPM	20 or higher
d	Lubrication type		Automatic centralized lubrication
е	Lubrication tank capacity	Litres	3 or higher
f	Hydraulic pump discharge	LPM	8 or higher
g	Hydraulic tank capacity	Litres	30 or higher
h	Hydraulic system pressure maximum	Bar	30 or higher
7	ACCURACY as per ISO 230-2		
а	Positioning accuracy X & Z axes	mm	0.012
b	Repeatability X & Z axes	mm	± 0.007
С	Geometrical Alignment	•	ISO 13041-Part 1
d	Accuracy of finish test piece		ISO 13041-Part 6
8	CNC SYSTEM		
a	Control System	FANUC /Siemens	
b	System resolution	0.001 mm	
С	Motors & Drives		CNC controllers mentioned above
d	Tool number display	On machine opera	ator panel
e	Machine control panel	Feed rate, spindle	speed override knob
f	MPG (Manual pulse generator)	On machine opera	ator panel
g	CNC features	Graphic Simulation	n, Programming help, Tool Offsets,
		MDI,	
		Absolute/Increm	nental Positioning, Pitch error
		compensation	
9	POWER SOURCE		
	Mains supply (± 10 %)	415 V, 3 Ph.,	
а			
	,	50Hz	
b	Total connected load requirement	50Hz Approx. 15 kVA	
	Total connected load requirement STANDARD EQUIPMENT	Approx. 15 kVA	
b	Total connected load requirement	1	



	cabinet						
	Backup CD for PLC Ladder Logic	1 No.					
d	Machine lighting	1 No.					
e	Levelling pads and jacking screws	4 No.					
f	Operation manual	1 No.					
<u>'</u>	Maintenance manual	1 No.					
g h	Installation kit	1 No.					
;	Maintenance tool kit	1 No.					
:	6 rack trolley (Size 25"x22"x45") with						
J	lock	I NO.					
le .		1 No.					
k	Machine guarding with safety compliance	I NO.					
11	MAKES OF CRITICAL MACHINE TOOL	COMPO	NENTS				
a	Linear Motion Guideways		THK/PMI	/STAR			
b	Ball Screws				'STAR/HM	T/NSK	
C	Spindle Bearings		K/FAG/S		JIAIGIIIVI	171451	
d	Turret	-		•	JTER/DUPI	OMATIC	
e	Hydraulic Chuck & Cylinder			-	/PRAGATI/		
f	Hydraulic Power Pack				/ I NAOA II/	IXOTTIVI	
σ	Panel AC	YUKEN/FLUID/REXROTH WERNER FINLEY/RITTAL/LEXTECNOID					
g h	Stabilizer	NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT			FNT		
;	Lubrication	CENLUBE/DROPCO/EQUIVALENT					
<u>'</u>	Coolant Pump	RAJAMANE/GRUNDFOS					
k	Cutting tools and holders	SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB					
IX.	eatting tools and noiders	ISHI					
12	Cutting tools & tool holders	Quantity Inserts Quantity					
			1 year	3 years		1 year	3 years
1. Ex	ternal turning holder, insert type, MW	LNL	2	4	WNMG	20	40
	ternal turning holder, insert type, MVJ		2	4	VNMG	10	20
	ternal turning holder, insert type, PDJN		2	4	DNMG	10	20
	nreading Holder - External, LH		2	4	0.5 to 2	10	30
	nreading Holder - Internal, LH		2	4	0.5 to 2	10	30
	rooving Holder External, LH		2	4	3 mm	10	30
	rooving Holder Internal, LH		2	4	3 mm	10	30
	8. Parting off Holder for insert width 2 mm, I		2	4	2 mm	10	30
	oring holder SCLCL for minimum bore d		2	4	WCMT	20	60
mm	Holder Solet for Hillimidin boile a						00
	10. Boring holder SCLCL for minimum bore di		2	4	CCMT	20	60
mm			_	,			30
	ternal grooving holder LH, for minimun	n bore	2	4	2 mm	10	30
	2 mm.		_	,			30
	ternal threading holder LH, for minimu	m bore	2	4	w mm	10	30
dia. 1			_			_•	- •
			1	I	i .		



13. Insert drill 12.7 mm	2	4	Suitable	10 sets	30 sets
			e		
14. Reducing sleeves for internal holders - Dia 12	1 set	2 sets			
and 16 mm					
15. Centre drill HSS A 2.5 x 6.3	2	6			
16. Twist drill HSS straight shank, dia 6,8,10,12 mm	2 Sets	6 sets			
17. Collets suitable for the above drills	1 Set	2 sets			
18. Collet Holder	2	4			
19. Boring bar holder	3	3			



The DGT sincerely acknowledges contributions of the Industries, State Directorates, Trade Experts, Domain Experts, trainers of ITIs, NSTIs, faculties from universities and all others who contributed in revising the curriculum.

Special acknowledgement is extended by DGT to the following expert members who had contributed immensely in this curriculum.

List of Expert members participated for finalizing the course curriculum of Turner trade held on 12.01.17 at CSTARI, Kolkata

	<u>'</u>		
S No.	Name & Designation Shri/Mr./Ms.	Organization	Remarks
1.	DEEPANKAR MALLICK, DDG (Trg.)	DGT, MSDE, New Delhi	Chairman
2.	H. V. SAMVATSAR, Director	CSTARI, Kolkata	Secretary (Trade Committee)
3.	NIRMALYA NATH Asst. Director of Trg.	CSTARI, Kolkata	Member cum Co-coordinator
4.	RAJENDRA PRASAD Director	DTE, Uttar Pradesh	Member
5.	R. N. BANDYOPADHAYA OSD	PaschimBanga Society for Skill Development, Kolkata	Member
6.	SUMANTA MODAK, General Manager (Works)	EVEREADY Industries Pvt. Ltd. (Representative of <i>CII</i>)	Member
7.	S. D. SATISH CHANDRA, Manager (HR), Trg.	HAL – Koraput Division, Koraput, Odisha	Member
8.	SUMANTA CHATTERJEE Addl. General Manager	BHEL, Power Sector ER	Member
9.	P. C. BHANDARI Technical Advisor	J K Cement Ltd. Kanpur	Member
10.	SANJIT BHOWMICK Asst. General Manager	Hindalco Industries Ltd., Belur Math, Howrah	Member
11.	DEBASHIS BHATTACHARYYA, JWM,/FTI	Rifle Factory, Ishapore, Ministry of Defence, Govt. India, WB	Member
12.	SATYABADI SATAPATHY Training Officer	HAL – Koraput Division, Koraput, Odisha	Member



4.0			
13.	PRABHAT SAMIR PAL	GRSE Ltd., Kolkata	Member
	Jr. Manager		
14.	JOYDEEP PAL MAJUMDER	Rifle Factory, Ishapore, Ministry	Member
	Asst. Work Manager	of Defence, Govt. India, WB	
15.	BHABANI PROSAD MONDAL	Rifle Factory, Ishapore, Ministry	Member
	CM/FTI	of Defence, Govt. India, WB	
16.	SUNIRMAL BASU,	Railway Workshop, Kanchrapara	Member
	Asst. Inspecting Officer		
17.	K. L. KULI	CSTARI, Kolkata	Member
	Joint Director of Trg.		
18.	M. THAMIZHARASAN,	CSTARI, Kolkata	Member
	Joint Director of Trg.		
19.	SANJAY KUMAR	CSTARI, Kolkata	Member
	Joint Director of Trg.		
20.	L. K. MUKHERJEE	CSTARI, Kolkata	Member
	Dy. Director of Trg.		
21.	U. K. MALLICK,	DTE&T, Odisha	Member
	Dy. Director		
22.	N. R. PATTANAIK	Govt. ITI Balasore, Odisha	Member
	Principal		
23.	DEEPAK KUMAR,	Railway Workshop, Kanchrapara	Member
	SSE/Drg./C&W		
24.	D. W. PATNE,	Association of Non-Govt. ITI,	Member
	Secretary	Maharastra	
25.	VIVEK CHAUDHARI	Ujjwal ITI Nashirabad, Dist-	Member
	Principal	Jalgoan, Maharastra	
26.	Fr. JOSE PADAMATTAM	Don Bosco Technical Institute,	Member
	Principal	Park Circus	
27.	SWAMI GUNINDRANANDA	R. K. Mission	Member
	Superintendent	ShilpayatanBelurmath, Howrah	
28.	TAPAS SENGUPTA,	ITI Howrah Homes	Member
	Instructor		
29.	DEBIPROSHAD SARKAR,	ITI Howrah Homes	Member
	Instructor		
30.	G. B. KOLAPATE,	Govt. ITI Andhari, Mumbai,	Member
	Instructor	Maharastra	
31.	H. B. KOSHTI,	Govt. ITI Byculla, Mumbai -	Member
	Craft Instructor	400011	



32.	NAGESH BALAKRISHNA NARKAR,	ITI Ambernath, Thane,	Member
	Craft Instructor	Maharastra	
33.	PARTHA SARKAR,	Railway Workshop, Kanchrapara	Member
	Jr. Engineer/Drawing (Mech.)		
34.	SWAPAN KUMAR	STC/KPA, Eastern Railways,	Member
	BHATTACHARYA,	Kanchrapara	
	Instructor		
35.	BIKASH CHAUDHURI,	Ramakrishna Mission	Member
	Instructor	Shilpayatan, Belur, Howah	
36.	SACHIN M. LAMSE	ITI Aundh, Pune, Maharastra	Member
	Instructor		
37.	SOMNATH B. SAPKAL,	ITI Anudh, Pune, Maharastra	Member
	Instructor		
38.	K. K. PANIGRAHI	Gun Shell Factory, Cossipore	Member
	Instructor		
39.	T. K. GHOSH,	CSTARI, Kolkata	Member
	Training Officer		
40.	R. N. MANNA,	CSTARI, Kolkata	Member
	Training Officer		
41.	TARAKNATH GARAI	ITI Howrah Homes	Member
	Instructor		
42.	SUDHANGSHU MUKHERJEE,	Eastern Railway, Kanchrapara	Member
	Sr. Tech./Dy. CEE/KPN		
43.	S. N. TAMBATKAR,	Govt. ITI, Adheri, Mumbai	Member
	Craft Instructor		

SI. No.	Name & Designation Sh/Mr./Ms.	Organization	Mentor Council Designation			
Member	Members of Sector Mentor council					
1.	A. D. Shahane, Vice-President,	Larsen &Tourbo Ltd.,	Chairman			
	(Corporate Trg.)	Mumbai:400001				
2.	Dr.P.K.Jain, Professor	IIT, Roorkee, Roorkee-247667,	Member			
		Uttarakhand				
3.	N. Ramakrishnan, Professor	IIT Gandhinagar, Gujarat-382424	Member			
4.	Dr.P.V.Rao, Professor	IIT Delhi, New Delhi-110016	Member			
5.	Dr.Debdas Roy, Asstt. Professor	NIFFT, Hatia, Ranchi-834003,	Member			
		Jharkhand				



6.	Dr. Anil Kumar Singh, Professor	NIFFT, Hatia, Ranchi-834003, Jharkhand	Member
7.	Dr.P.P.Bandyopadhyay Professor	IIT Kharagpur, Kharagpur-721302,	Member
	, , , , , , , , , , , , , , , , , , , ,	West Bengal	
8.	Dr.P.K.Ray, Professor	IIT Kharagpur, Kharagpur-	Member
		721302, West Bengal	
9.	S. S. Maity, MD	Central Tool Room & Training	Member
		Centre (CTTC), Bhubaneswar	
10.	Dr. Ramesh Babu N, Professor	IIT Madras, Chennai	Member
11.	R.K. Sridharan, Manager/HRDC	Bharat Heavy Electricals Ltd,	Member
		Ranipet, Tamil Nadu	
12.	N. Krishna Murthy	CQA(Heavy Vehicles), DGQA,	Member
	Principal Scientific Officer	Chennai, Tamil Nadu	
13.	Sunil Khodke, Training Manager	Bobst India Pvt. Ltd., Pune	Member
14.	Ajay Dhuri	TATA Motors, Pune	Member
15.	UdayApte	TATA Motors, Pune	Member
16.	H B Jagadeesh, Sr. Manager	HMT, Bengaluru	Member
17.	K Venugopal, Director & COO	NTTF, Peenya, Bengaluru	Member
18.	B.A.Damahe, Principal	L&T Institute of Technology,	Member
	L&T Institute of Technology	Mumbai	
19.	Lakshmanan. R, Senior Manager	BOSCH Ltd., Bengaluru	Member
20.	R C Agnihotri	Indo- Swiss Training Centre	Member
	Principal	Chandigarh, 160030	
21.	M. K. Verma, Sr. Manager Trg.	SNTI, TATA Steel Ltd.,	Member
	Capability Development	Jamshedpur	
22.	N.K Thakur, DGM-Trg.	L&T, Construction and Mining	Member
		Machinery, Kanchipuram.	
23.	Vijayan K T,	Volkswagen Academy, Pune	Member
Mentor			
24.	Sunil Kumar Gupta (Director)	DGET HQ, New Delhi.	Mentor
Member	rs of Core Group		
25.	N. Nath. (ADT)	CSTARI, Kolkata	Co-ordinator
26.	H.Charles (TO)	NIMI, Chennai.	Member
27.	Sukhdev Singh (JDT)	ATI Kanpur	Team Leader
28.	Ravi Pandey (V.I)	ATI Kanpur	Member
29.	A.K. Nasakar (T.O)	ATI Kolkata	Member
30.	Samir Sarkar (T.O)	ATI Kolkata	Member



31.	J. Ram EswaraRao (T.O)	RDAT Hyderabad	Member
32.	T.G. Kadam (T.O)	ATI Mumbai	Member
33.	K. Mahendar (DDT)	ATI Chennai	Member
34.	Shrikant S Sonnavane (T.O)	ATI Mumbai	Member
35.	K. Nagasrinivas(DDT)	ATI Hyderabad	Member
36.	G.N. Eswarappa (DDT)	FTI Bangalore	Member
37.	G. Govindan, Sr. Draughtsman	ATI Chennai	Member
38.	M.N.Renukaradhya,	Govt. ITI, Tumkur Road, Banglore,	Member
	Dy.Director/Principal Grade I.,	Karnataka	
39.	B.V.Venkatesh Reddy. JTO	Govt. ITI, Tumkur Road, Banglore,	Member
		Karnataka	
40.	N.M.Kajale, Principal,	Govt. ITI Velhe, Distt: Pune,	Member
		Maharashtra	
41.	SubrataPolley, Instructor	ITI Howrah Homes, West Bengal	Member
42.	VINOD KUMAR.R	Govt.ITIDhanuvachapuram	Member
	Sr.Instructor	Trivandrum, Dist., Kerala	
43.	M. Anbalagan, B.E., Assistant	Govt. ITI Coimbatore, Tamil Nadu	Member
	Training Officer		
44.	L.K.Mukherjee, DDT	CSTARI, Kolkata	Member
45.	R. N. Manna, TO	CSTARI, Kolkata	Member
Other in	dustry representatives		
46.	VenugopalParvatikar	Skill Sonics, Bangalore	Member
47.	VenkataDasari	Skill Sonics, Bangalore	Member
48.	Srihari, D	CADEM Tech. Pvt. Ltd., Bengaluru	Member
49.	Dasarathi.G.V.	CADEM Tech. Pvt. Ltd., Bengaluru	Member
50.	L.R.S.Mani	Ohm Shakti Industries, Bengaluru	Member
51.	P. Joji, Ex-JDT	DGT, MSDE, New Delhi	Member
52.	K. Lakshmi Narayanan	Skill Development Centre, JBM	Member
		Auto System Pvt. Ltd.,	
		Kancheepuram	
	· · · · · · · · · · · · · · · · · · ·	·	



ABBREVIATIONS

CTS	Craftsmen Training Scheme	
ATS	Apprenticeship Training Scheme	
CITS	Craft Instructor Training Scheme	
DGT	Directorate General of Training	
MSDE	Ministry of Skill Development and Entrepreneurship	
NTC	National Trade Certificate	
NAC	National Apprenticeship Certificate	
NCIC	National Craft Instructor Certificate	
LD	Locomotor Disability	
СР	Cerebral Palsy	
MD	Multiple Disabilities	
LV	Low Vision	
НН	Hard of Hearing	
ID	Intellectual Disabilities	
LC	Leprosy Cured	
SLD	Specific Learning Disabilities	
DW	Dwarfism	
MI	Mental Illness	
AA	Acid Attack	
PwD	Person with disabilities	



