Status	Finished
Started	Monday, 19 October 2026, 9:49 PM
Completed	Monday, 19 October 2026, 9:53 PM
Duration	3 mins 53 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Incorrect

Mark 0.00 out of 1.00

What is the best-case time complexity of linear search?

- a. O👎 ✗
- b. O(n log n)
- c. O(1)
- d. O(log n)

Question **2**

Correct

Mark 1.00 out of 1.00

What type of search would be most appropriate for finding an element in a list that is frequently updated?

- a. Linear search ✓
- b. Interpolation search
- c. Hash search
- d. Binary search

Question **3**

Correct

Mark 1.00 out of 1.00

What is the time complexity of binary search in the worst case?

- a. O(log n) ✓
- b. O(n log n)
- c. O👎
- d. O(1)

Question **4**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

a. In the left sublist
b. In the right sublist ✓
c. At the beginning of the list
d. In the middle of the list

Question **5**

Correct

Mark 1.00 out of 1.00

In binary search, if the target element is less than the middle element, where does the search continue?

a. In the right sublist
b. At the beginning of the list
c. In the left sublist ✓
d. In the entire list

Question **6**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

a. 90 and 100
b. 89 and 94
c. 94 and 99
d. 90 and 99 ✓

Question **7**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

a. Binary ✓
b. Both (1) & (3)
c. Hash
d. Linear

Question **8**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

- a. The lower middle element is chosen as the middle element ✗
- b. The higher middle element is chosen as the middle element
- c. The search stops
- d. The middle element is chosen randomly

Question **9**

Correct

Mark 1.00 out of 1.00

In which situation is linear search more efficient than binary search?

- a. When the list is small and sorted
- b. When the list is large and sorted
- c. When the list is small and unsorted ✓
- d. When the list is large and unsorted

Question **10**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

- a. Jump search
- b. Linear search ✓
- c. Hashing
- d. Binary search

Question **11**

Correct

Mark 1.00 out of 1.00

What is the time complexity of linear search in the worst case?

- a. O(log n)
- b. O(n log n)
- c. O👎 ✓
- d. O(1)

Question **12**

Correct

Mark 1.00 out of 1.00

What is the key characteristic of binary search?

a. It always starts from the beginning of the list
b. It works on unsorted lists
c. It compares elements sequentially
d. It can be applied only if the list is sorted ✓

Question **13**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Bubble ✓
b. Insertion
c. Complexity
d. Selection

Question **14**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

a. By comparing each element sequentially
b. By starting from the first element
c. By dividing the list length by two ✓
d. By using a hash function

Question **15**

Correct

Mark 1.00 out of 1.00

During a linear search, what is the maximum number of comparisons needed to find an element in a list of size n?

a. n-1
b. n/2
c. n ✓
d. log n