Experiment 4

(I) Inline Style Sheet
(II) Internal Style Sheet
(III) External Style Sheet

Description:

An **inline style sheet** is a method of applying CSS directly to an HTML element using the `style` attribute.
An **internal style sheet** is a CSS method in which CSS rules are written inside the `<style>` tag within the `<head>` section of an HTML document.It is useful when **one HTML page needs its own CSS styles**.
An **external style sheet** is a CSS file that is stored separately from the HTML document. The CSS file is connected to the HTML page using the `<link>` tag.It is useful when **multiple HTML pages need to use the same styles**.

(I) Inline Style Sheet

```
<!DOCTYPE html>

<html>

<head>

  <title>Inline CSS Example</title>

</head>

<body>

  <h1 style="color: blue; text-align: center;">

    Welcome to CSS

  </h1>

  <p style="color: red; font-size: 20px;">

    This paragraph uses inline CSS.

  </p>

  <p style="background-color: yellow; padding: 10px;">

    Inline CSS is written inside the HTML element.

  </p>

</body>
```

</html>

Output:



(Ii) Internal Style Sheet

```
<!DOCTYPE html>
<html>
<head>
  <title>Internal CSS Example</title>

  <style>
    h1 {
      color: blue;
      text-align: center;
    }

    p {
      color: red;
      font-size: 20px;
    }
  </style>
</head>
```

```
<body>

    <h1>Welcome to CSS</h1>

    <p>This paragraph is styled using an internal style sheet.</p>

</body>
</html>
```

Output:

Welcome to CSS

This paragraph is styled using an internal style sheet.

(I) External Style Sheet

Style.css

```
/* Styling the complete webpage */
body {
    font-family: Arial;
    background-color: lightgray;
    margin: 30px;
}
/* Styling the heading */
h1 {
    color: blue;
    text-align: center;
}
/* Styling paragraphs */
```

```
p {
    color: red;
    font-size: 20px;
}
/* Styling sub-heading */
h2 {
    color: green;
}
/* Styling list items */
li {
    font-size: 18px;
    margin: 8px;
}
/* Styling button */
button {
    background-color: blue;
    color: white;
    padding: 10px 20px;
    border: none;
    font-size: 16px;
}
```

Externalstylesheet.html

```
<!DOCTYPE html>
<html>
<head>
    <title>External CSS Example</title>
```

```
    <!-- Linking external CSS file -->
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <h1>Welcome to External CSS</h1>
    <p>This is an example of an external style sheet.</p>
    <h2>Advantages of CSS</h2>
    <ul>
        <li>Easy to maintain</li>
        <li>Reusable styles</li>
        <li>Reduces HTML code</li>
    </ul>
    <button>Click Me</button>
</body>
</html>
```

Output:

