


Introduction to Git

ISS Lab-1

Some Disclaimers

1. Most of the lab sessions are graded (No Extension like C-pro)
2. Keep phones on silent during the lab session
3. Ask Questions if you are stuck
4. Do not directly call any TAs anytime even if you know them personally. Texts are appreciated.
5. Minimize the Use of AI tools. Reason : The course is for you to understand Software Systems. (ALSO THERE WILL BE MOSS)

DEVOPS



What is Git?

Git is a version control system used for tracking changes in computer files. It is generally used for source code management in software development.

What is Version Control System ?

A **Version Control System (VCS)** is a tool that helps you keep track of changes to your files over time. It's like a "time machine" for your project.

In short, a VCS helps you:

- Save your progress.

- Recover from mistakes.

- Work safely on new features.

```
#include <stdio.h>

int add(int a, int b)
{
    return a+b;
}

int main()
{
    int a=5;
    int b=3;
    printf("%d\n",add(a,b));
}
```

```
#include <stdio.h>

int add(int a, int b)
{
    return a+b;
}

int sub(int a, int b)
{
    return a-b;
}

int main()
{
    int a=5;
    int b=3;
    printf("%d\n",add(a,b));
    printf("%d\n",sub(a,b));
}
```

```
#include <stdio.h>

int calc(int a, int b, char sign)
{
    if(sign=='+')
    {
        return a+b;
    }
    else if(sign=='-')
    {
        return a-b;
    }
    else
    {
        return -1;
    }
}

int main()
{
    int a=5;
    int b=3;
    printf("%d\n",calc(a,b,'+'));
    printf("%d\n",calc(a,b,'-'));
}
```

An Example

Why is Version Control System Needed ?

Save time by preventing data loss.

Make it easy to fix mistakes.

Enable smooth experimentation.

Keep your project history organized.

Support collaboration.

Let's do an Activity!!!

Activity

1. Open the file named 'story.txt' on your device.
2. Change all the following letters to 'z' in the file-
'a','b','e','i','o','u'
3. Save the file.
4. Close the editor.

OOPS!!! We made a mistake!!!

1. We only needed to change all the **vowels** to 'z' and **not** 'b'.
2. Open the file you saved and make the necessary changes.

Did you face a problem ??? Solutions ???

The only way to solve the above issue is to go to the first version of the file. That is the very first version.

You downloaded the file again and then made the changes again.

But what if I told you that even **'a'** didn't need to change to **'z'**.

Would you re-download the file???

This is where Version Control System Comes in...

Version 1:

“Buzzy the bee buzzed lazily above a blooming basil bush. "Beautiful breezes!" Buzzy buzzed, zigzagging between zesty blossoms.”

Version 2:(incorrect)

“zzzzy thz zzz zzzzzd lzzzly zzzvz z zlzzmzng zzzsl zzsh. "zzzztzfzl zrzzzszs!" zzzzy zzzzzd, zgzgzzgging zztwzzn zzsty zlzsszms.”

Version 2:(Correct)

“Bzzzy thz bzz bzzzzd lzzzly zbzvz z blzzmzng bzsl bzsh. "Bzzztzfzl brzzzszs!" Bzzzy bzzzzd, zgzgzzgging bztwzzn zzsty blzsszms.”

Do You Have Git???

Let's Install

Before installing Git, let's check if it's already installed on your system.

Open the Terminal

- **Linux:** Open the **Terminal** using `Ctrl + Alt + T`.
- **Mac:** Open **Terminal** from the Applications > Utilities folder.
- **Windows:** Open **Command Prompt** or **Git Bash** (if installed).

Execute command “`git --version`” in terminal/CMD

- If you see a version number (e.g., `git version 2.x.x`), Git is already installed.
- If you see an error saying `'git' is not recognized` Git is not installed, and you'll need to install it using the steps below.

Git on windows

→ Download Git for windows .exe file

Go to following link and download the relevant git installer file:

<https://git-scm.com/downloads/win>

→ Install Git

Execute/ Run the .exe file and follow the instructions of the installer (Try to proceed with default or recommended choices).

→ Verify the Installation

After installation, you can launch Git Bash from the start Menu or desktop Shortcut (if created during installation).

Execute command `git --version` in terminal or Git Bash

- If you see a version number (e.g., git version 2.x.x), Git is successfully installed.
- If you see an error saying 'git' is not recognized, Git is not installed correctly, and you need to recheck and install it again.

Git on Mac

Using Homebrew (Package Manager)

➔ Install Homebrew (if not already installed)

Open Terminal and type the following command:

```
/bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
```

You can find more details on Homebrew installation at <https://brew.sh/>.

➔ Install Git using Homebrew

Execute command `"brew install git"` in terminal

➔ Verify the Installation

Execute command `"git --version"` in terminal

- If you see a version number (e.g., `git version 2.x.x`), Git is successfully installed.
- If you see an error saying `'git' is not recognized`, Git is not installed correctly, and you need to recheck and install it again.

Git in Linux

➔ Update Package Lists

Open Terminal and type the following command:

```
"sudo apt-get update"
```

➔ Install Git using apt-get/dnf

For Ubuntu/Debian-based Systems

Execute command `"sudo apt-get install git-all"`

For Fedora-based Systems

Execute command `"sudo dnf install git-all"`

➔ Verify the Installation

Execute command `"git --version"` in terminal

- If you see a version number (e.g., `git version 2.x.x`), Git is successfully installed.
- If you see an error saying `'git' is not recognized`, Git is not installed correctly, and you need to recheck and install it again.

Basic Git Commands

Setup & Configuration

git config


- Set user information and preferences.
- Examples:
 - **git config --global user.name "Your Name"**
 - **git config --global user.email "your.email@example.com"**

git init

- Initialize a new Git repository in the current directory.

git clone

- Clone an existing repository from a remote location.
- Example: **git clone <repository_url>**



Basic Workflow

git status

- Show the current status of the working directory and staging area.

git add

- Stage changes for the next commit.
- Examples:
 - **git add <file>**
 - **git add .** (stage all changes)

git commit

- Save changes to the repository with a message.
- Example: **git commit -m "Commit message"**

Basic Workflow

git push

- Push commits to the remote repository.
- Example: **git push origin main**

git pull

- Fetch and merge changes from the remote repository.
- Example: **git pull origin main**

git fetch

- Fetch updates from the remote repository without merging.

Branching & Merging

git branch

- List, create, or delete branches.
- Examples:
 - `git branch` (list branches)
 - `git branch <branch_name>` (create a new branch)
 - `git branch -d <branch_name>` (delete a branch)

git checkout

- Switch branches or restore files.
- Examples:
 - `git checkout <branch_name>`
 - `git checkout -b <new_branch_name>` (create and switch to a new branch)


Branching & Merging

git switch

- Switch branches (preferred over checkout for branch switching).
- Example: `git switch <branch_name>`

git merge

- Merge a branch into the current branch.
- Example: `git merge <branch_name>`



Inspecting History

git log

- View the commit history.
- Example: `git log --oneline --graph` (compact graphical view)

git show

- Show details of a specific commit.
- Example: `git show <commit_hash>`

git diff

- Show differences between changes.
- Examples:
 - `git diff` (unstaged changes)
 - `git diff --staged` (staged changes)