DLL < Doubly Linked List >

Given a LL - Can you traverse backwards?



① Given a ptr. to a node. delete it! → O(N)



② Given ptr to a node. insert a node before it! → O(N)



Obs: We do not have ref of prev Node.



```
Class Node {
    data;
    Node next;
    Node prev;
    Node(val) {
        data = val;
        next = NULL;
        prev = ---;
    }
}
```



⊙ Given a DLL. & a given_node. → g_n

Add a new_node before it!

n_n




```
g_n.prev.next = n_n
n_n.next = g_n
n_n.prev = g_n.prev
g_n.prev = n_n
```

TC = O(1)

CORNER CASE



⊙ Given a DLL, given ptr to a node 'del' delete that node!

```
if (del == h) h = h.next

if( del.prev != NULL)
   del.prev.next = del.next
if ( del.next != NULL)
   del.next.prev = del.prev
```



TC = O(1)



④ LRU [Least Recently Used]





Q Given a Y-shaped LL. find the intersection.



1) HS

Insert ALL node ref of One LL
find the first ref of 2nd LL in HS.

TC = O(N+M)

SC = O(min(N,M))

II



TC = O(N+M)

SC = O(1)



III



IV





Q Given a LL. find the length of the longest odd length palindromic sub L.L.



1) BF

find ALL sub LL → N^2

↓

check if it is a palindrome → N

$TC = O(N^3)$

A: 1 2 3 4 5 4 3 1 2 1

1 1 1 1 5 1 1 1 3 → MAX: 5

Idea: EXPAND AROUND CENTER

N x N

TC: $O(N^2)$

LL



1 1 1 1 5

```
p1 = prev, p2 = nxt;  cnt = 1
while( p1 != NULL && p2 != NULL &&
       p1.data == p2.data) {
    p1 = p1.next;
    p2 = p2.next;
    cnt += 2;
}
return cnt;
```

TC : $O(N^2)$

MANACHER'S ALGO

↳ finds longest palindromic S.A in $O(N)$ TC

$O(N)$ → SC