Status	Finished
Started	Saturday, 24 October 2026, 11:25 PM
Completed	Saturday, 24 October 2026, 11:31 PM
Duration	5 mins 23 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Deletes the file
b. Moves the file cursor to the specified position ✓
c. Reads the file line by line
d. Writes data to the file

The correct answer is: Moves the file cursor to the specified position

Question **2**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The file's read/write position
b. The buffer size for the file operations ✓
c. The access mode of the file
d. The encoding of the file

The correct answer is: The buffer size for the file operations

Question **3**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

a. tell()
b. seek() ✓
c. fseek()
d. ftell()

The correct answer is: seek()

Question **4**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use _____

a. outfile = open("c:\scores.txt", "w")

b. outfile = open(file = "c:\scores.txt", "w")

c. outfile = open("c:\\scores.txt", "w") ✓

d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **5**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Read ✓

b. Append

c. Binary

d. Write

The correct answer is: Read

Question **6**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

a. Opens a file in binary mode

b. Opens an existing file in read mode

c. Creates a new file for writing ✓

d. Appends to an existing file

The correct answer is: Creates a new file for writing

Question **7**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. null
b. 2
c. garbage
d. 0 ✓
e. 1

The correct answer is:
0

Question **8**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readchar()
b. readlines()
c. read(size) ✓
d. readline()

The correct answer is: read(size)

Question **9**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. readline()
b. readlines() ✓
c. read()
d. readlist()

The correct answer is: readlines()

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. Binary file
b. Text file
c. none of the given choices
d. Both text and binary file ✓

The correct answer is: Both text and binary file

Question **11**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The buffer size
b. The mode of the file
c. The encoding format of the file ✓
d. The size of the file

The correct answer is: The encoding format of the file

Question **12**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Raises an error because the file is opened in append mode
b. Opens the file in read mode
c. Appends "Adding new data" to the end of the file ✓
d. Overwrites the file with "Adding new data"

The correct answer is: Appends "Adding new data" to the end of the file

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. r+
b. wb ✓
c. w
d. rb

The correct answer is: wb

Question **14**

Correct

Mark 1.00 out of 1.00

Which method is used to read file line by line

a. readlines(1)
b. line()
c. readline() ✓
d. read(1)

The correct answer is: readline()

Question **15**

Correct

Mark 1.00 out of 1.00

What is the use of tell() method in python?

a. tells you the current position within the file ✓
b. tells you the file is opened or not
c. none of the mentioned
d. tells you the end position within the file

The correct answer is:
tells you the current position within the file