Status	Finished
Started	Wednesday, 21 October 2026, 10:44 PM
Completed	Wednesday, 21 October 2026, 10:50 PM
Duration	6 mins 6 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. True

b. False ✓

c. Error

d. Error

Question **2**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['30', '8', '3', '2']

b. ['2', '3', '8', '30']

c. ['2', '3', '30', '8']

d. ['8', '30', '3', '2'] ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain only integers as its elements.

b. In Python, a tuple can contain only strings as its elements.

c. In Python, a tuple can contain both integers and strings as its elements. ✓

d. In Python, a tuple can contain either string or integer but not both at a time.

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. iii,iv

b. ii,iv

c. i,ii

d. i,iii ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

a. [(55,33,11)]

b. [55, 33, 11] ✓

c. (55,33,11)

d. ([55,33,11])

Question **6**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

a. [11,11,11,3,3,3]

b. (11, 3, 11, 3, 11, 3) ✓

c. (11,3)(11,3)(11,3)

d. (11,3,11,11,3,11,11,11,3)

Question **7**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

a. <class 'str'> ✓

b. <class 'tuple'>

c. <class 'int'>

d. str

Question **8**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. Name Error

b. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

c. TypeError: update() doesn't allow list as a argument.

d. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

Question **9**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. No, No

b. Yes, Yes

c. "==" is not supported for set in Python

d. Yes, No ✓

Question **10**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {1,3,4}

b. {1,3,2}

c. {2}

d. {4} ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

a. 2

b. 100

c. Error

d. 117 ✓

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece'),True}

b. {'rec', True, ('cse', 'ece')}

c. Error

d. {'rec', 1, ('cse', 'ece')} ✓

Question **13**

Correct

Mark 1.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. A new set will be created with the unique elements of set1 and set2.

b. A new set will be created with the elements of both set1 and set2 ✓

c. Elements of set1 will get appended to set2

d. Elements of set2 will get appended to set1

Question **14**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. Error

b. (16,17,18)

c. (16,17,18,19) ✓

d. (25,19,18,17)

Question **15**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {9}

b. It will throw an error as there are two 0 while creating the set.

c. {0,0,9}

d. {0,9} ✓