Status	Finished
Started	Wednesday, 21 October 2026, 8:42 PM
Completed	Wednesday, 21 October 2026, 8:51 PM
Duration	9 mins 9 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. a list of integers

b. a list of single characters

c. a list of lines ✓

d. str

The correct answer is:
a list of lines

Question **2**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Moves the file cursor to the specified position ✓

b. Writes data to the file

c. Deletes the file

d. Reads the file line by line

The correct answer is: Moves the file cursor to the specified position

Question **3**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the readlines() method
b. Using a for loop ✓
c. Using the readline() method
d. Using the read() method

The correct answer is: Using a for loop

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. Program
b. Python Programming
c. Python ✓
d. An error is raised

The correct answer is: Python

Question **5**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. Move file pointer five characters ahead from the beginning

b. • Move file pointer five characters ahead from the current position. ✓

c. • Move file pointer five characters behind from the current position.

d. • Move file pointer five characters behind ahead from the end of a file.

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **6**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file = “a.txt”, “r”)

b. infile = open(file = “a.txt”, “r”)

c. infile = open(“a.txt”, “r”) ✓

d. infile = open(file, “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)

Question **7**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It does nothing
b. It raises an error
c. It clears the old data and starts fresh ✓
d. It appends data to the file

The correct answer is: It clears the old data and starts fresh

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

a. It reads the file and returns it as a dictionary
b. It reads the entire file and returns it as a string
c. It reads a single line from the file
d. It reads the entire file and returns it as a list of lines ✓

The correct answer is: It reads the entire file and returns it as a list of lines

Question **9**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. A new file is created
b. An empty file object is returned
c. The operation is ignored
d. An error is raised ✓

The correct answer is: An error is raised

Question **10**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The buffer size
b. The encoding format of the file ✓
c. The mode of the file
d. The size of the file

The correct answer is: The encoding format of the file

Question **11**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Opens the file in read mode
b. Appends "Adding new data" to the end of the file ✓
c. Raises an error because the file is opened in append mode
d. Overwrites the file with "Adding new data"

The correct answer is: Appends "Adding new data" to the end of the file

Question **12**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Write
b. Append
c. Read ✓
d. Binary

The correct answer is: Read

Question **13**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

a. outfile = open(file = "c:\\scores.txt", "w")

b. outfile = open("c:\scores.txt", "w")

c. outfile = open("c:\\scores.txt", "w") ✓

d. outfile = open(file = "c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **14**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

a. current()

b. tell() ✓

c. locate()

d. position()

The correct answer is: tell()

Question **15**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. truncate() ✓

b. shrink()

c. reduce()

d. resize()

The correct answer is: truncate()