

Program 1

```
(1) class Dog:
    def __init__(self, name, breed):
        self.name = name
        self.breed_name = breed

    def speak(self):
        print(f'{self.name} says woof!')

    def breed(self):
        print(f'{self.breed_name} is the breed name!')

dog1 = Dog("Buddy", "Golden Retriever")
dog1.speak()
dog1.breed()
```

output:

Buddy says woof!

Golden Retriever is the breed name!

Program 2

```
(2) class Student:  
    def display_details(self):  
        print("Name:", self.name)  
        print("Age:", self.age)  
        print("Marks:", self.marks)
```

```
student1 = Student()
```

```
student1.name = "Santhosh"
```

```
student1.age = 18
```

```
student1.marks = 98.5
```

```
student1.display_details()
```

output:

Name: Santhosh

Age: 18

Marks: 98.5

Program 3

(3) class Employee:

```
def __init__(self, name, age, salary, gender):
```

```
    self.name = name
```

```
    self.age = age
```

```
    self.salary = salary
```

```
    self.gender = gender
```

```
def employee_details(self):
```

```
    print("Name of employee is:", self.name)
```

```
    print("Age of employee is:", self.age)
```

```
    print("Salary of employee is:", self.salary)
```

```
    print("Gender of employee is:", self.gender)
```

```
emp = Employee("Raja", 45, 20000, "Male")
```

```
emp.employee_details()
```

output:

Name of employee is: Raja

Age of employee is: 45

Salary of employee is: 20000

Gender of employee is: Male