

## Incident handler's journal

## **Instructions**

As you continue through this course, you may use this template to record your findings after completing an activity or to take notes on what you've learned about a specific tool or concept. You can also use this journal as a way to log the key takeaways about the different cybersecurity tools or concepts you encounter in this course.

<b>Date:</b> July 23, 2024	<b>Entry:</b> #1
Description	Documenting a cybersecurity incident  This incident occurred in the two phases:  1. Detection and Analysis: The scenario outlines how the organization first detected the ransomware incident. For the analysis step, the organization contacted several organizations for technical assistance.  2. Containment, Eradication, and Recovery: The scenario details some steps that the organization took to contain the incident. For example, the company shut down their computer systems. However, since they could not work to eradicate and recover from the incident alone, they
Tool(s) used	contacted several other organizations for assistance.  None
The 5 W's	<ul> <li>Who: An organized group of unethical hackers</li> <li>What: A ransomware security incident</li> <li>Where: At a health care company</li> <li>When: Tuesday 9:00 a.m.</li> <li>Why: The incident happened because unethical hackers were able to access the company's systems using a phishing attack. After gaining access, the attackers launched their ransomware on the company's systems, encrypting critical files. The attackers' motivation appears to be financial because the ransom note they left demanded a large sum of money in exchange for the decryption key.</li> </ul>
Additional notes	How could the health care company prevent an incident like this from occurring again?

<b>Date:</b> July 25 2024	<b>Entry:</b> #2
Description	Analyzing a packet capture file
Tool(s) used	For this activity, I used Wireshark to analyze a packet capture file. Wireshark is a network protocol analyzer that uses a graphical user interface. The value of Wireshark in cybersecurity is that it allows security analysts to capture and analyze network traffic. This can help in detecting and investigating malicious activity.
The 5 W's	<ul> <li>Who: N/A</li> <li>What: N/A</li> <li>Where: N/A</li> <li>When: N/A</li> <li>Why: N/A</li> </ul>
Additional notes	I've never used Wireshark before, so I was excited to begin this exercise and analyze a packet capture file. At first glance, the interface was very overwhelming. I can see why it's such a powerful tool for understanding network traffic.

<b>Date:</b> July 25 2024	<b>Entry:</b> #3
Description	Capturing my first packet
Tool(s) used	For this activity, I used topdump to capture and analyze network traffic.  Topdump is a network protocol analyzer that's accessed using the command-line interface. Similar to Wireshark, the value of topdump in cybersecurity is that it allows security analysts to capture, filter, and analyze network traffic.
The 5 W's	<ul> <li>Who: N/A</li> <li>What: N/A</li> <li>Where: N/A</li> <li>When: N/A</li> <li>Why: N/A</li> </ul>
Additional notes	I'm still new to using the command-line interface, so using it to capture and filter network traffic was a challenge. I got stuck a couple of times because I used the wrong commands. But after carefully following the instructions and redoing some steps, I was able to get through this activity and capture network traffic.

<b>Date:</b> July 27 2024	Entry: #4
Description	Investigate a suspicious file hash
Tool(s) used	For this activity, I used VirusTotal, which is an investigative tool that analyzes files and URLs for malicious content such as viruses, worms, trojans, and more. It's a very helpful tool to use if you want to quickly check if an indicator of compromise like a website or file has been reported as malicious by others in the cybersecurity community. For this activity, I used VirusTotal to analyze a file hash, which was reported as malicious.
	This incident occurred in the <b>Detection and Analysis</b> phase. The scenario put me in the place of a security analyst at a SOC investigating a suspicious file hash. After the suspicious file was detected by the security systems in place, I had to perform deeper analysis and investigation to determine if the alert signified a real threat.
The 5 W's	<ul> <li>Who: An unknown malicious actor</li> <li>What: An email sent to an employee contained a malicious file attachment with the SHA-256 file hash of 54e6ea47eb04634d3e87fd7787e2136ccfbcc80ade34f246a12cf93bab5 27f6b</li> <li>Where: An employee's computer at a financial services company</li> <li>When: At 1:20 p.m., an alert was sent to the organization's SOC after the intrusion detection system detected the file</li> <li>Why: An employee was able to download and execute a malicious file attachment via e-mail.</li> </ul>
Additional notes	How can this incident be prevented in the future? Should we consider improving security awareness training so that employees are careful with what they click on?