Tableau Training 03

1. String Calculations

1. **Create Calculated Field**:
    - Go to **Analysis → Create Calculated Field**.
    - Use string functions like CONTAINS, LEN, or REPLACE.
2. **Example**:
    - Create a field to filter cities containing the letter **"o"**.
    - Drag the calculated field to the **Rows shelf** and measure Sales to the **Columns shelf** to display results.

---

2. Date Calculations

1. **Create Calculated Field for Dates**:
    - Open the **Calculation Editor** to access date functions.
2. **Example**:
    - Calculate the difference in months from a specific date (e.g., 21st March 2022).
    - Drag the calculated field and date field to respective shelves for visualization.

---

3. Table Calculations

1. **Quick Table Calculations**:
    - Right-click a measure → Choose **Quick Table Calculation**.
2. **Options**:
    - Examples include: Running Total, Percent Difference, Rank, and Moving Average.
3. **Example**:
    - Calculate **Running Total** of profits: Drag Profit to the Columns shelf and apply Quick Table Calculation.

---

4. Level of Detail (LOD) Expressions

1. **Types of LOD Expressions**:
    - **FIXED**: Computes values for specific dimensions.
    - **INCLUDE**: Adds specified dimensions to calculations.
    - **EXCLUDE**: Ignores specified dimensions.
2. **Examples**:
    - FIXED: Find total sales per state in each region.
    - INCLUDE: Sum of sales for sub-categories per state.
    - EXCLUDE: Calculate monthly sales excluding Region.

---

5. Sorting Data

1. **Computed Sorting**:
    - Sort fields directly using **Sort Dialog**.
2. **Manual Sorting**:
    - Reorder fields visually by dragging them.
3. **Example**:
    - Sort Sub-Category data in descending order based on Discount.

---

6. Basic Filters

1. **Filter Dimensions**:
    - Apply filters on dimension fields (e.g., Sub-Category).
2. **Filter Measures**:
    - Apply filters based on calculated measure values.
3. **Filter Dates**:
    - Filter data using **Relative**, **Absolute**, or **Range of Dates**.
4. **Example**:
    - Filter Sub-Categories where the Average Profit exceeds 20.

---

7. Quick Filters

1. **Types of Quick Filters**:
    - Single Value, Multiple Values, Wildcard Match, etc.
2. **Example**:
    - Use **Wildcard Filtering** to display subcategories starting with the letter "A".
3. **Clearing Filters**:
    - Remove applied filters using **Clear Filter**.

---

8. Context Filters

1. **Purpose**:
    - Improve performance and create dependent filters.
2. **Example**:
    - Show **Top 10 Sub-Categories** for the Furniture category:
        - Add a context filter for Category to optimize filtering.

---

9. Condition Filters

1. **Create Filters with Conditions**:
    - Use fields to apply conditions (e.g., Sales > 1,000,000).
2. **Example**:
    - Filter Sub-Categories across all segments where total Sales exceed 1 million.