
# EDGC CMA (Chromosomal Microarray) Test Report

| Examinee Name | FERREYRA DIEGO LEONEL | | | Gender | Male |
|---|---|---|---|---|---|
| Examinee ID | D2673901 | Date of Draw | 08-Jul-2026 | D.O.B | 2022-12-07 |
| Specimen Type | Blood | Date Received | 13-Jul-2026 | Client Sample ID | D2673901 |

| Hospital Name or Healthcare Provider | GENDA | Doctor's Name | Pilar Igarreta | Report Date | 20-Jul-2026 |
|---|---|---|---|---|---|
| Address | | | | Contact | |

## Test Result Image




## Interpretation of Test Result

Pathogenic Variant

*duplication(X3) of 0.49 MB (chr2:140,659-638,144) in the 2p25.3 region, Non-Pathogenic

*deletion(X1) of 0.89 MB (chr16:8,170,128-9,068,911) in the 16p13.2 region, Pathogenic

This deletion region covers the USP7 morbid gene, which is known to be associated with Hao-Fountain syndrome (HAFOUS).

References:
https://pubmed.ncbi.nlm.nih.gov/30679821/
https://omim.org/entry/616863
https://www.ncbi.nlm.nih.gov/medgen/1804697
https://www.orpha.net/en/disease/detail/500055


©EDGC. All Rights Reserved.com

# EDGC CMA (Chromosomal Microarray) Test Report

## Comment

- The Illumina Infinium GSA contains approximately 750,000 SNPs that are specifically chosen to cover the entire genome with high frequency of alternative alleles across different ethnic groups (<1%).
  This makes it possible to use genotyping data for CNV analysis by utilizing the Log R Ratio (LRR) and B allele frequency (BAF) data from the microarray.
- This test only reports results for CNV (copy number variations) for approximately 91% of the Morbid gene regions provided by OMIM (3,464 out of 3,822 total). This reportable area includes 5,200 diseases out of a total of 5,682 diseases.
- Minimum detection size of deletion is 200kb. 200Kb-1Mb of deletion will only be reported if morbid gene is included. Duplication will be reported regardless of morbid gene if it is greater than 1Mb.
- LOH will be reported if the size is greater than 10Mb.
- It does not include information on abnormalities in chromosomal regions that are not covered by this test. OMIM disease corresponding to each area where CNV is found is a list of diseases matching the Morbid gene, and there may be few direct associations found.
- This inspection strictly complies with quality control standards and reports only verified results.
- This test is using GRCh37/hg19 as a human genome reference.
- More information about duplication/deletion syndromes can be found at https://rarechromo.org/disorder-guides/ and https://www.deciphergenomics.org/.


## CNV Test Result

| CytoBand | Position | Type | Disease | Inheritance | Gene | Reference |
|---|---|---|---|---|---|---|
| 2p25.3 | chr2:140659-638144 | AMP(X3) | - | - | - | - |
| 16p13.2 | chr16:8170128-9068911 | DEL(X1) | GABA-transaminase deficiency | Autosomal recessive | ABAT | 137150 |
| | | | Congenital disorder of glycosylation, type Ia | Autosomal recessive | PMM2 | 601785 |
| | | | Hao-Fountain syndrome | Autosomal dominant | USP7 | 602519 |


©EDGC. All Rights Reserved.com

# EDGC CMA (Chromosomal Microarray) Test Report

## Detected CNV Plot




CAP & KIGTE Laboratory Director: Min-Jeong Kim, Ph.D. CAP: 9515154 KIGTE: 259
5050 Murphy Canyon Rd Ste 150, San Diego, CA 92123 USA / info@diagnomics.com
©EDGC. All Rights Reserved.com