
EDGC CMA (Chromosomal Microarray) Test Report

Examinee Name	PAEZ NATASHA			Gender	Female
Examinee ID	D2695901	Date of Draw	22-Jul-2026	D.O.B	2019-06-18
Specimen Type	Blood	Date Received	27-Jul-2026	Client Sample ID	D2695901

Hospital Name or Healthcare Provider	GENDA	Doctor's Name	Pilar Igarreta	Report Date	03-Aug-2026
Address				Contact	

Test Result Image



Interpretation of Test Result

Pathogenic variant found

*duplication(X3) of 0.59 MB (chr16:29,595,483-30,187,676) in the 16p11.2 region, Pathogenic

16p11.2 recurrent region (BP4-BP5) is likely to cause pathogenic phenotype.

*deletion(X1) of 12.75 MB (chr5:14,782-12,771,257) in the 5p15.33-15.2 region, Pathogenic

The 5p15.33-15.2 deletion contains the TERT morbid gene, which is known to be associated with Cri du chat syndrome.

References:
https://search.clinicalgenome.org/kb/gene-dosage/region/ISCA-37400
https://search.clinicalgenome.org/kb/gene-dosage/region/ISCA-37390
https://www.sciencedirect.com/science/article/abs/pii/S1090379820301434

EDGC Eone-Diagnomics Genome Center
CAP & KIGTE Laboratory Director: Min-Jeong Kim, Ph.D. CAP: 9515154 KIGTE: 259
5050 Murphy Canyon Rd Ste 150, San Diego, CA 92123 USA / info@diagnomics.com
©EDGC. All Rights Reserved.com
Diagnomics

EDGC CMA (Chromosomal Microarray) Test Report

Comment

- The Illumina Infinium GSA contains approximately 750,000 SNPs that are specifically chosen to cover the entire genome with high frequency of alternative alleles across different ethnic groups (<1%). This makes it possible to use genotyping data for CNV analysis by utilizing the Log R Ratio (LRR) and B allele frequency (BAF) data from the microarray.
- This test only reports results for CNV (copy number variations) for approximately 91% of the Morbid gene regions provided by OMIM (3,464 out of 3,822 total). This reportable area includes 5,200 diseases out of a total of 5,682 diseases.
- Minimum detection size of deletion is 200kb. 200Kb-1Mb of deletion will only be reported if morbid gene is included. Duplication will be reported regardless of morbid gene if it is greater than 1Mb.
- LOH will be reported if the size is greater than 10Mb.
- It does not include information on abnormalities in chromosomal regions that are not covered by this test. OMIM disease corresponding to each area where CNV is found is a list of diseases matching the Morbid gene, and there may be few direct associations found.
- This inspection strictly complies with quality control standards and reports only verified results.
- This test is using GRCh37/hg19 as a human genome reference.
- More information about duplication/deletion syndromes can be found at https://rarechromo.org/disorder-guides/ and https://www.deciphergenomics.org/.

CNV Test Result

CytoBand	Position	Type	Disease	Inheritance	Gene	Reference
5p15.33-15.2	chr5:14782-12771257	DEL(X1)	Neuropathy, hereditary sensory, with spastic paraplegia	Autosomal recessive	CCT5	610150
			Mosaic variegated aneuploidy syndrome 3	Autosomal recessive	TRIP13	604507
			Oocyte/zygote/embryo maturation arrest 9	Autosomal recessive	TRIP13	604507
			Intellectual developmental disorder, autosomal recessive 5	Autosomal recessive	NSUN2	610916
			Mitochondrial complex I deficiency, nuclear type 9	Autosomal recessive	NDUFS6	603848
			Diarrhea 8, secretory sodium, congenital	Autosomal recessive	SLC9A3	182307
			Hartnup disorder	Autosomal recessive	SLC6A19	608893
			Neurodegeneration with ataxia and late-onset optic atrophy	Autosomal dominant	SDHA	600857
			Mitochondrial complex II deficiency, nuclear type 1	Autosomal recessive	SDHA	600857

©EDGC. All Rights Reserved.com

EDGC CMA (Chromosomal Microarray) Test Report

Comment

- The Illumina Infinium GSA contains approximately 750,000 SNPs that are specifically chosen to cover the entire genome with high frequency of alternative alleles across different ethnic groups (<1%). This makes it possible to use genotyping data for CNV analysis by utilizing the Log R Ratio (LRR) and B allele frequency (BAF) data from the microarray.
- This test only reports results for CNV (copy number variations) for approximately 91% of the Morbid gene regions provided by OMIM (3,464 out of 3,822 total). This reportable area includes 5,200 diseases out of a total of 5,682 diseases.
- Minimum detection size of deletion is 200kb. 200Kb-1Mb of deletion will only be reported if morbid gene is included. Duplication will be reported regardless of morbid gene if it is greater than 1Mb.
- LOH will be reported if the size is greater than 10Mb.
- It does not include information on abnormalities in chromosomal regions that are not covered by this test. OMIM disease corresponding to each area where CNV is found is a list of diseases matching the Morbid gene, and there may be few direct associations found.
- This inspection strictly complies with quality control standards and reports only verified results.
- This test is using GRCh37/hg19 as a human genome reference.
- More information about duplication/deletion syndromes can be found at https://rarechromo.org/disorder-guides/ and https://www.deciphergenomics.org/.

CNV Test Result

CytoBand	Position	Type	Disease	Inheritance	Gene	Reference
5p15.33-15.2	chr5:14782-12771257	DEL(X1)	Cardiomyopathy, dilated, 1GG	Autosomal recessive	SDHA	600857
			Pheochromocytoma/paraganglioma syndrome 5	Autosomal dominant	SDHA	600857
			Epilepsy, familial adult myoclonic, 3	Autosomal dominant	MARCH6	613297
			Leukemia, acute myeloid	Somatic mutation, Autosomal dominant	TERT	187270
			Dyskeratosis congenita, autosomal dominant 2	Autosomal recessive, Autosomal	TERT	187270
			Dyskeratosis congenita, autosomal recessive 4	Autosomal recessive, Autosomal	TERT	187270
			Pulmonary fibrosis and/or bone marrow failure syndrome, telomere-related, 1	Autosomal dominant	TERT	187270

©EDGC. All Rights Reserved.com

EDGC CMA (Chromosomal Microarray) Test Report

Comment

- The Illumina Infinium GSA contains approximately 750,000 SNPs that are specifically chosen to cover the entire genome with high frequency of alternative alleles across different ethnic groups (<1%). This makes it possible to use genotyping data for CNV analysis by utilizing the Log R Ratio (LRR) and B allele frequency (BAF) data from the microarray.
- This test only reports results for CNV (copy number variations) for approximately 91% of the Morbid gene regions provided by OMIM (3,464 out of 3,822 total). This reportable area includes 5,200 diseases out of a total of 5,682 diseases.
- Minimum detection size of deletion is 200kb. 200Kb-1Mb of deletion will only be reported if morbid gene is included. Duplication will be reported regardless of morbid gene if it is greater than 1Mb.
- LOH will be reported if the size is greater than 10Mb.
- It does not include information on abnormalities in chromosomal regions that are not covered by this test. OMIM disease corresponding to each area where CNV is found is a list of diseases matching the Morbid gene, and there may be few direct associations found.
- This inspection strictly complies with quality control standards and reports only verified results.
- This test is using GRCh37/hg19 as a human genome reference.
- More information about duplication/deletion syndromes can be found at https://rarechromo.org/disorder-guides/ and https://www.deciphergenomics.org/.

CNV Test Result

CytoBand	Position	Type	Disease	Inheritance	Gene	Reference
5p15.33-15.2	chr5:14782-12771257	DEL(X1)	Melanoma, cutaneous malignant, 9	Autosomal dominant	TERT	187270
			Nicotine dependence, protection against	-	SLC6A3	126455
			Parkinsonism-dystonia, infantile, 1	Autosomal recessive	SLC6A3	126455
			Neural tube defects, folate-sensitive, susceptibility to	Autosomal recessive	MTRR	602568
			Homocystinuria-megaloblastic anemia, cbl E type	Autosomal recessive	MTRR	602568
16p11.2	chr16:29595483-30187676	AMP(X3)	Episodic kinesigenic dyskinesia 1	Autosomal dominant	PRRT2	614386
			Convulsions, familial infantile, with paroxysmal choreoathetosis	Autosomal dominant	PRRT2	614386
			Seizures, benign familial infantile, 2	Autosomal dominant	PRRT2	614386
			Cone-rod dystrophy 22	Autosomal recessive	FAM57B	615175

©EDGC. All Rights Reserved.com

EDGC CMA (Chromosomal Microarray) Test Report

Comment

- The Illumina Infinium GSA contains approximately 750,000 SNPs that are specifically chosen to cover the entire genome with high frequency of alternative alleles across different ethnic groups (<1%). This makes it possible to use genotyping data for CNV analysis by utilizing the Log R Ratio (LRR) and B allele frequency (BAF) data from the microarray.
- This test only reports results for CNV (copy number variations) for approximately 91% of the Morbid gene regions provided by OMIM (3,464 out of 3,822 total). This reportable area includes 5,200 diseases out of a total of 5,682 diseases.
- Minimum detection size of deletion is 200kb. 200Kb-1Mb of deletion will only be reported if morbid gene is included. Duplication will be reported regardless of morbid gene if it is greater than 1Mb.
- LOH will be reported if the size is greater than 10Mb.
- It does not include information on abnormalities in chromosomal regions that are not covered by this test. OMIM disease corresponding to each area where CNV is found is a list of diseases matching the Morbid gene, and there may be few direct associations found.
- This inspection strictly complies with quality control standards and reports only verified results.
- This test is using GRCh37/hg19 as a human genome reference.
- More information about duplication/deletion syndromes can be found at https://rarechromo.org/disorder-guides/ and https://www.deciphergenomics.org/.


CNV Test Result

CytoBand	Position	Type	Disease	Inheritance	Gene	Reference
16p11.2	chr16:29595483-30187676	AMP(X3)	Glycogen storage disease XII	Autosomal recessive	ALDOA	103850
			Spondylocostal dysostosis 5	Autosomal recessive, Autosomal	TBX6	602427
			Spondyloepimetaphyseal dysplasia with joint laxity, type 2	Autosomal dominant	KIF22	603213

©EDGC. All Rights Reserved.com

EDGC CMA (Chromosomal Microarray) Test Report

Detected CNV Plot



©EDGC. All Rights Reserved.com