

Ejercicio GIT – Santiago Topham

1) Crea una carpeta llamada git_1. En ella inicia un repositorio de git.

```
PS C:\dev> mkdir git_1

Directory: C:\dev

Mode                LastWriteTime         Length Name
----                -
d-----          27-10-25         9:20             git_1

PS C:\dev> cd .\git_1\
PS C:\dev\git_1> git init
Initialized empty Git repository in C:/dev/git_1/.git/
PS C:\dev\git_1> |
```


2) Crea un repositorio en tu cuenta de GitHub llamado "git_2025-10-27"



3) Vincula el repositorio local con el remoto.

```
PS C:\dev\git_1> git remote add origin https://github.com/santiagotopham/git_2025-10-27.git
PS C:\dev\git_1>
```

4) Crea ficheros README.MD y passwords.txt



5) Añade ambos al Stage. 6) Muestra el estado del proyecto.

```
PS C:\dev\git_1> git add .
PS C:\dev\git_1> git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   README.md
        new file:   passwords.txt

PS C:\dev\git_1> |
```

7) Quita passwords.txt del stage. 8) Muestra el estado del proyecto.

```
PS C:\dev\git_1> git reset .\passwords.txt
PS C:\dev\git_1> git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   README.md

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        passwords.txt
```

9) Crea un fichero .gitignore Incluye en él sólo a passwords.txt. 10) Muestra el estado del proyecto.

```
PS C:\dev\git_1> git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   README.md

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

PS C:\dev\git_1> git add .\gitignore
PS C:\dev\git_1> git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   .gitignore
        new file:   README.md
```

11) Haz un commit con el texto "First commit"

```
PS C:\dev\git_1> git commit -m "First commit"
[master (root-commit) 7042472] First commit
 2 files changed, 4 insertions(+)
 create mode 100644 .gitignore
 create mode 100644 README.md
PS C:\dev\git_1> |
```

12) Sube los ficheros al repositorio de Github

```
PS C:\dev\git_1> git push origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 14 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 327 bytes | 109.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/santiagotopham/git_2025-10-27.git
 * [new branch]      master -> master
PS C:\dev\git_1> |
```

13) Haz un log extendido

```
PS C:\dev\git_1> git log
commit 7042472cee3e9a35a1676554c2a477fe229aa21b (HEAD -> master, origin/master)
Author: Santiago Topham <stopham@practia.uy>
Date:   Mon Oct 27 09:23:50 2025 +0100

    First commit
PS C:\dev\git_1>
```

14) Muestra el estado del proyecto.

```
PS C:\dev\git_1> git status
On branch master
nothing to commit, working tree clean
PS C:\dev\git_1> |
```

15) Modifica README.MD

README.md > Ejercicio de instrucciones Git > ## 27 de octubre de 2027

You, 1 second ago | 1 author (You)

```
1 # Ejercicio de instrucciones Git
2
3 ## 27 de octubre de 2027
4
5 [GIT](https://git-scm.com/)
6
7 [Cheat sheet](https://git-scm.com/cheat-sheet)
8
9 [![name](https://git-scm.com/images/branching-illustration@2x.png)](https://git-scm.com/images/branching-illustration@2x.png)
10
```

Ejercicio de instrucciones Git

27 de octubre de 2027

GIT

Cheat sheet



16) Haz un log resumido

```
PS C:\dev\git_1> git log --oneline
7042472 (HEAD -> master, origin/master) First commit
PS C:\dev\git_1> |
```

17) Muestra el estado del proyecto.

```
PS C:\dev\git_1> git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   README.md

no changes added to commit (use "git add" and/or "git commit -a")
```

18) Haz un commit con el texto "Imagen añadida"

```
PS C:\dev\git_1> git add .
PS C:\dev\git_1> git commit -m "Imagen añadida"
[master 23bd6cb] Imagen añadida
1 file changed, 6 insertions(+)
```

19) Haz otra subida del proyecto a Github

```
PS C:\dev\git_1> git push origin master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 14 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 480 bytes | 240.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/santiagotopham/git_2025-10-27.git
7042472..23bd6cb master -> master
PS C:\dev\git_1> |
```

20) Crea la rama "HTML", pero no pases a ella todavía

```
PS C:\dev\git_1> git branch HTML
PS C:\dev\git_1> |
```

21) Haz un log que muestre gráficamente el estado del proyecto

```
PS C:\dev\git_1> git log --graph
* commit 23bd6cbe2ce6e3b160cc07bcc7b23514177d21b6 (HEAD -> master, origin/master, HTML)
| Author: Santiago Topham <stopham@practia.uy>
| Date: Mon Oct 27 09:27:39 2025 +0100
|
| Imagen añadida
|
* commit 7042472cee3e9a35a1676554c2a477fe229aa21b
| Author: Santiago Topham <stopham@practia.uy>
| Date: Mon Oct 27 09:23:50 2025 +0100
|
| First commit
|
```


22) Muestra el estado del proyecto.

```
PS C:\dev\git_1> git status
On branch master
nothing to commit, working tree clean
PS C:\dev\git_1> |
```

23) Accede a la rama "HTML"

```
PS C:\dev\git_1> git checkout HTML
Switched to branch 'HTML'
PS C:\dev\git_1> |
```

24) Crea el fichero index.html



```
EXPLORER  ...  README.md  index.html A X  ▶  🔊

GIT_1  [🔍] [📁] [🔄] [📄]
  .gitignore
  index.html A
  passwords.txt
  README.md

index.html > ...
You, 25 seconds ago | 1 author (You)
1  <!DOCTYPE html>
2  <html lang="en">
3      <head>
4          <meta charset="UTF-8" />
5          <meta name="viewport" content="width=device-width" />
6          <title>Document</title>
7          <link rel="stylesheet" href="style.css" />
8      </head>
9      <body>
10         <h1>Git Forever</h1>
11     </body>
12 </html>
```

25) Haz un commit con el texto "html añadido"

```
PS C:\dev\git_1> git commit -m "html añadido"
[HTML 9015ca5] html añadido
1 file changed, 12 insertions(+)
create mode 100644 index.html
```

26) Vuelve a la rama anterior

```
PS C:\dev\git_1> git checkout master
Switched to branch 'master'
PS C:\dev\git_1> |
```

27) Sube el proyecto a Github.

Muestra las dos ramas

```

PS C:\dev\git_1> git push origin HTML
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 14 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 506 bytes | 253.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'HTML' on GitHub by visiting:
remote:   https://github.com/santiagotopham/git_2025-10-27/pull/new/HTML
remote:
To https://github.com/santiagotopham/git_2025-10-27.git
 * [new branch]      HTML -> HTML
PS C:\dev\git_1> git branch
      HTML
 * master
PS C:\dev\git_1>

```

28) Cambia el nombre de la rama actual a "CORE"

```

PS C:\dev\git_1> git branch -M CORE
PS C:\dev\git_1>

```

29) Haz un commit con el texto "cambiado el nombre de la rama principal"

```

PS C:\dev\git_1> git commit -m "cambiado el nombre de la rama principal"
On branch CORE
nothing to commit, working tree clean

```

30) Haz un log que muestre gráficamente el estado del proyecto

```

PS C:\dev\git_1> git log --graph
* commit 23bd6cbe2ce6e3b160cc07bcc7b23514177d21b6 (HEAD -> CORE, origin/master)
| Author: Santiago Topham <stopham@practia.uy>
| Date: Mon Oct 27 09:27:39 2025 +0100
|
| Imagen añadida
|
* commit 7042472cee3e9a35a1676554c2a477fe229aa21b
| Author: Santiago Topham <stopham@practia.uy>
| Date: Mon Oct 27 09:23:50 2025 +0100
|
| First commit

```


31) Muestra el estado del proyecto.

```
PS C:\dev\git_1> git status
On branch CORE
nothing to commit, working tree clean
PS C:\dev\git_1> |
```

32) Añade la rama "CSS" y accede a ella directamente

```
PS C:\dev\git_1> git switch -c CSS
Switched to a new branch 'CSS'
PS C:\dev\git_1> |
```

33) Crea en ella un fichero styles.css

A screenshot of a code editor with a dark theme. The top bar shows three tabs: 'DME.md', 'index.html', and 'style.css U X', with 'style.css' being the active tab. The editor content shows the beginning of a CSS rule for 'h1' with properties for color (red), text-align (center), and font-family (Arial, Helvetica, sans-serif).

```
e.css > ...
h1 {
  color: red;
  text-align: center;
  font-family: Arial, Helvetica, sans-serif;
}
```

34) Haz un commit con el texto "añadido css"

```
PS C:\dev\git_1> git add .\style.css
PS C:\dev\git_1> git commit -m "añadido css"
[CSS 5a15224] añadido css
1 file changed, 5 insertions(+)
create mode 100644 style.css
PS C:\dev\git_1> |
```

35) Sube el proyecto a Github.

```

PS C:\dev\git_1> git push origin CSS
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 14 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 399 bytes | 399.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'CSS' on GitHub by visiting:
remote:   https://github.com/santiagotopham/git_2025-10-27/pull/new/CSS
remote:
To https://github.com/santiagotopham/git_2025-10-27.git
 * [new branch]      CSS -> CSS
PS C:\dev\git_1> git branch
  CORE
 * CSS
  HTML
PS C:\dev\git_1> |

```

36) Haz un log que muestre gráficamente el estado del proyecto

```

PS C:\dev\git_1> git log --graph
* commit 5a152241c6a36867a947aad820bba7030407b8de (HEAD -> CSS, origin/CSS)
 | Author: Santiago Topham <stopham@practia.uy>
 | Date:   Mon Oct 27 09:41:07 2025 +0100
 |
 |     añadido css
 |
 * commit 23bd6cbe2ce6e3b160cc07bcc7b23514177d21b6 (origin/master, CORE)
 | Author: Santiago Topham <stopham@practia.uy>
 | Date:   Mon Oct 27 09:27:39 2025 +0100
 |
 |     Imagen añadida
 |
 * commit 7042472cee3e9a35a1676554c2a477fe229aa21b
 | Author: Santiago Topham <stopham@practia.uy>
 | Date:   Mon Oct 27 09:23:50 2025 +0100
 |
 |     First commit
PS C:\dev\git_1>

```

37) Muestra el estado del proyecto.

```


PS C:\dev\git_1> git status
On branch CSS
nothing to commit, working tree clean
PS C:\dev\git_1> |

```

38) Crea otra rama: "JAVASCRIPT" y accede a ella

```
PS C:\dev\git_1> git switch -c JAVASCRIPT
Switched to a new branch 'JAVASCRIPT'
PS C:\dev\git_1>
```

39) Añade el fichero script.js



40) Haz un commit con el texto "añadido js"

```
PS C:\dev\git_1> git add .\script.js
PS C:\dev\git_1> git commit -m "añadido js"
[JAVASCRIPT 9384e7f] añadido js
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 script.js
PS C:\dev\git_1>
```

41) Sube el proyecto a Github.

Muestra todas las ramas

```

PS C:\dev\git_1> git push origin JAVASCRIPT
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 14 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 349 bytes | 174.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'JAVASCRIPT' on GitHub by visiting:
remote:   https://github.com/santiagotopham/git_2025-10-27/pull/new/JAVASCRIPT
remote:
To https://github.com/santiagotopham/git_2025-10-27.git
 * [new branch]      JAVASCRIPT -> JAVASCRIPT
PS C:\dev\git_1> git branch
CORE
CSS
HTML
* JAVASCRIPT
PS C:\dev\git_1> |

```

42) Modifica el fichero index.html

```

<title>Document</title>
<link rel="stylesheet" href="style.css"
</head>
<body>
  <h1>Git Forever</h1>
  <h2>Gracias Linus</h2>
</body>
</html>

```

43) Muestra las diferencias entre las versiones

```

PS C:\dev\git_1> git diff
diff --git a/index.html b/index.html
index 072175c..f32d952 100644
--- a/index.html
+++ b/index.html
@@ -8,5 +8,6 @@
     </head>
     <body>
+       <h1>Git Forever</h1>
+       <h2>Gracias Linus</h2>
     </body>
 </html>

```

44) Desde esa rama (HTML), muestra el estado del proyecto.

```
PS C:\dev\git_1> git status
On branch HTML
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\dev\git_1> |
```

45) Haz un commit con el texto : "añadido h2"

```
PS C:\dev\git_1> git add .\index.html
PS C:\dev\git_1> git commit -m "añadido h2"
[HTML b3e3117] añadido h2
 1 file changed, 1 insertion(+)
PS C:\dev\git_1> |
```

46) Haz un log que muestre gráficamente el estado del proyecto

```

PS C:\dev\git_1> git log --graph
* commit b3e3117663527fe9892cf28fd65e008f80c9af34 (HEAD -> HTML)
| Author: Santiago Topham <stopham@practia.uy>
| Date: Mon Oct 27 10:20:19 2025 +0100
|
|     añadido h2
|
* commit 9015ca5dcf1453db97e98f8cb2f7863c91c9cf04 (origin/HTML)
| Author: Santiago Topham <stopham@practia.uy>
| Date: Mon Oct 27 09:33:57 2025 +0100
|
|     html añadido
|
* commit 23bd6cbe2ce6e3b160cc07bcc7b23514177d21b6 (origin/master, CORE)
| Author: Santiago Topham <stopham@practia.uy>
| Date: Mon Oct 27 09:27:39 2025 +0100
|
|     Imagen añadida
|
* commit 7042472cee3e9a35a1676554c2a477fe229aa21b
| Author: Santiago Topham <stopham@practia.uy>
| Date: Mon Oct 27 09:23:50 2025 +0100
|
|     First commit
PS C:\dev\git_1> |

```

47) Borra la rama "Javascript"

```

PS C:\dev\git_1> git branch -D JAVASCRIPT
Deleted branch JAVASCRIPT (was 9384e7f).
PS C:\dev\git_1> |

```

48) Haz un commit con el texto "borrada rama JAVASCRIPT"

```

PS C:\dev\git_1> git commit -m "borrada rama JAVASCRIPT"
On branch HTML
nothing to commit, working tree clean

```

49) Sube el proyecto a Github.

Muestra todas las ramas

```

PS C:\dev\git_1> git push origin HTML
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 14 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 324 bytes | 324.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/santiagotopham/git_2025-10-27.git
    9015ca5..b3e3117  HTML -> HTML
PS C:\dev\git_1> git branch
    CORE
    CSS
* HTML
PS C:\dev\git_1> |

```

50) Haz un log que muestre gráficamente el estado del proyecto

```

PS C:\dev\git_1> git log --graph
* commit b3e3117663527fe9892cf28fd65e008f80c9af34 (HEAD -> HTML, origin/HTML)
| Author: Santiago Topham <stopham@practia.uy>
| Date:   Mon Oct 27 10:20:19 2025 +0100
|
|     añadido h2
|
* commit 9015ca5dcf1453db97e98f8cb2f7863c91c9cf04
| Author: Santiago Topham <stopham@practia.uy>
| Date:   Mon Oct 27 09:33:57 2025 +0100
|
|     html añadido
|
* commit 23bd6cbe2ce6e3b160cc07bcc7b23514177d21b6 (origin/master, CORE)
| Author: Santiago Topham <stopham@practia.uy>
| Date:   Mon Oct 27 09:27:39 2025 +0100
|
|     Imagen añadida
|
* commit 7042472cee3e9a35a1676554c2a477fe229aa21b
| Author: Santiago Topham <stopham@practia.uy>
| Date:   Mon Oct 27 09:23:50 2025 +0100
|
|     First commit

```


51) Muestra el estado del proyecto.

```
PS C:\dev\git_1> git status
On branch HTML
nothing to commit, working tree clean
PS C:\dev\git_1>
```

52) Une la rama HTML a la rama CORE

```
PS C:\dev\git_1> git checkout CORE
Switched to branch 'CORE'
PS C:\dev\git_1> git merge HTML
Updating 23bd6cb..b3e3117
Fast-forward
 index.html | 13 ++++++++
 1 file changed, 13 insertions(+)
 create mode 100644 index.html
PS C:\dev\git_1> |
```

53) Ejecuta el fichero index HTML con Live Server



Git Forever

Gracias Linus

54) Añade estilos en el fichero styles.css:

```

6
7   h2 {
8       color: navy;
9       text-align: center;
10      background-color: #ccc;
11   }
12

```

55) Haz lo necesario para subir el proyecto a Github. Muestra todas las ramas

```

PS C:\dev\git_1> git add .\style.css
PS C:\dev\git_1> git commit -m "estilos h2"
[css aab5c54] estilos h2
 1 file changed, 6 insertions(+)
PS C:\dev\git_1> git push origin css
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 14 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 366 bytes | 366.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'css' on GitHub by visiting:
remote:   https://github.com/santiagotopham/git_2025-10-27/pull/new/css
remote:
To https://github.com/santiagotopham/git_2025-10-27.git
 * [new branch]      css -> css
PS C:\dev\git_1> |

```

56) Une la rama CSS a la rama CORE

```

PS C:\dev\git_1> git checkout CORE
Switched to branch 'CORE'
PS C:\dev\git_1> git merge CSS
Merge made by the 'ort' strategy.
 style.css | 11 ++++++++
 1 file changed, 11 insertions(+)
 create mode 100644 style.css
PS C:\dev\git_1> |

```

57) Muestra el estado del proyecto.

```
PS C:\dev\git_1> git status
On branch CORE
nothing to commit, working tree clean
PS C:\dev\git_1> |
```

58) Haz un log que muestre gráficamente el estado del proyecto

```
PS C:\dev\git_1> git log --graph
*   commit 7654507727eacc07d7c439e82f2f772705db470a (HEAD -> CORE)
|  \
|   Merge: b3e3117 aab5c54
|   Author: Santiago Topham <stopham@practia.uy>
|   Date:   Mon Oct 27 10:34:35 2025 +0100
|
|       Merge branch 'CSS' into CORE
|
| *   commit aab5c542ee50639c41c3fc9fb090916abc4106c8 (origin/css, css)
| |  \
| |   Author: Santiago Topham <stopham@practia.uy>
| |   Date:   Mon Oct 27 10:34:03 2025 +0100
| |
| |       estilos h2
| |
| *   commit 5a152241c6a36867a947aad820bba7030407b8de
| |  \
| |   Author: Santiago Topham <stopham@practia.uy>
| |   Date:   Mon Oct 27 09:41:07 2025 +0100
| |
| |       añadido css
| |
| *   commit b3e3117663527fe9892cf28fd65e008f80c9af34 (origin/HTML, HTML)
| |  \
| |   Author: Santiago Topham <stopham@practia.uy>
| |   Date:   Mon Oct 27 10:20:19 2025 +0100
| |
| |       añadido h2
| |
| *   commit 9015ca5dcf1453db97e98f8cb2f7863c91c9cf04
|/  \
|   Author: Santiago Topham <stopham@practia.uy>
|   :...skipping...
```

59) En el fichero README añade la ruta a tu repo en Github

```
10
11 [Repositorio GitHub](https://github.com/santiagotopham/
12 git_2025-10-27)
```

60) Vuelve a ejecutar el fichero index HTML con Live Server

127.0.0.1:5500/index.html

Git Forever

Gracias Linus

61) Sube el proyecto a Github

```
PS C:\dev\git_1> git add .\README.md
PS C:\dev\git_1> git status
On branch CORE
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   README.md

PS C:\dev\git_1> git commit -m "final commit"
[CORE 7f10bb9] final commit
 1 file changed, 4 insertions(+), 2 deletions(-)
PS C:\dev\git_1> git push origin CORE
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 14 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 333 bytes | 333.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/santiagotopham/git_2025-10-27.git
   7654507..7f10bb9  CORE -> CORE
PS C:\dev\git_1> |
```