ICPSR

INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 34969

Survey of Midlife in Japan (MIDJA): Biomarker Project, 2009-2010

MIDJA Aggregate Data Biomarker DDI Codebook

Survey of Midlife in Japan (MIDJA): Biomarker Project, 2009-2010

Hazel Rose Markus
Stanford University

Christopher L. Coe
University of Wisconsin--Madison

Carol D. Ryff
University of Wisconsin--Madison

Mayumi Karasawa
Tokyo Woman's Christian University

Norito Kawakami
Tokyo Daigaku

Shinobu Kitayama
University of Michigan

Terms of Use

Information about Copyrighted Content

MIDJA_Biomarkers

MIDJA Biomarkers

Abstract

The MIDJA Biomarker study obtained biological assessments from a subsample (n=382) of MIDJA Survey (ICPSR 30822) respondents (N=1027). Participants traveled to a clinic near the University of Tokyo campus where Biomarker data (vital signs, morphometric assessments, blood assays, and medication data) were obtained. Participants also provided daily saliva samples for cortisol assessment and completed a self-administered medical history questionnaire. The questionnaire included assessments of conditions and symptoms, major health and life events, nutrition/diet, and additional psychosocial measures (anxiety, depression, relationship quality, control etc.). These measures parallel those in a national longitudinal sample of midlife Americans known as MIDUS (ICPSR 4652: MIDUS II and ICPSR 2760: MIDUS I). The central objective is to compare the Japanese sample (MIDJA) with the United States sample (MIDUS) to test the hypotheses regarding cultural differences in aging health and well- being as well as in how psychosocial factors are linked with biological factors known to influence profiles of disease and disability.

MIDJA_Biomarkers

File Name

MIDJA_1_Biomarker_Public_N382_20180816.sav

Case Quantity

382

MIDJA_IDs

Label

MIDJA ID

Valid	Invalid	Minimum	Maximum
382	0	20129	29982

J2CMONTH

Label

Clinic Visit Date: MONTH

Valid	Invalid	Minimum	Maximum
382	0	1	12

J2CYEAR

Label

Clinic Visit Date: YEAR

Valid	Invalid	Minimum	Maximum
382	0	2009	2010

J1SQ1

Label

Gender

Value	Label	Frequency	%
1	MALE	168	44.0%
2	FEMALE	214	56.0%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2CAGE

Label

Age at Clinic Visit

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	31	80	55.47	14.04

J2QSAQ

Label

Is SAQ data available?

Value	Label	Frequency	%
1	YES	382	100.0%

Valid	Invalid	Minimum	Maximum
382	0	1	1

J2Q1A

Label

Ever had heart disease

Pre-Question Text

You may recognize some of these questions from questionnaires you've filled out before. We're asking them again to be sure we have the most current information.

Question Text

Have you ever had any of the following conditions/illnesses? - HEART DISEASE

Forward Skip

IF J2Q1A = 2, 7 OR 8, GO TO J2Q1B

Value	Label	Frequency	%
1	YES	20	5.2%
2	NO	338	88.5%
7	DON'T KNOW	24	6.3%

Valid	Invalid	Minimum	Maximum
358	24	1	2

J2Q1AD

Label

Physician diagnosed heart disease

Question Text

If Yes, was it diagnosed by a physician? - HEART DISEASE

Backward Skip

(J2Q1A = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	21	5.5%
2	NO	1	0.3%
9	INAPP	360	94.2%

Valid	Invalid	Minimum	Maximum
22	360	1	2

J2Q1B

Label

Ever had high blood pressure

Question Text

Have you ever had any of the following conditions/illnesses? - HIGH BLOOD PRESSURE

Forward Skip

IF J2Q1B = 2, 7 OR 8, GO TO J2Q1C

Value	Label	Frequency	%
1	YES	70	18.3%
2	NO	290	75.9%
7	DON'T KNOW	22	5.8%

Valid	Invalid	Minimum	Maximum
360	22	1	2

J2Q1BD

Label

Physician diagnosed high blood pressure

Question Text

If Yes, was it diagnosed by a physician? - HIGH BLOOD PRESSURE

Backward Skip

(J2Q1B = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	62	16.2%
2	NO	3	0.8%
8	MISSING	8	2.1%
9	INAPP	309	80.9%

Valid	Invalid	Minimum	Maximum
65	317	1	2

J2Q1C

Label

Ever had circulation problems

Question Text

Have you ever had any of the following conditions/illnesses? - CIIRCULATION PROBLEMS

Forward Skip

IF J2Q1C = 2, 7 OR 8, GO TO J2Q1D

Value	Label	Frequency	%
1	YES	18	4.7%
2	NO	334	87.4%
7	DON'T KNOW	30	7.9%

Valid	Invalid	Minimum	Maximum
352	30	1	2

J2Q1CD

Label

Physician diagnosed circulation problems

Question Text

If Yes, was it diagnosed by a physician? - CIRCULATION PROBLEMS

Backward Skip

(J2Q1C = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	15	3.9%
2	NO	4	1.0%
8	MISSING	1	0.3%
9	INAPP	362	94.8%

Valid	Invalid	Minimum	Maximum

| 19 | 363 | 1 | 2 |

J2Q1D

Label

Ever had blood clots

Question Text

Have you ever had any of the following conditions/illnesses? - BLOOD CLOTS

Forward Skip

IF J2Q1D = 2, 7 OR 8, GO TO J2Q1E

Value	Label	Frequency	%
1	YES	5	1.3%
2	NO	348	91.1%
7	DON'T KNOW	29	7.6%

Valid	Invalid	Minimum	Maximum
353	29	1	2

J2Q1DD

Label

Physician diagnosed blood clots

Question Text

If Yes, was it diagnosed by a physician? - BLOOD CLOTS

Backward Skip

(J2Q1D = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	5	1.3%
2	NO	2	0.5%
8	MISSING	1	0.3%
9	INAPP	374	97.9%

Valid	Invalid	Minimum	Maximum
7	375	1	2

J2Q1E

Label

Ever had heart murmur

Question Text

Have you ever had any of the following conditions/illnesses? - HEART MURMUR

Forward Skip

IF J2Q1E = 2, 7 OR 8, GO TO J2Q1F

Value	Label	Frequency	%
1	YES	9	2.4%
2	NO	343	89.8%
7	DON'T KNOW	30	7.9%

Valid	Invalid	Minimum	Maximum
352	30	1	2

J2Q1ED

Label

Physician diagnosed heart murmur

Question Text

If Yes, was it diagnosed by a physician? - HEART MURMUR

Backward Skip

(J2Q1E = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	8	2.1%
2	NO	2	0.5%
8	MISSING	2	0.5%

9	INAPP	370	96.9%

Valid	Invalid	Minimum	Maximum
10	372	1	2

🎴 J2Q1F

Label

Ever had mini-stroke or stroke

Question Text

Have you ever had any of the following conditions/illnesses? - TIA OR STROKE

Forward Skip

IF J2Q1F = 2, 7 OR 8, GO TO J2Q1G

Value	Label	Frequency	%
1	YES	4	1.0%
2	NO	356	93.2%
7	DON'T KNOW	22	5.8%

Valid	Invalid	Minimum	Maximum
360	22	1	2

🎴 J2Q1FD

Label

Physician diagnosed mini-stroke or stroke

Question Text

If Yes, was it diagnosed by a physician? - TIA OR STROKE

Backward Skip

(J2Q1F = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	4	1.0%
2	NO	2	0.5%

9	INAPP	376	98.4%

Valid	Invalid	Minimum	Maximum
6	376	1	2

J2Q1G

Label

Ever had anemia or other blood disease

Question Text

Have you ever had any of the following conditions/illnesses? - ANEMIA OR OTHER BLOOD DISEASE

Forward Skip

IF J2Q1G = 2, 7 OR 8, GO TO J2Q1H

Value	Label	Frequency	%
1	YES	44	11.5%
2	NO	307	80.4%
7	DON'T KNOW	31	8.1%

Valid	Invalid	Minimum	Maximum
351	31	1	2

J2Q1GD

Label

Physician diagnosed anemia or other blood disease

Question Text

If Yes, was it diagnosed by a physician? - ANEMIA OR OTHER BLOOD DISEASE

Backward Skip

(J2Q1G = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	36	9.4%
2	NO	5	1.3%

8	MISSING	6	1.6%
9	INAPP	335	87.7%

Valid	Invalid	Minimum	Maximum
41	341	1	2

🗃 J2Q1H

Label

Ever had cholesterol problems

Question Text

Have you ever had any of the following conditions/illnesses? - CHOLESTEROL PROBLEMS

Forward Skip

IF J2Q1H = 2, 7 OR 8, GO TO J2Q1I

Value	Label	Frequency	%
1	YES	92	24.1%
2	NO	260	68.1%
7	DON'T KNOW	30	7.9%

Valid	Invalid	Minimum	Maximum
352	30	1	2

🗃 J2Q1HD

Label

Physician diagnosed cholesterol problems

Question Text

If Yes, was it diagnosed by a physician? - CHOLESTEROL PROBLEMS

Backward Skip

(J2Q1H = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	85	22.3%

2	NO	4	1.0%
8	MISSING	7	1.8%
9	INAPP	286	74.9%

Valid	Invalid	Minimum	Maximum
89	293	1	2

J2Q1I

Label

Ever had diabetes

Question Text

Have you ever had any of the following conditions/illnesses? - DIABETES

Forward Skip

IF J2Q1I = 2, 7 OR 8, GO TO J2Q1J

Value	Label	Frequency	%
1	YES	19	5.0%
2	NO	338	88.5%
7	DON'T KNOW	25	6.5%

Valid	Invalid	Minimum	Maximum
357	25	1	2

J2Q1ID

Label

Physician diagnosed diabetes

Question Text

If Yes, was it diagnosed by a physician? - DIABETES

Backward Skip

(J2Q1I = 2, 7 OR 8)

Value	Label	Frequency	%

1	YES	18	4.7%
2	NO	1	0.3%
8	MISSING	3	0.8%
9	INAPP	360	94.2%

Valid	Invalid	Minimum	Maximum
19	363	1	2

J2Q1J

Label

Ever had asthma

Question Text

Have you ever had any of the following conditions/illnesses? - ASTHMA

Forward Skip

IF J2Q1J = 2, 7 OR 8, GO TO J2Q1K

Value	Label	Frequency	%
1	YES	22	5.8%
2	NO	338	88.5%
7	DON'T KNOW	22	5.8%

Valid	Invalid	Minimum	Maximum
360	22	1	2

J2Q1JD

Label

Physician diagnosed asthma

Question Text

If Yes, was it diagnosed by a physician? - ASTHMA

Backward Skip

(J2Q1J = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	20	5.2%
2	NO	2	0.5%
8	MISSING	3	0.8%
9	INAPP	357	93.5%

Valid	Invalid	Minimum	Maximum
22	360	1	2

J2Q1K

Label

Ever had emphysema/COPD

Question Text

Have you ever had any of the following conditions/illnesses? - EMPHYSEMA/COPD

Forward Skip

IF J2Q1K = 2, 7 OR 8, GO TO J2Q1L

Value	Label	Frequency	%
1	YES	3	0.8%
2	NO	356	93.2%
7	DON'T KNOW	23	6.0%

Valid	Invalid	Minimum	Maximum
359	23	1	2

J2Q1KD

Label

Physician diagnosed emphysema/COPD

Question Text

If Yes, was it diagnosed by a physician? - EMPHYSEMA/COPD

Backward Skip

(J2Q1K = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	3	0.8%
2	NO	2	0.5%
9	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum
5	377	1	2

J2Q1L

Label

Ever had tuberculosis

Question Text

Have you ever had any of the following conditions/illnesses? - TUBERCULOSIS

Forward Skip

IF J2Q1L = 2, 7 OR 8, GO TO J2Q1M

Value	Label	Frequency	%
1	YES	12	3.1%
2	NO	346	90.6%
7	DON'T KNOW	24	6.3%

Valid	Invalid	Minimum	Maximum
358	24	1	2

J2Q1LD

Label

Physician diagnosed tuberculosis

Question Text

If Yes, was it diagnosed by a physician? - TUBERCULOSIS

Backward Skip

(J2Q1L = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	10	2.6%
2	NO	2	0.5%
8	MISSING	3	0.8%
9	INAPP	367	96.1%

Valid	Invalid	Minimum	Maximum
12	370	1	2

J2Q1M

Label

Ever had positive TB skin test

Question Text

Have you ever had any of the following conditions/illnesses? - POSITIVE TB SKIN TEST

Forward Skip

IF J2Q1M = 2, 7 OR 8, GO TO J2Q1N

Value	Label	Frequency	%
1	YES	52	13.6%
2	NO	289	75.7%
7	DON'T KNOW	41	10.7%

Valid	Invalid	Minimum	Maximum
341	41	1	2

J2Q1MD

Label

Physician diagnosed positive TB skin test

Question Text

If Yes, was it diagnosed by a physician? - POSITIVE TB SKIN TEST

Backward Skip

([J2Q1M](#) = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	41	10.7%
2	NO	4	1.0%
8	MISSING	10	2.6%
9	INAPP	327	85.6%

Valid	Invalid	Minimum	Maximum
45	337	1	2

J2Q1N

Label

Ever had thyroid disease

Question Text

Have you ever had any of the following conditions/illnesses? - THYROID DISEASE

Forward Skip

IF [J2Q1N](#) = 2, 7 OR 8, GO TO [J2Q1O](#)

Value	Label	Frequency	%
1	YES	11	2.9%
2	NO	347	90.8%
7	DON'T KNOW	24	6.3%

Valid	Invalid	Minimum	Maximum
358	24	1	2

J2Q1ND

Label

Physician diagnosed thyroid disease

Question Text

If Yes, was it diagnosed by a physician? - THYROID DISEASE

Backward Skip

([J2Q1N](#) = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	11	2.9%
2	NO	2	0.5%
9	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum
13	369	1	2

J2Q1O

Label

Ever had peptic ulcer disease

Question Text

Have you ever had any of the following conditions/illnesses? - PEPTIC ULCER DISEASE

Forward Skip

IF [J2Q1O](#) = 2, 7 OR 8, GO TO [J2Q1P](#)

Value	Label	Frequency	%
1	YES	29	7.6%
2	NO	323	84.6%
7	DON'T KNOW	30	7.9%

Valid	Invalid	Minimum	Maximum
352	30	1	2

J2Q1OD

Label

Physician diagnosed peptic ulcer disease

Question Text

If Yes, was it diagnosed by a physician? - PEPTIC ULCER DISEASE

Backward Skip

([J2Q1O](#) = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	27	7.1%
2	NO	2	0.5%
8	MISSING	2	0.5%
9	INAPP	351	91.9%

Valid	Invalid	Minimum	Maximum
29	353	1	2

J2Q1P

Label

Ever had cancer

Question Text

Have you ever had any of the following conditions/illnesses? - CANCER

Forward Skip

IF [J2Q1P](#) = 2, 7 OR 8, GO TO [J2Q1Q](#)

Value	Label	Frequency	%
1	YES	18	4.7%
2	NO	337	88.2%
7	DON'T KNOW	27	7.1%

Valid	Invalid	Minimum	Maximum
355	27	1	2

J2Q1PD

Label

Physician diagnosed cancer

Question Text

If Yes, was it diagnosed by a physician? - CANCER

Backward Skip

(J2Q1P = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	13	3.4%
2	NO	2	0.5%
8	MISSING	6	1.6%
9	INAPP	361	94.5%

Valid	Invalid	Minimum	Maximum
15	367	1	2

🧩 J2Q1Q

Label

Ever had colon polyp

Question Text

Have you ever had any of the following conditions/illnesses? - COLON POLYP

Forward Skip

IF J2Q1Q = 2, 7 OR 8, GO TO J2Q1R

Value	Label	Frequency	%
1	YES	28	7.3%
2	NO	328	85.9%
7	DON'T KNOW	26	6.8%

Valid	Invalid	Minimum	Maximum
356	26	1	2

🧩 J2Q1QD

Label

Physician diagnosed colon polyp

Question Text

If Yes, was it diagnosed by a physician? - COLON POLYP

Backward Skip

(J2Q1Q = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	26	6.8%
2	NO	2	0.5%
8	MISSING	2	0.5%
9	INAPP	352	92.1%

Valid	Invalid	Minimum	Maximum
28	354	1	2

J2Q1R

Label

Ever had arthritis

Question Text

Have you ever had any of the following conditions/illnesses? - ARTHRITIS

Forward Skip

IF J2Q1R = 2, 7 OR 8, GO TO J2Q1S

Value	Label	Frequency	%
1	YES	40	10.5%
2	NO	313	81.9%
7	DON'T KNOW	29	7.6%

Valid	Invalid	Minimum	Maximum
353	29	1	2

J2Q1RD

Label

Physician diagnosed arthritis

Question Text

If Yes, was it diagnosed by a physician? - ARTHRITIS

Backward Skip

(J2Q1R = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	28	7.3%
2	NO	7	1.8%
8	MISSING	6	1.6%
9	INAPP	341	89.3%

Valid	Invalid	Minimum	Maximum
35	347	1	2

J2Q1S

Label

Ever had glaucoma

Question Text

Have you ever had any of the following conditions/illnesses? - GLAUCOMA

Forward Skip

IF J2Q1S = 2, 7 OR 8, GO TO J2Q1T

Value	Label	Frequency	%
1	YES	7	1.8%
2	NO	354	92.7%
7	DON'T KNOW	21	5.5%

Valid	Invalid	Minimum	Maximum
361	21	1	2

J2Q1SD

Label

Physician diagnosed glaucoma

Question Text

If Yes, was it diagnosed by a physician? - GLAUCOMA

Backward Skip

(J2Q1S = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	5	1.3%
2	NO	1	0.3%
8	MISSING	3	0.8%
9	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
6	376	1	2

J2Q1T

Label

Ever had cirrhosis/liver disease

Question Text

Have you ever had any of the following conditions/illnesses? - CIRRHOSIS/LIVER DISEASE

Forward Skip

IF J2Q1T = 2, 7 OR 8, GO TO J2Q1U

Value	Label	Frequency	%
1	YES	13	3.4%
2	NO	348	91.1%
7	DON'T KNOW	21	5.5%

Valid	Invalid	Minimum	Maximum

361	21	1	2

J2Q1TD

Label

Physician diagnosed cirrhosis/liver disease

Question Text

If Yes, was it diagnosed by a physician? - CIRRHOSIS/LIVER DISEASE

Backward Skip

(J2Q1T = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	10	2.6%
2	NO	1	0.3%
8	MISSING	5	1.3%
9	INAPP	366	95.8%

Valid	Invalid	Minimum	Maximum
11	371	1	2

J2Q1U

Label

Ever had alcoholism

Question Text

Have you ever had any of the following conditions/illnesses? - ALCOHOLISM

Forward Skip

IF J2Q1U = 2, 7 OR 8, GO TO J2Q1V

Value	Label	Frequency	%
1	YES	4	1.0%
2	NO	349	91.4%
7	DON'T KNOW	29	7.6%

Valid	Invalid	Minimum	Maximum
353	29	1	2

J2Q1UD

Label

Physician diagnosed alcoholism

Question Text

If Yes, was it diagnosed by a physician? - ALCOHOLISM

Backward Skip

(J2Q1U = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	1	0.3%
2	NO	3	0.8%
8	MISSING	3	0.8%
9	INAPP	375	98.2%

Valid	Invalid	Minimum	Maximum
4	378	1	2

J2Q1V

Label

Ever had depression

Question Text

Have you ever had any of the following conditions/illnesses? - DEPRESSION

Forward Skip

IF J2Q1V = 2, 7 OR 8, GO TO J2Q1W

Value	Label	Frequency	%
1	YES	16	4.2%
2	NO	339	88.7%

7	DON'T KNOW	27	7.1%

Valid	**Invalid**	**Minimum**	**Maximum**
355	27	1	2

🗃️ J2Q1VD

Label

Physician diagnosed depression

Question Text

If Yes, was it diagnosed by a physician? - DEPRESSION

Backward Skip

(J2Q1V = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	12	3.1%
2	NO	2	0.5%
8	MISSING	4	1.0%
9	INAPP	364	95.3%

Valid	**Invalid**	**Minimum**	**Maximum**
14	368	1	2

🗃️ J2Q1W

Label

Ever had blood transfusion before 1993

Question Text

Have you ever had any of the following conditions/illnesses? - BLOOD TRANSFUSION BEFORE 1993

Forward Skip

IF J2Q1W = 2, 7 OR 8, GO TO J2Q1X

Value	Label	Frequency	%
1	YES	22	5.8%

			Frequency	%
2	NO		338	88.5%
7	DON'T KNOW		22	5.8%

Valid	Invalid	Minimum	Maximum
360	22	1	2

J2Q1WD

Label

Physician diagnosed blood transfusion before 1993

Question Text

If Yes, was it diagnosed by a physician? - BLOOD TRANSFUSION BEFORE 1993

Backward Skip

(J2Q1W = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	17	4.5%
2	NO	3	0.8%
8	MISSING	6	1.6%
9	INAPP	356	93.2%

Valid	Invalid	Minimum	Maximum
20	362	1	2

J2Q1X

Label

Ever had chronic back or neck problem

Question Text

Have you ever had any of the following conditions/illnesses? - CHRONIC BACK OR NECK PROBLEMS

Forward Skip

IF J2Q1X = 2, 7 OR 8, GO TO J2Q1Y

Value	Label	Frequency	%

1	YES		54	14.1%
2	NO		297	77.7%
7	DON'T KNOW		31	8.1%

Valid	Invalid	Minimum	Maximum
351	31	1	2

J2Q1XD

Label

Physician diagnosed chronic back or neck problem

Question Text

If Yes, was it diagnosed by a physician? - CHRONIC BACK OR NECK PROBLEMS

Backward Skip

(J2Q1X = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	28	7.3%
2	NO	21	5.5%
8	MISSING	7	1.8%
9	INAPP	326	85.3%

Valid	Invalid	Minimum	Maximum
49	333	1	2

J2Q1Y

Label

Ever had frequent or severe headaches

Question Text

Have you ever had any of the following conditions/illnesses? - FREQUENT OR SEVERE HEADACHES

Forward Skip

IF J2Q1Y = 2, 7 OR 8, GO TO J2Q1Z

Value	Label	Frequency	%
1	YES	21	5.5%
2	NO	333	87.2%
7	DON'T KNOW	28	7.3%

Valid	Invalid	Minimum	Maximum
354	28	1	2

J2Q1YD

Label

Physician diagnosed frequent or severe headaches

Question Text

If Yes, was it diagnosed by a physician? - FREQUENT OR SEVERE HEADACHES

Backward Skip

(J2Q1Y = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	7	1.8%
2	NO	12	3.1%
8	MISSING	4	1.0%
9	INAPP	359	94.0%

Valid	Invalid	Minimum	Maximum
19	363	1	2

J2Q1Z

Label

Ever had seasonal allergies

Question Text

Have you ever had any of the following conditions/illnesses? - SEASONAL ALLERGIES LIKE HAY FEVER

Forward Skip

IF [J2Q1Z](#) = 2, 7 OR 8, GO TO [J2Q1AA](#)

Value	Label	Frequency	%
1	YES	137	35.9%
2	NO	214	56.0%
7	DON'T KNOW	31	8.1%

Valid	Invalid	Minimum	Maximum
351	31	1	2

J2Q1ZD

Label

Physician diagnosed seasonal allergies

Question Text

If Yes, was it diagnosed by a physician? - SEASONAL ALLERGIES LIKE HAY FEVER

Backward Skip

([J2Q1Z](#) = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	87	22.8%
2	NO	28	7.3%
8	MISSING	24	6.3%
9	INAPP	243	63.6%

Valid	Invalid	Minimum	Maximum
115	267	1	2

J2Q1AA

Label

Ever had neurological problem

Question Text

Have you ever had any of the following conditions/illnesses? - NEUROLOGICAL PROBLEM LIKE MULTIPLE SCLEROSIS, PARKINSON'S

Forward Skip

IF J2Q1AA = 2, 7 OR 8, GO TO J2Q1BB

Value	Label	Frequency	%
1	YES	3	0.8%
2	NO	359	94.0%
7	DON'T KNOW	20	5.2%

Valid	Invalid	Minimum	Maximum
362	20	1	2

J2Q1AAD

Label

Physician diagnosed neurological problem

Question Text

If Yes, was it diagnosed by a physician? - NEUROLOGICAL PROBLEM LIKE MULTIPLE SCLEROSIS, PARKINSON'S

Backward Skip

(J2Q1AA = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	3	0.8%
2	NO	1	0.3%
9	INAPP	378	99.0%

Valid	Invalid	Minimum	Maximum
4	378	1	2

J2Q1BB

Label

Ever had HIV infection or AIDS

Question Text

Have you ever had any of the following conditions/illnesses? - HIV INFECTION OR AIDS

Forward Skip

IF J2Q1BB = 2, 7 OR 8, GO TO J2Q1CC

Value	Label	Frequency	%
2	NO	360	94.2%
7	DON'T KNOW	22	5.8%

Valid	Invalid	Minimum	Maximum
360	22	2	2

J2Q1BBD

Label

Physician diagnosed HIV infection or AIDS

Question Text

If Yes, was it diagnosed by a physician? - HIV INFECTION OR AIDS

Backward Skip

(J2Q1BB = 2, 7 OR 8)

Value	Label	Frequency	%
2	NO	1	0.3%
8	MISSING	2	0.5%
9	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
1	381	2	2

J2Q1CC

Label

Ever had Epilepsy or seizures

Question Text

Have you ever had any of the following conditions/illnesses? - EPILEPSY OR SEIZURES

Forward Skip

IF J2Q1CC = 2, 7 OR 8, GO TO J2Q1EE

Value	Label	Frequency	%
1	YES	3	0.8%
2	NO	358	93.7%
7	DON'T KNOW	21	5.5%

Valid	Invalid	Minimum	Maximum
361	21	1	2

J2Q1CCD

Label

Physician diagnosed epilepsy or seizures

Question Text

If Yes, was it diagnosed by a physician? - EPILEPSY OR SEIZURES

Backward Skip

(J2Q1CC = 2, 7 OR 8)

Value	Label	Frequency	%
1	YES	2	0.5%
2	NO	1	0.3%
8	MISSING	2	0.5%
9	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum
3	379	1	2

J2Q1EE

Label

Ever had other conditions 1

Question Text

Do you have any other conditions or illnesses? Please specify 1

Forward Skip

IF J2Q1EE = 2, GO TO J2Q2

Notes

Coding of text response to Please Specify is pending

Value	Label	Frequency	%
1	YES	53	13.9%
2	NO	322	84.3%
7	DON'T KNOW	6	1.6%
9	INAPP	1	0.3%

Valid	Invalid	Minimum	Maximum
375	7	1	2

J2Q1EED

Label

Physician diagnosed other condition 1

Question Text

Was it diagnosed by a physician? - Other condition or illness 1

Backward Skip

(J2Q1EE = 2)

Value	Label	Frequency	%
1	YES	38	9.9%
2	NO	3	0.8%
8	MISSING	13	3.4%
9	INAPP	328	85.9%

Valid	Invalid	Minimum	Maximum
41	341	1	2

J2Q1FF

Label

Ever had other conditions 2

Question Text

Do you have any other conditions or illnesses? Please specify 2

Backward Skip

(J2Q1EE = 2)

Forward Skip

IF J2Q1FF = 2, GO TO J2Q2

Notes

Coding of text response to Please Specify is pending

Value	Label	Frequency	%
1	YES	20	5.2%
2	NO	360	94.2%
7	DON'T KNOW	1	0.3%
9	INAPP	1	0.3%

Valid	Invalid	Minimum	Maximum
380	2	1	2

J2Q1FFD

Label

Physician diagnosed other condition 2

Question Text

Was it diagnosed by a physician? - Other condition or illness 2

Backward Skip

(J2Q1EE = 2) OR (J2Q1FF = 2)

Value	Label	Frequency	%
1	YES	16	4.2%

2	NO	2	0.5%
8	MISSING	3	0.8%
9	INAPP	361	94.5%

Valid	Invalid	Minimum	Maximum
18	364	1	2

J2QSYMN

Label

Total number of Symptoms and Chronic Conditions (MIDUS items only)

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
0	NONE	113	29.6%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	0	7	1.65	1.67

J2QSYMX

Label

Any Symptoms and Chronic Conditions?--Yes/No (MIDUS items only)

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
1	YES	269	70.4%
2	NO	113	29.6%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2QSYMN2

Label

Total number of Symptoms and Chronic Conditions

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
0	NONE	70	18.3%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	0	8	2.22	1.85

J2QSYMX2

Label

Any Symptoms and Chronic Conditions?--Yes/No

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
1	YES	312	81.7%
2	NO	70	18.3%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q2

Label

Ever had cancer (filter)

Question Text

Have you ever had cancer?

Forward Skip

IF J2Q2 = 2 OR 3, GO TO J2Q3

Value	Label	Frequency	%
1	YES	19	5.0%
2	NO	327	85.6%
8	MISSING	36	9.4%

Valid	Invalid	Minimum	Maximum
346	36	1	2

J2Q2A

Label

Current condition of cancer: treatment, remission, cured

Question Text

Are you currently in treatment for your cancer, in remission, or has it been cured?

Backward Skip

(J2Q2 = 2 OR 3)

Value	Label	Frequency	%
1	TREATMENT	3	0.8%
2	REMISSION	1	0.3%
3	CURED	13	3.4%
7	DON'T KNOW	2	0.5%
9	INAPP	363	95.0%

Valid	Invalid	Minimum	Maximum
17	365	1	3

J2Q2A2

Label

Currently in treatment for cancer

Backward Skip

(J2Q2 = 2 OR 3)

Notes

Constructed based on J2Q2A

Value	Label	Frequency	%
1	YES	3	0.8%
2	NO	14	3.7%
7	DON'T KNOW	2	0.5%
9	INAPP	363	95.0%

Valid	Invalid	Minimum	Maximum
17	365	1	2

J2Q2B1

Label

Breast cancer

Pre-Question Text

Where (is/was) your cancer? In what part of your body? Please circle yes or no for each location listed below.

Question Text

Location in body - BREAST CANCER

Backward Skip

(J2Q2 = 2 OR 3)

Value	Label	Frequency	%
1	YES	3	0.8%
2	NO	16	4.2%
7	DON'T KNOW	1	0.3%

9	INAPP	362	94.8%

Valid	Invalid	Minimum	Maximum
19	363	1	2

📊 J2Q2B2

Label

Colon cancer

Question Text

Location in body - COLON CANCER

Backward Skip

(J2Q2 = 2 OR 3)

Value	Label	Frequency	%
1	YES	3	0.8%
2	NO	16	4.2%
7	DON'T KNOW	1	0.3%
9	INAPP	362	94.8%

Valid	Invalid	Minimum	Maximum
19	363	1	2

📊 J2Q2B3

Label

Lung cancer

Question Text

Location in body - LUNG CANCER

Backward Skip

(J2Q2 = 2 OR 3)

Value	Label	Frequency	%
2	NO	19	5.0%

| 7 | DON'T KNOW | 1 | 0.3% |
| 9 | INAPP | 362 | 94.8% |

Valid	Invalid	Minimum	Maximum
19	363	2	2

J2Q2B4

Label

Lymphoma or leukemia

Question Text

Location in body - LYMPHOMA OR LEUKEMIA

Backward Skip

(J2Q2 = 2 OR 3)

Value	Label	Frequency	%
1	YES	1	0.3%
2	NO	18	4.7%
7	DON'T KNOW	1	0.3%
9	INAPP	362	94.8%

Valid	Invalid	Minimum	Maximum
19	363	1	2

J2Q2B5

Label

Prostate cancer

Question Text

Location in body - PROSTATE CANCER

Backward Skip

(J2Q2 = 2 OR 3)

Value	Label	Frequency	%

1	YES	1	0.3%
2	NO	18	4.7%
7	DON'T KNOW	1	0.3%
9	INAPP	362	94.8%

Valid	Invalid	Minimum	Maximum
19	363	1	2

J2Q2B6

Label

Skin cancer (Melanoma)

Question Text

Location in body - SKIN CANCER (MELANOMA)

Backward Skip

(J2Q2 = 2 OR 3)

Value	Label	Frequency	%
2	NO	19	5.0%
7	DON'T KNOW	1	0.3%
9	INAPP	362	94.8%

Valid	Invalid	Minimum	Maximum
19	363	2	2

J2Q2B7

Label

Uterine cancer

Question Text

Location in body - UTERINE CANCER

Backward Skip

(J2Q2 = 2 OR 3)

Value	Label	Frequency	%
2	NO	19	5.0%
9	INAPP	363	95.0%

Valid	Invalid	Minimum	Maximum
19	363	2	2

J2Q2B8

Label

Ovarian cancer

Question Text

Location in body - OVARIAN CANCER

Backward Skip

(J2Q2 = 2 OR 3)

Value	Label	Frequency	%
2	NO	19	5.0%
9	INAPP	363	95.0%

Valid	Invalid	Minimum	Maximum
19	363	2	2

J2Q2B9

Label

Cervical cancer

Question Text

Location in body - CERVICAL CANCER

Backward Skip

(J2Q2 = 2 OR 3)

Value	Label	Frequency	%
1	YES	2	0.5%

2	NO	17	4.5%
9	INAPP	363	95.0%

Valid	Invalid	Minimum	Maximum
19	363	1	2

J2Q2B10

Label

Other cancer

Question Text

Location in body - OTHER?

Backward Skip

(J2Q2 = 2 OR 3)

Value	Label	Frequency	%
1	YES	10	2.6%
2	NO	9	2.4%
9	INAPP	363	95.0%

Valid	Invalid	Minimum	Maximum
19	363	1	2

J2Q3

Label

Ever had a head injury

Question Text

Have you ever had a head injury?

Forward Skip

IF J2Q3 = 2, GO TO J2Q4

Value	Label	Frequency	%
1	YES	33	8.6%

2	NO	310	81.2%
8	MISSING	39	10.2%

Valid	Invalid	Minimum	Maximum
343	39	1	2

J2Q3AH

Label

Hospital overnight for head injury A

Question Text

Overnight hospital stay required? - Head injury A

Backward Skip

(J2Q3 = 2)

Notes

Coding of text response to Please Describe Head Injury A is pending

Value	Label	Frequency	%
1	YES	8	2.1%
2	NO	27	7.1%
9	INAPP	347	90.8%

Valid	Invalid	Minimum	Maximum
35	347	1	2

J2Q3ACEY

Label

Head injury A occurred: Common Era Year

Question Text

Common Era Year - Head injury A

Backward Skip

(J2Q3 = 2)

Interviewer Instructions

(circle an Emperor and record year or enter Common Era Year)

Value	Label	Frequency	%
9999	INAPP	349	91.4%

Valid	Invalid	Minimum	Maximum
33	349	1936	2008

J2Q3BH

Label

Hospital overnight for head injury B

Question Text

Overnight hospital stay required? - Head injury B

Backward Skip

(J2Q3 = 2)

Forward Skip

IF J2Q3BH = 9, GO TO J2Q4

Notes

Coding of text response to Please Describe Head Injury B is pending

Value	Label	Frequency	%
2	NO	2	0.5%
8	MISSING	1	0.3%
9	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
2	380	2	2

J2Q3BCEY

Label

Head injury B occurred: Common Era Year

Question Text

Common Era Year - Head injury B

Backward Skip

(J2Q3 = 2) OR (J2Q3BH = 9)

Interviewer Instructions

(circle an Emperor and record year or enter Common Era Year)

Value	Label	Frequency	%
9999	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1944	1999

J2Q4

Label

Ever had a joint injury

Question Text

Have you ever had a joint injury?

Forward Skip

IF J2Q4 = 2, GO TO J2Q5

Value	Label	Frequency	%
1	YES	79	20.7%
2	NO	262	68.6%
8	MISSING	41	10.7%

Valid	Invalid	Minimum	Maximum
341	41	1	2

J2Q4AH

Label

Hospital overnight for joint injury A

Question Text

Overnight hospital stay required? - Joint injury A

Backward Skip

(J2Q4 = 2)

Notes

Coding of text response to Please Describe Joint Injury A is pending

Value	Label	Frequency	%
1	YES	11	2.9%
2	NO	68	17.8%
8	MISSING	1	0.3%
9	INAPP	302	79.1%

Valid	Invalid	Minimum	Maximum
79	303	1	2

J2Q4ACEY

Label

Joint injury A occurred: Common Era Year

Question Text

Common Era Year - Joint injury A

Backward Skip

(J2Q4 = 2)

Interviewer Instructions

(circle an Emperor and record year or enter Common Era Year)

Value	Label	Frequency	%
9997	DON'T KNOW	1	0.3%
9998	MISSING	8	2.1%
9999	INAPP	302	79.1%

Valid	Invalid	Minimum	Maximum
71	311	1946	2009

J2Q4BH

Label

Hospital overnight for joint injury B

Question Text

Overnight hospital stay required? - Joint injury B

Backward Skip

(J2Q4 = 2)

Forward Skip

IF J2Q4BH = 9, GO TO J2Q5

Notes

Coding of text response to Please Describe Joint Injury B is pending

Value	Label	Frequency	%
1	YES	4	1.0%
2	NO	8	2.1%
8	MISSING	4	1.0%
9	INAPP	366	95.8%

Valid	Invalid	Minimum	Maximum
12	370	1	2

J2Q4BCEY

Label

Joint injury B occurred: Common Era Year

Question Text

Common Era Year - Joint injury B

Backward Skip

(J2Q4 = 2) OR (J2Q4BH = 9)

Interviewer Instructions

(circle an Emperor and record year or enter Common Era Year)

Value	Label	Frequency	%
9997	DON'T KNOW	1	0.3%
9999	INAPP	366	95.8%

Valid	Invalid	Minimum	Maximum
15	367	1954	2009

J2Q5

Label

Ever injured in a motor vehicle accident

Question Text

Have you ever been injured in a Motor Vehicle accident?

Forward Skip

IF J2Q5 = 2, GO TO J2Q6

Value	Label	Frequency	%
1	YES	67	17.5%
2	NO	277	72.5%
8	MISSING	38	9.9%

Valid	Invalid	Minimum	Maximum
344	38	1	2

J2Q5AH

Label

Hospital overnight for motor vehicle accident A

Question Text

Overnight hospital stay required? - Motor Vehicle accident injury A

Backward Skip

(J2Q5 = 2)

Notes

Coding of text response to Please Describe Motor Vehicle Accident Injury A is pending

Value	Label	Frequency	%
1	YES	26	6.8%
2	NO	41	10.7%
8	MISSING	1	0.3%
9	INAPP	314	82.2%

Valid	Invalid	Minimum	Maximum
67	315	1	2

J2Q5ACEY

Label

Motor vehicle accident A occurred: Common Era Year

Question Text

Common Era Year - Motor Vehicle accident injury A

Backward Skip

(J2Q5 = 2)

Interviewer Instructions

(circle an Emperor and record year or enter Common Era Year)

Value	Label	Frequency	%
9998	MISSING	1	0.3%
9999	INAPP	315	82.5%

Valid	Invalid	Minimum	Maximum
66	316	1944	2008

J2Q5BH

Label

Hospital overnight for motor vehicle accident B

Question Text

Overnight hospital stay required? - Motor Vehicle accident injury B

Backward Skip

(J2Q5 = 2)

Forward Skip

IF J2Q5BH = 9, GO TO J2Q6

Notes

Coding of text response to Please Describe Motor Vehicle Accident Injury B is pending

Value	Label	Frequency	%
1	YES	3	0.8%
2	NO	7	1.8%
9	INAPP	372	97.4%

Valid	Invalid	Minimum	Maximum
10	372	1	2

J2Q5BCEY

Label

Motor vehicle accident B occurred: Common Era Year

Question Text

Common Era Year - Motor Vehicle accident injury B

Backward Skip

(J2Q5 = 2) OR (J2Q5BH = 9)

Interviewer Instructions

(circle an Emperor and record year or enter Common Era Year)

Value	Label	Frequency	%
9999	INAPP	371	97.1%

Valid	Invalid	Minimum	Maximum
11	371	1960	2008

J2Q6

Label

Ever had other major injuries/illnesses

Question Text

Have you had any other major injuries, illnesses, or other health events that may or may not have required hospitalization?

Forward Skip

IF J2Q6 = 2, GO TO J2Q7

Value	Label	Frequency	%
1	YES	154	40.3%
2	NO	197	51.6%
8	MISSING	31	8.1%

Valid	Invalid	Minimum	Maximum
351	31	1	2

J2Q6AH

Label

Hospital overnight for other injury/illness A

Question Text

Overnight hospital stay required? - Other injury/illness A

Backward Skip

(J2Q6 = 2)

Notes

Coding of text response to Please Describe Other Illness, Injury A is pending

Value	Label	Frequency	%
1	YES	146	38.2%
2	NO	4	1.0%
8	MISSING	4	1.0%
9	INAPP	228	59.7%

Valid	Invalid	Minimum	Maximum
150	232	1	2

J2Q6ACEY

Label

Other injury/illness A occurred: Common Era Year

Question Text

Common Era Year - Other injury/illness A

Backward Skip

(J2Q6 = 2)

Interviewer Instructions

(circle an Emperor and record year or enter Common Era Year)

Value	Label	Frequency	%
9997	DON'T KNOW	1	0.3%
9998	MISSING	5	1.3%
9999	INAPP	229	59.9%

Valid	Invalid	Minimum	Maximum
147	235	1942	2009

J2Q6BH

Label

Hospital overnight for other injury/illness B

Question Text

Overnight hospital stay required? - Other injury/illness B

Backward Skip

(J2Q6 = 2)

Forward Skip

IF J2Q6BH = 9, GO TO J2Q7

Notes

Coding of text response to Please Describe Other Illness, Injury A is pending

Value	Label	Frequency	%
1	YES	43	11.3%
2	NO	1	0.3%
8	MISSING	1	0.3%
9	INAPP	337	88.2%

Valid	Invalid	Minimum	Maximum
44	338	1	2

J2Q6BCEY

Label

Other injury/illness B occurred: Common Era Year

Question Text

Common Era Year - Other injury/illness B

Backward Skip

(J2Q6 = 2) OR (J2Q6BH = 9)

Interviewer Instructions

(circle an Emperor and record year or enter Common Era Year)

Value	Label	Frequency	%
9997	DON'T KNOW	1	0.3%
9999	INAPP	338	88.5%

Valid	Invalid	Minimum	Maximum
43	339	1942	2009

J2Q7

Label

Usual bedtime (past month)

Pre-Question Text

The following questions relate to your usual sleep habits during the past month only. Your answers should indicate the most accurate reply for the majority of days and nights in the past month. Please answer all of the questions.

Question Text

During the past month, when have you usually gone to bed at night?

Value	Label	Frequency	%
9998	MISSING	3	0.8%

Valid	Invalid	Minimum	Maximum
379	3	0000	2350

J2Q8

Label

Minutes to fall asleep

Question Text

During the past month, how long (in minutes) has it taken you to fall asleep at night?

Value	Label	Frequency	%
998	MISSING	4	1.0%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
378	4	0	480	20.72	31.83

J2Q9

Label

Usual getting up time (past month)

Question Text

During the past month, when have you usually gotten up in the morning?

Value	Label	Frequency	%
9998	MISSING	4	1.0%

Valid	Invalid	Minimum	Maximum

378	4	0300	1330

J2Q10

Label

Hours of sleep a night

Question Text

During the past month, how many hours of actual sleep did you get at night? (This may be different than the number of hours you spent in bed.)

Value	Label	Frequency	%
98	MISSING	4	1.0%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
378	4	4	10	6.67	1.03

J2Q11A

Label

Sleep trouble could not sleep

Question Text

During the past month, how often have you had trouble sleeping because you - COULD NOT GET TO SLEEP WITHIN 30 MINUTES?

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	151	39.5%
2	LESS THAN ONCE A WEEK	151	39.5%
3	ONCE OR TWICE A WEEK	38	9.9%
4	THREE OR MORE TIMES A WEEK	29	7.6%
8	MISSING	13	3.4%

Valid	Invalid	Minimum	Maximum
369	13	1	4

J2Q11B

Label

Sleep trouble woke up

Question Text

During the past month, how often have you had trouble sleeping because you - WOKE UP IN THE MIDDLE OF THE NIGHT OR EARLY IN THE MORNING?

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	115	30.1%
2	LESS THAN ONCE A WEEK	126	33.0%
3	ONCE OR TWICE A WEEK	58	15.2%
4	THREE OR MORE TIMES A WEEK	61	16.0%
8	MISSING	22	5.8%

Valid	Invalid	Minimum	Maximum
360	22	1	4

J2Q11C

Label

Sleep trouble had to use bathroom

Question Text

During the past month, how often have you had trouble sleeping because you - HAD TO GET UP TO USE THE BATHROOM?

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	117	30.6%
2	LESS THAN ONCE A WEEK	122	31.9%
3	ONCE OR TWICE A WEEK	56	14.7%
4	THREE OR MORE TIMES A WEEK	67	17.5%
8	MISSING	20	5.2%

Valid	Invalid	Minimum	Maximum

362	20	1	4

J2Q11D

Label

Sleep trouble could not breathe

Question Text

During the past month, how often have you had trouble sleeping because you - COULD NOT BREATHE COMFORTABLY?

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	323	84.6%
2	LESS THAN ONCE A WEEK	23	6.0%
3	ONCE OR TWICE A WEEK	3	0.8%
4	THREE OR MORE TIMES A WEEK	2	0.5%
8	MISSING	31	8.1%

Valid	Invalid	Minimum	Maximum
351	31	1	4

J2Q11E

Label

Sleep trouble coughed and snored

Question Text

During the past month, how often have you had trouble sleeping because you - COUGHED AND SNORED?

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	302	79.1%
2	LESS THAN ONCE A WEEK	41	10.7%
3	ONCE OR TWICE A WEEK	8	2.1%
4	THREE OR MORE TIMES A WEEK	2	0.5%
8	MISSING	29	7.6%

Valid	Invalid	Minimum	Maximum
353	29	1	4

J2Q11F

Label

Sleep trouble felt too cold

Question Text

During the past month, how often have you had trouble sleeping because you - FELT TOO COLD?

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	296	77.5%
2	LESS THAN ONCE A WEEK	45	11.8%
3	ONCE OR TWICE A WEEK	8	2.1%
8	MISSING	33	8.6%

Valid	Invalid	Minimum	Maximum
349	33	1	3

J2Q11G

Label

Sleep trouble felt too hot

Question Text

During the past month, how often have you had trouble sleeping because you - FELT TOO HOT?

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	294	77.0%
2	LESS THAN ONCE A WEEK	42	11.0%
3	ONCE OR TWICE A WEEK	11	2.9%
4	THREE OR MORE TIMES A WEEK	4	1.0%
8	MISSING	31	8.1%

Valid	Invalid	Minimum	Maximum

351	31	1	4

J2Q11H

Label

Sleep trouble had bad dreams

Question Text

During the past month, how often have you had trouble sleeping because you - HAD BAD DREAMS?

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	293	76.7%
2	LESS THAN ONCE A WEEK	57	14.9%
3	ONCE OR TWICE A WEEK	3	0.8%
4	THREE OR MORE TIMES A WEEK	1	0.3%
8	MISSING	28	7.3%

Valid	Invalid	Minimum	Maximum
354	28	1	4

J2Q11I

Label

Sleep trouble had pain

Question Text

During the past month, how often have you had trouble sleeping because you - HAD PAIN?

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	305	79.8%
2	LESS THAN ONCE A WEEK	31	8.1%
3	ONCE OR TWICE A WEEK	8	2.1%
4	THREE OR MORE TIMES A WEEK	7	1.8%
8	MISSING	31	8.1%

Valid	Invalid	Minimum	Maximum

| 351 | 31 | 1 | 4 |

J2Q11J

Label

Sleep trouble other reasons

Question Text

During the past month, how often have you had trouble sleeping because you - OTHER REASON(S)?

Forward Skip

IF J2Q11J = 1, GO TO J2Q12

Notes

Coding of text response to Other Reason is pending

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	312	81.7%
2	LESS THAN ONCE A WEEK	12	3.1%
3	ONCE OR TWICE A WEEK	12	3.1%
4	THREE OR MORE TIMES A WEEK	12	3.1%
8	MISSING	34	8.9%

Valid	Invalid	Minimum	Maximum
348	34	1	4

J2Q12

Label

Sleep quality overall

Question Text

During the past month, how would you rate your sleep quality overall?

Value	Label	Frequency	%
1	VERY GOOD	48	12.6%
2	FAIRLY GOOD	238	62.3%

		Frequency	%
3	FAILY BAD	86	22.5%
4	VERY BAD	10	2.6%

Valid	Invalid	Minimum	Maximum
382	0	1	4

J2Q13

Label

Keep up enough enthusiasm

Question Text

During the past month, how much of a problem has it been for you to keep up enough enthusiasm to get things done?

Value	Label	Frequency	%
1	NO PROBLEM AT ALL	121	31.7%
2	ONLY A VERY SLIGHT PROBLEM	146	38.2%
3	SOMEWHAT OF A PROBLEM	102	26.7%
4	A VERY BIG PROBLEM	13	3.4%

Valid	Invalid	Minimum	Maximum
382	0	1	4

J2Q14

Label

Taken medicine to sleep

Question Text

During the past month, how often have you taken a medicine (prescribed or "over the counter") to help you sleep?

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	338	88.5%
2	LESS THAN ONCE A WEEK	14	3.7%
3	ONCE OR TWICE A WEEK	9	2.4%

| 4 | THREE OR MORE TIMES A WEEK | 21 | 5.5% |

Valid	Invalid	Minimum	Maximum
382	0	1	4

J2Q15

Label

Trouble staying awake

Question Text

During the past month, how often have you had trouble staying awake while driving, eating meals, or engaging in social activity?

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	293	76.7%
2	LESS THAN ONCE A WEEK	64	16.8%
3	ONCE OR TWICE A WEEK	16	4.2%
4	THREE OR MORE TIMES A WEEK	9	2.4%

Valid	Invalid	Minimum	Maximum
382	0	1	4

J2Q16

Label

Feeling sleepy daytime

Question Text

During the past month, how often have you had problems feeling sleepy during the day?

Value	Label	Frequency	%
1	NOT DURING THE PAST MONTH	66	17.3%
2	LESS THAN ONCE A WEEK	143	37.4%
3	ONCE OR TWICE A WEEK	100	26.2%
4	THREE OR MORE TIMES A WEEK	73	19.1%

Valid	Invalid	Minimum	Maximum
382	0	1	4

📊 J2QSQ_S1

Label

SLEEP Component 1 - Subjective Sleep Quality

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
0	VERY GOOD	48	12.6%
1	FAIRLY GOOD	238	62.3%
2	FAIRLY BAD	86	22.5%
3	VERY BAD	10	2.6%

Valid	Invalid	Minimum	Maximum
382	0	0	3

📊 J2QSQ_S2

Label

SLEEP Component 2 - Sleep Latency

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
0	SUM OF SUBSCALES = 0	131	34.3%
1	SUM OF SUBSCALES = 1-2	167	43.7%
2	SUM OF SUBSCALES = 3-4	46	12.0%
3	SUM OF SUBSCALES = 5-6	22	5.8%
8	NOT CALCULATED - Due to missing data	16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	0	3

J2QSQ_S3

Label

SLEEP Component 3 - Sleep Duration

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
0	> 7 HOURS	90	23.6%
1	6-7 HOURS	229	59.9%
2	5-6 HOURS	51	13.4%
3	< 5 HOURS	9	2.4%
8	NOT CALCULATED - Due to missing data	3	0.8%

Valid	Invalid	Minimum	Maximum
379	3	0	3

J2QSQ_S4

Label

SLEEP Component 4 - Habitual Sleep Efficiency

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
0	> 85%	269	70.4%
1	75-84%	31	8.1%
2	65-74%	15	3.9%
3	< 65%	9	2.4%

4	> 100%	55	14.4%
8	NOT CALCULATED - Due to missing data	3	0.8%

Valid	Invalid	Minimum	Maximum
379	3	0	4

J2QSQ_S5

Label

SLEEP Component 5 - Sleep Disturbances Range

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
0	0	58	15.2%
1	1-9	269	70.4%
2	10-18	18	4.7%
8	NOT CALCULATED - Due to missing data	37	9.7%

Valid	Invalid	Minimum	Maximum
345	37	0	2

J2QSQ_S6

Label

SLEEP Component 6 - Use of Sleeping Medication

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
0	NOT DURING THE PAST MONTH	338	88.5%
1	LESS THAN ONCE A WEEK	14	3.7%

2	ONCE OR TWICE A WEEK		9	2.4%
3	THREE OR MORE TIMES A WEEK		21	5.5%

Valid	Invalid	Minimum	Maximum
382	0	0	3

J2QSQ_S7

Label

SLEEP Component 7 - Daytime Dysfunction

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
0	0	112	29.3%
1	1-2	213	55.8%
2	3-4	49	12.8%
3	5-6	8	2.1%

Valid	Invalid	Minimum	Maximum
382	0	0	3

J2QSQ_GS

Label

SLEEP: Global Score

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED - Due to missing data	87	22.8%

Valid	Invalid	Minimum	Maximum	Mean	StdDev

295	87	0	16	5.26	2.6

J2Q17

Label

Have chronic pain

Question Text

Do you have chronic pain, that is do you have pain that persists beyond the time of normal healing and has lasted from anywhere from a few months to many years?

Forward Skip

IF J2Q17 = 2, GO TO J2Q26

Value	Label	Frequency	%
1	YES	129	33.8%
2	NO	238	62.3%
8	MISSING	15	3.9%

Valid	Invalid	Minimum	Maximum
367	15	1	2

J2Q18

Label

Pain interfered with general activity past week

Question Text

On a scale of 0 to 10, circle the number below that best describes how much, during the past week, your pain interfered with your general activity.

Backward Skip

(J2Q17 = 2)

Value	Label	Frequency	%
0	DID NOT INTERFERE	19	5.0%
1		17	4.5%
2		25	6.5%

Value	Label	Frequency	%
3		15	3.9%
4		9	2.4%
5		16	4.2%
6		9	2.4%
7		9	2.4%
8		4	1.0%
9		5	1.3%
10	COMPLETELY INTERFERED	1	0.3%
98	MISSING	7	1.8%
99	INAPP	246	64.4%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
129	253	0	10	3.35	2.62

📚 J2Q19

Label

Pain interfered with mood past week

Question Text

On a scale of 0 to 10, circle the number below that best describes how much, during the past week, your pain interfered with your mood.

Backward Skip

(J2Q17 = 2)

Value	Label	Frequency	%
0	DID NOT INTERFERE	21	5.5%
1		20	5.2%
2		23	6.0%
3		12	3.1%
4		10	2.6%
5		13	3.4%
6		10	2.6%
7		9	2.4%

8		9	2.4%
9		2	0.5%
10	COMPLETELY INTERFERED	2	0.5%
98	MISSING	5	1.3%
99	INAPP	246	64.4%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
131	251	0	10	3.36	2.73

📊 J2Q20

Label

Pain interfered with relationships past week

Question Text

On a scale of 0 to 10, circle the number below that best describes how much, during the past week, your pain interfered with your relations with other people.

Backward Skip

([J2Q17](#) = 2)

Value	Label	Frequency	%
0	DID NOT INTERFERE	80	20.9%
1		23	6.0%
2		6	1.6%
3		5	1.3%
4		1	0.3%
5		7	1.8%
6		2	0.5%
7		3	0.8%
8		2	0.5%
9		1	0.3%
10	COMPLETELY INTERFERED	1	0.3%
98	MISSING	5	1.3%
99	INAPP	246	64.4%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
131	251	0	10	1.2	2.19

J2Q21

Label

Pain interfered with sleep past week

Question Text

On a scale of 0 to 10, circle the number below that best describes how much, during the past week, your pain interfered with your sleep.

Backward Skip

([J2Q17](#) = 2)

Value	Label	Frequency	%
0	DID NOT INTERFERE	54	14.1%
1		21	5.5%
2		15	3.9%
3		15	3.9%
4		1	0.3%
5		9	2.4%
6		4	1.0%
7		6	1.6%
8		4	1.0%
9		1	0.3%
10	COMPLETELY INTERFERED	2	0.5%
98	MISSING	4	1.0%
99	INAPP	246	64.4%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
132	250	0	10	2.06	2.58

J2Q22

Label

Pain interfered with enjoyment of life past week

Question Text

On a scale of 0 to 10, circle the number below that best describes how much, during the past week, your pain interfered with your enjoyment of life.

Backward Skip

(J2Q17 = 2)

Value	Label	Frequency	%
0	DID NOT INTERFERE	59	15.4%
1		17	4.5%
2		17	4.5%
3		9	2.4%
4		2	0.5%
5		11	2.9%
6		5	1.3%
7		3	0.8%
8		6	1.6%
9		2	0.5%
10	COMPLETELY INTERFERED	2	0.5%
98	MISSING	4	1.0%
99	INAPP	245	64.1%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
133	249	0	10	2.09	2.7

J2Q23A

Label

Pain primary location: Head

Question Text

Where is your pain primarily located - HEAD?

Backward Skip

(J2Q17 = 2)

Interviewer Instructions

(Check all that apply.)

Value	Label	Frequency	%
1	YES	17	4.5%
2	NO	112	29.3%
9	INAPP	253	66.2%

Valid	Invalid	Minimum	Maximum
129	253	1	2

J2Q23B

Label

Pain primary location: Neck

Question Text

Where is your pain primarily located - NECK?

Backward Skip

(J2Q17 = 2)

Interviewer Instructions

(Check all that apply.)

Value	Label	Frequency	%
1	YES	32	8.4%
2	NO	98	25.7%
9	INAPP	252	66.0%

Valid	Invalid	Minimum	Maximum
130	252	1	2

J2Q23C

Label

Pain primary location: Back

Question Text

Where is your pain primarily located - BACK?

Backward Skip

(J2Q17 = 2)

Interviewer Instructions

(Check all that apply.)

Value	Label	Frequency	%
1	YES	19	5.0%
2	NO	110	28.8%
9	INAPP	253	66.2%

Valid	Invalid	Minimum	Maximum
129	253	1	2

J2Q23D

Label

Pain primary location: Shoulders

Question Text

Where is your pain primarily located - SHOULDERS?

Backward Skip

(J2Q17 = 2)

Interviewer Instructions

(Check all that apply.)

Value	Label	Frequency	%
1	YES	42	11.0%
2	NO	88	23.0%

					9	INAPP		252	66.0%

Valid	Invalid	Minimum	Maximum
130	252	1	2

🗗 J2Q23E

Label

Pain primary location: Arms/Hands

Question Text

Where is your pain primarily located - ARMS/HANDS?

Backward Skip

(J2Q17 = 2)

Interviewer Instructions

(Check all that apply.)

Value	Label	Frequency	%
1	YES	27	7.1%
2	NO	103	27.0%
9	INAPP	252	66.0%

Valid	Invalid	Minimum	Maximum
130	252	1	2

🗗 J2Q23F

Label

Pain primary location: Hips

Question Text

Where is your pain primarily located - HIPS?

Backward Skip

(J2Q17 = 2)

Interviewer Instructions

(Check all that apply.)

Value	Label	Frequency	%
1	YES	67	17.5%
2	NO	62	16.2%
9	INAPP	253	66.2%

Valid	Invalid	Minimum	Maximum
129	253	1	2

📇 J2Q23G

Label

Pain primary location: Legs/Feet

Question Text

Where is your pain primarily located - LEGS/FEET?

Backward Skip

(J2Q17 = 2)

Interviewer Instructions

(Check all that apply.)

Value	Label	Frequency	%
1	YES	24	6.3%
2	NO	105	27.5%
9	INAPP	253	66.2%

Valid	Invalid	Minimum	Maximum
129	253	1	2

📇 J2Q23H

Label

Pain primary location: Knees

Question Text

Where is your pain primarily located - KNEES?

Backward Skip

([J2Q17](#) = 2)

Interviewer Instructions

(Check all that apply.)

Value	Label	Frequency	%
1	YES	31	8.1%
2	NO	99	25.9%
9	INAPP	252	66.0%

Valid	Invalid	Minimum	Maximum
130	252	1	2

J2Q23I

Label

Pain primary location: Other

Question Text

Where is your pain primarily located - OTHER (PLEASE SPECIFY)?

Backward Skip

([J2Q17](#) = 2)

Interviewer Instructions

(Check all that apply.)

Notes

Coding of text response to Other Specify is pending

Value	Label	Frequency	%
1	YES	19	5.0%
2	NO	110	28.8%
9	INAPP	253	66.2%

Valid	Invalid	Minimum	Maximum
129	253	1	2

J2Q24

Label

Seen physician about pain

Question Text

Have you seen a physician or other health care professional about this?

Backward Skip

(J2Q17 = 2)

Notes

Coding of text response to Diagnosis is pending

Value	Label	Frequency	%
1	YES	85	22.3%
2	NO	41	10.7%
8	MISSING	3	0.8%
9	INAPP	253	66.2%

Valid	Invalid	Minimum	Maximum
126	256	1	2

J2Q26

Label

Follow a special diet

Question Text

Do you follow a special diet?

Forward Skip

IF J2Q26 = 2, GO TO J2Q27A

Value	Label	Frequency	%
1	YES	26	6.8%
2	NO	337	88.2%
8	MISSING	19	5.0%

Valid	Invalid	Minimum	Maximum
363	19	1	2

J2Q27A

Label

Number of servings of milk

Question Text

Please estimate your regular calcium intake. How many servings do you consume of - MILK?

Value	Label	Frequency	%
1	NEVER	96	25.1%
2	LESS THAN 1 X PER WEEK	82	21.5%
3	1-4 X PER WEEK	66	17.3%
4	ALMOST DAILY	101	26.4%
5	1-3 X PER DAY	16	4.2%
7	8 OR MORE X PER DAY	2	0.5%
98	MISSING	19	5.0%

Valid	Invalid	Minimum	Maximum
363	19	1	7

J2Q27B

Label

Number of servings of yogurt

Question Text

Please estimate your regular calcium intake. How many servings do you consume of - YOGURT?

Value	Label	Frequency	%
1	NEVER	91	23.8%
2	LESS THAN 1 X PER WEEK	88	23.0%
3	1-4 X PER WEEK	93	24.3%

4	ALMOST DAILY	80	20.9%
5	1-3 X PER DAY	10	2.6%
6	4-7 X PER DAY	2	0.5%
98	MISSING	18	4.7%

Valid	Invalid	Minimum	Maximum
364	18	1	6

J2Q27C

Label

Number of servings of small fish

Question Text

Please estimate your regular calcium intake. How many servings do you consume of - SMALL FISH (1 serving=1 table spoon)?

Value	Label	Frequency	%
1	NEVER	47	12.3%
2	LESS THAN 1 X PER WEEK	151	39.5%
3	1-4 X PER WEEK	112	29.3%
4	ALMOST DAILY	46	12.0%
5	1-3 X PER DAY	3	0.8%
7	8 OR MORE X PER DAY	2	0.5%
98	MISSING	21	5.5%

Valid	Invalid	Minimum	Maximum
361	21	1	7

J2Q28A

Label

Number of serving of green tea (caffeinated)

Question Text

In general, how many 200 ml servings do you drink of - GREEN TEA?

Value	Label	Frequency	%
1	NEVER	19	5.0%
2	LESS THAN 1 X PER WEEK	42	11.0%
3	1-4 X PER WEEK	57	14.9%
4	ALMOST DAILY	126	33.0%
5	1-3 X PER DAY	73	19.1%
6	4-7 X PER DAY	40	10.5%
7	8 OR MORE X PER DAY	8	2.1%
98	MISSING	17	4.5%

Valid	Invalid	Minimum	Maximum
365	17	1	7

J2Q28B

Label

Number of serving of other tea (decaffeinated)

Question Text

In general, how many 200 ml servings do you drink of - OTHER TEA?

Value	Label	Frequency	%
1	NEVER	104	27.2%
2	LESS THAN 1 X PER WEEK	65	17.0%
3	1-4 X PER WEEK	51	13.4%
4	ALMOST DAILY	75	19.6%
5	1-3 X PER DAY	31	8.1%
6	4-7 X PER DAY	17	4.5%
7	8 OR MORE X PER DAY	8	2.1%
98	MISSING	31	8.1%

Valid	Invalid	Minimum	Maximum
351	31	1	7

J2Q28C

Label

Number of serving of coffee

Question Text

In general, how many 200 ml servings do you drink of - COFFEE?

Value	Label	Frequency	%
1	NEVER	38	9.9%
2	LESS THAN 1 X PER WEEK	45	11.8%
3	1-4 X PER WEEK	69	18.1%
4	ALMOST DAILY	108	28.3%
5	1-3 X PER DAY	83	21.7%
6	4-7 X PER DAY	20	5.2%
7	8 OR MORE X PER DAY	4	1.0%
98	MISSING	15	3.9%

Valid	Invalid	Minimum	Maximum
367	15	1	7

J2Q28D

Label

Number of serving of other caffeine beverages

Question Text

In general, how many 200 ml servings do you drink of - OTHER BEVERAGES WITH CAFFEINE (e.g. Coke)?

Value	Label	Frequency	%
1	NEVER	222	58.1%
2	LESS THAN 1 X PER WEEK	94	24.6%
3	1-4 X PER WEEK	35	9.2%
4	ALMOST DAILY	3	0.8%

5	1-3 X PER DAY	2	0.5%
98	MISSING	26	6.8%

Valid	Invalid	Minimum	Maximum
356	26	1	5

J2Q29

Label

Average day, number of glasses of water

Question Text

On an average DAY, how many glasses of water do you drink (1 glass=8 oz)?

Value	Label	Frequency	%
1	NONE	24	6.3%
2	LESS THAN 1 GLASS/DAY	90	23.6%
3	1-3 GLASSES/DAY	153	40.1%
4	4-7 GLASSES/DAY	81	21.2%
5	8 OR MORE GLASSES/DAY	25	6.5%
8	MISSING	9	2.4%

Valid	Invalid	Minimum	Maximum
373	9	1	5

J2Q30

Label

Average day, number of sugared beverages

Question Text

On an average DAY, how many sugared beverages do you drink (e.g. soda, sports drinks, bottled drinks, fruit drinks)?

Value	Label	Frequency	%
1	NONE	108	28.3%

2	LESS THAN 1 GLASS/DAY		207	54.2%
3	1-3 GLASSES/DAY		47	12.3%
4	4-7 GLASSES/DAY		9	2.4%
8	MISSING		11	2.9%

Valid	Invalid	Minimum	Maximum
371	11	1	4

J2Q31

Label

Average day, number of servings of vegetables

Question Text

On an average DAY, how many servings of vegetables do you eat (include 100% juice)?

Value	Label	Frequency	%
1	NONE	1	0.3%
2	LESS THAN 1 SERVING/DAY	26	6.8%
3	1-4 SERVINGS/DAY	170	44.5%
4	5-9 SERVINGS/DAY	153	40.1%
5	10 OR MORE SERVINGS/DAY	22	5.8%
8	MISSING	10	2.6%

Valid	Invalid	Minimum	Maximum
372	10	1	5

J2Q32

Label

Average day, number of servings of fruit

Question Text

On an average DAY, how many servings of fruit do you eat (include 100% juice)?

Value	Label	Frequency	%

1	NONE		19	5.0%
2	LESS THAN 1 SERVING/DAY		189	49.5%
3	1-4 SERVINGS/DAY		159	41.6%
4	5-9 SERVINGS/DAY		6	1.6%
8	MISSING		9	2.4%

Valid	Invalid	Minimum	Maximum
373	9	1	4

J2Q33

Label

Average day, number of servings of whole grain

Question Text

On an average DAY, how many servings of whole grain do you eat (e.g. rice, brown rice, wholegrain bread, whole wheat cereal, whole wheat soba noodle)?

Value	Label	Frequency	%
2	LESS THAN 1 SERVING/DAY	22	5.8%
3	1-2 SERVINGS/DAY	340	89.0%
4	3-4 SERVINGS/DAY	9	2.4%
5	5 OR MORE SERVINGS/DAY	2	0.5%
8	MISSING	9	2.4%

Valid	Invalid	Minimum	Maximum
373	9	2	5

J2Q34A

Label

Average week, number of times eat ocean fish

Question Text

In an average WEEK, how often do you eat Fish? (tuna, salmon, mackerel, eel)

Value	Label	Frequency	%
1	NEVER	3	0.8%
2	LESS THAN 1X PER WEEK	56	14.7%
3	1-2 X PER WEEK	159	41.6%
4	3-4 X PER WEEK	114	29.8%
5	5 OR MORE X PER WEEK	42	11.0%
8	MISSING	8	2.1%

Valid	Invalid	Minimum	Maximum
374	8	1	5

J2Q34B

Label

Average week, number of times eat beef/high fat meat

Question Text

In an average WEEK, how often do you eat Beef or high fat meat? (e.g. fried chicken, ribs, sausage)

Value	Label	Frequency	%
1	NEVER	30	7.9%
2	LESS THAN 1X PER WEEK	152	39.8%
3	1-2 X PER WEEK	122	31.9%
4	3-4 X PER WEEK	55	14.4%
5	5 OR MORE X PER WEEK	14	3.7%
8	MISSING	9	2.4%

Valid	Invalid	Minimum	Maximum
373	9	1	5

J2Q34C

Label

Average week, number of times eat lean meat

Question Text

In an average WEEK, how often do you eat Lean Meat? (white meat chicken or poultry, lean beef or pork)

Value	Label	Frequency	%
1	NEVER	18	4.7%
2	LESS THAN 1X PER WEEK	105	27.5%
3	1-2 X PER WEEK	167	43.7%
4	3-4 X PER WEEK	74	19.4%
5	5 OR MORE X PER WEEK	9	2.4%
8	MISSING	9	2.4%

Valid	Invalid	Minimum	Maximum
373	9	1	5

J2Q34D

Label

Average week, number of times eat non-meat protein foods

Question Text

In an average WEEK, how often do you eat Non-Meat protein foods? (e.g. eggs, tofu, seiten, soy or other bean/legumes, nuts, or nut butters)

Value	Label	Frequency	%
2	LESS THAN 1X PER WEEK	16	4.2%
3	1-2 X PER WEEK	91	23.8%
4	3-4 X PER WEEK	152	39.8%
5	5 OR MORE X PER WEEK	113	29.6%
8	MISSING	10	2.6%

Valid	Invalid	Minimum	Maximum
372	10	2	5

J2Q35

Label

Average week, number of times eat fast food

Question Text

In an average WEEK, how often do you eat at a fast food restaurant or order food for takeout or delivery?

Value	Label	Frequency	%
1	NEVER	166	43.5%
2	LESS THAN 1X PER WEEK	139	36.4%
3	1-2 X PER WEEK	41	10.7%
4	4-6 X PER WEEK	24	6.3%
5	7 OR MORE X PER WEEK	3	0.8%
8	MISSING	9	2.4%

Valid	Invalid	Minimum	Maximum
373	9	1	5

J2Q36

Label

Marital status change since MIDJA survey

Question Text

Since completing the MIDJA questionnaire in 2008 has your marital status changed?

Forward Skip

IF J2Q36 = 2, GO TO J2Q39

Value	Label	Frequency	%
1	YES	11	2.9%
2	NO	325	85.1%
8	MISSING	46	12.0%

Valid	Invalid	Minimum	Maximum
336	46	1	2

📊 J2Q37Y

Label

Marital status change: Year

Question Text

When did your marital status change?- YEAR

Backward Skip

(J2Q36 = 2)

Value	Label	Frequency	%
9998	MISSING	1	0.3%
9999	INAPP	371	97.1%

Valid	Invalid	Minimum	Maximum
10	372	2002	2009

📊 J2Q37M

Label

Marital status change: Month

Question Text

When did your marital status change?- MONTH

Backward Skip

(J2Q36 = 2)

Value	Label	Frequency	%
2		1	0.3%
4		2	0.5%
6		2	0.5%
7		1	0.3%
10		3	0.8%
11		1	0.3%

98	MISSING	1	0.3%
99	INAPP	371	97.1%

Valid	Invalid	Minimum	Maximum
10	372	2	11

J2Q38

Label

Current Marital Status: if changed since last survey

Question Text

What is your current marital status?

Backward Skip

(J2Q36 = 2)

Value	Label	Frequency	%
1	MARRIED	3	0.8%
2	SEPARATED	1	0.3%
3	DIVORCED	1	0.3%
4	WIDOWED	6	1.6%
9	INAPP	371	97.1%

Valid	Invalid	Minimum	Maximum
11	371	1	4

J2QMARR

Label

Biomarker Marital Status

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%

1	MARRIED	274	71.7%
2	SEPARATED	4	1.0%
3	DIVORCED	21	5.5%
4	WIDOWED	27	7.1%
5	NEVER MARRIED	55	14.4%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	5

J2Q39

Label

Anyone close passed away since MIDJA survey

Question Text

Has anyone (else) close to you, a close friend or relative, passed away since you completed the survey questionnaire?

Forward Skip

IF J2Q39 = 2, GO TO J2Q40A

Value	Label	Frequency	%
1	YES	95	24.9%
2	NO	246	64.4%
8	MISSING	41	10.7%

Valid	Invalid	Minimum	Maximum
341	41	1	2

J2Q39AG

Label

Gender of person A who passed away

Question Text

If Yes, Gender - A

Backward Skip

([J2Q39](#) = 2)

Value	Label	Frequency	%
1	MALE	55	14.4%
2	FEMALE	40	10.5%
9	INAPP	287	75.1%

Valid	Invalid	Minimum	Maximum
95	287	1	2

J2Q39AM

Label

Month person A died

Question Text

If Yes, Date of Death - MONTH A

Backward Skip

([J2Q39](#) = 2)

Value	Label	Frequency	%
1		10	2.6%
2		9	2.4%
3		3	0.8%
4		11	2.9%
5		9	2.4%
6		7	1.8%
7		4	1.0%
8		9	2.4%
9		5	1.3%
10		6	1.6%
11		8	2.1%
12		12	3.1%

		Frequency	%
98	MISSING	2	0.5%
99	INAPP	287	75.1%

Valid	Invalid	Minimum	Maximum
93	289	1	12

J2Q39AY

Label

Year person A died

Question Text

If Yes, Date of Death - YEAR A

Backward Skip

(J2Q39 = 2)

Value	Label	Frequency	%
9998	MISSING	1	0.3%
9999	INAPP	287	75.1%

Valid	Invalid	Minimum	Maximum
94	288	2007	2010

J2Q39BG

Label

Gender of person B who passed away

Question Text

If Yes, Gender - B

Backward Skip

(J2Q39 = 2)

Forward Skip

IF J2Q39BG = 9, GO TO J2Q40A

Value	Label	Frequency	%

1	MALE	11	2.9%
2	FEMALE	7	1.8%
9	INAPP	364	95.3%

Valid	Invalid	Minimum	Maximum
18	364	1	2

📇 J2Q39BM

Label

Month person B died

Question Text

If Yes, Date of Death - MONTH B

Backward Skip

(J2Q39 = 2) OR (J2Q39BG = 9)

Value	Label	Frequency	%
1		3	0.8%
2		1	0.3%
3		1	0.3%
4		5	1.3%
5		1	0.3%
6		1	0.3%
7		1	0.3%
8		1	0.3%
9		2	0.5%
10		1	0.3%
11		1	0.3%
12		1	0.3%
99	INAPP	363	95.0%

Valid	Invalid	Minimum	Maximum
19	363	1	12

J2Q39BY

Label

Year person B died

Question Text

If Yes, Date of Death - YEAR B

Backward Skip

(J2Q39 = 2) OR (J2Q39BG = 9)

Value	Label	Frequency	%
9999	INAPP	363	95.0%

Valid	Invalid	Minimum	Maximum
19	363	2007	2009

J2Q39CG

Label

Gender of person C who passed away

Question Text

If Yes, Gender - C

Backward Skip

(J2Q39 = 2) OR (J2Q39BG = 9)

Forward Skip

IF J2Q39CG = 9, GO TO J2Q40A

Value	Label	Frequency	%
1	MALE	4	1.0%
2	FEMALE	4	1.0%
9	INAPP	374	97.9%

Valid	Invalid	Minimum	Maximum
8	374	1	2

J2Q39CM

Label

Month person C died

Question Text

If Yes, Date of Death - MONTH C

Backward Skip

(J2Q39 = 2) OR (J2Q39BG = 9) OR (J2Q39CG = 9)

Value	Label	Frequency	%
2		1	0.3%
6		1	0.3%
7		1	0.3%
8		1	0.3%
9		2	0.5%
10		2	0.5%
12		1	0.3%
99	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
9	373	2	12

J2Q39CY

Label

Year person C died

Question Text

If Yes, Date of Death - YEAR C

Backward Skip

(J2Q39 = 2) OR (J2Q39BG = 9) OR (J2Q39CG = 9)

Value	Label	Frequency	%

9999	INAPP	374	97.9%

Valid	Invalid	Minimum	Maximum
8	374	2008	2009

J2Q40A

Label

Ever repeated school year

Pre-Question Text

The following questions are about experiences you may have had as a CHILD or TEEN-AGER. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positive or negatively, both initially, and in the long run.

Question Text

Check the appropriate boxes next to any of the following experiences you have had - REPEATED YEAR OF SCHOOL?

Forward Skip

IF J2Q40A = 2, GO TO J2Q40B

Value	Label	Frequency	%
1	CHECKED	13	3.4%
2	UNCHECKED	369	96.6%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q40A1

Label

R's age repeated school year

Question Text

At what age(s) did this happen - REPEATED YEAR OF SCHOOL?

Backward Skip

(J2Q40A = 2)

Value	Label	Frequency	%

98	MISSING		1	0.3%
99	INAPP		369	96.6%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
12	370	16	23	19.83	2.82

J2Q40A3

Label

Repeated school year effect (initial)

Question Text

How did this affect you initially - REPEATED YEAR OF SCHOOL?

Backward Skip

([J2Q40A](#) = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	4	1.0%
2	NEGATIVELY	4	1.0%
3	NOT AT ALL	2	0.5%
5	VERY POSITIVELY	1	0.3%
8	MISSING	2	0.5%
9	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum
11	371	1	5

J2Q40A4

Label

Repeated school year effect (long-run)

Question Text

How did this affect you in the long run - REPEATED YEAR OF SCHOOL?

Backward Skip

(J2Q40A = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	1	0.3%
2	NEGATIVELY	3	0.8%
3	NOT AT ALL	4	1.0%
4	POSITIVELY	1	0.3%
5	VERY POSITIVELY	3	0.8%
8	MISSING	1	0.3%
9	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum
12	370	1	5

J2Q40B

Label

Ever sent away from home

Question Text

Check the appropriate boxes next to any of the following experiences you have had - SENT AWAY FROM HOME BECAUSE YOU DID SOMETHING WRONG?

Forward Skip

IF J2Q40B = 2, GO TO J2Q40C

Value	Label	Frequency	%
1	CHECKED	1	0.3%
2	UNCHECKED	381	99.7%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q40B1

Label

R's age sent away from home

Question Text

At what age(s) did this happen - SENT AWAY FROM HOME BECAUSE YOU DID SOMETHING WRONG?

Backward Skip

(J2Q40B = 2)

Value	Label	Frequency	%
99	INAPP	381	99.7%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1	381	18	18	18	NaN

J2Q40B3

Label

Sent away from home effect (initial)

Question Text

How did this affect you initially - SENT AWAY FROM HOME BECAUSE YOU DID SOMETHING WRONG?

Backward Skip

(J2Q40B = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	1	0.3%
9	INAPP	381	99.7%

Valid	Invalid	Minimum	Maximum
1	381	1	1

J2Q40B4

Label

Sent away from home effect (long-run)

Question Text

How did this affect you in the long run - SENT AWAY FROM HOME BECAUSE YOU DID SOMETHING WRONG?

Backward Skip

(J2Q40B = 2)

Value	Label	Frequency	%
5	VERY POSITIVELY	1	0.3%
9	INAPP	381	99.7%

Valid	Invalid	Minimum	Maximum
1	381	5	5

J2Q40C

Label

Ever had parent out of job

Question Text

Check the appropriate boxes next to any of the following experiences you have had - FATHER OR MOTHER DID NOT HAVE A JOB WHEN THEY WANTED TO BE WORKING?

Forward Skip

IF J2Q40C = 2, GO TO J2Q40D

Value	Label	Frequency	%
1	CHECKED	5	1.3%
2	UNCHECKED	377	98.7%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q40C1

Label

R's age had parent out of job

Question Text

At what age(s) did this happen - FATHER OR MOTHER DID NOT HAVE A JOB WHEN THEY WANTED TO BE WORKING?

Backward Skip

(J2Q40C = 2)

Value	Label	Frequency	%
99	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
5	377	6	28	15.2	8.35

J2Q40C3

Label

Parent out of job effect (initial)

Question Text

How did this affect you initially - FATHER OR MOTHER DID NOT HAVE A JOB WHEN THEY WANTED TO BE WORKING?

Backward Skip

(J2Q40C = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	1	0.3%
3	NOT AT ALL	3	0.8%
8	MISSING	1	0.3%
9	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum
4	378	1	3

J2Q40C4

Label

Parent out of job effect (long-run)

Question Text

How did this affect you in the long run - FATHER OR MOTHER DID NOT HAVE A JOB WHEN THEY WANTED TO BE WORKING?

Backward Skip

(J2Q40C = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	2	0.5%
3	NOT AT ALL	3	0.8%
9	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum
5	377	1	3

J2Q40D

Label

Ever parent drank caused problems

Question Text

Check the appropriate boxes next to any of the following experiences you have had - ONE OR BOTH PARENTS DRANK SO OFTEN IT CAUSED PROBLEMS?

Forward Skip

IF J2Q40D = 2, GO TO J2Q40E

Value	Label	Frequency	%
1	CHECKED	15	3.9%
2	UNCHECKED	367	96.1%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q40D1

Label

R's age parent drank caused problems

Question Text

At what age(s) did this happen - ONE OR BOTH PARENTS DRANK SO OFTEN IT CAUSED PROBLEMS?

Backward Skip

(J2Q40D = 2)

Value	Label	Frequency	%
98	MISSING	2	0.5%
99	INAPP	367	96.1%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
13	369	6	20	10.92	4.61

J2Q40D3

Label

Parent drank problems effect (initial)

Question Text

How did this affect you initially - ONE OR BOTH PARENTS DRANK SO OFTEN IT CAUSED PROBLEMS?

Backward Skip

(J2Q40D = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	6	1.6%
2	NEGATIVELY	6	1.6%
8	MISSING	3	0.8%
9	INAPP	367	96.1%

Valid	Invalid	Minimum	Maximum
12	370	1	2

J2Q40D4

Label

Parent drank problems effect (long-run)

Question Text

How did this affect you in the long run - ONE OR BOTH PARENTS DRANK SO OFTEN IT CAUSED PROBLEMS?

Backward Skip

(J2Q40D = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	6	1.6%
2	NEGATIVELY	4	1.0%
3	NOT AT ALL	3	0.8%
8	MISSING	2	0.5%
9	INAPP	367	96.1%

Valid	Invalid	Minimum	Maximum
13	369	1	3

J2Q40E

Label

Ever parent drugs caused problems

Question Text

Check the appropriate boxes next to any of the following experiences you have had - ONE OR BOTH PARENTS USED DRUGS SO OFTEN IT REGULARLY CAUSED PROBLEMS?

Forward Skip

IF J2Q40E = 2, GO TO J2Q40F

Value	Label	Frequency	%
1	CHECKED	1	0.3%
2	UNCHECKED	381	99.7%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q40E1

Label

R's age parent drugs caused problems

Question Text

At what age(s) did this happen - ONE OR BOTH PARENTS USED DRUGS SO OFTEN IT REGULARLY CAUSED PROBLEMS?

Backward Skip

([J2Q40E](#) = 2)

Value	Label	Frequency	%
99	INAPP	381	99.7%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1	381	20	20	20	NaN

📇 J2Q40E3

Label

Parent drug problems effect (initial)

Question Text

How did this affect you initially - ONE OR BOTH PARENTS USED DRUGS SO OFTEN IT REGULARLY CAUSED PROBLEMS?

Backward Skip

([J2Q40E](#) = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	1	0.3%
9	INAPP	381	99.7%

Valid	Invalid	Minimum	Maximum
1	381	1	1

📇 J2Q40E4

Label

Parent drug problems effect (long-run)

Question Text

How did this affect you in the long run - ONE OR BOTH PARENTS USED DRUGS SO OFTEN IT REGULARLY CAUSED PROBLEMS?

Backward Skip

([J2Q40E](#) = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	1	0.3%
9	INAPP	381	99.7%

Valid	Invalid	Minimum	Maximum
1	381	1	1

J2Q40F

Label

Ever dropped out of school

Question Text

Check the appropriate boxes next to any of the following experiences you have had - DROPPED OUT OF SCHOOL?

Forward Skip

IF J2Q40F = 2, GO TO J2Q40G

Value	Label	Frequency	%
1	CHECKED	14	3.7%
2	UNCHECKED	368	96.3%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q40F1

Label

R's age dropped out of school

Question Text

At what age(s) did this happen - DROPPED OUT OF SCHOOL?

Backward Skip

(J2Q40F = 2)

Value	Label	Frequency	%
99	INAPP	368	96.3%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
14	368	15	29	18.43	3.98

J2Q40F3

Label

Dropped out of school effect (initial)

Question Text

How did this affect you initially - DROPPED OUT OF SCHOOL?

Backward Skip

(J2Q40F = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	4	1.0%
2	NEGATIVELY	4	1.0%
3	NOT AT ALL	2	0.5%
4	POSITIVELY	2	0.5%
8	MISSING	2	0.5%
9	INAPP	368	96.3%

Valid	Invalid	Minimum	Maximum
12	370	1	4

J2Q40F4

Label

Dropped out of school effect (long-run)

Question Text

How did this affect you in the long run - DROPPED OUT OF SCHOOL?

Backward Skip

(J2Q40F = 2)

Value	Label	Frequency	%

1	VERY NEGATIVELY	1	0.3%
2	NEGATIVELY	4	1.0%
3	NOT AT ALL	4	1.0%
4	POSITIVELY	2	0.5%
5	VERY POSITIVELY	2	0.5%
8	MISSING	1	0.3%
9	INAPP	368	96.3%

Valid	Invalid	Minimum	Maximum
13	369	1	5

📊 J2Q40G

Label

Ever suspended/expelled from school

Question Text

Check the appropriate boxes next to any of the following experiences you have had - EXPELLED OR SUSPENDED FROM SCHOOL?

Forward Skip

IF J2Q40G = 2, GO TO J2Q41H

Value	Label	Frequency	%
1	CHECKED	5	1.3%
2	UNCHECKED	377	98.7%

Valid	Invalid	Minimum	Maximum
382	0	1	2

📊 J2Q40G1

Label

R's age suspended/expelled from school

Question Text

At what age(s) did this happen - EXPELLED OR SUSPENDED FROM SCHOOL?

Backward Skip

([J2Q40G](#) = 2)

Value	Label	Frequency	%
99	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
5	377	15	18	16.2	1.3

J2Q40G3

Label

Suspended/expelled effect (initial)

Question Text

How did this affect you initially - EXPELLED OR SUSPENDED FROM SCHOOL?

Backward Skip

([J2Q40G](#) = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	1	0.3%
2	NEGATIVELY	2	0.5%
5	VERY POSITIVELY	1	0.3%
8	MISSING	1	0.3%
9	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum
4	378	1	5

J2Q40G4

Label

Suspended/expelled effect (long-run)

Question Text

How did this affect you in the long run - EXPELLED OR SUSPENDED FROM SCHOOL?

Backward Skip

(J2Q40G = 2)

Value	Label	Frequency	%
2	NEGATIVELY	1	0.3%
3	NOT AT ALL	2	0.5%
4	POSITIVELY	1	0.3%
5	VERY POSITIVELY	1	0.3%
9	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum
5	377	2	5

J2Q41H

Label

Ever flunked out of school

Pre-Question Text

The following questions are about experiences you may have had as a CHILD or TEEN-AGER. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positive or negatively, both initially, and in the long run.

Question Text

Check the appropriate boxes next to any of the following experiences you have had - FLUNKED OUT OF SCHOOL?

Forward Skip

IF J2Q41H = 2, GO TO J2Q41I

Value	Label	Frequency	%
2	UNCHECKED	382	100.0%

Valid	Invalid	Minimum	Maximum
382	0	2	2

J2Q41I

Label

Ever fired from a job

Question Text

Check the appropriate boxes next to any of the following experiences you have had - FIRED FROM A JOB?

Forward Skip

IF J2Q41I = 2, GO TO J2Q41J

Value	Label	Frequency	%
1	CHECKED	14	3.7%
2	UNCHECKED	368	96.3%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41I1

Label

R's age fired from a job

Question Text

At what age(s) did this happen - FIRED FROM A JOB?

Backward Skip

(J2Q41I = 2)

Value	Label	Frequency	%
99	INAPP	368	96.3%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
14	368	20	59	39	11.68

J2Q41I3

Label

Fired from a job effect (initial)

Question Text

How did this affect you initially - FIRED FROM A JOB?

Backward Skip

(J2Q41I = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	7	1.8%
2	NEGATIVELY	4	1.0%
3	NOT AT ALL	1	0.3%
8	MISSING	2	0.5%
9	INAPP	368	96.3%

Valid	Invalid	Minimum	Maximum
12	370	1	3

J2Q41I4

Label

Fired from a job effect (long-run)

Question Text

How did this affect you in the long run - FIRED FROM A JOB?

Backward Skip

(J2Q41I = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	3	0.8%
2	NEGATIVELY	6	1.6%
3	NOT AT ALL	2	0.5%
5	VERY POSITIVELY	1	0.3%
8	MISSING	2	0.5%
9	INAPP	368	96.3%

Valid	Invalid	Minimum	Maximum

12	370	1	5

J2Q41J

Label

Ever no job for long time

Question Text

Check the appropriate boxes next to any of the following experiences you have had - DID NOT HAVE A JOB FOR A LONG TIME WHEN YOU WANTED TO BE WORKING?

Forward Skip

IF J2Q41J = 2, GO TO J2Q41K

Value	Label	Frequency	%
1	CHECKED	13	3.4%
2	UNCHECKED	369	96.6%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41J1

Label

R's age no job for long time

Question Text

At what age(s) did this happen - DID NOT HAVE A JOB FOR A LONG TIME WHEN YOU WANTED TO BE WORKING?

Backward Skip

(J2Q41J = 2)

Value	Label	Frequency	%
98	MISSING	1	0.3%
99	INAPP	368	96.3%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
13	369	25	64	41.87	11.88

J2Q41J3

Label

No job for long time effect (initial)

Question Text

How did this affect you initially - DID NOT HAVE A JOB FOR A LONG TIME WHEN YOU WANTED TO BE WORKING?

Backward Skip

(J2Q41J = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	4	1.0%
2	NEGATIVELY	6	1.6%
3	NOT AT ALL	1	0.3%
8	MISSING	3	0.8%
9	INAPP	368	96.3%

Valid	Invalid	Minimum	Maximum
11	371	1	3

J2Q41J4

Label

No job for long time effect (long-run)

Question Text

How did this affect you in the long run - DID NOT HAVE A JOB FOR A LONG TIME WHEN YOU WANTED TO BE WORKING?

Backward Skip

(J2Q41J = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	5	1.3%
2	NEGATIVELY	5	1.3%
3	NOT AT ALL	2	0.5%
8	MISSING	2	0.5%

9	INAPP	368	96.3%

Valid	Invalid	Minimum	Maximum
12	370	1	3

J2Q41K

Label

Ever parent died

Question Text

Check the appropriate boxes next to any of the following experiences you have had - A PARENT DIED?

Forward Skip

IF J2Q41K = 2, GO TO J2Q41L

Value	Label	Frequency	%
1	CHECKED	211	55.2%
2	UNCHECKED	171	44.8%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41K1

Label

R's age parent died

Question Text

At what age(s) did this happen - A PARENT DIED?

Backward Skip

(J2Q41K = 2)

Value	Label	Frequency	%
97	DON'T KNOW	1	0.3%
98	MISSING	1	0.3%
99	INAPP	171	44.8%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
209	173	0	72	37.03	16.56

J2Q41K3

Label

Parent died effect (initial)

Question Text

How did this affect you initially - A PARENT DIED?

Backward Skip

(J2Q41K = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	42	11.0%
2	NEGATIVELY	42	11.0%
3	NOT AT ALL	70	18.3%
4	POSITIVELY	6	1.6%
5	VERY POSITIVELY	1	0.3%
8	MISSING	50	13.1%
9	INAPP	171	44.8%

Valid	Invalid	Minimum	Maximum
161	221	1	5

J2Q41K4

Label

Parent died effect (long-run)

Question Text

How did this affect you in the long run - A PARENT DIED?

Backward Skip

(J2Q41K = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	28	7.3%
2	NEGATIVELY	29	7.6%
3	NOT AT ALL	103	27.0%
4	POSITIVELY	2	0.5%
5	VERY POSITIVELY	5	1.3%
8	MISSING	44	11.5%
9	INAPP	171	44.8%

Valid	Invalid	Minimum	Maximum
167	215	1	5

J2Q41L

Label

Ever parents divorced

Question Text

Check the appropriate boxes next to any of the following experiences you have had - PARENTS DIVORCED?

Forward Skip

IF J2Q41L = 2, GO TO J2Q41M

Value	Label	Frequency	%
1	CHECKED	16	4.2%
2	UNCHECKED	366	95.8%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41L1

Label

R's age parents divorced

Question Text

At what age(s) did this happen - PARENTS DIVORCED?

Backward Skip

([J2Q41L](#) = 2)

Value	Label	Frequency	%
98	MISSING	1	0.3%
99	INAPP	366	95.8%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
15	367	3	32	14.47	8.99

J2Q41L3

Label

Parents divorced effect (initial)

Question Text

How did this affect you initially - PARENTS DIVORCED?

Backward Skip

([J2Q41L](#) = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	3	0.8%
2	NEGATIVELY	4	1.0%
3	NOT AT ALL	5	1.3%
5	VERY POSITIVELY	1	0.3%
8	MISSING	3	0.8%
9	INAPP	366	95.8%

Valid	Invalid	Minimum	Maximum
13	369	1	5

J2Q41L4

Label

Parents divorced effect (long-run)

Question Text

How did this affect you in the long run - PARENTS DIVORCED?

Backward Skip

(J2Q41L = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	5	1.3%
2	NEGATIVELY	3	0.8%
3	NOT AT ALL	5	1.3%
4	POSITIVELY	1	0.3%
5	VERY POSITIVELY	1	0.3%
8	MISSING	1	0.3%
9	INAPP	366	95.8%

Valid	Invalid	Minimum	Maximum
15	367	1	5

J2Q41M

Label

Ever SP engaged in infidelity

Question Text

Check the appropriate boxes next to any of the following experiences you have had - SPOUSE/PARTNER ENGAGED IN (MARITAL) INFIDELITY?

Forward Skip

IF J2Q41M = 2, GO TO J2Q41N

Value	Label	Frequency	%
1	CHECKED	20	5.2%
2	UNCHECKED	362	94.8%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41M1

Label

R's age SP engaged in infidelity

Question Text

At what age(s) did this happen - SPOUSE/PARTNER ENGAGED IN (MARITAL) INFIDELITY?

Backward Skip

(J2Q41M = 2)

Value	Label	Frequency	%
99	INAPP	362	94.8%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
20	362	11	72	38.35	13.06

J2Q41M3

Label

SP infidelity effect (initial)

Question Text

How did this affect you initially - SPOUSE/PARTNER ENGAGED IN (MARITAL) INFIDELITY?

Backward Skip

(J2Q41M = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	13	3.4%
2	NEGATIVELY	2	0.5%
3	NOT AT ALL	1	0.3%
8	MISSING	4	1.0%
9	INAPP	362	94.8%

Valid	Invalid	Minimum	Maximum
16	366	1	3

J2Q41M4

Label

SP infidelity effect (long-run)

Question Text

How did this affect you in the long run - SPOUSE/PARTNER ENGAGED IN (MARITAL) INFIDELITY?

Backward Skip

(J2Q41M = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	8	2.1%
2	NEGATIVELY	6	1.6%
3	NOT AT ALL	4	1.0%
8	MISSING	2	0.5%
9	INAPP	362	94.8%

Valid	Invalid	Minimum	Maximum
18	364	1	3

J2Q41N

Label

Ever significant in-law difficulties

Question Text

Check the appropriate boxes next to any of the following experiences you have had - SIGNIFICANT DIFFICULTIES WITH THE IN-LAWS?

Forward Skip

IF J2Q41N = 2, GO TO J2Q41O

Value	Label	Frequency	%
1	CHECKED	27	7.1%
2	UNCHECKED	355	92.9%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41N1

Label

R's age significant in-law difficulties

Question Text

At what age(s) did this happen - SIGNIFICANT DIFFICULTIES WITH THE IN-LAWS?

Backward Skip

(J2Q41N = 2)

Value	Label	Frequency	%
98	MISSING	1	0.3%
99	INAPP	355	92.9%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
26	356	6	66	38.04	14.25

J2Q41N3

Label

Significant in-law difficulties effect (initial)

Question Text

How did this affect you initially - SIGNIFICANT DIFFICULTIES WITH THE IN-LAWS?

Backward Skip

(J2Q41N = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	17	4.5%
2	NEGATIVELY	4	1.0%
3	NOT AT ALL	4	1.0%
8	MISSING	2	0.5%

9	INAPP	355	92.9%

Valid	Invalid	Minimum	Maximum
25	357	1	3

J2Q41N4

Label

Significant in-law difficulties effect (long-run)

Question Text

How did this affect you in the long run - SIGNIFICANT DIFFICULTIES WITH THE IN-LAWS?

Backward Skip

(J2Q41N = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	11	2.9%
2	NEGATIVELY	9	2.4%
3	NOT AT ALL	4	1.0%
5	VERY POSITIVELY	1	0.3%
8	MISSING	2	0.5%
9	INAPP	355	92.9%

Valid	Invalid	Minimum	Maximum
25	357	1	5

J2Q41O

Label

Ever sibling died

Question Text

Check the appropriate boxes next to any of the following experiences you have had - BROTHER OR SISTER DIED?

Forward Skip

IF J2Q41O = 2, GO TO J2Q41P

Value	Label	Frequency	%
1	CHECKED	56	14.7%
2	UNCHECKED	326	85.3%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41O1

Label

R's age sibling died

Question Text

At what age(s) did this happen - BROTHER OR SISTER DIED?

Backward Skip

(J2Q41O = 2)

Value	Label	Frequency	%
98	MISSING	2	0.5%
99	INAPP	326	85.3%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
54	328	0	77	47.06	20.41

J2Q41O3

Label

Sibling died effect (initial)

Question Text

How did this affect you initially - BROTHER OR SISTER DIED?

Backward Skip

(J2Q41O = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	6	1.6%

2	NEGATIVELY		16	4.2%
3	NOT AT ALL		13	3.4%
5	VERY POSITIVELY		1	0.3%
8	MISSING		20	5.2%
9	INAPP		326	85.3%

Valid	Invalid	Minimum	Maximum
36	346	1	5

J2Q41O4

Label

Sibling died effect (long-run)

Question Text

How did this affect you in the long run - BROTHER OR SISTER DIED?

Backward Skip

(J2Q41O = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	9	2.4%
2	NEGATIVELY	8	2.1%
3	NOT AT ALL	24	6.3%
5	VERY POSITIVELY	1	0.3%
8	MISSING	14	3.7%
9	INAPP	326	85.3%

Valid	Invalid	Minimum	Maximum
42	340	1	5

J2Q41P

Label

Ever child died

Question Text

Check the appropriate boxes next to any of the following experiences you have had - CHILD DIED?

Forward Skip

IF J2Q41P = 2, GO TO J2Q41Q

Value	Label	Frequency	%
1	CHECKED	11	2.9%
2	UNCHECKED	371	97.1%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41P1

Label

R's age child died

Question Text

At what age(s) did this happen - CHILD DIED?

Backward Skip

(J2Q41P = 2)

Value	Label	Frequency	%
99	INAPP	371	97.1%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
11	371	21	64	42.27	14.1

J2Q41P3

Label

Child died effect (initial)

Question Text

How did this affect you initially - CHILD DIED?

Backward Skip

(J2Q41P = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	7	1.8%
2	NEGATIVELY	2	0.5%
8	MISSING	2	0.5%
9	INAPP	371	97.1%

Valid	Invalid	Minimum	Maximum
9	373	1	2

J2Q41P4

Label

Child died effect (long-run)

Question Text

How did this affect you in the long run - CHILD DIED?

Backward Skip

(J2Q41P = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	5	1.3%
3	NOT AT ALL	3	0.8%
4	POSITIVELY	1	0.3%
8	MISSING	2	0.5%
9	INAPP	371	97.1%

Valid	Invalid	Minimum	Maximum
9	373	1	4

J2Q41Q

Label

Ever child experienced life-threatening accident/injury

Question Text

Check the appropriate boxes next to any of the following experiences you have had - CHILD EXPERIENCED LIFE THREATENING ACCIDENT OR INJURY?

Forward Skip

IF J2Q41Q = 2, GO TO J2Q41R

Value	Label	Frequency	%
1	CHECKED	7	1.8%
2	UNCHECKED	375	98.2%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41Q1

Label

R's age child experienced life threatening accident/injury

Question Text

At what age(s) did this happen - CHILD EXPERIENCED LIFE THREATENING ACCIDENT OR INJURY?

Backward Skip

(J2Q41Q = 2)

Value	Label	Frequency	%
98	MISSING	1	0.3%
99	INAPP	375	98.2%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
6	376	46	62	55.17	5.31

J2Q41Q3

Label

Child life threatening accident/injury effect (initial)

Question Text

How did this affect you initially - CHILD EXPERIENCED LIFE THREATENING ACCIDENT OR INJURY?

Backward Skip

([J2Q41Q](#) = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	6	1.6%
8	MISSING	1	0.3%
9	INAPP	375	98.2%

Valid	Invalid	Minimum	Maximum
6	376	1	1

J2Q41Q4

Label

Child life threatening accident/injury effect (long-run)

Question Text

How did this affect you in the long run - CHILD EXPERIENCED LIFE THREATENING ACCIDENT OR INJURY?

Backward Skip

([J2Q41Q](#) = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	4	1.0%
2	NEGATIVELY	1	0.3%
3	NOT AT ALL	1	0.3%
8	MISSING	1	0.3%
9	INAPP	375	98.2%

Valid	Invalid	Minimum	Maximum
6	376	1	3

J2Q41R

Label

Ever lost home to fire/flood/etc

Question Text

Check the appropriate boxes next to any of the following experiences you have had - LOST YOUR HOME TO FIRE, FLOOD, NATURAL DISASTER, ETC.?

Forward Skip

IF J2Q41R = 2, GO TO J2Q41S

Value	Label	Frequency	%
1	CHECKED	8	2.1%
2	UNCHECKED	374	97.9%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41R1

Label

R's age lost home to fire/flood/etc

Question Text

At what age(s) did this happen - LOST YOUR HOME TO FIRE, FLOOD, NATURAL DISASTER, ETC.?

Backward Skip

(J2Q41R = 2)

Value	Label	Frequency	%
99	INAPP	374	97.9%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
8	374	5	72	31	26.3

J2Q41R3

Label

Lost home to fire/flood/etc effect (initial)

Question Text

How did this affect you initially - LOST YOUR HOME TO FIRE, FLOOD, NATURAL DISASTER, ETC.?

Backward Skip

([J2Q41R](#) = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	3	0.8%
2	NEGATIVELY	3	0.8%
8	MISSING	2	0.5%
9	INAPP	374	97.9%

Valid	Invalid	Minimum	Maximum
6	376	1	2

J2Q41R4

Label

Lost home to fire/flood/etc effect (long-run)

Question Text

How did this affect you in the long run - LOST YOUR HOME TO FIRE, FLOOD, NATURAL DISASTER, ETC.?

Backward Skip

([J2Q41R](#) = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	2	0.5%
2	NEGATIVELY	2	0.5%
3	NOT AT ALL	3	0.8%
8	MISSING	1	0.3%
9	INAPP	374	97.9%

Valid	Invalid	Minimum	Maximum
7	375	1	3

J2Q41S

Label

Ever physically assaulted

Question Text

Check the appropriate boxes next to any of the following experiences you have had - PHYSICALLY ASSAULTED OR ATTACKED?

Forward Skip

IF J2Q41S = 2, GO TO J2Q41T

Value	Label	Frequency	%
1	CHECKED	17	4.5%
2	UNCHECKED	365	95.5%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41S1

Label

R's age physically assaulted

Question Text

At what age(s) did this happen - PHYSICALLY ASSAULTED OR ATTACKED?

Backward Skip

(J2Q41S = 2)

Value	Label	Frequency	%
98	MISSING	1	0.3%
99	INAPP	365	95.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
16	366	5	70	19.06	18.12

J2Q41S3

Label

Physically assaulted effect (initial)

Question Text

How did this affect you initially - PHYSICALLY ASSAULTED OR ATTACKED?

Backward Skip

(J2Q41S = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	11	2.9%
2	NEGATIVELY	2	0.5%
3	NOT AT ALL	2	0.5%
8	MISSING	2	0.5%
9	INAPP	365	95.5%

Valid	Invalid	Minimum	Maximum
15	367	1	3

J2Q41S4

Label

Physically assaulted effect (long-run)

Question Text

How did this affect you in the long run - PHYSICALLY ASSAULTED OR ATTACKED?

Backward Skip

(J2Q41S = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	10	2.6%
2	NEGATIVELY	3	0.8%
3	NOT AT ALL	2	0.5%
4	POSITIVELY	1	0.3%
8	MISSING	1	0.3%
9	INAPP	365	95.5%

Valid	Invalid	Minimum	Maximum
16	366	1	4

J2Q41T

Label

Ever sexually assaulted

Question Text

Check the appropriate boxes next to any of the following experiences you have had - SEXUALLY ASSAULTED (e.g. forced sexual intercourse or other unwanted sexual contact)?

Forward Skip

IF J2Q41T = 2, GO TO J2Q41U

Value	Label	Frequency	%
1	CHECKED	3	0.8%
2	UNCHECKED	379	99.2%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41T1

Label

R's age sexually assaulted

Question Text

At what age(s) did this happen - SEXUALLY ASSAULTED (e.g. forced sexual intercourse or other unwanted sexual contact)?

Backward Skip

(J2Q41T = 2)

Value	Label	Frequency	%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
3	379	5	25	13.33	10.41

J2Q41T3

Label

Sexually assaulted effect (initial)

Question Text

How did this affect you initially - SEXUALLY ASSAULTED (e.g. forced sexual intercourse or other unwanted sexual contact)?

Backward Skip

([J2Q41T](#) = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	2	0.5%
3	NOT AT ALL	1	0.3%
9	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	3

J2Q41T4

Label

Sexually assaulted effect (long-run)

Question Text

How did this affect you in the long run - SEXUALLY ASSAULTED (e.g. forced sexual intercourse or other unwanted sexual contact)?

Backward Skip

([J2Q41T](#) = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	1	0.3%
2	NEGATIVELY	2	0.5%
9	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum

3	379	1	2

J2Q41U

Label

Ever serious legal difficulties/prison

Question Text

Check the appropriate boxes next to any of the following experiences you have had - SERIOUS LEGAL DIFFICULTIES/PRISON?

Forward Skip

IF J2Q41U = 2, GO TO J2Q41V

Value	Label	Frequency	%
1	CHECKED	13	3.4%
2	UNCHECKED	369	96.6%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2Q41U1

Label

R's age serious legal difficulties/prison

Question Text

At what age(s) did this happen - SERIOUS LEGAL DIFFICULTIES/PRISON?

Backward Skip

(J2Q41U = 2)

Value	Label	Frequency	%
99	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
13	369	7	50	26.92	12.33

J2Q41U3

Label

Legal difficulties/prison effect (initial)

Question Text

How did this affect you initially - SERIOUS LEGAL DIFFICULTIES/PRISON?

Backward Skip

(J2Q41U = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	5	1.3%
2	NEGATIVELY	6	1.6%
8	MISSING	2	0.5%
9	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum
11	371	1	2

J2Q41U4

Label

Legal difficulties/prison effect (long-run)

Question Text

How did this affect you in the long run - SERIOUS LEGAL DIFFICULTIES/PRISON?

Backward Skip

(J2Q41U = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	4	1.0%
2	NEGATIVELY	3	0.8%
3	NOT AT ALL	4	1.0%
4	POSITIVELY	1	0.3%
5	VERY POSITIVELY	1	0.3%

9	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum
13	369	1	5

J2Q41V

Label

Ever jail detention

Question Text

Check the appropriate boxes next to any of the following experiences you have had - DETENTION IN JAIL OR COMPARABLE INSTITUTION?

Forward Skip

IF J2Q41V = 2, GO TO J2Q41W

Value	Label	Frequency	%
2	UNCHECKED	382	100.0%

Valid	Invalid	Minimum	Maximum
382	0	2	2

J2Q41W

Label

Ever bankruptcy declared

Question Text

Check the appropriate boxes next to any of the following experiences you have had - DECLARED BANKRUPTCY?

Forward Skip

IF J2Q41W = 2, GO TO J2Q41X

Value	Label	Frequency	%
1	CHECKED	7	1.8%
2	UNCHECKED	375	98.2%

Valid	Invalid	Minimum	Maximum

382	0	1	2

J2Q41W1

Label

R's age bankruptcy declared

Question Text

At what age(s) did this happen - DECLARED BANKRUPTCY?

Backward Skip

(J2Q41W = 2)

Value	Label	Frequency	%
99	INAPP	375	98.2%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
7	375	14	65	40	17.77

J2Q41W3

Label

Bankruptcy declared effect (initial)

Question Text

How did this affect you initially - DECLARED BANKRUPTCY?

Backward Skip

(J2Q41W = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	4	1.0%
2	NEGATIVELY	3	0.8%
9	INAPP	375	98.2%

Valid	Invalid	Minimum	Maximum
7	375	1	2

J2Q41W4

Label

Bankruptcy declared effect (long-run)

Question Text

How did this affect you in the long run - DECLARED BANKRUPTCY?

Backward Skip

(J2Q41W = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	3	0.8%
2	NEGATIVELY	1	0.3%
3	NOT AT ALL	1	0.3%
8	MISSING	2	0.5%
9	INAPP	375	98.2%

Valid	Invalid	Minimum	Maximum
5	377	1	3

J2Q41X

Label

Ever financial loss unrelated to work

Question Text

Check the appropriate boxes next to any of the following experiences you have had - SUFFERED A FINANCIAL OR PROPERTY LOSS UNRELATED TO WORK?

Forward Skip

IF J2Q41X = 2, GO TO J2Q41Y

Value	Label	Frequency	%
1	CHECKED	15	3.9%
2	UNCHECKED	367	96.1%

Valid	Invalid	Minimum	Maximum

382	0	1	2

J2Q41X1

Label

R's age financial loss unrelated to work

Question Text

At what age(s) did this happen - SUFFERED A FINANCIAL OR PROPERTY LOSS UNRELATED TO WORK?

Backward Skip

(J2Q41X = 2)

Value	Label	Frequency	%
98	MISSING	1	0.3%
99	INAPP	367	96.1%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
14	368	22	66	41.71	14.32

J2Q41X3

Label

Financial loss unrelated work effect (initial)

Question Text

How did this affect you initially - SUFFERED A FINANCIAL OR PROPERTY LOSS UNRELATED TO WORK?

Backward Skip

(J2Q41X = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	10	2.6%
2	NEGATIVELY	4	1.0%
8	MISSING	1	0.3%
9	INAPP	367	96.1%

Valid	Invalid	Minimum	Maximum

14	368	1	2

J2Q41X4

Label

Financial loss unrelated work effect (long-run)

Question Text

How did this affect you in the long run - SUFFERED A FINANCIAL OR PROPERTY LOSS UNRELATED TO WORK?

Backward Skip

(J2Q41X = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	5	1.3%
2	NEGATIVELY	4	1.0%
3	NOT AT ALL	3	0.8%
4	POSITIVELY	1	0.3%
8	MISSING	2	0.5%
9	INAPP	367	96.1%

Valid	Invalid	Minimum	Maximum
13	369	1	4

J2Q41Y

Label

Ever went on welfare

Question Text

Check the appropriate boxes next to any of the following experiences you have had - WENT ON WELFARE?

Forward Skip

IF J2Q41Y = 2, GO TO J2Q42

Value	Label	Frequency	%
1	CHECKED	4	1.0%

2	UNCHECKED	378	99.0%

Valid	Invalid	Minimum	Maximum
382	0	1	2

📊 J2Q41Y1

Label

R's age went on welfare

Question Text

At what age(s) did this happen - WENT ON WELFARE?

Backward Skip

([J2Q41Y](#) = 2)

Value	Label	Frequency	%
99	INAPP	378	99.0%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
4	378	3	40	22.5	20.27

📊 J2Q41Y3

Label

Went on welfare effect (initial)

Question Text

How did this affect you initially - WENT ON WELFARE?

Backward Skip

([J2Q41Y](#) = 2)

Value	Label	Frequency	%
1	VERY NEGATIVELY	2	0.5%
2	NEGATIVELY	2	0.5%
9	INAPP	378	99.0%

Valid	Invalid	Minimum	Maximum
4	378	1	2

J2Q41Y4

Label

Went on welfare effect (long-run)

Question Text

How did this affect you in the long run - WENT ON WELFARE?

Backward Skip

(J2Q41Y = 2)

Value	Label	Frequency	%
2	NEGATIVELY	2	0.5%
4	POSITIVELY	1	0.3%
8	MISSING	1	0.3%
9	INAPP	378	99.0%

Valid	Invalid	Minimum	Maximum
3	379	2	4

J2Q42

Label

Other events happened since MIDJA survey

Question Text

Are there any other things, either positive or negative, that had happened to you or your family or close friends since you completed the questionnaire in 2008 that stand out in your memory?

Forward Skip

IF J2Q42 = 2, GO TO J2Q43

Value	Label	Frequency	%
1	YES	63	16.5%
2	NO	259	67.8%

	8	MISSING		60	15.7%

Valid	Invalid	Minimum	Maximum
322	60	1	2

🎴 J2Q42AM

Label

Month of event A

Question Text

If Yes, What month did this occur?

Backward Skip

([J2Q42](#) = 2)

Notes

Coding of text response to What & Who for Event A is pending

Value	Label	Frequency	%
1		8	2.1%
2		8	2.1%
3		5	1.3%
4		6	1.6%
5		2	0.5%
6		2	0.5%
7		5	1.3%
8		3	0.8%
9		5	1.3%
10		4	1.0%
11		5	1.3%
12		7	1.8%
97	DON'T KNOW	1	0.3%
98	MISSING	2	0.5%
99	INAPP	319	83.5%

Valid	Invalid	Minimum	Maximum
60	322	1	12

J2Q42AY

Label

Year of event A

Question Text

If Yes, In what year did this occur?

Backward Skip

(J2Q42 = 2)

Value	Label	Frequency	%
9998	MISSING	1	0.3%
9999	INAPP	319	83.5%

Valid	Invalid	Minimum	Maximum
62	320	1984	2010

J2Q42BM

Label

Month of event B

Question Text

If Yes, What month did this occur?

Backward Skip

(J2Q42 = 2)

Notes

Coding of text response to What & Who for Event B is pending

Value	Label	Frequency	%
1		1	0.3%
2		1	0.3%
3		3	0.8%

5		3	0.8%
7		1	0.3%
8		1	0.3%
9		2	0.5%
10		2	0.5%
11		1	0.3%
98	MISSING	1	0.3%
99	INAPP	366	95.8%

Valid	Invalid	Minimum	Maximum
15	367	1	11

J2Q42BY

Label

Year of event B

Question Text

If Yes, In what year did this occur?

Backward Skip

(J2Q42 = 2)

Value	Label	Frequency	%
9999	INAPP	366	95.8%

Valid	Invalid	Minimum	Maximum
16	366	2008	2010

J2Q42CM

Label

Month of event C

Question Text

If Yes, What month did this occur?

Backward Skip

([J2Q42](#) = 2)

Notes

Coding of text response to What & Who for Event C is pending

Value	Label	Frequency	%
1		1	0.3%
5		1	0.3%
8		1	0.3%
9		1	0.3%
10		1	0.3%
99	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum
5	377	1	10

J2Q42CY

Label

Year of event C

Question Text

If Yes, In what year did this occur?

Backward Skip

([J2Q42](#) = 2)

Value	Label	Frequency	%
9999	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum
5	377	2008	2010

J2Q43A

Label

CESD Unusually bothered by things

Pre-Question Text

Circle the number that best describes how often you felt or behaved in the following ways during the past week

Question Text

During the past week - I WAS BOTHERED BY THINGS THAT USUALLY DON'T BOTHER ME

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	234	61.3%
2	SOME OR A LITTLE OF THE TIME	96	25.1%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	19	5.0%
4	MOST OR ALL OF THE TIME	13	3.4%
8	MISSING	20	5.2%

Valid	Invalid	Minimum	Maximum
362	20	1	4

J2Q43B

Label

CESD Appetite was poor

Question Text

During the past week - I DID NOT FEEL LIKE EATING; MY APPETITE WAS POOR

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	328	85.9%
2	SOME OR A LITTLE OF THE TIME	23	6.0%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	9	2.4%
8	MISSING	22	5.8%

Valid	Invalid	Minimum	Maximum
360	22	1	3

J2Q43C

Label

CESD Could not shake off blues

Question Text

During the past week - I FELT THAT I COULD NOT SHAKE OFF THE BLUES EVEN WITH THE HELP OF MY FAMILY AND FRIENDS

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	292	76.4%
2	SOME OR A LITTLE OF THE TIME	49	12.8%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	9	2.4%
4	MOST OR ALL OF THE TIME	7	1.8%
8	MISSING	25	6.5%

Valid	Invalid	Minimum	Maximum
357	25	1	4

J2Q43D

Label

CESD Felt I was as good as others

Question Text

During the past week - I FELT THAT I WAS JUST AS GOOD AS OTHER PEOPLE

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	242	63.4%
2	SOME OR A LITTLE OF THE TIME	54	14.1%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	24	6.3%
4	MOST OR ALL OF THE TIME	29	7.6%
8	MISSING	33	8.6%

Valid	Invalid	Minimum	Maximum

349	33	1	4

🔢 J2Q43E

Label

CESD Trouble keeping mind on tasks

Question Text

During the past week - I HAD TROUBLE KEEING MY MIND ON WHAT I WAS DOING

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	232	60.7%
2	SOME OR A LITTLE OF THE TIME	81	21.2%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	36	9.4%
4	MOST OR ALL OF THE TIME	9	2.4%
8	MISSING	24	6.3%

Valid	Invalid	Minimum	Maximum
358	24	1	4

🔢 J2Q43F

Label

CESD Felt depressed

Question Text

During the past week - I FELT DEPRESSED

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	240	62.8%
2	SOME OR A LITTLE OF THE TIME	91	23.8%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	18	4.7%
4	MOST OR ALL OF THE TIME	10	2.6%
8	MISSING	23	6.0%

Valid	Invalid	Minimum	Maximum
359	23	1	4

J2Q43G

Label

CESD Everything I did was an effort

Question Text

During the past week - I FELT THAT EVERYTHING I DID WAS AN EFFORT

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	189	49.5%
2	SOME OR A LITTLE OF THE TIME	123	32.2%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	40	10.5%
4	MOST OR ALL OF THE TIME	12	3.1%
8	MISSING	18	4.7%

Valid	Invalid	Minimum	Maximum
364	18	1	4

J2Q43H

Label

CESD Hopeful about the future

Question Text

During the past week - I FELT HOPEFUL ABOUT THE FUTURE

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	127	33.2%
2	SOME OR A LITTLE OF THE TIME	118	30.9%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	73	19.1%
4	MOST OR ALL OF THE TIME	42	11.0%

8	MISSING	22	5.8%

Valid	Invalid	Minimum	Maximum
360	22	1	4

J2Q43I

Label

CESD Thought my life had been a failure

Question Text

During the past week - I THOUGHT MY LIFE HAD BEEN A FAILURE

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	261	68.3%
2	SOME OR A LITTLE OF THE TIME	76	19.9%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	20	5.2%
4	MOST OR ALL OF THE TIME	5	1.3%
8	MISSING	20	5.2%

Valid	Invalid	Minimum	Maximum
362	20	1	4

J2Q43J

Label

CESD Felt fearful

Question Text

During the past week - I FELT FEARFUL

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	321	84.0%
2	SOME OR A LITTLE OF THE TIME	32	8.4%

	3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	8	2.1%
	4	MOST OR ALL OF THE TIME	1	0.3%
	8	MISSING	20	5.2%

Valid	Invalid	Minimum	Maximum
362	20	1	4

J2Q43K

Label

CESD Sleep was restless

Question Text

During the past week - MY SLEEP WAS RESTLESS

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	234	61.3%
2	SOME OR A LITTLE OF THE TIME	89	23.3%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	27	7.1%
4	MOST OR ALL OF THE TIME	11	2.9%
8	MISSING	21	5.5%

Valid	Invalid	Minimum	Maximum
361	21	1	4

J2Q43L

Label

CESD I was happy

Question Text

During the past week - I WAS HAPPY

Value	Label	Frequency	%

	1	RARELY OR NONE OF THE TIME	70	18.3%
	2	SOME OR A LITTLE OF THE TIME	108	28.3%
	3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	102	26.7%
	4	MOST OR ALL OF THE TIME	86	22.5%
	8	MISSING	16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	4

J2Q43M

Label

CESD I talked less than usual

Question Text

During the past week - I TALKED LESS THAN USUAL

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	260	68.1%
2	SOME OR A LITTLE OF THE TIME	69	18.1%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	22	5.8%
4	MOST OR ALL OF THE TIME	11	2.9%
8	MISSING	20	5.2%

Valid	Invalid	Minimum	Maximum
362	20	1	4

J2Q43N

Label

CESD I felt lonely

Question Text

During the past week - I FELT LONELY

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	269	70.4%
2	SOME OR A LITTLE OF THE TIME	67	17.5%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	21	5.5%
4	MOST OR ALL OF THE TIME	7	1.8%
8	MISSING	18	4.7%

Valid	Invalid	Minimum	Maximum
364	18	1	4

J2Q43O

Label

CESD People were unfriendly

Question Text

During the past week - PEOPLE WERE UNFRIENDLY

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	295	77.2%
2	SOME OR A LITTLE OF THE TIME	40	10.5%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	15	3.9%
4	MOST OR ALL OF THE TIME	7	1.8%
8	MISSING	25	6.5%

Valid	Invalid	Minimum	Maximum
357	25	1	4

J2Q43P

Label

CESD I enjoyed life

Question Text

During the past week - I ENJOYED LIFE

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	87	22.8%
2	SOME OR A LITTLE OF THE TIME	116	30.4%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	99	25.9%
4	MOST OR ALL OF THE TIME	60	15.7%
8	MISSING	20	5.2%

Valid	Invalid	Minimum	Maximum
362	20	1	4

J2Q43Q

Label

CESD I had crying spells

Question Text

During the past week - I HAD CRYING SPELLS

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	315	82.5%
2	SOME OR A LITTLE OF THE TIME	38	9.9%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	4	1.0%
4	MOST OR ALL OF THE TIME	2	0.5%
8	MISSING	23	6.0%

Valid	Invalid	Minimum	Maximum
359	23	1	4

J2Q43R

Label

CESD I felt sad

Question Text

During the past week - I FELT SAD

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	274	71.7%
2	SOME OR A LITTLE OF THE TIME	71	18.6%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	11	2.9%
4	MOST OR ALL OF THE TIME	5	1.3%
8	MISSING	21	5.5%

Valid	Invalid	Minimum	Maximum
361	21	1	4

J2Q43S

Label

CESD I felt that people dislike me

Question Text

During the past week - I FELT THAT PEOPLE DISLIKE ME

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	314	82.2%
2	SOME OR A LITTLE OF THE TIME	35	9.2%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	7	1.8%
4	MOST OR ALL OF THE TIME	5	1.3%
8	MISSING	21	5.5%

Valid	Invalid	Minimum	Maximum

361	21	1	4

J2Q43T

Label

CESD I could not get going

Question Text

During the past week - I COULD NOT GET "GOING"

Value	Label	Frequency	%
1	RARELY OR NONE OF THE TIME	288	75.4%
2	SOME OR A LITTLE OF THE TIME	52	13.6%
3	OCCASIONALLY OR A MODERATE AMOUNT OF TIME	9	2.4%
4	MOST OR ALL OF THE TIME	9	2.4%
8	MISSING	24	6.3%

Valid	Invalid	Minimum	Maximum
358	24	1	4

J2QCESDDA

Label

CESD Depressive Affect Subscale (C,F,I,J,N,Q,R)

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED (Due to missing data)	25	6.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
357	25	0	20	1.96	2.94

J2QCESDPA

Label

CESD Positive Affect Subscale (D,H,L,P)

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED (Due to missing data)	22	5.8%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
360	22	0	12	4.56	2.86

J2QCESDSC

Label

CESD Somatic Complaints Subscale (A,B,E,G,K,M,T)

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED (Due to missing data)	25	6.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
357	25	0	19.83	2.89	3.32

J2QCESDI

Label

CESD Interpersonal Subscale (O,S)

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED (Due to missing data)	21	5.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
361	21	0	6	0.43	0.96

J2QCESD

Label

CESD: Center for Epidemiologic Studies Depression Scale

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED (Due to missing data)	29	7.6%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
353	29	1	55	12.69	6.85

J2Q44A

Label

T- ANX Feel pleasant

Pre-Question Text

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel.

Question Text

In general - I FEEL PLEASANT

Value	Label	Frequency	%
1	NOT AT ALL	32	8.4%
2	A LITTLE	125	32.7%
3	MOSTLY	169	44.2%
4	VERY WELL	43	11.3%

8	MISSING		13	3.4%

Valid	Invalid	Minimum	Maximum
369	13	1	4

J2Q44B

Label

T- ANX Tire quickly

Question Text

In general - I TIRE QUICKLY

Value	Label	Frequency	%
1	NOT AT ALL	79	20.7%
2	A LITTLE	184	48.2%
3	MOSTLY	62	16.2%
4	VERY WELL	44	11.5%
8	MISSING	13	3.4%

Valid	Invalid	Minimum	Maximum
369	13	1	4

J2Q44C

Label

T- ANX Feel like crying

Question Text

In general - I FEEL LIKE CRYING

Value	Label	Frequency	%
1	NOT AT ALL	234	61.3%
2	A LITTLE	104	27.2%
3	MOSTLY	24	6.3%
4	VERY WELL	5	1.3%

8	MISSING	15	3.9%

Valid	Invalid	Minimum	Maximum
367	15	1	4

J2Q44D

Label

T- ANX Wish could be happy as others

Question Text

In general - I WISH I COULD BE AS HAPPY AS OTHERS SEEM TO BE

Value	Label	Frequency	%
1	NOT AT ALL	221	57.9%
2	A LITTLE	113	29.6%
3	MOSTLY	17	4.5%
4	VERY WELL	15	3.9%
8	MISSING	16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	4

J2Q44E

Label

T- ANX Lose out because slow to decide

Question Text

In general - I AM LOSING OUT ON THINGS BECAUSE I CAN'T MAKE UP MY MIND SOON ENOUGH

Value	Label	Frequency	%
1	NOT AT ALL	223	58.4%
2	A LITTLE	116	30.4%
3	MOSTLY	21	5.5%
4	VERY WELL	6	1.6%

				8	MISSING		16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	4

J2Q44F

Label

T- ANX Feel rested

Question Text

In general - I FEEL RESTED

Value	Label	Frequency	%
1	NOT AT ALL	91	23.8%
2	A LITTLE	144	37.7%
3	MOSTLY	113	29.6%
4	VERY WELL	15	3.9%
8	MISSING	19	5.0%

Valid	Invalid	Minimum	Maximum
363	19	1	4

J2Q44G

Label

T- ANX Calm, cool and collected

Question Text

In general - I AM "CALM, COOL, AND COLLECTED"

Value	Label	Frequency	%
1	NOT AT ALL	51	13.4%
2	A LITTLE	149	39.0%
3	MOSTLY	141	36.9%
4	VERY WELL	25	6.5%

| 8 | MISSING | 16 | 4.2% |

Valid	Invalid	Minimum	Maximum
366	16	1	4

J2Q44H

Label

T- ANX Difficulties pilling up; can't overcome

Question Text

In general - I FEEL THAT DIFFICULTIES ARE PILING UP SO THAT I CANNOT OVERCOME THEM

Value	Label	Frequency	%
1	NOT AT ALL	178	46.6%
2	A LITTLE	146	38.2%
3	MOSTLY	27	7.1%
4	VERY WELL	11	2.9%
8	MISSING	20	5.2%

Valid	Invalid	Minimum	Maximum
362	20	1	4

J2Q44I

Label

T- ANX Worry too much over small things

Question Text

In general - I WORRY TOO MUCH OVER SOMETHING THAT REALLY DOESN'T MATTER

Value	Label	Frequency	%
1	NOT AT ALL	168	44.0%
2	A LITTLE	144	37.7%
3	MOSTLY	46	12.0%
4	VERY WELL	10	2.6%

	8	MISSING	14	3.7%

Valid	Invalid	Minimum	Maximum
368	14	1	4

📇 J2Q44J

Label

T- ANX I am happy

Question Text

In general - I AM HAPPY

Value	Label	Frequency	%
1	NOT AT ALL	36	9.4%
2	A LITTLE	110	28.8%
3	MOSTLY	161	42.1%
4	VERY WELL	60	15.7%
8	MISSING	15	3.9%

Valid	Invalid	Minimum	Maximum
367	15	1	4

📇 J2Q44K

Label

T- ANX Inclined to take things hard

Question Text

In general - I AM INCLINED TO TAKE THINGS HARD

Value	Label	Frequency	%
1	NOT AT ALL	148	38.7%
2	A LITTLE	149	39.0%
3	MOSTLY	51	13.4%
4	VERY WELL	20	5.2%

8	MISSING		14	3.7%

Valid	Invalid	Minimum	Maximum
368	14	1	4

J2Q44L

Label

T- ANX Lack self-confidence

Question Text

In general - I LACK SELF-CONFIDENCE

Value	Label	Frequency	%
1	NOT AT ALL	138	36.1%
2	A LITTLE	178	46.6%
3	MOSTLY	34	8.9%
4	VERY WELL	16	4.2%
8	MISSING	16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	4

J2Q44M

Label

T- ANX Feel secure

Question Text

In general - I FEEL SECURE

Value	Label	Frequency	%
1	NOT AT ALL	44	11.5%
2	A LITTLE	137	35.9%
3	MOSTLY	144	37.7%
4	VERY WELL	38	9.9%

	8	MISSING		19	5.0%

Valid	Invalid	Minimum	Maximum
363	19	1	4

📊 J2Q44N

Label

T- ANX Avoid facing crisis or difficulty

Question Text

In general - I TRY TO AVOID FACING A CRISIS OR DIFFICULTY

Value	Label	Frequency	%
1	NOT AT ALL	118	30.9%
2	A LITTLE	177	46.3%
3	MOSTLY	54	14.1%
4	VERY WELL	16	4.2%
8	MISSING	17	4.5%

Valid	Invalid	Minimum	Maximum
365	17	1	4

📊 J2Q44O

Label

T- ANX Feel blue

Question Text

In general - I FEEL BLUE

Value	Label	Frequency	%
1	NOT AT ALL	227	59.4%
2	A LITTLE	107	28.0%
3	MOSTLY	23	6.0%
4	VERY WELL	7	1.8%

8	MISSING		18	4.7%

Valid	Invalid	Minimum	Maximum
364	18	1	4

J2Q44P

Label

T- ANX I am content

Question Text

In general - I AM CONTENT

Value	Label	Frequency	%
1	NOT AT ALL	51	13.4%
2	A LITTLE	129	33.8%
3	MOSTLY	144	37.7%
4	VERY WELL	44	11.5%
8	MISSING	14	3.7%

Valid	Invalid	Minimum	Maximum
368	14	1	4

J2Q44Q

Label

T- ANX Unimportant thoughts; bother me

Question Text

In general - SOME UNIMPORTANT THOUGHT RUNS THROUGH MY MIND AND BOTHERS ME

Value	Label	Frequency	%
1	NOT AT ALL	180	47.1%
2	A LITTLE	138	36.1%
3	MOSTLY	37	9.7%
4	VERY WELL	10	2.6%

| 8 | MISSING | 17 | 4.5% |

Valid	Invalid	Minimum	Maximum
365	17	1	4

J2Q44R

Label

T- ANX Can't put disappointment out of mind

Question Text

In general - I TAKE DISASPPOINTMENTS SO KEENLY THAT I CAN'T PUT THEM OUT OF MY MIND

Value	Label	Frequency	%
1	NOT AT ALL	307	80.4%
2	A LITTLE	49	12.8%
3	MOSTLY	5	1.3%
4	VERY WELL	5	1.3%
8	MISSING	16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	4

J2Q44S

Label

T- ANX I am a steady person

Question Text

In general - I AM A STEADY PERSON

Value	Label	Frequency	%
1	NOT AT ALL	76	19.9%
2	A LITTLE	174	45.5%
3	MOSTLY	100	26.2%
4	VERY WELL	16	4.2%

8	MISSING		16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	4

J2Q44T

Label

T- ANX Tension; think over recent concern

Question Text

In general - I GET IN A STATE OF TENSION OR TURMOIL AS I THINK OVER MY RECENT CONCERNS AND INTERESTS

Value	Label	Frequency	%
1	NOT AT ALL	193	50.5%
2	A LITTLE	147	38.5%
3	MOSTLY	18	4.7%
4	VERY WELL	7	1.8%
8	MISSING	17	4.5%

Valid	Invalid	Minimum	Maximum
365	17	1	4

J2QTA_AX

Label

Spielberger Trait Anxiety Inventory

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED - Due to missing data	20	5.2%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
362	20	20	72	39.51	9.08

J2Q45A

Label

T- ANG Fiery temper

Pre-Question Text

Circle the number that best describes how you generally feel.

Question Text

In general - I HAVE A FIERY TEMPER

Value	Label	Frequency	%
1	NOT AT ALL	153	40.1%
2	A LITTLE	172	45.0%
3	MOSTLY	32	8.4%
4	VERY WELL	9	2.4%
8	MISSING	16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	4

J2Q45B

Label

T- ANG Quick tempered

Question Text

In general - I AM QUICK TEMPERED

Value	Label	Frequency	%
1	NOT AT ALL	133	34.8%
2	A LITTLE	184	48.2%
3	MOSTLY	41	10.7%
4	VERY WELL	9	2.4%
8	MISSING	15	3.9%

Valid	Invalid	Minimum	Maximum
367	15	1	4

J2Q45C

Label

T- ANG Hotheaded person

Question Text

In general - I AM A HOTHEADED PERSON

Value	Label	Frequency	%
1	NOT AT ALL	95	24.9%
2	A LITTLE	187	49.0%
3	MOSTLY	69	18.1%
4	VERY WELL	15	3.9%
8	MISSING	16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	4

J2Q45D

Label

T- ANG Annoyed if singled out for correction

Question Text

In general - I GET ANNOYED WHEN I AM SINGLED OUT FOR CORRECTION

Value	Label	Frequency	%
1	NOT AT ALL	56	14.7%
2	A LITTLE	219	57.3%
3	MOSTLY	75	19.6%
4	VERY WELL	18	4.7%
8	MISSING	14	3.7%

Valid	Invalid	Minimum	Maximum
368	14	1	4

J2Q45E

Label

T- ANG Furious when criticized publicly

Question Text

In general - IT MAKES ME FURIOUS WHEN I AM CRITICIZED IN FRONT OF OTHERS

Value	Label	Frequency	%
1	NOT AT ALL	50	13.1%
2	A LITTLE	196	51.3%
3	MOSTLY	93	24.3%
4	VERY WELL	30	7.9%
8	MISSING	13	3.4%

Valid	Invalid	Minimum	Maximum
369	13	1	4

J2Q45F

Label

T- ANG Angry if slowed by others mistakes

Question Text

In general - I GET ANGRY WHEN I'M SLOWED DOWN BY OTHERS

Value	Label	Frequency	%
1	NOT AT ALL	105	27.5%
2	A LITTLE	180	47.1%
3	MOSTLY	67	17.5%
4	VERY WELL	16	4.2%
8	MISSING	14	3.7%

Valid	Invalid	Minimum	Maximum
368	14	1	4

J2Q45G

Label

T- ANG Infuriated; good job; bad review

Question Text

In general - I FEEL INFURIATED WHEN I DO A GOOD JOB AND GET A POOR EVALUATION

Value	Label	Frequency	%
1	NOT AT ALL	186	48.7%
2	A LITTLE	144	37.7%
3	MOSTLY	31	8.1%
4	VERY WELL	4	1.0%
8	MISSING	17	4.5%

Valid	Invalid	Minimum	Maximum
365	17	1	4

J2Q45H

Label

T- ANG Fly off the handle

Question Text

In general - I FLY OFF THE HANDLE

Value	Label	Frequency	%
1	NOT AT ALL	254	66.5%
2	A LITTLE	103	27.0%
3	MOSTLY	6	1.6%
4	VERY WELL	3	0.8%
8	MISSING	16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	4

J2Q45I

Label

T- ANG Annoyed no recognition; good work

Question Text

In general - I FEEL ANNOYED WHEN I AM NOT GIVEN RECOGNITION FOR DOING GOOD WORK

Value	Label	Frequency	%
1	NOT AT ALL	107	28.0%
2	A LITTLE	197	51.6%
3	MOSTLY	48	12.6%
4	VERY WELL	16	4.2%
8	MISSING	14	3.7%

Valid	Invalid	Minimum	Maximum
368	14	1	4

J2Q45J

Label

T- ANG People think always right irritate me

Question Text

In general - PEOPLE WHO THINK THEY ARE ALWAYS RIGHT IRRITATE ME

Value	Label	Frequency	%
1	NOT AT ALL	135	35.3%
2	A LITTLE	160	41.9%
3	MOSTLY	46	12.0%
4	VERY WELL	21	5.5%
8	MISSING	20	5.2%

Valid	Invalid	Minimum	Maximum
362	20	1	4

J2Q45K

Label

T- ANG Get mad, say nasty things

Question Text

In general - WHEN I GET MAD, I SAY NASTY THINGS

Value	Label	Frequency	%
1	NOT AT ALL	191	50.0%
2	A LITTLE	141	36.9%
3	MOSTLY	24	6.3%
4	VERY WELL	9	2.4%
8	MISSING	17	4.5%

Valid	Invalid	Minimum	Maximum
365	17	1	4

J2Q45L

Label

T- ANG Feel irritated

Question Text

In general - I FEEL IRRITATED

Value	Label	Frequency	%
1	NOT AT ALL	142	37.2%
2	A LITTLE	181	47.4%
3	MOSTLY	33	8.6%
4	VERY WELL	12	3.1%
8	MISSING	14	3.7%

Valid	Invalid	Minimum	Maximum
368	14	1	4

J2Q45M

Label

T- ANG Feel angry

Question Text

In general - I FEEL ANGRY

Value	Label	Frequency	%
1	NOT AT ALL	133	34.8%
2	A LITTLE	199	52.1%
3	MOSTLY	26	6.8%
4	VERY WELL	9	2.4%
8	MISSING	15	3.9%

Valid	Invalid	Minimum	Maximum
367	15	1	4

J2Q45N

Label

T- ANG Get frustrated, feel like hitting

Question Text

In general - WHEN I GET FRUSTRATED, I FEEL LIKE HITTING SOMEONE

Value	Label	Frequency	%
1	NOT AT ALL	330	86.4%
2	A LITTLE	32	8.4%
3	MOSTLY	3	0.8%
4	VERY WELL	1	0.3%
8	MISSING	16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	4

J2Q45O

Label

T- ANG Blood boils under pressure

Question Text

In general - IT MAKES MY BLOOD BOIL WHEN I AM UNDER PRESSURE

Value	Label	Frequency	%
1	NOT AT ALL	258	67.5%
2	A LITTLE	88	23.0%
3	MOSTLY	11	2.9%
4	VERY WELL	5	1.3%
8	MISSING	20	5.2%

Valid	Invalid	Minimum	Maximum
362	20	1	4

J2QTA_AG

Label

Spielberger Trait Anger Inventory

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED - Due to missing data	20	5.2%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
362	20	15	53	26.25	6.96

J2QTA_AT

Label

Spielberger Trait Anger: Angry Temperament

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED - Due to missing data	15	3.9%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
367	15	4	15	6.87	2.13

J2QTA_AR

Label

Spielberger Anger: Angry Reaction

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED - Due to missing data	16	4.2%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
366	16	4	16	7.79	2.5

J2Q46A1

Label

PES-FREQ Appreciate nature

Pre-Question Text

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding.

Question Text

Over the past month how often did you spend time - APPRECIATING NATURE

Forward Skip

IF J2Q46A1 = 1, GO TO J2Q46B1

Value	Label	Frequency	%
1	NEVER	103	27.0%
2	1-6 TIMES	233	61.0%
3	7+ TIMES	29	7.6%
8	MISSING	17	4.5%

Valid	Invalid	Minimum	Maximum
365	17	1	3

J2Q46A2

Label

PES-FEEL Appreciate nature

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- APPRECIATING NATURE

Backward Skip

(J2Q46A1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	5	1.3%
2	SOMEWHAT PLEASANT	94	24.6%
3	VERY PLEASANT	161	42.1%
8	MISSING	19	5.0%
9	INAPP	103	27.0%

Valid	Invalid	Minimum	Maximum
260	122	1	3

J2Q46B1

Label

PES-FREQ Meet someone new

Question Text

Over the past month how often did you spend time - MEETING SOMEONE NEW

Forward Skip

IF J2Q46B1 = 1, GO TO J2Q46C1

Value	Label	Frequency	%
1	NEVER	154	40.3%
2	1-6 TIMES	194	50.8%
3	7+ TIMES	17	4.5%
8	MISSING	17	4.5%

Valid	Invalid	Minimum	Maximum
365	17	1	3

J2Q46B2

Label

PES-FEEL Meet someone new

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- MEETING SOMEONE NEW

Backward Skip

(J2Q46B1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	45	11.8%
2	SOMEWHAT PLEASANT	92	24.1%
3	VERY PLEASANT	70	18.3%
8	MISSING	21	5.5%
9	INAPP	154	40.3%

Valid	Invalid	Minimum	Maximum
207	175	1	3

J2Q46C1

Label

PES-FREQ Plan trips or vacations

Question Text

Over the past month how often did you spend time - PLANNING TRIPS OR VACATIONS

Forward Skip

IF J2Q46C1 = 1, GO TO J2Q46D1

Value	Label	Frequency	%
1	NEVER	124	32.5%
2	1-6 TIMES	235	61.5%
3	7+ TIMES	5	1.3%
8	MISSING	18	4.7%

Valid	Invalid	Minimum	Maximum
364	18	1	3

J2Q46C2

Label

PES-FEEL Plan trips or vacations

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- PLANNING TRIPS OR VACATIONS

Backward Skip

(J2Q46C1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	19	5.0%
2	SOMEWHAT PLEASANT	93	24.3%

3	VERY PLEASANT	124	32.5%
8	MISSING	22	5.8%
9	INAPP	124	32.5%

Valid	Invalid	Minimum	Maximum
236	146	1	3

📊 J2Q46D1

Label

PES-FREQ Reading

Question Text

Over the past month how often did you spend time - READING STORES, NOVELS, POEMS OR PLAYS

Forward Skip

IF J2Q46D1 = 1, GO TO J2Q46E1

Value	Label	Frequency	%
1	NEVER	176	46.1%
2	1-6 TIMES	133	34.8%
3	7+ TIMES	54	14.1%
8	MISSING	19	5.0%

Valid	Invalid	Minimum	Maximum
363	19	1	3

📊 J2Q46D2

Label

PES-FEEL Reading

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- READING STORIES, NOVELS, POEMS OR PLAYS

Backward Skip

(J2Q46D1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	9	2.4%
2	SOMEWHAT PLEASANT	90	23.6%
3	VERY PLEASANT	85	22.3%
8	MISSING	22	5.8%
9	INAPP	176	46.1%

Valid	Invalid	Minimum	Maximum
184	198	1	3

J2Q46E1

Label

PES-FREQ Helping someone

Question Text

Over the past month how often did you spend time - HELPING SOMEONE

Forward Skip

IF J2Q46E1 = 1, GO TO J2Q46F1

Value	Label	Frequency	%
1	NEVER	173	45.3%
2	1-6 TIMES	175	45.8%
3	7+ TIMES	15	3.9%
8	MISSING	19	5.0%

Valid	Invalid	Minimum	Maximum
363	19	1	3

J2Q46E2

Label

PES-FEEL Helping someone

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- HELPING SOMEONE

Backward Skip

([J2Q46E1](#) = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	24	6.3%
2	SOMEWHAT PLEASANT	95	24.9%
3	VERY PLEASANT	68	17.8%
8	MISSING	22	5.8%
9	INAPP	173	45.3%

Valid	Invalid	Minimum	Maximum
187	195	1	3

J2Q46F1

Label

PES-FREQ Breathing clean air

Question Text

Over the past month how often did you spend time - BREATHING CLEAN AIR

Forward Skip

IF [J2Q46F1](#) = 1, GO TO [J2Q46G1](#)

Value	Label	Frequency	%
1	NEVER	127	33.2%
2	1-6 TIMES	197	51.6%
3	7+ TIMES	36	9.4%
8	MISSING	22	5.8%

Valid	Invalid	Minimum	Maximum
360	22	1	3

J2Q46F2

Label

PES-FEEL Breathing clean air

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- BREATHING CLEAN AIR

Backward Skip

(J2Q46F1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	9	2.4%
2	SOMEWHAT PLEASANT	75	19.6%
3	VERY PLEASANT	145	38.0%
8	MISSING	26	6.8%
9	INAPP	127	33.2%

Valid	Invalid	Minimum	Maximum
229	153	1	3

J2Q46G1

Label

PES-FREQ Saying something clearly

Question Text

Over the past month how often did you spend time - SAYING SOMETHING CLEARLY

Forward Skip

IF J2Q46G1 = 1, GO TO J2Q46H1

Value	Label	Frequency	%
1	NEVER	113	29.6%
2	1-6 TIMES	222	58.1%
3	7+ TIMES	30	7.9%
9	INAPP	17	4.5%

Valid	Invalid	Minimum	Maximum
365	17	1	3

J2Q46G2

Label

PES-FEEL Saying something clearly

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- SAYING SOMETHING CLEARLY

Backward Skip

(J2Q46G1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	67	17.5%
2	SOMEWHAT PLEASANT	133	34.8%
3	VERY PLEASANT	44	11.5%
9	INAPP	138	36.1%

Valid	Invalid	Minimum	Maximum
244	138	1	3

J2Q46H1

Label

PES-FREQ Thinking about good in future

Question Text

Over the past month how often did you spend time - THINKING ABOUT SOMETHING GOOD IN THE FUTURE

Forward Skip

IF J2Q46H1 = 1, GO TO J2Q46I1

Value	Label	Frequency	%
1	NEVER	100	26.2%
2	1-6 TIMES	223	58.4%

3	7+ TIMES	39	10.2%
8	MISSING	20	5.2%

Valid	Invalid	Minimum	Maximum
362	20	1	3

J2Q46H2

Label

PES-FEEL Thinking about good in future

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- THINKING ABOUT SOMETHING GOOD IN THE FUTURE

Backward Skip

(J2Q46H1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	46	12.0%
2	SOMEWHAT PLEASANT	139	36.4%
3	VERY PLEASANT	71	18.6%
8	MISSING	26	6.8%
9	INAPP	100	26.2%

Valid	Invalid	Minimum	Maximum
256	126	1	3

J2Q46I1

Label

PES-FREQ Laughing

Question Text

Over the past month how often did you spend time - LAUGHING

Forward Skip

IF J2Q46I1 = 1, GO TO J2Q46J1

Value	Label	Frequency	%
1	NEVER	11	2.9%
2	1-6 TIMES	146	38.2%
3	7+ TIMES	212	55.5%
8	MISSING	13	3.4%

Valid	Invalid	Minimum	Maximum
369	13	1	3

J2Q46I2

Label

PES-FEEL Laughing

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- LAUGHING

Backward Skip

(J2Q46I1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	29	7.6%
2	SOMEWHAT PLEASANT	121	31.7%
3	VERY PLEASANT	196	51.3%
8	MISSING	25	6.5%
9	INAPP	11	2.9%

Valid	Invalid	Minimum	Maximum
346	36	1	3

J2Q46J1

Label

PES-FREQ Being with animals

Question Text

Over the past month how often did you spend time - BEING WITH ANIMALS

Forward Skip

IF J2Q46J1 = 1, GO TO J2Q46K1

Value	Label	Frequency	%
1	NEVER	244	63.9%
2	1-6 TIMES	47	12.3%
3	7+ TIMES	74	19.4%
8	MISSING	17	4.5%

Valid	Invalid	Minimum	Maximum
365	17	1	3

J2Q46J2

Label

PES-FEEL Being with animals

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- BEING WITH ANIMALS

Backward Skip

(J2Q46J1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	14	3.7%
2	SOMEWHAT PLEASANT	26	6.8%
3	VERY PLEASANT	80	20.9%
8	MISSING	18	4.7%
9	INAPP	244	63.9%

Valid	Invalid	Minimum	Maximum
120	262	1	3

J2Q46K1

Label

PES-FREQ Having an open conversation

Question Text

Over the past month how often did you spend time - HAVING A FRANK AND OPEN CONVERSATION

Forward Skip

IF J2Q46K1 = 1, GO TO J2Q46L1

Value	Label	Frequency	%
1	NEVER	90	23.6%
2	1-6 TIMES	211	55.2%
3	7+ TIMES	63	16.5%
8	MISSING	18	4.7%

Valid	Invalid	Minimum	Maximum
364	18	1	3

J2Q46K2

Label

PES-FEEL Having an open conversation

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- HAVING A FRANK AND OPEN CONVERSATION

Backward Skip

(J2Q46K1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	19	5.0%
2	SOMEWHAT PLEASANT	143	37.4%
3	VERY PLEASANT	108	28.3%
8	MISSING	22	5.8%
9	INAPP	90	23.6%

Valid	Invalid	Minimum	Maximum
270	112	1	3

J2Q46L1

Label

PES-FREQ Going to a party

Question Text

Over the past month how often did you spend time - GOING TO A PARTY

Forward Skip

IF J2Q46L1 = 1, GO TO J2Q46M1

Value	Label	Frequency	%
1	NEVER	274	71.7%
2	1-6 TIMES	85	22.3%
3	7+ TIMES	5	1.3%
8	MISSING	18	4.7%

Valid	Invalid	Minimum	Maximum
364	18	1	3

J2Q46L2

Label

PES-FEEL Going to a party

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- GOING TO A PARTY

Backward Skip

(J2Q46L1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	7	1.8%
2	SOMEWHAT PLEASANT	44	11.5%

3	VERY PLEASANT	38	9.9%
8	MISSING	19	5.0%
9	INAPP	274	71.7%

Valid	Invalid	Minimum	Maximum
89	293	1	3

J2Q46M1

Label

PES-FREQ Giving thanks for daily life

Question Text

Over the past month how often did you spend time - GIVING THANKS FOR DAILY LIFE

Forward Skip

IF J2Q46M1 = 1, GO TO J2Q46N1

Value	Label	Frequency	%
1	NEVER	69	18.1%
2	1-6 TIMES	184	48.2%
3	7+ TIMES	115	30.1%
8	MISSING	14	3.7%

Valid	Invalid	Minimum	Maximum
368	14	1	3

J2Q46M2

Label

PES-FEEL Giving thanks for daily life

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- GIVING THANKS FOR DAILY LIFE

Backward Skip

(J2Q46M1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	22	5.8%
2	SOMEWHAT PLEASANT	123	32.2%
3	VERY PLEASANT	145	38.0%
8	MISSING	23	6.0%
9	INAPP	69	18.1%

Valid	Invalid	Minimum	Maximum
290	92	1	3

J2Q46N1

Label

PES-FREQ Being with friends

Question Text

Over the past month how often did you spend time - BEING WITH FRIENDS

Forward Skip

IF J2Q46N1 = 1, GO TO J2Q46O1

Value	Label	Frequency	%
1	NEVER	73	19.1%
2	1-6 TIMES	225	58.9%
3	7+ TIMES	67	17.5%
8	MISSING	17	4.5%

Valid	Invalid	Minimum	Maximum
365	17	1	3

J2Q46N2

Label

PES-FEEL Being with friends

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- BEING WITH FRIEDNDS

Backward Skip

([J2Q46N1](#) = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	13	3.4%
2	SOMEWHAT PLEASANT	117	30.6%
3	VERY PLEASANT	156	40.8%
8	MISSING	23	6.0%
9	INAPP	73	19.1%

Valid	Invalid	Minimum	Maximum
286	96	1	3

J2Q46O1

Label

PES-FREQ Being popular at a gathering

Question Text

Over the past month how often did you spend time - BEING POPULAR AT A GATHERING

Forward Skip

IF [J2Q46O1](#) = 1, GO TO [J2Q46P1](#)

Value	Label	Frequency	%
1	NEVER	208	54.5%
2	1-6 TIMES	141	36.9%
3	7+ TIMES	10	2.6%
8	MISSING	23	6.0%

Valid	Invalid	Minimum	Maximum
359	23	1	3

J2Q46O2

Label

PES-FEEL Being popular at a gathering

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- BEING POPULAR AT A GATHERING

Backward Skip

(J2Q46O1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	11	2.9%
2	SOMEWHAT PLEASANT	90	23.6%
3	VERY PLEASANT	47	12.3%
8	MISSING	26	6.8%
9	INAPP	208	54.5%

Valid	Invalid	Minimum	Maximum
148	234	1	3

J2Q46P1

Label

PES-FREQ Enjoying TV or movies

Question Text

Over the past month how often did you spend time - ENJYOING TV OR MOVIES

Forward Skip

IF J2Q46P1 = 1, GO TO J2Q46Q1

Value	Label	Frequency	%
1	NEVER	15	3.9%
2	1-6 TIMES	138	36.1%
3	7+ TIMES	215	56.3%
8	MISSING	14	3.7%

Valid	Invalid	Minimum	Maximum
368	14	1	3

J2Q46P2

Label

PES-FEEL Enjoying TV or movies

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- ENJOYING TV OR MOVIES

Backward Skip

(J2Q46P1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	44	11.5%
2	SOMEWHAT PLEASANT	155	40.6%
3	VERY PLEASANT	142	37.2%
8	MISSING	26	6.8%
9	INAPP	15	3.9%

Valid	Invalid	Minimum	Maximum
341	41	1	3

J2Q46Q1

Label

PES-FREQ Sitting in the sun

Question Text

Over the past month how often did you spend time - SITTING IN THE SUN

Forward Skip

IF J2Q46Q1 = 1, GO TO J2Q46R1

Value	Label	Frequency	%
1	NEVER	200	52.4%

2	1-6 TIMES		142	37.2%
3	7+ TIMES		26	6.8%
8	MISSING		14	3.7%

Valid	Invalid	Minimum	Maximum
368	14	1	3

🎲 J2Q46Q2

Label

PES-FEEL Sitting in the sun

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- SITTING IN THE SUN

Backward Skip

([J2Q46Q1](#) = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	1	0.3%
2	SOMEWHAT PLEASANT	74	19.4%
3	VERY PLEASANT	91	23.8%
8	MISSING	16	4.2%
9	INAPP	200	52.4%

Valid	Invalid	Minimum	Maximum
166	216	1	3

🎲 J2Q46R1

Label

PES-FREQ Seeing good things happen to family and friends

Question Text

Over the past month how often did you spend time - SEEING GOOD THINGS HAPPEN TO FAMILY AND FRIENDS

Forward Skip

IF [J2Q46R1](#) = 1, GO TO [J2Q46S1](#)

Value	Label	Frequency	%
1	NEVER	121	31.7%
2	1-6 TIMES	206	53.9%
3	7+ TIMES	31	8.1%
8	MISSING	24	6.3%

Valid	Invalid	Minimum	Maximum
358	24	1	3

🏷 J2Q46R2

Label

PES-FEEL Seeing good things happen to family and friends

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- SEEING GOOD THINGS HAPPEN TO FAMILY AND FRIENDS

Backward Skip

([J2Q46R1](#) = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	12	3.1%
2	SOMEWHAT PLEASANT	122	31.9%
3	VERY PLEASANT	99	25.9%
8	MISSING	28	7.3%
9	INAPP	121	31.7%

Valid	Invalid	Minimum	Maximum
233	149	1	3

🏷 J2Q46S1

Label

PES-FREQ Planning something

Question Text

Over the past month how often did you spend time - PLANNING OR ORGANIZING SOMETHING

Forward Skip

IF J2Q46S1 = 1, GO TO J2Q46T1

Value	Label	Frequency	%
1	NEVER	126	33.0%
2	1-6 TIMES	204	53.4%
3	7+ TIMES	31	8.1%
8	MISSING	21	5.5%

Valid	Invalid	Minimum	Maximum
361	21	1	3

J2Q46S2

Label

PES-FEEL Planning something

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- PLANNING OR ORGANIZING SOMETHING

Backward Skip

(J2Q46S1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	27	7.1%
2	SOMEWHAT PLEASANT	123	32.2%
3	VERY PLEASANT	83	21.7%
8	MISSING	23	6.0%
9	INAPP	126	33.0%

Valid	Invalid	Minimum	Maximum
233	149	1	3

J2Q46T1

Label

PES-FREQ Having a lively talk

Question Text

Over the past month how often did you spend time - HAVING A LIVELY TALK

Forward Skip

IF J2Q46T1 = 1, GO TO J2Q46U1

Value	Label	Frequency	%
1	NEVER	76	19.9%
2	1-6 TIMES	216	56.5%
3	7+ TIMES	71	18.6%
8	MISSING	19	5.0%

Valid	Invalid	Minimum	Maximum
363	19	1	3

J2Q46T2

Label

PES-FEEL Having a lively talk

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- HAVING A LIVELY TALK

Backward Skip

(J2Q46T1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	15	3.9%
2	SOMEWHAT PLEASANT	141	36.9%
3	VERY PLEASANT	126	33.0%
8	MISSING	24	6.3%
9	INAPP	76	19.9%

Valid	Invalid	Minimum	Maximum
282	100	1	3

J2Q46U1

Label

PES-FREQ Being with family

Question Text

Over the past month how often did you spend time - BEING WITH MY FAMILY

Forward Skip

IF J2Q46U1 = 1, GO TO J2Q46V1

Value	Label	Frequency	%
1	NEVER	33	8.6%
2	1-6 TIMES	116	30.4%
3	7+ TIMES	217	56.8%
8	MISSING	16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	3

J2Q46U2

Label

PES-FEEL Being with family

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- BEING WITH MY FAMILY

Backward Skip

(J2Q46U1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	35	9.2%
2	SOMEWHAT PLEASANT	88	23.0%

3	VERY PLEASANT	200	52.4%
8	MISSING	26	6.8%
9	INAPP	33	8.6%

Valid	Invalid	Minimum	Maximum
323	59	1	3

J2Q46V1

Label

PES-FREQ Taking a relaxing bath

Question Text

Over the past month how often did you spend time - TAKING A RELAXING BATH

Forward Skip

IF J2Q46V1 = 1, GO TO J2Q46W1

Value	Label	Frequency	%
1	NEVER	53	13.9%
2	1-6 TIMES	153	40.1%
3	7+ TIMES	160	41.9%
8	MISSING	16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	3

J2Q46V2

Label

PES-FEEL Taking a relaxing bath

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- TAKING A RELAXING BATH

Backward Skip

(J2Q46V1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	16	4.2%
2	SOMEWHAT PLEASANT	72	18.8%
3	VERY PLEASANT	217	56.8%
8	MISSING	24	6.3%
9	INAPP	53	13.9%

Valid	Invalid	Minimum	Maximum
305	77	1	3

J2Q46W1

Label

PES-FREQ Seeing beautiful scenery

Question Text

Over the past month how often did you spend time - SEEING BEAUTIFUL SCENERY

Forward Skip

IF J2Q46W1 = 1, GO TO J2Q46X1

Value	Label	Frequency	%
1	NEVER	104	27.2%
2	1-6 TIMES	219	57.3%
3	7+ TIMES	43	11.3%
8	MISSING	16	4.2%

Valid	Invalid	Minimum	Maximum
366	16	1	3

J2Q46W2

Label

PES-FEEL Seeing beautiful scenery

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- SEEING BEAUTIFUL SCENERY

Backward Skip

([J2Q46W1](#) = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	3	0.8%
2	SOMEWHAT PLEASANT	96	25.1%
3	VERY PLEASANT	159	41.6%
8	MISSING	20	5.2%
9	INAPP	104	27.2%

Valid	Invalid	Minimum	Maximum
258	124	1	3

J2Q46X1

Label

PES-FREQ Eating good meals

Question Text

Over the past month how often did you spend time - EATING GOOD MEALS

Forward Skip

IF [J2Q46X1](#) = 1, GO TO [J2Q46Y1](#)

Value	Label	Frequency	%
1	NEVER	21	5.5%
2	1-6 TIMES	234	61.3%
3	7+ TIMES	110	28.8%
8	MISSING	17	4.5%

Valid	Invalid	Minimum	Maximum
365	17	1	3

J2Q46X2

Label

PES-FEEL Eating good meals

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- EATING GOOD MEALS

Backward Skip

(J2Q46X1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	9	2.4%
2	SOMEWHAT PLEASANT	117	30.6%
3	VERY PLEASANT	212	55.5%
8	MISSING	23	6.0%
9	INAPP	21	5.5%

Valid	Invalid	Minimum	Maximum
338	44	1	3

J2Q46Y1

Label

PES-FREQ Having spare time

Question Text

Over the past month how often did you spend time - HAVING SPARE TIME

Forward Skip

IF J2Q46Y1 = 1, GO TO J2Q46Z1

Value	Label	Frequency	%
1	NEVER	268	70.2%
2	1-6 TIMES	71	18.6%
3	7+ TIMES	7	1.8%
8	MISSING	36	9.4%

Valid	Invalid	Minimum	Maximum
346	36	1	3

🔖 J2Q46Y2

Label

PES-FEEL Having spare time

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- HAVING SPARE TIME

Backward Skip

(J2Q46Y1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	7	1.8%
2	SOMEWHAT PLEASANT	39	10.2%
3	VERY PLEASANT	32	8.4%
8	MISSING	36	9.4%
9	INAPP	268	70.2%

Valid	Invalid	Minimum	Maximum
78	304	1	3

🔖 J2Q46Z1

Label

PES-FREQ Noticed as sexually attractive

Question Text

Over the past month how often did you spend time - BEING NOTICED AS SEXUALLY ATTRACTIVE

Forward Skip

IF J2Q46Z1 = 1, GO TO J2Q46AA1

Value	Label	Frequency	%
1	NEVER	231	60.5%

2	1-6 TIMES	110	28.8%
3	7+ TIMES	12	3.1%
9	INAPP	29	7.6%

Valid	Invalid	Minimum	Maximum
353	29	1	3

J2Q46Z2

Label

PES-FEEL Noticed as sexually attractive

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- BEING NOTICED AS SEXUALLY ATTRACTIVE

Backward Skip

(J2Q46Z1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	13	3.4%
2	SOMEWHAT PLEASANT	64	16.8%
3	VERY PLEASANT	45	11.8%
8	MISSING	2	0.5%
9	INAPP	258	67.5%

Valid	Invalid	Minimum	Maximum
122	260	1	3

J2Q46AA1

Label

PES-FREQ Learning to do something new

Question Text

Over the past month how often did you spend time - LEARNING TO DO SOMETHING NEW

Forward Skip

IF [J2Q46AA1](#) = 1, GO TO [J2Q46BB1](#)

Value	Label	Frequency	%
1	NEVER	168	44.0%
2	1-6 TIMES	170	44.5%
3	7+ TIMES	24	6.3%
8	MISSING	20	5.2%

Valid	Invalid	Minimum	Maximum
362	20	1	3

J2Q46AA2

Label

PES-FEEL Learning to do something new

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- LEARNING TO DO SOMETHING NEW

Backward Skip

([J2Q46AA1](#) = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	9	2.4%
2	SOMEWHAT PLEASANT	94	24.6%
3	VERY PLEASANT	90	23.6%
8	MISSING	21	5.5%
9	INAPP	168	44.0%

Valid	Invalid	Minimum	Maximum
193	189	1	3

J2Q46BB1

Label

PES-FREQ Complimenting someone

Question Text

Over the past month how often did you spend time - COMPLIMENTING OR PRAISING SOMEONE

Forward Skip

IF J2Q46BB1 = 1, GO TO J2Q46CC1

Value	Label	Frequency	%
1	NEVER	93	24.3%
2	1-6 TIMES	207	54.2%
3	7+ TIMES	63	16.5%
8	MISSING	19	5.0%

Valid	Invalid	Minimum	Maximum
363	19	1	3

J2Q46BB2

Label

PES-FEEL Complimenting someone

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- COMPLIMENTING OR PRAISING SOMEONE

Backward Skip

(J2Q46BB1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	37	9.7%
2	SOMEWHAT PLEASANT	152	39.8%
3	VERY PLEASANT	80	20.9%
8	MISSING	20	5.2%
9	INAPP	93	24.3%

Valid	Invalid	Minimum	Maximum
269	113	1	3

J2Q46CC1

Label

PES-FREQ Thinking about people I like

Question Text

Over the past month how often did you spend time - THINKING ABOUT PEOPLE I LIKE

Forward Skip

IF J2Q46CC1 = 1, GO TO J2Q46DD1

Value	Label	Frequency	%
1	NEVER	119	31.2%
2	1-6 TIMES	152	39.8%
3	7+ TIMES	90	23.6%
8	MISSING	21	5.5%

Valid	Invalid	Minimum	Maximum
361	21	1	3

J2Q46CC2

Label

PES-FEEL Thinking about people I like

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- THINKING ABOUT PEOPLE I LIKE

Backward Skip

(J2Q46CC1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	15	3.9%
2	SOMEWHAT PLEASANT	117	30.6%
3	VERY PLEASANT	108	28.3%
8	MISSING	23	6.0%
9	INAPP	119	31.2%

Valid	Invalid	Minimum	Maximum
240	142	1	3

J2Q46DD1

Label

PES-FREQ Kissing

Question Text

Over the past month how often did you spend time - KISSING

Forward Skip

IF J2Q46DD1 = 1, GO TO J2Q46EE1

Value	Label	Frequency	%
1	NEVER	242	63.4%
2	1-6 TIMES	74	19.4%
3	7+ TIMES	39	10.2%
8	MISSING	27	7.1%

Valid	Invalid	Minimum	Maximum
355	27	1	3

J2Q46DD2

Label

PES-FEEL Kissing

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- KISSING

Backward Skip

(J2Q46DD1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	9	2.4%
2	SOMEWHAT PLEASANT	45	11.8%

3	VERY PLEASANT	60	15.7%
8	MISSING	26	6.8%
9	INAPP	242	63.4%

Valid	Invalid	Minimum	Maximum
114	268	1	3

J2Q46EE1

Label

PES-FREQ Praying or meditating

Question Text

Over the past month how often did you spend time - PRAYING OR MEDITATING

Forward Skip

IF J2Q46EE1 = 1, GO TO J2Q46FF1

Value	Label	Frequency	%
1	NEVER	220	57.6%
2	1-6 TIMES	78	20.4%
3	7+ TIMES	61	16.0%
8	MISSING	23	6.0%

Valid	Invalid	Minimum	Maximum
359	23	1	3

J2Q46EE2

Label

PES-FEEL Praying or meditating

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- PRAYING OR MEDITATING

Backward Skip

(J2Q46EE1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	14	3.7%
2	SOMEWHAT PLEASANT	52	13.6%
3	VERY PLEASANT	68	17.8%
8	MISSING	28	7.3%
9	INAPP	220	57.6%

Valid	Invalid	Minimum	Maximum
134	248	1	3

J2Q46FF1

Label

PES-FREQ Doing a project my own way

Question Text

Over the past month how often did you spend time - DOING A PROJECT MY OWN WAY

Forward Skip

IF J2Q46FF1 = 1, GO TO J2Q46HH1

Value	Label	Frequency	%
1	NEVER	238	62.3%
2	1-6 TIMES	89	23.3%
3	7+ TIMES	30	7.9%
8	MISSING	25	6.5%

Valid	Invalid	Minimum	Maximum
357	25	1	3

J2Q46FF2

Label

PES-FEEL Doing a project my own way

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- DOING A PROJECT MY OWN WAY

Backward Skip

([J2Q46FF1](#) = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	14	3.7%
2	SOMEWHAT PLEASANT	65	17.0%
3	VERY PLEASANT	39	10.2%
8	MISSING	26	6.8%
9	INAPP	238	62.3%

Valid	Invalid	Minimum	Maximum
118	264	1	3

J2Q46HH1

Label

PES-FREQ Being relaxed

Question Text

Over the past month how often did you spend time - BEING RELAXED

Forward Skip

IF [J2Q46HH1](#) = 1, GO TO [J2Q46II1](#)

Value	Label	Frequency	%
1	NEVER	53	13.9%
2	1-6 TIMES	207	54.2%
3	7+ TIMES	103	27.0%
8	MISSING	19	5.0%

Valid	Invalid	Minimum	Maximum
363	19	1	3

J2Q46HH2

Label

PES-FEEL Being relaxed

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- BEING RELAXED

Backward Skip

(J2Q46HH1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	15	3.9%
2	SOMEWHAT PLEASANT	129	33.8%
3	VERY PLEASANT	162	42.4%
8	MISSING	23	6.0%
9	INAPP	53	13.9%

Valid	Invalid	Minimum	Maximum
306	76	1	3

J2Q46II1

Label

PES-FREQ Sleeping soundly at night

Question Text

Over the past month how often did you spend time - SLEEPING SOUNDLY AT NIGHT

Forward Skip

IF J2Q46II1 = 1, GO TO J2Q46JJ1

Value	Label	Frequency	%
1	NEVER	40	10.5%
2	1-6 TIMES	158	41.4%
3	7+ TIMES	169	44.2%
8	MISSING	15	3.9%

Valid	Invalid	Minimum	Maximum
367	15	1	3

J2Q46II2

Label

PES-FEEL Sleeping soundly at night

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- SLEEPING SOUNDLY AT NIGHT

Backward Skip

(J2Q46II1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	16	4.2%
2	SOMEWHAT PLEASANT	122	31.9%
3	VERY PLEASANT	181	47.4%
8	MISSING	23	6.0%
9	INAPP	40	10.5%

Valid	Invalid	Minimum	Maximum
319	63	1	3

J2Q46JJ1

Label

PES-FREQ Having a good fitness workout

Question Text

Over the past month how often did you spend time - HAVING A GOOD FITNESS WORKOUT

Forward Skip

IF J2Q46JJ1 = 1, GO TO J2Q46KK1

Value	Label	Frequency	%
1	NEVER	109	28.5%

2	1-6 TIMES		181	47.4%
3	7+ TIMES		75	19.6%
8	MISSING		17	4.5%

Valid	Invalid	Minimum	Maximum
365	17	1	3

📊 J2Q46JJ2

Label

PES-FEEL Having a good fitness workout

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- HAVING A GOOD FITNESS WORKOUT

Backward Skip

(J2Q46JJ1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	11	2.9%
2	SOMEWHAT PLEASANT	104	27.2%
3	VERY PLEASANT	136	35.6%
8	MISSING	22	5.8%
9	INAPP	109	28.5%

Valid	Invalid	Minimum	Maximum
251	131	1	3

📊 J2Q46KK1

Label

PES-FREQ Amusing people

Question Text

Over the past month how often did you spend time - AMUSING PEOPLE

Forward Skip

IF [J2Q46KK1](#) = 1, GO TO [J2Q46LL1](#)

Value	Label	Frequency	%
1	NEVER	110	28.8%
2	1-6 TIMES	214	56.0%
3	7+ TIMES	37	9.7%
8	MISSING	21	5.5%

Valid	Invalid	Minimum	Maximum
361	21	1	3

J2Q46KK2

Label

PES-FEEL Amusing people

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- AMUSING PEOPLE

Backward Skip

([J2Q46KK1](#) = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	12	3.1%
2	SOMEWHAT PLEASANT	149	39.0%
3	VERY PLEASANT	90	23.6%
8	MISSING	21	5.5%
9	INAPP	110	28.8%

Valid	Invalid	Minimum	Maximum
251	131	1	3

J2Q46LL1

Label

PES-FREQ Being with someone I love

Question Text

Over the past month how often did you spend time - BEING WITH SOMEONE I LOVE

Forward Skip

IF J2Q46LL1 = 1, GO TO J2Q46MM1

Value	Label	Frequency	%
1	NEVER	101	26.4%
2	1-6 TIMES	119	31.2%
3	7+ TIMES	129	33.8%
8	MISSING	33	8.6%

Valid	Invalid	Minimum	Maximum
349	33	1	3

🗃 J2Q46LL2

Label

PES-FEEL Being with someone I love

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- BEING WITH SOMEONE I LOVE

Backward Skip

(J2Q46LL1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	13	3.4%
2	SOMEWHAT PLEASANT	89	23.3%
3	VERY PLEASANT	141	36.9%
8	MISSING	38	9.9%
9	INAPP	101	26.4%

Valid	Invalid	Minimum	Maximum
243	139	1	3

J2Q46MM1

Label

PES-FREQ Sexual relation with partner

Question Text

Over the past month how often did you spend time - HAVING SATISFYING SEXUAL RELATIONS WITH A PARTNER OF THE OPPISITE SEX

Forward Skip

IF J2Q46MM1 = 1, GO TO J2Q46NN1

Value	Label	Frequency	%
1	NEVER	156	40.8%
2	1-6 TIMES	100	26.2%
3	7+ TIMES	9	2.4%
8	MISSING	117	30.6%

Valid	Invalid	Minimum	Maximum
265	117	1	3

J2Q46MM2

Label

PES-FEEL Sexual relation with partner

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- HAVING SATISFYING SEXUAL RELATIONS WITH A PARTNER OF THE OPPOSITE SEX

Backward Skip

(J2Q46MM1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	12	3.1%
2	SOMEWHAT PLEASANT	49	12.8%
3	VERY PLEASANT	54	14.1%
8	MISSING	111	29.1%

| 9 | INAPP | 156 | 40.8% |

Valid	**Invalid**	**Minimum**	**Maximum**
115	267	1	3

J2Q46NN1

Label

PES-FREQ Watching sports

Question Text

Over the past month how often did you spend time - WATCHING SPORTS

Forward Skip

IF J2Q46NN1 = 1, GO TO J2Q46OO1

Value	Label	Frequency	%
1	NEVER	114	29.8%
2	1-6 TIMES	184	48.2%
3	7+ TIMES	60	15.7%
8	MISSING	24	6.3%

Valid	**Invalid**	**Minimum**	**Maximum**
358	24	1	3

J2Q46NN2

Label

PES-FEEL Watching sports

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- WATCHING SPORTS

Backward Skip

(J2Q46NN1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	24	6.3%

		Frequency	%
2	SOMEWHAT PLEASANT	143	37.4%
3	VERY PLEASANT	72	18.8%
8	MISSING	29	7.6%
9	INAPP	114	29.8%

Valid	Invalid	Minimum	Maximum
239	143	1	3

📊 J2Q46OO1

Label

PES-FREQ Being with happy people

Question Text

Over the past month how often did you spend time - BEING WITH HAPPY PEOPLE

Forward Skip

IF J2Q46OO1 = 1, GO TO J2Q46PP1

Value	Label	Frequency	%
1	NEVER	107	28.0%
2	1-6 TIMES	133	34.8%
3	7+ TIMES	108	28.3%
8	MISSING	34	8.9%

Valid	Invalid	Minimum	Maximum
348	34	1	3

📊 J2Q46OO2

Label

PES-FEEL Being with happy people

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- BEING WITH HAPPY PEOPLE

Backward Skip

(J2Q46OO1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	12	3.1%
2	SOMEWHAT PLEASANT	99	25.9%
3	VERY PLEASANT	128	33.5%
8	MISSING	36	9.4%
9	INAPP	107	28.0%

Valid	Invalid	Minimum	Maximum
239	143	1	3

J2Q46PP1

Label

PES-FREQ Smiling at people

Question Text

Over the past month how often did you spend time - SMILING AT PEOPLE

Forward Skip

IF J2Q46PP1 = 1, GO TO J2Q46QQ1

Value	Label	Frequency	%
1	NEVER	47	12.3%
2	1-6 TIMES	166	43.5%
3	7+ TIMES	141	36.9%
8	MISSING	28	7.3%

Valid	Invalid	Minimum	Maximum
354	28	1	3

J2Q46PP2

Label

PES-FEEL Smiling at people

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- SMILING AT PEOPLE

Backward Skip

(J2Q46PP1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	21	5.5%
2	SOMEWHAT PLEASANT	156	40.8%
3	VERY PLEASANT	123	32.2%
8	MISSING	35	9.2%
9	INAPP	47	12.3%

Valid	Invalid	Minimum	Maximum
300	82	1	3

J2Q46QQ1

Label

PES-FREQ Being with spouse/partner

Question Text

Over the past month how often did you spend time - BEING WITH MY SPOUSE/PARTNER

Forward Skip

IF J2Q46QQ1 = 1, GO TO J2Q46RR1

Value	Label	Frequency	%
1	NEVER	88	23.0%
2	1-6 TIMES	87	22.8%
3	7+ TIMES	174	45.5%
8	MISSING	33	8.6%

Valid	Invalid	Minimum	Maximum
349	33	1	3

J2Q46QQ2

Label

PES-FEEL Being with spouse/partner

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- BEING WITH MY SPOUSE/PARTNER

Backward Skip

(J2Q46QQ1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	29	7.6%
2	SOMEWHAT PLEASANT	88	23.0%
3	VERY PLEASANT	140	36.6%
8	MISSING	37	9.7%
9	INAPP	88	23.0%

Valid	Invalid	Minimum	Maximum
257	125	1	3

J2Q46RR1

Label

PES-FREQ Teaching or advising someone

Question Text

Over the past month how often did you spend time - TEACHING OR ADVISING SOMEONE

Forward Skip

IF J2Q46RR1 = 1, GO TO J2Q46SS1

Value	Label	Frequency	%
1	NEVER	72	18.8%
2	1-6 TIMES	210	55.0%
3	7+ TIMES	76	19.9%
8	MISSING	24	6.3%

Valid	Invalid	Minimum	Maximum
358	24	1	3

J2Q46RR2

Label

PES-FEEL Teaching or advising someone

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- TEACHING OR ADVISING SOMEONE

Backward Skip

(J2Q46RR1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	44	11.5%
2	SOMEWHAT PLEASANT	162	42.4%
3	VERY PLEASANT	73	19.1%
8	MISSING	31	8.1%
9	INAPP	72	18.8%

Valid	Invalid	Minimum	Maximum
279	103	1	3

J2Q46SS1

Label

PES-FREQ Being complimented

Question Text

Over the past month how often did you spend time - BEING COMPLIMENTED OR TOLD I HAVE DONE WELL

Forward Skip

IF J2Q46SS1 = 1, GO TO J2Q46TT1

Value	Label	Frequency	%
1	NEVER	148	38.7%

2	1-6 TIMES		182	47.6%
3	7+ TIMES		27	7.1%
8	MISSING		25	6.5%

Valid	Invalid	Minimum	Maximum
357	25	1	3

🗃 J2Q46SS2

Label

PES-FEEL Being complimented

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- BEING COMPLIMENTED OR TOLD I HAVE DONE WELL

Backward Skip

([J2Q46SS1](#) = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	14	3.7%
2	SOMEWHAT PLEASANT	110	28.8%
3	VERY PLEASANT	82	21.5%
8	MISSING	28	7.3%
9	INAPP	148	38.7%

Valid	Invalid	Minimum	Maximum
206	176	1	3

🗃 J2Q46TT1

Label

PES-FREQ Being told I am loved

Question Text

Over the past month how often did you spend time - BEING TOLD I AM LOVED

Forward Skip

IF J2Q46TT1 = 1, GO TO J2Q46UU1

Value	Label	Frequency	%
1	NEVER	240	62.8%
2	1-6 TIMES	88	23.0%
3	7+ TIMES	26	6.8%
8	MISSING	28	7.3%

Valid	Invalid	Minimum	Maximum
354	28	1	3

J2Q46TT2

Label

PES-FEEL Being told I me loved

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- BEING TOLD I AM LOVED

Backward Skip

(J2Q46TT1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	4	1.0%
2	SOMEWHAT PLEASANT	46	12.0%
3	VERY PLEASANT	63	16.5%
8	MISSING	29	7.6%
9	INAPP	240	62.8%

Valid	Invalid	Minimum	Maximum
113	269	1	3

J2Q46UU1

Label

PES-FREQ Seeing old friends

Question Text

Over the past month how often did you spend time - SEEING OLD FRIENDS

Forward Skip

IF J2Q46UU1 = 1, GO TO J2Q46VV1

Value	Label	Frequency	%
1	NEVER	201	52.6%
2	1-6 TIMES	146	38.2%
3	7+ TIMES	12	3.1%
8	MISSING	23	6.0%

Valid	Invalid	Minimum	Maximum
359	23	1	3

📇 J2Q46UU2

Label

PES-FEEL Seeing old friends

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- SEEING OLD FRIENDS

Backward Skip

(J2Q46UU1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	1	0.3%
2	SOMEWHAT PLEASANT	57	14.9%
3	VERY PLEASANT	97	25.4%
8	MISSING	26	6.8%
9	INAPP	201	52.6%

Valid	Invalid	Minimum	Maximum
155	227	1	3

J2Q46VV1

Label

PES-FREQ Shopping

Question Text

Over the past month how often did you spend time - SHOPPING

Forward Skip

IF J2Q46VV1 = 1, GO TO J2Q46WW1

Value	Label	Frequency	%
1	NEVER	46	12.0%
2	1-6 TIMES	215	56.3%
3	7+ TIMES	103	27.0%
8	MISSING	18	4.7%

Valid	Invalid	Minimum	Maximum
364	18	1	3

J2Q46VV2

Label

PES-FEEL Shopping

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- SHOPPING

Backward Skip

(J2Q46VV1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	51	13.4%
2	SOMEWHAT PLEASANT	156	40.8%
3	VERY PLEASANT	102	26.7%
8	MISSING	27	7.1%
9	INAPP	46	12.0%

Valid	Invalid	Minimum	Maximum
309	73	1	3

📊 J2Q46WW1

Label

PES-FREQ Feeling no pain

Question Text

Over the past month how often did you spend time - FEELING NO PAIN

Forward Skip

IF J2Q46WW1 = 1, GO TO J2Q47A

Value	Label	Frequency	%
1	NEVER	170	44.5%
2	1-6 TIMES	130	34.0%
3	7+ TIMES	56	14.7%
8	MISSING	26	6.8%

Valid	Invalid	Minimum	Maximum
356	26	1	3

📊 J2Q46WW2

Label

PES-FEEL Feeling no pain

Question Text

If at least once, how Pleasant, Enjoyable or Rewarding was this?- FEELING NO PAIN

Backward Skip

(J2Q46W1 = 1)

Value	Label	Frequency	%
1	NEUTRAL OR UNPLEASANT	14	3.7%
2	SOMEWHAT PLEASANT	95	24.9%

3	VERY PLEASANT	72	18.8%
8	MISSING	31	8.1%
9	INAPP	170	44.5%

Valid	Invalid	Minimum	Maximum
181	201	1	3

📊 J2Q47A

Label

RELAT Obligated to be informed with news

Pre-Question Text

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1=strongly disagree and 7=strongly agree).

Question Text

In general - I FEEL OBLIGATED TO KEEP FULLY INFORMED ABOUT NATIONAL NEWS AND PUBLIC ISSUES

Value	Label	Frequency	%
1	STRONGLY DISAGREE	5	1.3%
2	DISAGREE	4	1.0%
3	SLIGHTLY DISAGREE	2	0.5%
4	NEUTRAL	26	6.8%
5	SLIGHTLY AGREE	86	22.5%
6	AGREE	141	36.9%
7	STRONGLY AGREE	107	28.0%
98	MISSING	11	2.9%

Valid	Invalid	Minimum	Maximum
371	11	1	7

J2Q47B

Label

RELAT Obligated to vote in elections

Question Text

In general - I FEEL OBLIGATED TO VOTE IN LOCAL AND NATIONAL ELECTIONS

Value	Label	Frequency	%
1	STRONGLY DISAGREE	4	1.0%
2	DISAGREE	1	0.3%
3	SLIGHTLY DISAGREE	3	0.8%
4	NEUTRAL	24	6.3%
5	SLIGHTLY AGREE	62	16.2%
6	AGREE	104	27.2%
7	STRONGLY AGREE	171	44.8%
98	MISSING	13	3.4%

Valid	Invalid	Minimum	Maximum
369	13	1	7

J2Q47C

Label

RELAT Obligated to volunteer time/money to social causes

Question Text

In general - I FEEL OBLIGATED TO VOLUNTEER TIME OR MONEY TO SOCIAL CAUSES I SUPPORT

Value	Label	Frequency	%
1	STRONGLY DISAGREE	7	1.8%
2	DISAGREE	6	1.6%
3	SLIGHTLY DISAGREE	10	2.6%
4	NEUTRAL	95	24.9%
5	SLIGHTLY AGREE	134	35.1%

6	AGREE	80	20.9%
7	STRONGLY AGREE	37	9.7%
98	MISSING	13	3.4%

Valid	Invalid	Minimum	Maximum
369	13	1	7

J2Q47D

Label

RELAT Drop plans if family very troubled

Question Text

In general - I FEEL OBLIGATED TO DROP MY PLANS WHEN MEMBERS OF MY FAMILY SEEM VERY TROUBLED

Value	Label	Frequency	%
1	STRONGLY DISAGREE	6	1.6%
2	DISAGREE	3	0.8%
3	SLIGHTLY DISAGREE	9	2.4%
4	NEUTRAL	58	15.2%
5	SLIGHTLY AGREE	85	22.3%
6	AGREE	115	30.1%
7	STRONGLY AGREE	92	24.1%
98	MISSING	14	3.7%

Valid	Invalid	Minimum	Maximum
368	14	1	7

J2Q47E

Label

RELAT Obligated to contact family regularly

Question Text

In general - I FEEL OBLIGATED TO CONTACT FAMILY MEMBERS ON A REGULAR BASIS

Value	Label	Frequency	%
1	STRONGLY DISAGREE	3	0.8%
2	DISAGREE	1	0.3%
3	SLIGHTLY DISAGREE	6	1.6%
4	NEUTRAL	23	6.0%
5	SLIGHTLY AGREE	55	14.4%
6	AGREE	128	33.5%
7	STRONGLY AGREE	153	40.1%
98	MISSING	13	3.4%

Valid	Invalid	Minimum	Maximum
369	13	1	7

J2Q47F

Label

RELAT Obligated give needy friend money

Question Text

In general - I FEEL OBLIGATED TO GIVE MONEY TO A FRIEND IN NEED, EVEN IF THIS MAKES IT HARD TO MEET MY OWN NEEDS

Value	Label	Frequency	%
1	STRONGLY DISAGREE	61	16.0%
2	DISAGREE	48	12.6%
3	SLIGHTLY DISAGREE	46	12.0%
4	NEUTRAL	107	28.0%
5	SLIGHTLY AGREE	67	17.5%
6	AGREE	29	7.6%
7	STRONGLY AGREE	6	1.6%
98	MISSING	18	4.7%

Valid	Invalid	Minimum	Maximum
364	18	1	7

J2Q47G

Label

RELAT Obligated to take adult child in

Question Text

In general - I FEEL OBLIGATED TO TAKE MY DIVORCED OR UNEMPLOYED ADULT CHILD BACK INTO MY HOME

Value	Label	Frequency	%
1	STRONGLY DISAGREE	37	9.7%
2	DISAGREE	27	7.1%
3	SLIGHTLY DISAGREE	59	15.4%
4	NEUTRAL	99	25.9%
5	SLIGHTLY AGREE	94	24.6%
6	AGREE	33	8.6%
7	STRONGLY AGREE	18	4.7%
98	MISSING	15	3.9%

Valid	Invalid	Minimum	Maximum
367	15	1	7

J2Q47H

Label

RELAT My work makes world better place

Question Text

In general - MY WORK MAKES THE WORLD A BETTER PLACE

Value	Label	Frequency	%
1	STRONGLY DISAGREE	34	8.9%
2	DISAGREE	21	5.5%
3	SLIGHTLY DISAGREE	32	8.4%
4	NEUTRAL	151	39.5%

5	SLIGHTLY AGREE		74	19.4%
6	AGREE		37	9.7%
7	STRONGLY AGREE		11	2.9%
98	MISSING		22	5.8%

Valid	Invalid	Minimum	Maximum
360	22	1	7

J2Q47I

Label

RELAT Think of harm my work may cause

Question Text

In general - I THINK ABOUT THE HARM MY WORK MIGHT DO TO OTHER PEOPLE

Value	Label	Frequency	%
1	STRONGLY DISAGREE	41	10.7%
2	DISAGREE	24	6.3%
3	SLIGHTLY DISAGREE	56	14.7%
4	NEUTRAL	121	31.7%
5	SLIGHTLY AGREE	73	19.1%
6	AGREE	34	8.9%
7	STRONGLY AGREE	7	1.8%
98	MISSING	26	6.8%

Valid	Invalid	Minimum	Maximum
356	26	1	7

J2Q47J

Label

RELAT Help out colleagues at work

Question Text

In general - I HELP OUT MY COLLEAGUES/COWORKERS AT WORK

Value	Label	Frequency	%
1	STRONGLY DISAGREE	12	3.1%
2	DISAGREE	11	2.9%
3	SLIGHTLY DISAGREE	16	4.2%
4	NEUTRAL	102	26.7%
5	SLIGHTLY AGREE	149	39.0%
6	AGREE	59	15.4%
7	STRONGLY AGREE	15	3.9%
98	MISSING	18	4.7%

Valid	Invalid	Minimum	Maximum
364	18	1	7

📊 J2Q47K

Label

RELAT Volunteer to do unwanted tasks at work

Question Text

In general - I AM THE ONE TO VOLUNTEER TO DO UNWANTED TASKS AT WORK

Value	Label	Frequency	%
1	STRONGLY DISAGREE	7	1.8%
2	DISAGREE	6	1.6%
3	SLIGHTLY DISAGREE	21	5.5%
4	NEUTRAL	95	24.9%
5	SLIGHTLY AGREE	152	39.8%
6	AGREE	67	17.5%
7	STRONGLY AGREE	14	3.7%
98	MISSING	20	5.2%

Valid	Invalid	Minimum	Maximum

362	20	1	7

J2Q47L

Label

RELAT Known for honesty/integrity at work

Question Text

In general - I AM KNOWN FOR MY HONESTY AND INTEGRITY AT WORK

Value	Label	Frequency	%
1	STRONGLY DISAGREE	9	2.4%
2	DISAGREE	5	1.3%
3	SLIGHTLY DISAGREE	15	3.9%
4	NEUTRAL	111	29.1%
5	SLIGHTLY AGREE	133	34.8%
6	AGREE	83	21.7%
7	STRONGLY AGREE	13	3.4%
98	MISSING	13	3.4%

Valid	Invalid	Minimum	Maximum
369	13	1	7

J2QSO_PC

Label

Public Community

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	12	3.1%

Valid	Invalid	Minimum	Maximum	Mean	StdDev

370	12	1	7	5.62	0.9

J2QSO_PF

Label

Private Family/Friends 3 items

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	12	3.1%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
370	12	1	7	5.02	0.93

J2QSO_PX

Label

Private Family/Friends 4 items

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	13	3.4%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
369	13	1	7	4.76	0.91

J2QSO_IW

Label

Private/Ingroup Work

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	17	4.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
365	17	1	7	4.73	0.91

J2QSO_GW

Label

Good Work Scale

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	23	6.0%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
359	23	1	6.8	4.4	0.89

J2Q48A

Label

RELAT Close relations important reflection of me

Pre-Question Text

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1=strongly disagree and 7=strongly agree)

Question Text

In general - MY CLOSE RELATIONSHIPS ARE AN IMPORTANT REFLECTION OF WHO I AM

Value	Label	Frequency	%

1	STRONGLY DISAGREE	4	1.0%
2	DISAGREE	3	0.8%
3	SLIGHTLY DISAGREE	13	3.4%
4	NEUTRAL	70	18.3%
5	SLIGHTLY AGREE	128	33.5%
6	AGREE	118	30.9%
7	STRONGLY AGREE	34	8.9%
98	MISSING	12	3.1%

Valid	Invalid	Minimum	Maximum
370	12	1	7

📖 J2Q48B

Label

RELAT Very close to others important part of me

Question Text

In general - WHEN I FEEL VERY CLOSE TO SOMEONE, IT OFTEN FEELS TO ME LIKE THAT PERSON IS AN IMPORTANT PART OF MY LIFE

Value	Label	Frequency	%
1	STRONGLY DISAGREE	7	1.8%
2	DISAGREE	6	1.6%
3	SLIGHTLY DISAGREE	13	3.4%
4	NEUTRAL	79	20.7%
5	SLIGHTLY AGREE	119	31.2%
6	AGREE	116	30.4%
7	STRONGLY AGREE	31	8.1%
98	MISSING	11	2.9%

Valid	Invalid	Minimum	Maximum
371	11	1	7

J2Q48C

Label

RELAT Pride in close others accomplishments

Question Text

In general - I USUALLY FEEL A STRONG SENSE OF PRIDE WHEN SOMEONE CLOSE TO ME HAS AN IMPORTANT ACCOMPLISHMENT

Value	Label	Frequency	%
1	STRONGLY DISAGREE	3	0.8%
2	DISAGREE	2	0.5%
3	SLIGHTLY DISAGREE	1	0.3%
4	NEUTRAL	35	9.2%
5	SLIGHTLY AGREE	118	30.9%
6	AGREE	144	37.7%
7	STRONGLY AGREE	69	18.1%
98	MISSING	10	2.6%

Valid	Invalid	Minimum	Maximum
372	10	1	7

J2Q48D

Label

RELAT Who I am is who friends are

Question Text

In general - I THINK ONE OF THE MOST IMPORTANT PARTS OF WHO I AM CAN BE CAPTURED BY LOOKING AT MY CLOSE FRIENDS AND UNDERSTANDING WHO THEY ARE

Value	Label	Frequency	%
1	STRONGLY DISAGREE	5	1.3%
2	DISAGREE	11	2.9%
3	SLIGHTLY DISAGREE	13	3.4%
4	NEUTRAL	90	23.6%

5	SLIGHTLY AGREE	145	38.0%
6	AGREE	80	20.9%
7	STRONGLY AGREE	26	6.8%
98	MISSING	12	3.1%

Valid	Invalid	Minimum	Maximum
370	12	1	7

J2Q48E

Label

RELAT When think of self, think of family/friends also

Question Text

In general - WHEN I THINK OF MYSELF, I OFTEN THINK OF MY CLOSE FRIENDS OR FAMILY ALSO

Value	Label	Frequency	%
1	STRONGLY DISAGREE	4	1.0%
2	DISAGREE	6	1.6%
3	SLIGHTLY DISAGREE	17	4.5%
4	NEUTRAL	71	18.6%
5	SLIGHTLY AGREE	111	29.1%
6	AGREE	114	29.8%
7	STRONGLY AGREE	47	12.3%
98	MISSING	12	3.1%

Valid	Invalid	Minimum	Maximum
370	12	1	7

J2Q48F

Label

RELAT Someone close is hurt, I feel hurt

Question Text

In general - IF A PERSON HURTS SOMEONE CLOSE TO ME, I FEEL PERSONALLY HURT AS WELL

Value	Label	Frequency	%
1	STRONGLY DISAGREE	5	1.3%
2	DISAGREE	5	1.3%
3	SLIGHTLY DISAGREE	9	2.4%
4	NEUTRAL	55	14.4%
5	SLIGHTLY AGREE	144	37.7%
6	AGREE	122	31.9%
7	STRONGLY AGREE	32	8.4%
98	MISSING	10	2.6%

Valid	Invalid	Minimum	Maximum
372	10	1	7

J2Q48G

Label

RELAT Close relations have no effect self feeling

Question Text

In general - OVERALL, MY CLOSE RELATIONSHIPS HAVE VERY LITTLE TO DO WITH HOW I FEEL ABOUT MYSELF

Value	Label	Frequency	%
1	STRONGLY DISAGREE	13	3.4%
2	DISAGREE	21	5.5%
3	SLIGHTLY DISAGREE	54	14.1%
4	NEUTRAL	180	47.1%
5	SLIGHTLY AGREE	72	18.8%
6	AGREE	20	5.2%
7	STRONGLY AGREE	7	1.8%
98	MISSING	15	3.9%

Valid	Invalid	Minimum	Maximum

| 367 | 15 | 1 | 7 |

J2Q48H

Label

RELAT Close relations not important who I am

Question Text

In general - MY CLOSE RELATIONSHIPS ARE UNIMPORTANT TO MY SENSE OF WHAT KIND OF PERSON I AM

Value	Label	Frequency	%
1	STRONGLY DISAGREE	34	8.9%
2	DISAGREE	45	11.8%
3	SLIGHTLY DISAGREE	93	24.3%
4	NEUTRAL	132	34.6%
5	SLIGHTLY AGREE	40	10.5%
6	AGREE	16	4.2%
7	STRONGLY AGREE	10	2.6%
98	MISSING	12	3.1%

Valid	Invalid	Minimum	Maximum
370	12	1	7

J2Q48I

Label

RELAT Pride comes from close friends

Question Text

In general - MY SENSE OF PRIDE COMES FROM KNOWING WHOM I HAVE AS CLOSE FRIENDS

Value	Label	Frequency	%
1	STRONGLY DISAGREE	9	2.4%
2	DISAGREE	9	2.4%
3	SLIGHTLY DISAGREE	21	5.5%

4	NEUTRAL	131	34.3%
5	SLIGHTLY AGREE	108	28.3%
6	AGREE	74	19.4%
7	STRONGLY AGREE	18	4.7%
98	MISSING	12	3.1%

Valid	Invalid	Minimum	Maximum
370	12	1	7

J2Q48J

Label

RELAT Identify closely with close friends

Question Text

In general - WHEN I ESTABLISH A CLOSE FRIENDSHIP WITH SOMEONE, I USUALLY DEVELOP A STRONG SENSE OF IDENTIFICATION WITH THAT PERSON

Value	Label	Frequency	%
1	STRONGLY DISAGREE	5	1.3%
2	DISAGREE	6	1.6%
3	SLIGHTLY DISAGREE	41	10.7%
4	NEUTRAL	119	31.2%
5	SLIGHTLY AGREE	115	30.1%
6	AGREE	69	18.1%
7	STRONGLY AGREE	14	3.7%
98	MISSING	13	3.4%

Valid	Invalid	Minimum	Maximum
369	13	1	7

J2Q48K

Label

RELAT Walk in a room can figure out mood

Question Text

In general - I CAN WALK IN A ROOM AND IMMEDIATELY FIGURE OUT THE GROUP'S MOOD

Value	Label	Frequency	%
1	STRONGLY DISAGREE	5	1.3%
2	DISAGREE	6	1.6%
3	SLIGHTLY DISAGREE	26	6.8%
4	NEUTRAL	94	24.6%
5	SLIGHTLY AGREE	150	39.3%
6	AGREE	71	18.6%
7	STRONGLY AGREE	16	4.2%
98	MISSING	14	3.7%

Valid	Invalid	Minimum	Maximum
368	14	1	7

J2Q48L

Label

RELAT Not affected by moods of others

Question Text

In general - I AM NOT AFFECTED BY THE MOODS OF THE PEOPLE WHO ARE AROUND ME

Value	Label	Frequency	%
1	STRONGLY DISAGREE	6	1.6%
2	DISAGREE	19	5.0%
3	SLIGHTLY DISAGREE	44	11.5%
4	NEUTRAL	146	38.2%
5	SLIGHTLY AGREE	92	24.1%
6	AGREE	49	12.8%
7	STRONGLY AGREE	13	3.4%
98	MISSING	13	3.4%

Valid	Invalid	Minimum	Maximum
369	13	1	7

J2Q48M

Label

RELAT Can't be happy if friend in trouble

Question Text

In general - EVEN WHEN THINGS ARE GOING WELL FOR ME, I CAN'T BE HAPPY IF I HAVE A FRIEND WHO IS IN TROUBLE

Value	Label	Frequency	%
1	STRONGLY DISAGREE	1	0.3%
2	DISAGREE	6	1.6%
3	SLIGHTLY DISAGREE	16	4.2%
4	NEUTRAL	78	20.4%
5	SLIGHTLY AGREE	164	42.9%
6	AGREE	78	20.4%
7	STRONGLY AGREE	26	6.8%
98	MISSING	13	3.4%

Valid	Invalid	Minimum	Maximum
369	13	1	7

J2Q48N

Label

RELAT Moved when hear hardships

Question Text

In general - I AM MOVED WHEN I HEAR OF ANOTHER PERSON'S HARDSHIP

Value	Label	Frequency	%
1	STRONGLY DISAGREE	4	1.0%
2	DISAGREE	6	1.6%

3	SLIGHTLY DISAGREE	13	3.4%
4	NEUTRAL	48	12.6%
5	SLIGHTLY AGREE	175	45.8%
6	AGREE	101	26.4%
7	STRONGLY AGREE	24	6.3%
98	MISSING	11	2.9%

Valid	Invalid	Minimum	Maximum
371	11	1	7

J2Q48O

Label

RELAT Nothing more vital than sympathy

Question Text

In general - I THINK NOTHING IS MORE IMPORTANT TO BE SYMPATHETIC TO OTHERS

Value	Label	Frequency	%
1	STRONGLY DISAGREE	5	1.3%
2	DISAGREE	3	0.8%
3	SLIGHTLY DISAGREE	12	3.1%
4	NEUTRAL	47	12.3%
5	SLIGHTLY AGREE	139	36.4%
6	AGREE	119	31.2%
7	STRONGLY AGREE	46	12.0%
98	MISSING	11	2.9%

Valid	Invalid	Minimum	Maximum
371	11	1	7

J2Q48P

Label

RELAT My sympathy has its limits

Question Text

In general - MY SYMPATHY HAS ITS LIMITS

Value	Label	Frequency	%
1	STRONGLY DISAGREE	8	2.1%
2	DISAGREE	9	2.4%
3	SLIGHTLY DISAGREE	16	4.2%
4	NEUTRAL	68	17.8%
5	SLIGHTLY AGREE	158	41.4%
6	AGREE	80	20.9%
7	STRONGLY AGREE	32	8.4%
98	MISSING	11	2.9%

Valid	Invalid	Minimum	Maximum
371	11	1	7

J2Q48Q

Label

RELAT Follow opinion of people I respect

Question Text

In general - I USUALLY FOLLOW THE OPINIONS OF PEOPLE I CAN RESPECT

Value	Label	Frequency	%
1	STRONGLY DISAGREE	2	0.5%
2	DISAGREE	10	2.6%
3	SLIGHTLY DISAGREE	18	4.7%
4	NEUTRAL	114	29.8%
5	SLIGHTLY AGREE	123	32.2%

			Frequency	%
6	AGREE		78	20.4%
7	STRONGLY AGREE		26	6.8%
98	MISSING		11	2.9%

Valid	Invalid	Minimum	Maximum
371	11	1	7

J2Q48R

Label

RELAT Adjust opinion to fit group

Question Text

In general - WHEN MANY PEOPLE HAVE AN OPINION DIFFERENT FROM MINE, I CAN ADJUST MINE TO THEIRS

Value	Label	Frequency	%
1	STRONGLY DISAGREE	15	3.9%
2	DISAGREE	38	9.9%
3	SLIGHTLY DISAGREE	46	12.0%
4	NEUTRAL	174	45.5%
5	SLIGHTLY AGREE	73	19.1%
6	AGREE	26	6.8%
7	STRONGLY AGREE	4	1.0%
98	MISSING	6	1.6%

Valid	Invalid	Minimum	Maximum
376	6	1	7

J2Q48S

Label

RELAT Adjust values to fit others

Question Text

In general - WHEN VALUES HELD BY OTHERS SOUND MORE REASONABLE, I CAN ADJUST MY VALUES TO THEIRS

Value	Label	Frequency	%
1	STRONGLY DISAGREE	4	1.0%
2	DISAGREE	9	2.4%
3	SLIGHTLY DISAGREE	15	3.9%
4	NEUTRAL	77	20.2%
5	SLIGHTLY AGREE	175	45.8%
6	AGREE	80	20.9%
7	STRONGLY AGREE	18	4.7%
98	MISSING	4	1.0%

Valid	Invalid	Minimum	Maximum
378	4	1	7

J2Q48T

Label

RELAT Adjust to things hard to change

Question Text

In general - ONCE SOMETHING HAS HAPPENED, I TRY TO ADJUST MYSELF TO IT BECAUSE IT IS DIFFICULT TO CHANGE IT MYSELF

Value	Label	Frequency	%
1	STRONGLY DISAGREE	11	2.9%
2	DISAGREE	25	6.5%
3	SLIGHTLY DISAGREE	62	16.2%
4	NEUTRAL	133	34.8%
5	SLIGHTLY AGREE	108	28.3%
6	AGREE	33	8.6%
7	STRONGLY AGREE	1	0.3%
98	MISSING	9	2.4%

Valid	Invalid	Minimum	Maximum
373	9	1	7

J2Q48U

Label

RELAT Life uncertain: try change no use

Question Text

In general - IT IS USELESS TO TRY TO CHANGE WHAT IS GOING TO HAPPEN IN LIFE BECAUSE IT IS IMPOSSIBLE TO PREDICT IT

Value	Label	Frequency	%
1	STRONGLY DISAGREE	13	3.4%
2	DISAGREE	49	12.8%
3	SLIGHTLY DISAGREE	67	17.5%
4	NEUTRAL	135	35.3%
5	SLIGHTLY AGREE	72	18.8%
6	AGREE	31	8.1%
7	STRONGLY AGREE	7	1.8%
98	MISSING	8	2.1%

Valid	Invalid	Minimum	Maximum
374	8	1	7

J2QRISC

Label

Relational Interdependent self-construal scale

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	14	3.7%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
368	14	2.2	7	4.89	0.66

J2QSYMP

Label

Sympathy scale

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	11	2.9%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
371	11	1	6.75	4.61	0.71

J2QADJ

Label

Adjustment scale

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	8	2.1%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
374	8	1.8	6.2	4.32	0.73

J2Q49A

Label

When goal decided, keep in mind benefits

Pre-Question Text

The following statements are designed to help us understand how you approach managing your life. Please indicate how well the following statements describe you.

Question Text

How well does this describe you?- WHEN I HAVE DECIDED ON A GOAL, I ALWAYS KEEP IN MIND ITS BENEFITS

Value	Label	Frequency	%
1	NOT AT ALL	14	3.7%
2	A LITTLE	128	33.5%
3	SOME	110	28.8%
4	A LOT	125	32.7%
8	MISSING	5	1.3%

Valid	Invalid	Minimum	Maximum
377	5	1	4

🗃 J2Q49B

Label

Decided on something, avoid distract

Question Text

How well does this describe you?- WHEN I HAVE DECIDED ON SOMETHING, I AVOID ANYTHING THAT COULD DISTRACT ME

Value	Label	Frequency	%
1	NOT AT ALL	67	17.5%
2	A LITTLE	192	50.3%
3	SOME	84	22.0%
4	A LOT	33	8.6%
8	MISSING	6	1.6%

Valid	Invalid	Minimum	Maximum
376	6	1	4

J2Q49C

Label

Difficult goals, mind how good will feel

Question Text

How well does this describe you?- FOR GOALS THAT ARE DIFFICULT TO ACHIEVE, I KEEP IN MIND HOW GOOD I WILL FEEL WHEN I HAVE REACHED THEM

Value	Label	Frequency	%
1	NOT AT ALL	39	10.2%
2	A LITTLE	129	33.8%
3	SOME	124	32.5%
4	A LOT	85	22.3%
8	MISSING	5	1.3%

Valid	Invalid	Minimum	Maximum
377	5	1	4

J2Q49D

Label

Can't attain goal in any way, let go

Question Text

How well does this describe you?- WHEN IT TURNS OUT THAT I CANNOT ATTAIN A GOAL IN ANY WAY, I LET GO OF IT

Value	Label	Frequency	%
1	NOT AT ALL	34	8.9%
2	A LITTLE	217	56.8%
3	SOME	65	17.0%
4	A LOT	60	15.7%
8	MISSING	6	1.6%

Valid	Invalid	Minimum	Maximum

376	6	1	4

📊 J2Q49E

Label

Stop thinking/let go unattainable goal

Question Text

How well does this describe you?- I STOP THINKING ABOUT A GOAL THAT HAS BECOME UNATTAINABLE AND LET IT GO

Value	Label	Frequency	%
1	NOT AT ALL	56	14.7%
2	A LITTLE	196	51.3%
3	SOME	73	19.1%
4	A LOT	52	13.6%
8	MISSING	5	1.3%

Valid	Invalid	Minimum	Maximum
377	5	1	4

📊 J2Q49F

Label

Something didn't work, try not to think about

Question Text

How well does this describe you?- WHEN SOMETHING I WANTED DID NOT WORK OUT, I TRY NOT TO THINK ABOUT IT TOO MUCH

Value	Label	Frequency	%
1	NOT AT ALL	47	12.3%
2	A LITTLE	186	48.7%
3	SOME	101	26.4%
4	A LOT	42	11.0%
8	MISSING	6	1.6%

Valid	Invalid	Minimum	Maximum
376	6	1	4

J2Q49G

Label

Can't attain goal, think about other new goals

Question Text

How well does this describe you?- IF I CANNOT ATTAIN A GOAL IN MY LIFE, I THINK ABOUT OTHER NEW GOALS TO PURSUE

Value	Label	Frequency	%
1	NOT AT ALL	43	11.3%
2	A LITTLE	150	39.3%
3	SOME	122	31.9%
4	A LOT	60	15.7%
8	MISSING	7	1.8%

Valid	Invalid	Minimum	Maximum
375	7	1	4

J2Q49H

Label

Impossible attain goal, no blame myself

Question Text

How well does this describe you?- WHEN I FIND IT IMPOSSIBLE TO ATTAIN A GOAL, I TRY NOT TO BLAME MYSELF

Value	Label	Frequency	%
1	NOT AT ALL	50	13.1%
2	A LITTLE	198	51.8%
3	SOME	80	20.9%
4	A LOT	48	12.6%
8	MISSING	6	1.6%

Valid	Invalid	Minimum	Maximum
376	6	1	4

J2QSSCTR

Label

Selective Secondary Control

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED (Due to missing data)	5	1.3%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
377	5	1	4	2.61	0.72

J2QCSCD4

Label

Compensatory Secondary Control - Disengagement - 4 items version

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	7	1.8%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
375	7	1	4	2.4	0.62

J2QCSCD6

Label

Compensatory Secondary Control - Disengagement - 6 items version

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	5	1.3%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
377	5	1	3.83	2.37	0.52

J2QCSCP4

Label

Compensatory Secondary Control - Self Protection - 4 items version

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	3	0.8%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
379	3	1	4	2.68	0.65

J2QCSCP5

Label

Compensatory Secondary Control - Self Protection - 5 items version

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	3	0.8%

Valid	Invalid	Minimum	Maximum	Mean	StdDev

| 379 | 3 | 1.2 | 4 | 2.61 | 0.58 |

J2Q50A

Label

GDLIFE Be critical/reflect on actions

Pre-Question Text

How important do you think the following things are for having a good life? Please circle the appropriate number for each item.

Question Text

It is important to - BE CRITICAL AND REFLECT UPON YOUR ACTIONS

Value	Label	Frequency	%
1	NOT AT ALL IMPORTANT	10	2.6%
2	SOMEWHAT IMPORTANT	101	26.4%
3	VERY IMPORTANT	202	52.9%
4	EXTREMELY IMPORTANT	67	17.5%
8	MISSING	2	0.5%

Valid	Invalid	Minimum	Maximum
380	2	1	4

J2Q50B

Label

GDLIFE Needed by others

Question Text

It is important to - BE NEEDED BY OTHERS

Value	Label	Frequency	%
1	NOT AT ALL IMPORTANT	7	1.8%
2	SOMEWHAT IMPORTANT	83	21.7%
3	VERY IMPORTANT	202	52.9%
4	EXTREMELY IMPORTANT	87	22.8%

8	MISSING		3	0.8%

Valid	Invalid	Minimum	Maximum
379	3	1	4

🔧 J2Q50C

Label

GDLIFE Harmony with others/events

Question Text

It is important to - BE IN HARMONY WITH OTHERS AND SURROUNDING EVENTS

Value	Label	Frequency	%
1	NOT AT ALL IMPORTANT	5	1.3%
2	SOMEWHAT IMPORTANT	93	24.3%
3	VERY IMPORTANT	215	56.3%
4	EXTREMELY IMPORTANT	67	17.5%
8	MISSING	2	0.5%

Valid	Invalid	Minimum	Maximum
380	2	1	4

🔧 J2Q50D

Label

GDLIFE Make good effort/stick to it

Question Text

It is important to - HAVE THE ABILITY TO MAKE A GOOD EFFORT AT SOMETHING AND STICK TO IT

Value	Label	Frequency	%
1	NOT AT ALL IMPORTANT	7	1.8%
2	SOMEWHAT IMPORTANT	41	10.7%
3	VERY IMPORTANT	198	51.8%
4	EXTREMELY IMPORTANT	134	35.1%

		8	MISSING	2	0.5%

Valid	Invalid	Minimum	Maximum
380	2	1	4

J2Q50E

Label

GDLIFE Peace and satisfaction

Question Text

It is important to - HAVE A SENSE OF PEASE AND SATISFACTION

Value	Label	Frequency	%
1	NOT AT ALL IMPORTANT	2	0.5%
2	SOMEWHAT IMPORTANT	52	13.6%
3	VERY IMPORTANT	189	49.5%
4	EXTREMELY IMPORTANT	135	35.3%
8	MISSING	4	1.0%

Valid	Invalid	Minimum	Maximum
378	4	1	4

J2Q50F

Label

GDLIFE Sympathy from others

Question Text

It is important to - RECEIVE SYMPATHY FROM OTHERS

Value	Label	Frequency	%
1	NOT AT ALL IMPORTANT	16	4.2%
2	SOMEWHAT IMPORTANT	136	35.6%
3	VERY IMPORTANT	173	45.3%
4	EXTREMELY IMPORTANT	53	13.9%

8	MISSING		4	1.0%

Valid	Invalid	Minimum	Maximum
378	4	1	4

J2Q50G

Label

GDLIFE Respect from others

Question Text

It is important to - RECEIVE RESPECT FROM OTHERS

Value	Label	Frequency	%
1	NOT AT ALL IMPORTANT	24	6.3%
2	SOMEWHAT IMPORTANT	176	46.1%
3	VERY IMPORTANT	131	34.3%
4	EXTREMELY IMPORTANT	48	12.6%
8	MISSING	3	0.8%

Valid	Invalid	Minimum	Maximum
379	3	1	4

J2Q50H

Label

GDLIFE Give back to society

Question Text

It is important to - GIVE SOMETHING BACK TO SOCIETY

Value	Label	Frequency	%
1	NOT AT ALL IMPORTANT	6	1.6%
2	SOMEWHAT IMPORTANT	126	33.0%
3	VERY IMPORTANT	180	47.1%
4	EXTREMELY IMPORTANT	68	17.8%

			Frequency	%
8	MISSING		2	0.5%

Valid	Invalid	Minimum	Maximum
380	2	1	4

J2QSW_JP

Label

Subjective Well-Being Japanese Comparison

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
8	NOT CALCULATED - Due to missing data	2	0.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
380	2	1	4	2.9	0.51

J2Q51A

Label

Autonomy important for good life

Pre-Question Text

Please check only five of the following items that you feel are the most important for living a good life:

Question Text

What is most important - AUTONOMY, BEING SELF RELIANT?

Value	Label	Frequency	%
1	YES	111	29.1%
2	NO	270	70.7%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51B

Label

Good job important for good life

Question Text

What is most important - HAVING A GOOD JOB?

Value	Label	Frequency	%
1	YES	88	23.0%
2	NO	293	76.7%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51C

Label

Learning/growth important for good life

Question Text

What is most important - CONTINUAL LEARNING AND GROWTH?

Value	Label	Frequency	%
1	YES	119	31.2%
2	NO	262	68.6%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51D

Label

Life's pleasures important for good life

Question Text

What is most important - ENJOYMENT OF LIFE'S PLEASURES?

Value	Label	Frequency	%
1	YES	88	23.0%
2	NO	293	76.7%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51E

Label

Enough money important for good life

Question Text

What is most important - ENOUGH MONEY TO MEET BASIC NEEDS?

Value	Label	Frequency	%
1	YES	191	50.0%
2	NO	190	49.7%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51F

Label

Extra money important for good life

Question Text

What is most important - EXTRA MONEY/DISPOSABLE INCOME?

Value	Label	Frequency	%

		Frequency	%
1	YES	56	14.7%
2	NO	325	85.1%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51G

Label

Faith important for good life

Question Text

What is most important - FAITH?

Value	Label	Frequency	%
1	YES	26	6.8%
2	NO	355	92.9%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51H

Label

Giving to community important for good life

Question Text

What is most important - GIVING BACK TO THE COMMUNITY?

Value	Label	Frequency	%
1	YES	45	11.8%
2	NO	336	88.0%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51I

Label

Love/care for self important for good life

Question Text

What is most important - LOVING AND CARING FOR MYSELF?

Value	Label	Frequency	%
1	YES	82	21.5%
2	NO	299	78.3%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51J

Label

Physical fitness important for good life

Question Text

What is most important - PHYSICAL FITNESS AND STRENGTH?

Value	Label	Frequency	%
1	YES	304	79.6%
2	NO	77	20.2%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51K

Label

Positive attitude important for good life

Question Text

What is most important - POSITIVE ATTITUDE?

Value	Label	Frequency	%
1	YES	129	33.8%
2	NO	252	66.0%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51L

Label

Family relations important for good life

Question Text

What is most important - POSITIVE RELATIONSHIPS WITH FAMILY?

Value	Label	Frequency	%
1	YES	292	76.4%
2	NO	89	23.3%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51M

Label

Friend relations important for good life

Question Text

What is most important - POSITIVE RELATIONSHIPS WITH FRIENDS?

Value	Label	Frequency	%
1	YES	108	28.3%
2	NO	273	71.5%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51N

Label

Relax/peace important for good life

Question Text

What is most important - RELAXATION, PEACEFULNESS, CONTENTMENT?

Value	Label	Frequency	%
1	YES	109	28.5%
2	NO	272	71.2%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51O

Label

Absence of illness important for good life

Question Text

What is most important - THE ABSENCE OF ILLNESS?

Value	Label	Frequency	%
1	YES	157	41.1%

2	NO	224	58.6%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51P

Label

Sense of accomplish important for good life

Question Text

What is most important - SENSE OF ACCOMPLISHMENT?

Value	Label	Frequency	%
1	YES	20	5.2%
2	NO	361	94.5%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	1	2

J2Q51Q

Label

Sense of purpose important for good life

Question Text

What is most important - SENSE OF PURPOSE?

Value	Label	Frequency	%
1	YES	66	17.3%
2	NO	315	82.5%
8	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum

381	1	1	2

J2Q52

Label

Have an ikigai in life

Question Text

Do you have an ikigai in your life?

Notes

Coding of text response to Describe Ikigai is pending

Value	Label	Frequency	%
1	YES	260	68.1%
2	NO	87	22.8%
8	MISSING	35	9.2%

Valid	Invalid	Minimum	Maximum
347	35	1	2

J2Q541

Label

Job requires learn new things

Pre-Question Text

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest.

Question Text

In general - MY JOB REQUIRES THAT I LEARN NEW THINGS

Value	Label	Frequency	%
1	STRONGLY DISAGREE	47	12.3%
2	DISAGREE	70	18.3%
3	AGREE	144	37.7%
4	STRONGLY AGREE	58	15.2%

8	MISSING	63	16.5%

Valid	Invalid	Minimum	Maximum
319	63	1	4

J2Q542

Label

Job requires a lot of repetitive work

Question Text

In general - MY JOB REQUIRES A LOT OF REPETITIVE WORK

Value	Label	Frequency	%
1	STRONGLY DISAGREE	46	12.0%
2	DISAGREE	68	17.8%
3	AGREE	137	35.9%
4	STRONGLY AGREE	67	17.5%
8	MISSING	64	16.8%

Valid	Invalid	Minimum	Maximum
318	64	1	4

J2Q543

Label

Job requires to be creative

Question Text

In general - MY JOB REQUIRES ME TO BE CREATIVE

Value	Label	Frequency	%
1	STRONGLY DISAGREE	59	15.4%
2	DISAGREE	69	18.1%
3	AGREE	123	32.2%
4	STRONGLY AGREE	65	17.0%

					8	MISSING		66	17.3%

Valid	Invalid	Minimum	Maximum
316	66	1	4

J2Q544

Label

Job allows to make a lot of decisions on own

Question Text

In general - MY JOB ALLOWS ME TO MAKE A LOT OF DECISIONS ON MY OWN

Value	Label	Frequency	%
1	STRONGLY DISAGREE	43	11.3%
2	DISAGREE	42	11.0%
3	AGREE	151	39.5%
4	STRONGLY AGREE	80	20.9%
8	MISSING	66	17.3%

Valid	Invalid	Minimum	Maximum
316	66	1	4

J2Q545

Label

Job requires a high level of skill

Question Text

In general - MY JOB REQUIRES A HIGH LEVEL OF SKILL

Value	Label	Frequency	%
1	STRONGLY DISAGREE	52	13.6%
2	DISAGREE	72	18.8%
3	AGREE	131	34.3%
4	STRONGLY AGREE	62	16.2%

	8	MISSING	65	17.0%

Valid	Invalid	Minimum	Maximum
317	65	1	4

J2Q546

Label

Very little freedom to decide how to do my work

Question Text

In general - ON MY JOB I HAVE VERY LITTLE FREEDOM TO DECIDE HOW I DO MY WORK

Value	Label	Frequency	%
1	STRONGLY DISAGREE	129	33.8%
2	DISAGREE	131	34.3%
3	AGREE	42	11.0%
4	STRONGLY AGREE	14	3.7%
8	MISSING	66	17.3%

Valid	Invalid	Minimum	Maximum
316	66	1	4

J2Q547

Label

Do a variety of different things on job

Question Text

In general - I GET TO DO A VARIETY OF DIFFERENT THINGS ON MY JOB

Value	Label	Frequency	%
1	STRONGLY DISAGREE	58	15.2%
2	DISAGREE	62	16.2%
3	AGREE	145	38.0%
4	STRONGLY AGREE	51	13.4%

8	MISSING	66	17.3%

Valid	Invalid	Minimum	Maximum
316	66	1	4

J2Q548

Label

Have a lot of say about what happens on job

Question Text

In general - I HAVE A LOT TO SAY ABOUT WHAT HAPPENS ON MY JOB

Value	Label	Frequency	%
1	STRONGLY DISAGREE	52	13.6%
2	DISAGREE	49	12.8%
3	AGREE	159	41.6%
4	STRONGLY AGREE	57	14.9%
8	MISSING	65	17.0%

Valid	Invalid	Minimum	Maximum
317	65	1	4

J2Q549

Label

Have opportunity to develop own special abilities

Question Text

In general - I HAVE AN OPPORTUNITY TO DEVELOP MY OWN SPECIAL ABILITIES

Value	Label	Frequency	%
1	STRONGLY DISAGREE	67	17.5%
2	DISAGREE	86	22.5%
3	AGREE	130	34.0%
4	STRONGLY AGREE	34	8.9%

| 8 | MISSING | 65 | 17.0% |

Valid	Invalid	Minimum	Maximum
317	65	1	4

J2Q5410

Label

Job requires working very fast

Question Text

In general - MY JOB REQUIRES WORKING VERY FAST

Value	Label	Frequency	%
1	STRONGLY DISAGREE	69	18.1%
2	DISAGREE	103	27.0%
3	AGREE	114	29.8%
4	STRONGLY AGREE	31	8.1%
8	MISSING	65	17.0%

Valid	Invalid	Minimum	Maximum
317	65	1	4

J2Q5411

Label

Job requires working very hard

Question Text

In general - MY JOB REQUIRES WORKING VERY HARD

Value	Label	Frequency	%
1	STRONGLY DISAGREE	38	9.9%
2	DISAGREE	56	14.7%
3	AGREE	163	42.7%
4	STRONGLY AGREE	60	15.7%

8	MISSING	65	17.0%

Valid	Invalid	Minimum	Maximum
317	65	1	4

J2Q5412

Label

Not asked to do excessive amount of work

Question Text

In general - I AM NOT ASKED TO DO AN EXCESSIVE AMOUNT OF WORK

Value	Label	Frequency	%
1	STRONGLY DISAGREE	62	16.2%
2	DISAGREE	110	28.8%
3	AGREE	121	31.7%
4	STRONGLY AGREE	22	5.8%
8	MISSING	67	17.5%

Valid	Invalid	Minimum	Maximum
315	67	1	4

J2Q5413

Label

Have enough time to get job done

Question Text

In general - I HAVE ENOUGH TIME TO GET THE JOB DONE

Value	Label	Frequency	%
1	STRONGLY DISAGREE	44	11.5%
2	DISAGREE	108	28.3%
3	AGREE	141	36.9%
4	STRONGLY AGREE	21	5.5%

8	MISSING		68	17.8%

Valid	Invalid	Minimum	Maximum
314	68	1	4

📊 J2Q5414

Label

Free from conflicting demands other make

Question Text

In general - I AM FREE FROM CONFLICTING DEMANDS THAT OTHERS MAKE

Value	Label	Frequency	%
1	STRONGLY DISAGREE	58	15.2%
2	DISAGREE	109	28.5%
3	AGREE	113	29.6%
4	STRONGLY AGREE	33	8.6%
8	MISSING	69	18.1%

Valid	Invalid	Minimum	Maximum
313	69	1	4

📊 J2Q5415

Label

Supervisor concerned welfare of those under him

Question Text

In general - MY SUPERVISOR IS CONCERNED ABOUT THE WELFARE OF THOSE UNDER HIM

Value	Label	Frequency	%
1	STRONGLY DISAGREE	66	17.3%
2	DISAGREE	69	18.1%
3	AGREE	142	37.2%
4	STRONGLY AGREE	21	5.5%

8	MISSING	84	22.0%

Valid	Invalid	Minimum	Maximum
298	84	1	4

J2Q5416

Label

Supervisor pays attention to what I am saying

Question Text

In general - MY SUPERVISOR PAYS ATTENTION TO WHAT I AM SAYING

Value	Label	Frequency	%
1	STRONGLY DISAGREE	57	14.9%
2	DISAGREE	42	11.0%
3	AGREE	171	44.8%
4	STRONGLY AGREE	29	7.6%
8	MISSING	83	21.7%

Valid	Invalid	Minimum	Maximum
299	83	1	4

J2Q5417

Label

Supervisor helpful in getting job done

Question Text

In general - MY SUPERVISOR IS SUCCESSFUL IN GETTING THE JOB DONE

Value	Label	Frequency	%
1	STRONGLY DISAGREE	61	16.0%
2	DISAGREE	61	16.0%
3	AGREE	154	40.3%
4	STRONGLY AGREE	23	6.0%

8	MISSING	83	21.7%

Valid	Invalid	Minimum	Maximum
299	83	1	4

J2Q5418

Label

Supervisor successful in getting people work together

Question Text

In general - MY SUPERVISOR IS SUCCESSFUL IN GETTING PEOPLE TO WORK TOGETHER

Value	Label	Frequency	%
1	STRONGLY DISAGREE	68	17.8%
2	DISAGREE	69	18.1%
3	AGREE	146	38.2%
4	STRONGLY AGREE	17	4.5%
8	MISSING	82	21.5%

Valid	Invalid	Minimum	Maximum
300	82	1	4

J2Q5419

Label

People work with are competent

Question Text

In general - PEOPLE I WORK WITH ARE COMPETENT IN THEIR JOBS

Value	Label	Frequency	%
1	STRONGLY DISAGREE	47	12.3%
2	DISAGREE	52	13.6%
3	AGREE	182	47.6%
4	STRONGLY AGREE	26	6.8%

| 8 | MISSING | 75 | 19.6% |

Valid	Invalid	Minimum	Maximum
307	75	1	4

J2Q5420

Label

People work with take personal interest in me

Question Text

In general - PEOPLE I WORK WITH TAKE A PERSONAL INTEREST IN ME

Value	Label	Frequency	%
1	STRONGLY DISAGREE	51	13.4%
2	DISAGREE	72	18.8%
3	AGREE	172	45.0%
4	STRONGLY AGREE	12	3.1%
8	MISSING	75	19.6%

Valid	Invalid	Minimum	Maximum
307	75	1	4

J2Q5421

Label

People work with are friendly

Question Text

In general - PEOPLE I WORK WITH ARE FRIENDLY

Value	Label	Frequency	%
1	STRONGLY DISAGREE	36	9.4%
2	DISAGREE	34	8.9%
3	AGREE	199	52.1%
4	STRONGLY AGREE	38	9.9%

8	MISSING		75	19.6%	

Valid	Invalid	Minimum	Maximum
307	75	1	4

J2Q5422

Label

People work with are helpful in getting job done

Question Text

In general - PEOPLE I WORK WITH ARE HELPFUL IN GETTING THE JOB DONE

Value	Label	Frequency	%
1	STRONGLY DISAGREE	39	10.2%
2	DISAGREE	33	8.6%
3	AGREE	193	50.5%
4	STRONGLY AGREE	42	11.0%
8	MISSING	75	19.6%

Valid	Invalid	Minimum	Maximum
307	75	1	4

J2QJC_SD

Label

Job Content Scales: Skill Discretion

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED - Due to missing data	64	16.8%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
318	64	12	48	30.46	7.61

J2QJC_DA

Label

Job Content Scales: Decision Authority

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED - Due to missing data	64	16.8%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
318	64	12	48	34.91	8.37

J2QJC_DL

Label

Job Content Scales: Decision Latitude

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED - Due to missing data	65	17.0%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
317	65	28	96	65.36	14.06

J2QJC_PD

Label

Job Content Scales: Psychological Demand

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED - Due to missing data	66	17.3%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
316	66	12	48	30.99	5.94

J2QJC_SS

Label

Job Content Scales: Supervisor Support

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED - Due to missing data	83	21.7%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
299	83	4	16	9.8	3.39

J2QJC_CS

Label

Job Content Scales: Coworker Support

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
98	NOT CALCULATED - Due to missing data	75	19.6%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
307	75	4	16	10.64	2.97

J2CLMDAY

Label

On what day did respondent eat last?

Question Text

When did you have a meal last time? - Day

Value	Label	Frequency	%
1	DAY OF CLINIC VISIT	322	84.3%
2	DAY BEFORE CLINIC VISIT	60	15.7%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2CLMT

Label

Time of Last Meal

Question Text

When did you have a meal last time? - Time

Notes

See Datafile notes for details about time variables.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	0200	2300	0970.84	0466.4

J2CHT

Label

Height (cm)

Question Text

Record of Body Measurement - HEIGHT(cm)

Valid	Invalid	Minimum	Maximum	Mean	StdDev

382	0	136.4	189.7	161.7	9.28

J2CWT

Label

Weight (kg)

Question Text

Record of Body Measurement - WEIGHT (kg)

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	34	107.9	59.38	11.34

J2CBMI

Label

BMI (Body Mass Index)

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	15.85	33.35	22.58	2.96

J2CWST

Label

Waist (cm)

Question Text

Record of Body Measurement - WAIST (cm)

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	55	108.5	76.16	9.82

J2CHIP1

Label

Hip 1: Abdominal Girth (Iliac crest, cm)

Question Text

Record of Body Measurement - ABDOMINAL GIRTH (cm)

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	63	114.9	87.43	7.53

J2CHIP2

Label

Hip 2: Maximum Extension (cm)

Question Text

Record of Body Measurement - HIP (cm)

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	77.3	112.6	91.56	5.71

J2CHIPCM

Label

Flag: Coded notes from Hip Measurement

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Value	Label	Frequency	%
1	NONE	367	96.1%
2	WITH CLOTHES ON	14	3.7%
3	PREGNANT	1	0.3%

Valid	Invalid	Minimum	Maximum
382	0	1	3

J2CWHR

Label

Waist-Hip Ratio

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	0.64	1.02	0.83	0.08

J2CBPS1

Label

Blood Pressure 1: Systolic (High)

Question Text

Blood Pressure 1 (high)

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	80	220	124.36	20.36

J2CBPD1

Label

Blood Pressure 1: Diastolic (Low)

Question Text

Blood Pressure 1 (low)

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	38	116	71.66	11.54

J2CBPS2

Label

Blood Pressure 2: Systolic (High)

Question Text

Blood Pressure 2 (high)

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	80	232	122.05	20.12

J2CBPD2

Label

Blood Pressure 2: Diastolic (Low)

Question Text

Blood Pressure 2 (low)

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	44	120	71.2	11.48

J2CBPS3

Label

Blood Pressure 3: Systolic (High)

Question Text

Blood Pressure 3 (high)

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	78	234	121.23	20.02

J2CBPD3

Label

Blood Pressure 3: Diastolic (Low)

Question Text

Blood Pressure 3 (low)

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	40	120	70.92	11.5

J2CBPS23

Label

Average of 2nd and 3rd systolic BPs

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	79	233	121.64	19.95

J2CBPD23

Label

Average of 2nd and 3rd diastolic BPs

Notes

Constructed variable, see 'Documentation for Psychosocial Constructs and Composite Variables in MIDJA Biomarker Project'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	42	120	71.06	11.36

J2CBLD

Label

Was Blood Sample Collected?

Question Text

Blood Sample: Took blood?

Value	Label	Frequency	%

| 2 | PARTIAL | 4 | 1.0% |
| 3 | COMPLETE | 378 | 99.0% |

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	2	3	2.99	0.1

J2CBLDT

Label

Time of Blood Sample Collection

Question Text

Blood Sample: Time of taking blood

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Valid	Invalid	Minimum	Maximum
382	0	0900	1535

J2CCCT

Label

Time Citrate Tube was Centrifuged

Question Text

Time to centrifuge Fibrinogen

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Valid	Invalid	Minimum	Maximum
382	0	0912	1547

J2CCSST

Label

Time SST Tube was Centrifuged

Question Text

Time to centrifuge SST

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Valid	Invalid	Minimum	Maximum
382	0	1216	2050

J2CFCT

Label

Time Citrate Tube was Frozen

Question Text

Time to freeze Fibrinogen

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Valid	Invalid	Minimum	Maximum
382	0	1215	1700

J2CFSST

Label

Time SST Tube was Frozen

Question Text

Time for freeze SST

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Valid	Invalid	Minimum	Maximum
382	0	1323	2100

J2CLMBLD

Label

Lag hours: time of last meal to blood collection

Notes

Administrative variable, see 'MIDJA Biomarker Data File Notes' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	0.5	24.58	4.5	4.29

J2CBLDCTC

Label

Lag mins: time of blood collection to Citrate tube centrifugation

Notes

Administrative variable, see 'MIDJA Biomarker Data File Notes' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	-2	68	17.13	10.72

J2CBLDSSC

Label

Lag mins: time of blood collection to SST tube centrifugation

Notes

Administrative variable, see 'MIDJA Biomarker Data File Notes' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	10	344	208.66	59.73

J2CBLDCTF

Label

Lag mins: time of blood collection to time Citrate tube was frozen

Notes

Administrative variable, see 'MIDJA Biomarker Data File Notes' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	35	300	140.25	54.03

J2CBLDSSF

Label

Lag mins: time of blood collection to time SST tube was frozen

Notes

Administrative variable, see 'MIDJA Biomarker Data File Notes' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	113	355	243.62	47.75

J2BCHOL

Label

Biocore Total Cholesterol (mg/dL)

Notes

Assay done at MIDUS Biocore lab, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	112	325	205.81	38.21

J2BHDL

Label

Biocore original MIDJA HDL Cholesterol (mg/dL)

Notes

Assay done at MIDUS Biocore lab, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	21	120	63.15	18.63

J2BHDLA

Label

Biocore MIDJA HDL Cholesterol (adjusted to MIDUS) (mg/dL)

Notes

Adjusted to MIDUS values , see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	23	136	71.23	21.24

J2BRTHDL

Label

Biocore original MIDJA ratio Total/HDL Cholesterol (chol/HDL)

Notes

Computed value, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	1.44	9.56	3.54	1.27

J2BRTHDA

Label

Biocore MIDJA ratio Total/HDL Cholesterol (adjusted to MIDUS) (chol/HDL)

Notes

Adjusted to MIDUS values , see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	1.27	8.57	3.15	1.15

J2BDHEAS

Label

Biocore DHEA-S (ug/dL)

Notes

Assay done at MIDUS Biocore lab, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	9	536	154.59	98.83

J2BDHEA

Label

Biocore DHEA (ng/mL)

Notes

Assay done at MIDUS Biocore lab, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	0.81	20.2	4.92	2.82

J2BSCREA

Label

Biocore Serum Creatinine (mg/dL)

Notes

Assay done at MIDUS Biocore lab, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	0.4	1.6	0.74	0.17

J2BIL6

Label

Biocore IL6 (pg/ml)

Notes

Assay done at MIDUS Biocore lab, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	0.03	21.2	1.64	2.11

J2BSIL6R

Label

Biocore sIL6r (pg/ml)

Notes

Assay done at MIDUS Biocore lab, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	17291	72586	37443.96	9784.61

J2BFGN

Label

Biocore Fibrinogen (mg/dL)

Notes

Assay done at MIDUS Biocore lab, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	180	584	319.09	64.05

J2BCRP

Label

Biocore C Reactive Protein (ug/mL)

Notes

Assay done at MIDUS Biocore lab, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	0.02	30.7	0.75	2

J2CHBA1C

Label

Tokyo Lab Diabetes: Hemoglobin A1c (%)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	4	10	5.11	0.61

J2BHA1CA

Label

Tokyo Lab Diabetes: MIDUS adjusted Hemoglobin A1c (%)

Notes

Adjusted to MIDUS values , see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	4.8	9.8	5.74	0.51

J2CTCHOL

Label

Tokyo Lab Serum Lipids: Total Cholesterol (mg/dL)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	118	363	210.02	39.28

J2CHDL

Label

Tokyo Lab Serum Lipids: HDL Cholesterol (mg/dL)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	34	126	67.24	17.01

J2CLDL

Label

Tokyo Lab Serum Lipids: LDL Cholesterol (mg/dL)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	20	283	118.66	33.4

J2CTRIG

Label

Tokyo Lab Serum Lipids: Triglyceride (mg/dL)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	30	920	144.65	113.31

J2CRTHDL

Label

Tokyo Lab Serum Lipids: Ratio Total/HDL Cholesterol

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	1.47	8.25	3.29	0.95

J2CGOT

Label

Tokyo Lab: Liver Function: GOT (Glutamic Oxaloacetic Transaminase)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	6	171	23.17	11.83

J2CGPT

Label

Tokyo Lab Liver Function: GPT (Glutamic Pyruvic Transaminase)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	5	139	20.3	12.9

J2CGGTP

Label

Tokyo Lab Liver Function: Gamma-GTP (Gamma Glutamyl Transpeptidase)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	8	287	35.53	40.33

J2CSURIC

Label

Tokyo Lab Gout: Serum Uric Acid

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	2.1	9.7	5.34	1.38

J2CUREA

Label

Tokyo Lab Renal Function: BUN (Blood Urea Nitrogen)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	5.6	29.9	14.96	3.64

J2CWBC

Label

Tokyo Lab Anemia: White Blood Cell Count

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	18	95	52.05	13.96

J2CRBC

Label

Tokyo Lab Anemia: Red Blood Cell Count

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	299	571	449.6	42.24

J2CHGB

Label

Tokyo Lab Anemia: Hemoglobin (HGB)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	9.1	17.7	13.67	1.44

J2CHTC

Label

Tokyo Lab Anemia: Hematocrit (HTC)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	30.8	52.3	42.82	3.99

J2CMCV

Label

Tokyo Lab Anemia: Mean Cell Volume (MCV)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	73.9	114.4	95.4	5.3

J2CMCH

Label

Tokyo Lab Anemia: Mean Cell Hemoglobin (MCH)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	21.8	36.5	30.44	1.99

J2CMCHC

Label

Tokyo Lab Anemia: Mean Cell Hemoglobin Concentration (MCHC)

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	27.9	34.8	31.9	0.99

J2CPLT

Label

Tokyo Lab Anemia: Platelets

Notes

Assay done at lab in Tokyo, see 'Documentation for MIDJA Clinic Visit Data collection Protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	5.4	43.2	23.09	5.59

J2SSAL

Label

Did R provide any saliva samples?

Value	Label	Frequency	%
1	YES	382	100.0%

Valid	Invalid	Minimum	Maximum
382	0	1	1

J2SCVSC1

Label

Lag in Days: from Clinic Visit Date to Saliva Collection Start Date

Notes

Administrative variable, see 'MIDJA Biomarker Data File Notes' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	1	81	5.41	8.86

J2CSCSEQ

Label

Saliva Sample Collected on 3 Consecutive Days?

Notes

Administrative variable, see 'MIDJA Biomarker Data File Notes' for details.

Value	Label	Frequency	%
1	YES	375	98.2%
2	NO	7	1.8%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2SD1MN

Label

Saliva Cortisol Collection Time: Day 1 - Morning

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Valid	Invalid	Minimum	Maximum
382	0	0300	1330

J2SD1MD

Label

Saliva Cortisol Collection Time: Day 1 - Midday

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Valid	Invalid	Minimum	Maximum
382	0	1100	1930

J2SD1EV

Label

Saliva Cortisol Collection Time: Day 1 - Evening

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Valid	Invalid	Minimum	Maximum
382	0	0000	2357

J2SD2MN

Label

Saliva Cortisol Collection Time: Day 2 - Morning

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Valid	Invalid	Minimum	Maximum
382	0	0110	1200

J2SD2MD

Label

Saliva Cortisol Collection Time: Day 2 - Midday

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Value	Label	Frequency	%
9998	MISSING	2	0.5%

Valid	Invalid	Minimum	Maximum
380	2	1055	1910

J2SD2EV

Label

Saliva Cortisol Collection Time: Day 2 - Evening

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Value	Label	Frequency	%
9998	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	0000	2359

J2SD3MN

Label

Saliva Cortisol Collection Time: Day 3 - Morning

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Valid	Invalid	Minimum	Maximum
382	0	0350	1230

J2SD3MD

Label

Saliva Cortisol Collection Time: Day 3 - Midday

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Value	Label	Frequency	%
9998	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	0200	1940

J2SD3EV

Label

Saliva Cortisol Collection Time: Day 3 - Evening

Notes

See 'MIDJA Biomarker Data File Notes' for details about time variables.

Value	Label	Frequency	%
9998	MISSING	1	0.3%

Valid	Invalid	Minimum	Maximum
381	1	0000	2350

J2SCDAY1

Label

Did R have Any Valid Saliva Samples on Day 1?

Notes

Administrative variable, see 'MIDJA Biomarker Data File Notes' for details.

Value	Label	Frequency	%
1	YES	379	99.2%
2	NO	3	0.8%

Valid	Invalid	Minimum	Maximum

| 382 | 0 | 1 | 2 |

J2SCDAY2

Label

Did R have Any Valid Saliva Samples on Day 2?

Notes

Administrative variable, see 'MIDJA Biomarker Data File Notes' for details.

Value	Label	Frequency	%
1	YES	378	99.0%
2	NO	4	1.0%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2SCDAY3

Label

Did R have Any Valid Saliva Samples on Day 3?

Notes

Administrative variable, see 'MIDJA Biomarker Data File Notes' for details.

Value	Label	Frequency	%
1	YES	377	98.7%
2	NO	5	1.3%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2BSCD11

Label

Saliva Cortisol Day 1 Morning (nmol/L)

Value	Label	Frequency	%
98	MISSING	8	2.1%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
374	8	0.12	56.58	14.68	7.61

J2BSCD12

Label

Saliva Cortisol Day 1 Midday (nmol/L)

Value	Label	Frequency	%
98	MISSING	7	1.8%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
375	7	0.12	35.73	5.51	3.5

J2BSCD13

Label

Saliva Cortisol Day 1 Evening (nmol/L)

Value	Label	Frequency	%
98	MISSING	9	2.4%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
373	9	0.14	70.98	2.29	4.2

J2BSCD21

Label

Saliva Cortisol Day 2 Morning (nmol/L)

Value	Label	Frequency	%
98	MISSING	8	2.1%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
374	8	0	60.28	14.31	7.65

J2BSCD22

Label

Saliva Cortisol Day 2 Midday (nmol/L)

Value	Label	Frequency	%
98	MISSING	10	2.6%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
372	10	0.15	36.7	5.61	3.67

J2BSCD23

Label

Saliva Cortisol Day 2 Evening (nmol/L)

Value	Label	Frequency	%
98	MISSING	15	3.9%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
367	15	0.19	20.88	2.28	2.4

J2BSCD31

Label

Saliva Cortisol Day 3 Morning (nmol/L)

Value	Label	Frequency	%
98	MISSING	11	2.9%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
371	11	0.01	56.98	14.26	7.57

J2BSCD32

Label

Saliva Cortisol Day 3 Midday (nmol/L)

Value	Label	Frequency	%
98	MISSING	10	2.6%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
372	10	0.24	31.43	5.69	3.71

J2BSCD33

Label

Saliva Cortisol Day 3 Evening (nmol/L)

Value	Label	Frequency	%
98	MISSING	9	2.4%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
373	9	0.15	22.24	2.36	2.49

J2MTM

Label

Total number of medications

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	0	50	2.08	3.5

J2MPMD

Label

Taking Prescription Medication?--YES/NO

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details.

Value	Label	Frequency	%
1	YES	163	42.7%
2	NO	219	57.3%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2MQMD

Label

Taking Quasi (non-prescription) Medication?--YES/NO

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details.

Value	Label	Frequency	%
1	YES	115	30.1%
2	NO	267	69.9%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2MPM

Label

Number of prescription medications

Question Text

Number of prescription medications

Forward Skip

IF J2MPM=0, GO TO J2MQM

Valid	Invalid	Minimum	Maximum	Mean	StdDev

382	0	0	13	1.37	2.22

📇 J2MPMID1

Label

Prescription: Multum Drug ID 1

Type

Text

Backward Skip

([J2MPM](#) = 0)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

📇 J2MPGN1

Label

Prescription: Multum generic drug name 1

Type

Text

Backward Skip

([J2MPM](#) = 0)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPDD1

Label

Prescription: Drug dosage 1

Question Text

Drug name and dosage: Dose #1

Backward Skip

([J2MPM](#) = 0)

Value	Label	Frequency	%
9998	MISSING	21	5.5%
9999	INAPP	219	57.3%

Valid	Invalid	Minimum	Maximum
142	240	0.05	600

J2MPDU1

Label

Prescription: Drug dosage units 1

Question Text

Drug name and dosage: Dose Units #1

Backward Skip

([J2MPM](#) = 0)

Value	Label	Frequency	%
1	MG	100	26.2%
2	GRAM	1	0.3%
8	TABLET	36	9.4%
11	UNIT	2	0.5%
98	MISSING	24	6.3%
99	INAPP	219	57.3%

Valid	Invalid	Minimum	Maximum

| 139 | 243 | 1 | 11 |

J2MPR1

Label

Prescription: Method of taking (route) 1

Question Text

Route #1

Backward Skip

([J2MPM](#) = 0)

Value	Label	Frequency	%
1	ORAL (PO)	154	40.3%
4	SUB Q/SUB C	2	0.5%
98	MISSING	7	1.8%
99	INAPP	219	57.3%

Valid	Invalid	Minimum	Maximum
156	226	1	4

J2MPF1

Label

Prescription: Frequency 1

Question Text

Frequency: number of doses #1

Backward Skip

([J2MPM](#) = 0)

Value	Label	Frequency	%
98	MISSING	3	0.8%
99	INAPP	219	57.3%

Valid	Invalid	Minimum	Maximum

160	222	1	3

J2MPFU1

Label

Prescription: Frequency unit 1

Question Text

Frequency: number of doses per: day, week, etc. #1

Backward Skip

(J2MPM = 0)

Value	Label	Frequency	%
1	DAY	144	37.7%
2	EVERY OTHER DAY	2	0.5%
3	WEEK	2	0.5%
5	AS NEEDED (PRN)	4	1.0%
8	MISSING	11	2.9%
9	INAPP	219	57.3%

Valid	Invalid	Minimum	Maximum
152	230	1	5

J2MPT1

Label

Prescription: Taken for how long 1

Question Text

Taken for how long: number of (years, months, etc.) #1

Backward Skip

(J2MPM = 0)

Value	Label	Frequency	%
98	MISSING	27	7.1%

99	INAPP	219	57.3%

Valid	Invalid	Minimum	Maximum
136	246	1	42

J2MPTU1

Label

Prescription: Unit of time taken 1

Question Text

Taken for how long: unit of time (months, years, etc.) #1

Backward Skip

(J2MPM = 0)

Value	Label	Frequency	%
1	DAY	8	2.1%
2	WEEK	7	1.8%
3	MONTH	36	9.4%
4	YEAR	84	22.0%
8	MISSING	28	7.3%
9	INAPP	219	57.3%

Valid	Invalid	Minimum	Maximum
135	247	1	4

J2MPICD9M1

Label

Prescription: Why taken ICD 9 major category code 1

Backward Skip

(J2MPM = 0)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
135	247	10	995	452.85	190.18

J2MPMDC1

Label

Prescription: Why taken MIDUS code 1

Backward Skip

(J2MPM = 0)

Forward Skip

IF J2MPM = 1, GO TO J2MQM

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
15	367

J2MPMID2

Label

Prescription: Multum Drug ID 2

Type

Text

Backward Skip

(J2MPM = 0 OR 1)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPGN2

Label

Prescription: Multum generic drug name 2

Type

Text

Backward Skip

([J2MPM](#) = 0 OR 1)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPDD2

Label

Prescription: Drug dosage 2

Question Text

Drug name and dosage: Dose #2

Backward Skip

([J2MPM](#) = 0 OR 1)

Value	Label	Frequency	%
9998	MISSING	13	3.4%
9999	INAPP	266	69.6%

Valid	Invalid	Minimum	Maximum
103	279	0.03	375

J2MPDU2

Label

Prescription: Drug dosage units 2

Question Text

Drug name and dosage: Dose Units # 2

Backward Skip

([J2MPM](#) = 0 OR 1)

Value	Label	Frequency	%
1	MG	80	20.9%
2	GRAM	5	1.3%
8	TABLET	16	4.2%
98	MISSING	15	3.9%
99	INAPP	266	69.6%

Valid	Invalid	Minimum	Maximum
101	281	1	8

J2MPR2

Label

Prescription: Method of taking (route) 2

Question Text

Route #2

Backward Skip

([J2MPM](#) = 0 OR 1)

Value	Label	Frequency	%
1	ORAL (PO)	108	28.3%
3	TOPICAL	2	0.5%
98	MISSING	6	1.6%
99	INAPP	266	69.6%

Valid	Invalid	Minimum	Maximum
110	272	1	3

J2MPF2

Label

Prescription: Frequency 2

Question Text

Frequency: number of doses #2

Backward Skip

([J2MPM](#) = 0 OR 1)

Value	Label	Frequency	%
98	MISSING	6	1.6%
99	INAPP	266	69.6%

Valid	Invalid	Minimum	Maximum
110	272	1	4

J2MPFU2

Label

Prescription: Frequency unit 2

Question Text

Frequency: number of doses per: day, week, etc. #2

Backward Skip

([J2MPM](#) = 0 OR 1)

Value	Label	Frequency	%
1	DAY	100	26.2%
2	EVERY OTHER DAY	1	0.3%
3	WEEK	3	0.8%
8	MISSING	12	3.1%
9	INAPP	266	69.6%

Valid	Invalid	Minimum	Maximum
104	278	1	3

J2MPT2

Label

Prescription: Taken for how long 2

Question Text

Taken for how long: number of (years, months, etc.) #2

Backward Skip

([J2MPM](#) = 0 OR 1)

Value	Label	Frequency	%
98	MISSING	25	6.5%
99	INAPP	266	69.6%

Valid	Invalid	Minimum	Maximum
91	291	1	31

J2MPTU2

Label

Prescription: Unit of time taken 2

Question Text

Taken for how long: unit of time (months, years, etc.) #2

Backward Skip

([J2MPM](#) = 0 OR 1)

Value	Label	Frequency	%
1	DAY	5	1.3%
2	WEEK	3	0.8%
3	MONTH	12	3.1%
4	YEAR	71	18.6%
8	MISSING	25	6.5%
9	INAPP	266	69.6%

Valid	Invalid	Minimum	Maximum
91	291	1	4

J2MPICD9M2

Label

Prescription: Why taken ICD 9 major category code 2

Backward Skip

(J2MPM = 0 OR 1)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
85	297	10	790	434.89	162.68

J2MPMDC2

Label

Prescription: Why taken MIDUS code 2

Backward Skip

(J2MPM = 0 OR 1)

Forward Skip

IF J2MPM = 2, GO TO J2MQM

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
15	367

J2MPMID3

Label

Prescription: Multum Drug ID 3

Type

Text

Backward Skip

([J2MPM](#) = 2 OR LESS)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPGN3

Label

Prescription: Multum generic drug name 3

Type

Text

Backward Skip

([J2MPM](#) = 2 OR LESS)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPDD3

Label

Prescription: Drug dosage 3

Question Text

Drug name and dosage: Dose #3

Backward Skip

([J2MPM](#) = 2 OR LESS)

Value	Label	Frequency	%
9995	VARIABLE DOSAGE	1	0.3%
9998	MISSING	7	1.8%
9999	INAPP	298	78.0%

Valid	Invalid	Minimum	Maximum
77	305	0.1	9995

J2MPDU3

Label

Prescription: Drug dosage units 3

Question Text

Drug name and dosage: Dose Units #3

Backward Skip

(J2MPM = 2 OR LESS)

Value	Label	Frequency	%
1	MG	60	15.7%
2	GRAM	3	0.8%
8	TABLET	12	3.1%
15	OTHER	1	0.3%
98	MISSING	8	2.1%
99	INAPP	298	78.0%

Valid	Invalid	Minimum	Maximum
76	306	1	15

J2MPR3

Label

Prescription: Method of taking (route) 3

Question Text

Route #3

Backward Skip

([J2MPM](#) = 2 OR LESS)

Value	Label	Frequency	%
1	ORAL (PO)	75	19.6%
2	INHALED	1	0.3%
3	TOPICAL	1	0.3%
4	SUB Q/SUB C	1	0.3%
98	MISSING	6	1.6%
99	INAPP	298	78.0%

Valid	Invalid	Minimum	Maximum
78	304	1	4

J2MPF3

Label

Prescription: Frequency 3

Question Text

Frequency: number of doses #3

Backward Skip

([J2MPM](#) = 2 OR LESS)

Value	Label	Frequency	%
98	MISSING	6	1.6%
99	INAPP	298	78.0%

Valid	Invalid	Minimum	Maximum
78	304	1	3

J2MPFU3

Label

Prescription: Frequency unit 3

Question Text

Frequency: number of doses per: day, week, etc. #3

Backward Skip

([J2MPM](J2MPM) = 2 OR LESS)

Value	Label	Frequency	%
1	DAY	70	18.3%
2	EVERY OTHER DAY	1	0.3%
4	MONTH	1	0.3%
5	AS NEEDED (PRN)	2	0.5%
8	MISSING	10	2.6%
9	INAPP	298	78.0%

Valid	Invalid	Minimum	Maximum
74	308	1	5

J2MPT3

Label

Prescription: Taken for how long 3

Question Text

Taken for how long: number of (years, months, etc.) #3

Backward Skip

([J2MPM](J2MPM) = 2 OR LESS)

Value	Label	Frequency	%
98	MISSING	20	5.2%
99	INAPP	298	78.0%

Valid	Invalid	Minimum	Maximum
64	318	1	31

J2MPTU3

Label

Prescription: Unit of time taken 3

Question Text

Taken for how long: unit of time (months, years, etc.) #3

Backward Skip

([J2MPM](#) = 2 OR LESS)

Value	Label	Frequency	%
1	DAY	4	1.0%
2	WEEK	1	0.3%
3	MONTH	10	2.6%
4	YEAR	49	12.8%
8	MISSING	20	5.2%
9	INAPP	298	78.0%

Valid	Invalid	Minimum	Maximum
64	318	1	4

J2MPICD9M3

Label

Prescription: Why taken ICD 9 major category code 3

Backward Skip

([J2MPM](#) = 2 OR LESS)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
60	322	246	995	511.1	201.54

J2MPMDC3

Label

Prescription: Why taken MIDUS code 3

Backward Skip

(J2MPM = 2 OR LESS)

Forward Skip

IF J2MPM = 3, GO TO J2MQM

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
12	370

J2MPMID4

Label

Prescription: Multum Drug ID 4

Type

Text

Backward Skip

(J2MPM = 3 OR LESS)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPGN4

Label

Prescription: Multum generic drug name 4

Type

Text

Backward Skip

([J2MPM](#) = 3 OR LESS)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPDD4

Label

Prescription: Drug dosage 4

Question Text

Drug name and dosage: Dose #4

Backward Skip

([J2MPM](#) = 3 OR LESS)

Value	Label	Frequency	%
9998	MISSING	12	3.1%
9999	INAPP	321	84.0%

Valid	Invalid	Minimum	Maximum
49	333	0.2	750

J2MPDU4

Label

Prescription: Drug dosage units 4

Question Text

Drug name and dosage: Dose Units #4

Backward Skip

([J2MPM](#) = 3 OR LESS)

Value	Label	Frequency	%
1	MG	36	9.4%
8	TABLET	11	2.9%
9	CAPSULE	1	0.3%
10	PFUU/SQUIRT	1	0.3%
13	PERCENT	1	0.3%
98	MISSING	11	2.9%
99	INAPP	321	84.0%

Valid	Invalid	Minimum	Maximum
50	332	1	13

J2MPR4

Label

Prescription: Method of taking (route) 4

Question Text

Route #4

Backward Skip

(J2MPM = 3 OR LESS)

Value	Label	Frequency	%
1	ORAL (PO)	52	13.6%
2	INHALED	1	0.3%
3	TOPICAL	3	0.8%
98	MISSING	5	1.3%
99	INAPP	321	84.0%

Valid	Invalid	Minimum	Maximum
56	326	1	3

J2MPF4

Label

Prescription: Frequency 4

Question Text

Frequency: number of doses #4

Backward Skip

([J2MPM](#) = 3 OR LESS)

Value	Label	Frequency	%
98	MISSING	4	1.0%
99	INAPP	321	84.0%

Valid	Invalid	Minimum	Maximum
57	325	1	3

J2MPFU4

Label

Prescription: Frequency unit 4

Question Text

Frequency: number of doses per: day, week, etc. #4

Backward Skip

([J2MPM](#) = 3 OR LESS)

Value	Label	Frequency	%
1	DAY	50	13.1%
5	AS NEEDED (PRN)	4	1.0%
8	MISSING	7	1.8%
9	INAPP	321	84.0%

Valid	Invalid	Minimum	Maximum
54	328	1	5

J2MPT4

Label

Prescription: Taken for how long 4

Question Text

Taken for how long: number of (years, months, etc.) #4

Backward Skip

([J2MPM](J2MPM) = 3 OR LESS)

Value	Label	Frequency	%
98	MISSING	18	4.7%
99	INAPP	321	84.0%

Valid	Invalid	Minimum	Maximum
43	339	1	30

J2MPTU4

Label

Prescription: Unit of time taken 4

Question Text

Taken for how long: unit of time (months, years, etc.) #4

Backward Skip

([J2MPM](J2MPM) = 3 OR LESS)

Value	Label	Frequency	%
1	DAY	3	0.8%
2	WEEK	1	0.3%
3	MONTH	6	1.6%
4	YEAR	33	8.6%
8	MISSING	18	4.7%
9	INAPP	321	84.0%

Valid	Invalid	Minimum	Maximum

43	339	1	4

J2MPICD9M4

Label

Prescription: Why taken ICD 9 major category code 4

Backward Skip

([J2MPM](#) = 3 OR LESS)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
46	336	10	995	458.85	208.19

J2MPMDC4

Label

Prescription: Why taken MIDUS code 4

Backward Skip

([J2MPM](#) = 3 OR LESS)

Forward Skip

IF [J2MPM](#) = 4, GO TO [J2MQM](#)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
2	380

J2MPMID5

Label

Prescription: Multum Drug ID 5

Type

Text

Backward Skip

([J2MPM](#) = 4 OR LESS)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPGN5

Label

Prescription: Multum generic drug name 5

Type

Text

Backward Skip

([J2MPM](#) = 4 OR LESS)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPDD5

Label

Prescription: Drug dosage 5

Question Text

Drug name and dosage: Dose #5

Backward Skip

([J2MPM](#) = 4 OR LESS)

Value	Label	Frequency	%
9998	MISSING	4	1.0%

| 9999 | INAPP | 342 | 89.5% |

Valid	**Invalid**	**Minimum**	**Maximum**
36	346	0.1	250

J2MPDU5

Label

Prescription: Drug dosage units 5

Question Text

Drug name and dosage: Dose Units #5

Backward Skip

(J2MPM = 4 OR LESS)

Value	Label	Frequency	%
1	MG	29	7.6%
2	GRAM	2	0.5%
8	TABLET	4	1.0%
13	PERCENT	1	0.3%
98	MISSING	4	1.0%
99	INAPP	342	89.5%

Valid	**Invalid**	**Minimum**	**Maximum**
36	346	1	13

J2MPR5

Label

Prescription: Method of taking (route) 5

Question Text

Route #5

Backward Skip

(J2MPM = 4 OR LESS)

Value	Label	Frequency	%
1	ORAL (PO)	34	8.9%
3	TOPICAL	4	1.0%
4	SUB Q/SUB C	1	0.3%
98	MISSING	1	0.3%
99	INAPP	342	89.5%

Valid	Invalid	Minimum	Maximum
39	343	1	4

J2MPF5

Label

Prescription: Frequency 5

Question Text

Frequency: number of doses #5

Backward Skip

(J2MPM = 4 OR LESS)

Value	Label	Frequency	%
97	DON'T KNOW	1	0.3%
98	MISSING	2	0.5%
99	INAPP	342	89.5%

Valid	Invalid	Minimum	Maximum
37	345	1	3

J2MPFU5

Label

Prescription: Frequency unit 5

Question Text

Frequency: number of doses per: day, week, etc. #5

Backward Skip

([J2MPM](#) = 4 OR LESS)

Value	Label	Frequency	%
1	DAY	35	9.2%
5	AS NEEDED (PRN)	2	0.5%
7	DON'T KNOW	1	0.3%
8	MISSING	2	0.5%
9	INAPP	342	89.5%

Valid	Invalid	Minimum	Maximum
37	345	1	5

J2MPT5

Label

Prescription: Taken for how long 5

Question Text

Taken for how long: number of (years, months, etc.) #5

Backward Skip

([J2MPM](#) = 4 OR LESS)

Value	Label	Frequency	%
98	MISSING	13	3.4%
99	INAPP	342	89.5%

Valid	Invalid	Minimum	Maximum
27	355	1	28

J2MPTU5

Label

Prescription: Unit of time taken 5

Question Text

Taken for how long: unit of time (months, years, etc.) #5

Backward Skip

([J2MPM](#) = 4 OR LESS)

Value	Label	Frequency	%
1	DAY	1	0.3%
3	MONTH	5	1.3%
4	YEAR	21	5.5%
8	MISSING	13	3.4%
9	INAPP	342	89.5%

Valid	Invalid	Minimum	Maximum
27	355	1	4

J2MPICD9M5

Label

Prescription: Why taken ICD 9 major category code 5

Backward Skip

([J2MPM](#) = 4 OR LESS)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
28	354	10	995	510.93	257.2

J2MPMDC5

Label

Prescription: Why taken MIDUS code 5

Backward Skip

([J2MPM](#) = 4 OR LESS)

Forward Skip

IF [J2MPM](#) = 5, GO TO [J2MQM](#)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
5	377

J2MPMID6

Label

Prescription: Multum Drug ID 6

Type

Text

Backward Skip

(J2MPM = 5 OR LESS)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPGN6

Label

Prescription: Multum generic drug name 6

Type

Text

Backward Skip

(J2MPM = 5 OR LESS)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

📇 J2MPDD6

Label

Prescription: Drug dosage 6

Question Text

Drug name and dosage: Dose #6

Backward Skip

([J2MPM](#) = 5 OR LESS)

Value	Label	Frequency	%
9998	MISSING	2	0.5%
9999	INAPP	360	94.2%

Valid	Invalid	Minimum	Maximum
20	362	0.1	250

📇 J2MPDU6

Label

Prescription: Drug dosage units 6

Question Text

Drug name and dosage: Dose Units #6

Backward Skip

([J2MPM](#) = 5 OR LESS)

Value	Label	Frequency	%
1	MG	14	3.7%
2	GRAM	2	0.5%
8	TABLET	3	0.8%
13	PERCENT	1	0.3%
98	MISSING	2	0.5%
99	INAPP	360	94.2%

Valid	Invalid	Minimum	Maximum

| 20 | 362 | 1 | 13 |

J2MPR6

Label

Prescription: Method of taking (route) 6

Question Text

Route #6

Backward Skip

(J2MPM = 5 OR LESS)

Value	Label	Frequency	%
1	ORAL (PO)	20	5.2%
3	TOPICAL	2	0.5%
99	INAPP	360	94.2%

Valid	Invalid	Minimum	Maximum
22	360	1	3

J2MPF6

Label

Prescription: Frequency 6

Question Text

Frequency: number of doses #6

Backward Skip

(J2MPM = 5 OR LESS)

Value	Label	Frequency	%
99	INAPP	360	94.2%

Valid	Invalid	Minimum	Maximum
22	360	1	3

J2MPFU6

Label

Prescription: Frequency unit 6

Question Text

Frequency: number of doses per: day, week, etc. #6

Backward Skip

([J2MPM](#) = 5 OR LESS)

Value	Label	Frequency	%
1	DAY	22	5.8%
9	INAPP	360	94.2%

Valid	Invalid	Minimum	Maximum
22	360	1	1

J2MPT6

Label

Prescription: Taken for how long 6

Question Text

Taken for how long: number of (years, months, etc.) #6

Backward Skip

([J2MPM](#) = 5 OR LESS)

Value	Label	Frequency	%
98	MISSING	11	2.9%
99	INAPP	360	94.2%

Valid	Invalid	Minimum	Maximum
11	371	1	28

J2MPTU6

Label

Prescription: Unit of time taken 6

Question Text

Taken for how long: unit of time (months, years, etc.) #6

Backward Skip

(J2MPM = 5 OR LESS)

Value	Label	Frequency	%
1	DAY	2	0.5%
3	MONTH	1	0.3%
4	YEAR	8	2.1%
8	MISSING	11	2.9%
9	INAPP	360	94.2%

Valid	Invalid	Minimum	Maximum
11	371	1	4

J2MPICD9M6

Label

Prescription: Why taken ICD 9 major category code 6

Backward Skip

(J2MPM = 5 OR LESS)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
18	364	250	786	483.44	174.83

J2MPMDC6

Label

Prescription: Why taken MIDUS code 6

Backward Skip

([J2MPM](#) = 5 OR LESS)

Forward Skip

IF [J2MPM](#) = 6, GO TO [J2MQM](#)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
3	379

J2MPMID7

Label

Prescription: Multum Drug ID 7

Type

Text

Backward Skip

([J2MPM](#) = 6 OR LESS)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPGN7

Label

Prescription: Multum generic drug name 7

Type

Text

Backward Skip

([J2MPM](#) = 6 OR LESS)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPDD7

Label

Prescription: Drug dosage 7

Question Text

Drug name and dosage: Dose #7

Backward Skip

([J2MPM](#) = 6 OR LESS)

Value	Label	Frequency	%
9999	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum
13	369	0.5	100

J2MPDU7

Label

Prescription: Drug dosage units 7

Question Text

Drug name and dosage: Dose Units #7

Backward Skip

([J2MPM](#) = 6 OR LESS)

Value	Label	Frequency	%

1	MG	7	1.8%
2	GRAM	3	0.8%
3	MCG	1	0.3%
8	TABLET	1	0.3%
15	OTHER	1	0.3%
99	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum
13	369	1	15

J2MPR7

Label

Prescription: Method of taking (route) 7

Question Text

Route #7

Backward Skip

(J2MPM = 6 OR LESS)

Value	Label	Frequency	%
1	ORAL (PO)	13	3.4%
99	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum
13	369	1	1

J2MPF7

Label

Prescription: Frequency 7

Question Text

Frequency: number of doses #7

Backward Skip

(J2MPM = 6 OR LESS)

Value	Label	Frequency	%
98	MISSING	1	0.3%
99	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum
12	370	1	3

J2MPFU7

Label

Prescription: Frequency unit 7

Question Text

Frequency: number of doses per: day, week, etc. #7

Backward Skip

(J2MPM = 6 OR LESS)

Value	Label	Frequency	%
1	DAY	12	3.1%
8	MISSING	1	0.3%
9	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum
12	370	1	1

J2MPT7

Label

Prescription: Taken for how long 7

Question Text

Taken for how long: number of (years, months, etc.) #7

Backward Skip

(J2MPM = 6 OR LESS)

Value	Label	Frequency	%
98	MISSING	7	1.8%
99	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum
6	376	5	18

J2MPTU7

Label

Prescription: Unit of time taken 7

Question Text

Taken for how long: unit of time (months, years, etc.) #7

Backward Skip

(J2MPM = 6 OR LESS)

Value	Label	Frequency	%
3	MONTH	1	0.3%
4	YEAR	5	1.3%
8	MISSING	7	1.8%
9	INAPP	369	96.6%

Valid	Invalid	Minimum	Maximum
6	376	3	4

J2MPICD9M7

Label

Prescription: Why taken ICD 9 major category code 7

Backward Skip

(J2MPM = 6 OR LESS)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
10	372	272	790	530.8	188.39

J2MPMDC7

Label

Prescription: Why taken MIDUS code 7

Backward Skip

(J2MPM = 6 OR LESS)

Forward Skip

IF J2MPM = 7, GO TO J2MQM

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
3	379

J2MPMID8

Label

Prescription: Multum Drug ID 8

Type

Text

Backward Skip

(J2MPM = 7 OR LESS)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPGN8

Label

Prescription: Multum generic drug name 8

Type

Text

Backward Skip

([J2MPM](#) = 7 OR LESS)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPDD8

Label

Prescription: Drug dosage 8

Question Text

Drug name and dosage: Dose #8

Backward Skip

([J2MPM](#) = 7 OR LESS)

Value	Label	Frequency	%
9995	VARIABLE DOSAGE	1	0.3%
9998	MISSING	1	0.3%
9999	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
8	374	0.5	9995

J2MPDU8

Label

Prescription: Drug dosage units 8

Question Text

Drug name and dosage: Dose Units #8

Backward Skip

(J2MPM = 7 OR LESS)

Value	Label	Frequency	%
1	MG	7	1.8%
9	CAPSULE	1	0.3%
98	MISSING	1	0.3%
99	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
8	374	1	9

J2MPR8

Label

Prescription: Method of taking (route) 8

Question Text

Route #8

Backward Skip

(J2MPM = 7 OR LESS)

Value	Label	Frequency	%
1	ORAL (PO)	8	2.1%
3	TOPICAL	1	0.3%
99	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
9	373	1	3

J2MPF8

Label

Prescription: Frequency 8

Question Text

Frequency: number of doses #8

Backward Skip

([J2MPM](#) = 7 OR LESS)

Value	Label	Frequency	%
99	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
9	373	1	3

J2MPFU8

Label

Prescription: Frequency unit 8

Question Text

Frequency: number of doses per: day, week, etc. #8

Backward Skip

([J2MPM](#) = 7 OR LESS)

Value	Label	Frequency	%
1	DAY	9	2.4%
9	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
9	373	1	1

🏮 J2MPT8

Label

Prescription: Taken for how long 8

Question Text

Taken for how long: number of (years, months, etc.) #8

Backward Skip

([J2MPM](#) = 7 OR LESS)

Value	Label	Frequency	%
98	MISSING	5	1.3%
99	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
4	378	5	10

🏮 J2MPTU8

Label

Prescription: Unit of time taken 8

Question Text

Taken for how long: unit of time (months, years, etc.) #8

Backward Skip

([J2MPM](#) = 7 OR LESS)

Value	Label	Frequency	%
4	YEAR	4	1.0%
8	MISSING	5	1.3%
9	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
4	378	4	4

J2MPICD9M8

Label

Prescription: Why taken ICD 9 major category code 8

Backward Skip

([J2MPM](#) = 7 OR LESS)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9	373	250	782	485.44	192.59

J2MPMDC8

Label

Prescription: Why taken MIDUS code 8

Backward Skip

([J2MPM](#) = 7 OR LESS)

Forward Skip

IF [J2MPM](#) = 8, GO TO [J2MQM](#)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
0	382

J2MPMID9

Label

Prescription: Multum Drug ID 9

Type

Text

Backward Skip

(J2MPM = 8 OR LESS)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPGN9

Label

Prescription: Multum generic drug name 9

Type

Text

Backward Skip

(J2MPM = 8 OR LESS)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPDD9

Label

Prescription: Drug dosage 9

Question Text

Drug name and dosage: Dose #9

Backward Skip

(J2MPM = 8 OR LESS)

Value	Label	Frequency	%
9998	MISSING	2	0.5%
9999	INAPP	376	98.4%

Valid	Invalid	Minimum	Maximum
4	378	0.5	30

J2MPDU9

Label

Prescription: Drug dosage units 9

Question Text

Drug name and dosage: Dose Units #9

Backward Skip

(J2MPM = 8 OR LESS)

Value	Label	Frequency	%
1	MG	4	1.0%
98	MISSING	2	0.5%
99	INAPP	376	98.4%

Valid	Invalid	Minimum	Maximum
4	378	1	1

J2MPR9

Label

Prescription: Method of taking (route) 9

Question Text

Route #9

Backward Skip

(J2MPM = 8 OR LESS)

Value	Label	Frequency	%
1	ORAL (PO)	4	1.0%
3	TOPICAL	2	0.5%
99	INAPP	376	98.4%

Valid	Invalid	Minimum	Maximum
6	376	1	3

J2MPF9

Label

Prescription: Frequency 9

Question Text

Frequency: number of doses #9

Backward Skip

([J2MPM](#) = 8 OR LESS)

Value	Label	Frequency	%
99	INAPP	376	98.4%

Valid	Invalid	Minimum	Maximum
6	376	1	1

J2MPFU9

Label

Prescription: Frequency unit 9

Question Text

Frequency: number of doses per: day, week, etc. #9

Backward Skip

([J2MPM](#) = 8 OR LESS)

Value	Label	Frequency	%
1	DAY	5	1.3%
5	AS NEEDED (PRN)	1	0.3%
9	INAPP	376	98.4%

Valid	Invalid	Minimum	Maximum
6	376	1	5

J2MPT9

Label

Prescription: Taken for how long 9

Question Text

Taken for how long: number of (years, months, etc.) #9

Backward Skip

(J2MPM = 8 OR LESS)

Value	Label	Frequency	%
98	MISSING	4	1.0%
99	INAPP	376	98.4%

Valid	Invalid	Minimum	Maximum
2	380	5.5	10

J2MPTU9

Label

Prescription: Unit of time taken 9

Question Text

Taken for how long: unit of time (months, years, etc.) #9

Backward Skip

(J2MPM = 8 OR LESS)

Value	Label	Frequency	%
4	YEAR	2	0.5%
8	MISSING	4	1.0%
9	INAPP	376	98.4%

Valid	Invalid	Minimum	Maximum
2	380	4	4

J2MPICD9M9

Label

Prescription: Why taken ICD 9 major category code 9

Backward Skip

(J2MPM = 8 OR LESS)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
6	376	250	995	539.83	284.69

J2MPMDC9

Label

Prescription: Why taken MIDUS code 9

Backward Skip

(J2MPM = 8 OR LESS)

Forward Skip

IF J2MPM = 9, GO TO J2MQM

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
0	382

J2MPMID10

Label

Prescription: Multum Drug ID 10

Type

Text

Backward Skip

([J2MPM](#) = 9 OR LESS)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPGN10

Label

Prescription: Multum generic drug name 10

Type

Text

Backward Skip

([J2MPM](#) = 9 OR LESS)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPDD10

Label

Prescription: Drug dosage 10

Question Text

Drug name and dosage: Dose #10

Backward Skip

([J2MPM](#) = 9 OR LESS)

Value	Label	Frequency	%
9999	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum

| 5 | 377 | 0.3 | 100 |

J2MPDU10

Label

Prescription: Drug dosage units 10

Question Text

Drug name and dosage: Dose Units #10

Backward Skip

(J2MPM = 9 OR LESS)

Value	Label	Frequency	%
1	MG	5	1.3%
99	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum
5	377	1	1

J2MPR10

Label

Prescription: Method of taking (route) 10

Question Text

Route #10

Backward Skip

(J2MPM = 9 OR LESS)

Value	Label	Frequency	%
1	ORAL (PO)	3	0.8%
3	TOPICAL	2	0.5%
99	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum
5	377	1	3

J2MPF10

Label

Prescription: Frequency 10

Question Text

Frequency: number of doses #10

Backward Skip

(J2MPM = 9 OR LESS)

Value	Label	Frequency	%
99	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum
5	377	1	3

J2MPFU10

Label

Prescription: Frequency unit 10

Question Text

Frequency: number of doses per: day, week, etc. #10

Backward Skip

(J2MPM = 9 OR LESS)

Value	Label	Frequency	%
1	DAY	4	1.0%
5	AS NEEDED (PRN)	1	0.3%
9	INAPP	377	98.7%

Valid	Invalid	Minimum	Maximum
5	377	1	5

J2MPT10

Label

Prescription: Taken for how long 10

Question Text

Taken for how long: number of (years, months, etc.) #10

Backward Skip

([J2MPM](#) = 9 OR LESS)

Value	Label	Frequency	%
98	MISSING	5	1.3%
99	INAPP	377	98.7%

Valid	Invalid
0	382

J2MPTU10

Label

Prescription: Unit of time taken 10

Question Text

Taken for how long: unit of time (months, years, etc.) #10

Backward Skip

([J2MPM](#) = 9 OR LESS)

Value	Label	Frequency	%
8	MISSING	5	1.3%
9	INAPP	377	98.7%

Valid	Invalid
0	382

J2MPICD9M10

Label

Prescription: Why taken ICD 9 major category code 10

Backward Skip

([J2MPM](#) = 9 OR LESS)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
5	377	250	995	727.2	370.57

J2MPMDC10

Label

Prescription: Why taken MIDUS code 10

Backward Skip

([J2MPM](#) = 9 OR LESS)

Forward Skip

IF [J2MPM](#) = 10, GO TO [J2MQM](#)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
0	382

J2MPMID11

Label

Prescription: Multum Drug ID 11

Type

Text

Backward Skip

(J2MPM = 10 OR LESS)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPGN11

Label

Prescription: Multum generic drug name 11

Type

Text

Backward Skip

(J2MPM = 10 OR LESS)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPDD11

Label

Prescription: Drug dosage 11

Question Text

Drug name and dosage: Dose #11

Backward Skip

(J2MPM = 10 OR LESS)

Value	Label	Frequency	%
9999	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum

3	379	1	50

📦 J2MPDU11

Label

Prescription: Drug dosage units 11

Question Text

Drug name and dosage: Dose Units # 11

Backward Skip

([J2MPM](#) = 10 OR LESS)

Value	Label	Frequency	%
1	MG	2	0.5%
9	CAPSULE	1	0.3%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	9

📦 J2MPR11

Label

Prescription: Method of taking (route) 11

Question Text

Route #11

Backward Skip

([J2MPM](#) = 10 OR LESS)

Value	Label	Frequency	%
1	ORAL (PO)	3	0.8%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	1

J2MPF11

Label

Prescription: Frequency 11

Question Text

Frequency: number of doses #11

Backward Skip

([J2MPM](#) = 10 OR LESS)

Value	Label	Frequency	%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	2

J2MPFU11

Label

Prescription: Frequency unit 11

Question Text

Frequency: number of doses per: day, week, etc. #11

Backward Skip

([J2MPM](#) = 10 OR LESS)

Value	Label	Frequency	%
1	DAY	3	0.8%
9	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	1

J2MPT11

Label

Prescription: Taken for how long 11

Question Text

Taken for how long: number of (years, months, etc.) #11

Backward Skip

([J2MPM](#) = 10 OR LESS)

Value	Label	Frequency	%
98	MISSING	3	0.8%
99	INAPP	379	99.2%

Valid	Invalid
0	382

J2MPTU11

Label

Prescription: Unit of time taken 11

Question Text

Taken for how long: unit of time (months, years, etc.) #11

Backward Skip

([J2MPM](#) = 10 OR LESS)

Value	Label	Frequency	%
8	MISSING	3	0.8%
9	INAPP	379	99.2%

Valid	Invalid
0	382

J2MPICD9M11

Label

Prescription: Why taken ICD 9 major category code 11

Backward Skip

([J2MPM](#) = 10 OR LESS)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
2	380	401	786	593.5	272.24

J2MPMDC11

Label

Prescription: Why taken MIDUS code 11

Backward Skip

([J2MPM](#) = 10 OR LESS)

Forward Skip

IF [J2MPM](#) = 11, GO TO [J2MQM](#)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
1	381

J2MPMID12

Label

Prescription: Multum Drug ID 12

Type

Text

Backward Skip

(J2MPM = 11 OR LESS)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPGN12

Label

Prescription: Multum generic drug name 12

Type

Text

Backward Skip

(J2MPM = 11 OR LESS)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPDD12

Label

Prescription: Drug dosage 12

Question Text

Drug name and dosage: Dose #12

Backward Skip

(J2MPM = 11 OR LESS)

Value	Label	Frequency	%
9999	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum

| 2 | 380 | 0.4 | 2 |

J2MPDU12

Label

Prescription: Drug dosage units 12

Question Text

Drug name and dosage: Dose Units # 12

Backward Skip

(J2MPM = 11 OR LESS)

Value	Label	Frequency	%
1	MG	2	0.5%
99	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	1	1

J2MPR12

Label

Prescription: Method of taking (route) 12

Question Text

Route #12

Backward Skip

(J2MPM = 11 OR LESS)

Value	Label	Frequency	%
1	ORAL (PO)	2	0.5%
99	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	1	1

J2MPF12

Label

Prescription: Frequency 12

Question Text

Frequency: number of doses #12

Backward Skip

([J2MPM](#) = 11 OR LESS)

Value	Label	Frequency	%
99	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	1	2

J2MPFU12

Label

Prescription: Frequency unit 12

Question Text

Frequency: number of doses per: day, week, etc. #12

Backward Skip

([J2MPM](#) = 11 OR LESS)

Value	Label	Frequency	%
1	DAY	2	0.5%
9	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	1	1

J2MPT12

Label

Prescription: Taken for how long 12

Question Text

Taken for how long: number of (years, months, etc.) #12

Backward Skip

([J2MPM](#) = 11 OR LESS)

Value	Label	Frequency	%
98	MISSING	2	0.5%
99	INAPP	380	99.5%

Valid	Invalid
0	382

J2MPTU12

Label

Prescription: Unit of time taken 12

Question Text

Taken for how long: unit of time (months, years, etc.) #12

Backward Skip

([J2MPM](#) = 11 OR LESS)

Value	Label	Frequency	%
8	MISSING	2	0.5%
9	INAPP	380	99.5%

Valid	Invalid
0	382

J2MPICD9M12

Label

Prescription: Why taken ICD 9 major category code 12

Backward Skip

(J2MPM = 11 OR LESS)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
2	380	300	401	350.5	71.42

J2MPMDC12

Label

Prescription: Why taken MIDUS code 12

Backward Skip

(J2MPM = 11 OR LESS)

Forward Skip

IF J2MPM = 12, GO TO J2MQM

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
0	382

J2MPMID13

Label

Prescription: Multum Drug ID 13

Type

Text

Backward Skip

(J2MPM = 12 OR LESS)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid

382	0

J2MPGN13

Label

Prescription: Multum generic drug name 13

Type

Text

Backward Skip

(J2MPM = 12 OR LESS)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MPDD13

Label

Prescription: Drug dosage 13

Question Text

Drug name and dosage: Dose #13

Backward Skip

(J2MPM = 12 OR LESS)

Value	Label	Frequency	%
9999	INAPP	381	99.7%

Valid	Invalid	Minimum	Maximum
1	381	10	10

J2MPDU13

Label

Prescription: Drug dosage units 13

Question Text

Drug name and dosage: Dose Units # 13

Backward Skip

([J2MPM](#) = 12 OR LESS)

Value	Label	Frequency	%
1	MG	1	0.3%
99	INAPP	381	99.7%

Valid	Invalid	Minimum	Maximum
1	381	1	1

J2MPR13

Label

Prescription: Method of taking (route) 13

Question Text

Route #13

Backward Skip

([J2MPM](#) = 12 OR LESS)

Value	Label	Frequency	%
1	ORAL (PO)	1	0.3%
99	INAPP	381	99.7%

Valid	Invalid	Minimum	Maximum
1	381	1	1

🏬 J2MPF13

Label

Prescription: Frequency 13

Question Text

Frequency: number of doses #13

Backward Skip

([J2MPM](#) = 12 OR LESS)

Value	Label	Frequency	%
99	INAPP	381	99.7%

Valid	Invalid	Minimum	Maximum
1	381	2	2

🏬 J2MPFU13

Label

Prescription: Frequency unit 13

Question Text

Frequency: number of doses per: day, week, etc. #13

Backward Skip

([J2MPM](#) = 12 OR LESS)

Value	Label	Frequency	%
1	DAY	1	0.3%
9	INAPP	381	99.7%

Valid	Invalid	Minimum	Maximum
1	381	1	1

🏬 J2MPT13

Label

Prescription: Taken for how long 13

Question Text

Taken for how long: number of (years, months, etc.) #13

Backward Skip

([J2MPM](#) = 12 OR LESS)

Value	Label	Frequency	%
98	MISSING	1	0.3%
99	INAPP	381	99.7%

Valid	Invalid
0	382

J2MPTU13

Label

Prescription: Unit of time taken 13

Question Text

Taken for how long: unit of time (months, years, etc.) #13

Backward Skip

([J2MPM](#) = 12 OR LESS)

Value	Label	Frequency	%
8	MISSING	1	0.3%
9	INAPP	381	99.7%

Valid	Invalid
0	382

J2MPICD9M13

Label

Prescription: Why taken ICD 9 major category code 13

Backward Skip

(J2MPM = 12 OR LESS)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1	381	300	300	300	NaN

J2MPMDC13

Label

Prescription: Why taken MIDUS code 13

Backward Skip

(J2MPM = 12 OR LESS)

Forward Skip

IF J2MPM = 13, GO TO J2MQM

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
0	382

J2MQM

Label

Number of Quasi (non-prescription) medications

Question Text

Number of quasi-medication

Forward Skip

IF J2MQM = 0, GO TO J2ML

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	0	50	0.7	2.78

J2MQMV

Label

Does R take multivitamin?

Question Text

Does R take take multiple vitamins: Yes/No?

Backward Skip

(J2MQM = 0)

Forward Skip

IF J2MQMV = 2, GO TO J2MQCS

Value	Label	Frequency	%
1	YES	21	5.5%
2	NO	354	92.7%
8	MISSING	7	1.8%

Valid	Invalid	Minimum	Maximum
375	7	1	2

J2MQMID1

Label

Quasi Med: Multum Drug ID 1

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMV = 2)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQGN1

Label

Quasi Med: Multum generic drug name 1

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMV = 2)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQDD1

Label

Quasi Med: Drug dosage 1

Question Text

Drug name and dosage: Dose #1 (Multi-Vitamin)

Backward Skip

(J2MQM = 0) OR (J2MQMV = 2)

Value	Label	Frequency	%
9998	MISSING	8	2.1%
9999	INAPP	361	94.5%

Valid	Invalid	Minimum	Maximum
13	369	0.5	450

J2MQDU1

Label

Quasi Med: Drug dosage units 1

Question Text

Drug name and dosage: Dose Units # 1 (Multi-Vitamin)

Backward Skip

(J2MQM = 0) OR (J2MQMV = 2)

Value	Label	Frequency	%
1	MG	1	0.3%
8	TABLET	12	3.1%
98	MISSING	8	2.1%
99	INAPP	361	94.5%

Valid	Invalid	Minimum	Maximum
13	369	1	8

J2MQR1

Label

Quasi Med: Method of taking (route) 1

Question Text

Route #1 (Multi-Vitamin)

Backward Skip

(J2MQM = 0) OR (J2MQMV = 2)

Value	Label	Frequency	%
1	ORAL (PO)	18	4.7%
98	MISSING	3	0.8%
99	INAPP	361	94.5%

Valid	Invalid	Minimum	Maximum
18	364	1	1

J2MQF1

Label

Quasi Med: Frequency 1

Question Text

Frequency: number of doses #1 (Multi-Vitamin)

Backward Skip

(J2MQM = 0) OR (J2MQMV = 2)

Value	Label	Frequency	%
98	MISSING	4	1.0%
99	INAPP	361	94.5%

Valid	Invalid	Minimum	Maximum
17	365	1	3

J2MQFU1

Label

Quasi Med: Frequency unit 1

Question Text

Frequency: number of doses per: day, week, etc. #1 (Multi-Vitamin)

Backward Skip

(J2MQM = 0) OR (J2MQMV = 2)

Value	Label	Frequency	%
1	DAY	16	4.2%
3	WEEK	1	0.3%
8	MISSING	4	1.0%
9	INAPP	361	94.5%

Valid	Invalid	Minimum	Maximum
17	365	1	3

J2MQT1

Label

Quasi Med: Taken for how long 1

Question Text

Taken for how long: number of (years, months, etc.) #1 (Multi-Vitamin)

Backward Skip

(J2MQM = 0) OR (J2MQMV = 2)

Value	Label	Frequency	%
98	MISSING	6	1.6%
99	INAPP	361	94.5%

Valid	Invalid	Minimum	Maximum
15	367	1	20

J2MQTU1

Label

Quasi Med: Unit of time taken 1

Question Text

Taken for how long: unit of time (months, years, etc.) #1 (Multi-Vitamin)

Backward Skip

(J2MQM = 0) OR (J2MQMV = 2)

Value	Label	Frequency	%
3	MONTH	1	0.3%
4	YEAR	14	3.7%
8	MISSING	6	1.6%
9	INAPP	361	94.5%

Valid	Invalid	Minimum	Maximum
15	367	3	4

J2MQICD9M1

Label

Quasi Med: Why taken ICD 9 major category code 1

Backward Skip

(J2MQM = 0) OR (J2MQMV = 2)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	**Invalid**
0	382

J2MQMDC1

Label

Quasi Med: Why taken MIDUS code 1

Backward Skip

(J2MQM = 0) OR (J2MQMV = 2)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	**Invalid**
13	369

J2MQCS

Label

Does R take calcium supplement?

Question Text

Taking a Calcium Supplement: Yes/No (Y/N)

Backward Skip

(J2MQM = 0)

Forward Skip

IF J2MQCS = 2, GO TO J2MQMID3.

Value	Label	Frequency	%
1	YES	9	2.4%

2	NO		366	95.8%
8	MISSING		7	1.8%

Valid	Invalid	Minimum	Maximum
375	7	1	2

J2MQMID2

Label

Quasi Med: Multum Drug ID 2

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQCS = 2)

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQGN2

Label

Quasi Med: Multum generic drug name 2

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQCS = 2)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQDD2

Label

Quasi Med: Drug dosage 2

Question Text

Drug name and dosage: Dose #2 (Calcium)

Backward Skip

(J2MQM = 0) OR (J2MQCS = 2)

Value	Label	Frequency	%
9998	MISSING	3	0.8%
9999	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
6	376	1	300

J2MQDU2

Label

Quasi Med: Drug dosage units 2

Question Text

Drug name and dosage: Dose Units # 2 (Calcium)

Backward Skip

(J2MQM = 0) OR (J2MQCS = 2)

Value	Label	Frequency	%
1	MG	1	0.3%
2	GRAM	1	0.3%
8	TABLET	4	1.0%
98	MISSING	3	0.8%
99	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum

| 6 | 376 | 1 | 8 |

J2MQR2

Label

Quasi Med: Method of taking (route) 2

Question Text

Route #2 (Calcium)

Backward Skip

(J2MQM = 0) OR (J2MQCS = 2)

Value	Label	Frequency	%
1	ORAL (PO)	6	1.6%
98	MISSING	3	0.8%
99	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
6	376	1	1

J2MQF2

Label

Quasi Med: Frequency 2

Question Text

Frequency: number of doses #2 (Calcium)

Backward Skip

(J2MQM = 0) OR (J2MQCS = 2)

Value	Label	Frequency	%
98	MISSING	3	0.8%
99	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
6	376	1	2

J2MQFU2

Label

Quasi Med: Frequency unit 2

Question Text

Frequency: number of doses per: day, week, etc. #2 (Calcium)

Backward Skip

(J2MQM = 0) OR (J2MQCS = 2)

Value	Label	Frequency	%
1	DAY	6	1.6%
8	MISSING	3	0.8%
9	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
6	376	1	1

J2MQT2

Label

Quasi Med: Taken for how long 2

Question Text

Taken for how long: number of (years, months, etc.) #2 (Calcium)

Backward Skip

(J2MQM = 0) OR (J2MQCS = 2)

Value	Label	Frequency	%
98	MISSING	4	1.0%
99	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
5	377	2	7.5

J2MQTU2

Label

Quasi Med: Unit of time taken 2

Question Text

Taken for how long: unit of time (months, years, etc.) #2 (Calcium)

Backward Skip

(J2MQM = 0) OR (J2MQCS = 2)

Value	Label	Frequency	%
3	MONTH	1	0.3%
4	YEAR	3	0.8%
8	MISSING	5	1.3%
9	INAPP	373	97.6%

Valid	Invalid	Minimum	Maximum
4	378	3	4

J2MQICD9M2

Label

Quasi Med: Why taken ICD 9 major category code 2

Backward Skip

(J2MQM = 0) OR (J2MQCS = 2)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1	381	733	733	733	NaN

J2MQMDC2

Label

Quasi Med: Why taken MIDUS code 2

Backward Skip

(J2MQM = 0) OR (J2MQCS = 2)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
5	377

J2MQMID3

Label

Quasi Med: Multum Drug ID 3

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQM = 1 AND (J2MQMV = 1 OR J2MQCS = 1)) OR (J2MQM = 2 AND J2MQMV = 1 AND J2MQCS = 1)

Forward Skip

IF J2MQMID3 = INAPP, GO TO J2ML

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQGN3

Label

Quasi Med: Multum generic drug name 3

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID3 = INAPP)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQDD3

Label

Quasi Med: Drug dosage 3

Question Text

Drug name and dosage: Dose #3

Backward Skip

(J2MQM = 0) OR (J2MQMID3 = INAPP)

Value	Label	Frequency	%
9995	VARIABLE DOSAGE	5	1.3%
9997	DON'T KNOW	1	0.3%
9998	MISSING	31	8.1%
9999	INAPP	276	72.3%

Valid	Invalid	Minimum	Maximum
74	308	1	9995

J2MQDU3

Label

Quasi Med: Drug dosage units 3

Question Text

Drug name and dosage: Dose Units #3

Backward Skip

(J2MQM = 0) OR (J2MQMID3 = INAPP)

Value	Label	Frequency	%
1	MG	11	2.9%

2	GRAM		4	1.0%
6	CC/ML		2	0.5%
7	TEASPOON		1	0.3%
8	TABLET		58	15.2%
97	DON'T KNOW		1	0.3%
98	MISSING		29	7.6%
99	INAPP		276	72.3%

Valid	Invalid	Minimum	Maximum
76	306	1	8

J2MQR3

Label

Quasi Med: Method of taking (route) 3

Question Text

Route #3

Backward Skip

(J2MQM = 0) OR (J2MQMID3 = INAPP)

Value	Label	Frequency	%
1	ORAL (PO)	92	24.1%
2	INHALED	1	0.3%
98	MISSING	13	3.4%
99	INAPP	276	72.3%

Valid	Invalid	Minimum	Maximum
93	289	1	2

J2MQF3

Label

Quasi Med: Frequency 3

Question Text

Frequency: number of doses #3

Backward Skip

(J2MQM = 0) OR (J2MQMID3 = INAPP)

Value	Label	Frequency	%
97	DON'T KNOW	1	0.3%
98	MISSING	10	2.6%
99	INAPP	276	72.3%

Valid	Invalid	Minimum	Maximum
95	287	1	3

J2MQFU3

Label

Quasi Med: Frequency unit 3

Question Text

Frequency: number of doses per: day, week, etc. #3

Backward Skip

(J2MQM = 0) OR (J2MQMID3 = INAPP)

Value	Label	Frequency	%
1	DAY	83	21.7%
3	WEEK	3	0.8%
4	MONTH	1	0.3%
5	AS NEEDED (PRN)	3	0.8%
7	DON'T KNOW	1	0.3%
8	MISSING	15	3.9%
9	INAPP	276	72.3%

Valid	Invalid	Minimum	Maximum
90	292	1	5

J2MQT3

Label

Quasi Med: Taken for how long 3

Question Text

Taken for how long: number of (years, months, etc.) #3

Backward Skip

(J2MQM = 0) OR (J2MQMID3 = INAPP)

Value	Label	Frequency	%
98	MISSING	30	7.9%
99	INAPP	276	72.3%

Valid	Invalid	Minimum	Maximum
76	306	1	40

J2MQTU3

Label

Quasi Med: Unit of time taken 3

Question Text

Taken for how long: unit of time (months, years, etc.) #3

Backward Skip

(J2MQM = 0) OR (J2MQMID3 = INAPP)

Value	Label	Frequency	%
1	DAY	2	0.5%
2	WEEK	2	0.5%
3	MONTH	23	6.0%
4	YEAR	48	12.6%
8	MISSING	31	8.1%
9	INAPP	276	72.3%

Valid	Invalid	Minimum	Maximum

75	307	1	4

J2MQICD9M3

Label

Quasi Med: Why taken ICD 9 major category code 3

Backward Skip

(J2MQM = 0) OR (J2MQMID3 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
15	367	401	784	626.2	140.57

J2MQMDC3

Label

Quasi Med: Why taken MIDUS code 3

Backward Skip

(J2MQM = 0) OR (J2MQMID3 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
60	322

J2MQMID4

Label

Quasi Med: Multum Drug ID 4

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID4 = INAPP)

Forward Skip

IF J2MQMID4 = INAPP, GO TO J2ML

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQGN4

Label

Quasi Med: Multum generic drug name 4

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID4 = INAPP)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQDD4

Label

Quasi Med: Drug dosage 4

Question Text

Drug name and dosage: Dose #4

Backward Skip

(J2MQM = 0) OR (J2MQMID4 = INAPP)

Value	Label	Frequency	%
9995	VARIABLE DOSAGE	1	0.3%

9998	MISSING	12	3.1%
9999	INAPP	334	87.4%

Valid	Invalid	Minimum	Maximum
36	346	0.5	9995

J2MQDU4

Label

Quasi Med: Drug dosage units 4

Question Text

Drug name and dosage: Dose Units #4

Backward Skip

(J2MQM = 0) OR (J2MQMID4 = INAPP)

Value	Label	Frequency	%
1	MG	5	1.3%
2	GRAM	2	0.5%
6	CC/ML	1	0.3%
8	TABLET	28	7.3%
98	MISSING	12	3.1%
99	INAPP	334	87.4%

Valid	Invalid	Minimum	Maximum
36	346	1	8

J2MQR4

Label

Quasi Med: Method of taking (route) 4

Question Text

Route #4

Backward Skip

(J2MQM = 0) OR (J2MQMID4 = INAPP)

Value	Label	Frequency	%
1	ORAL (PO)	41	10.7%
2	INHALED	1	0.3%
98	MISSING	6	1.6%
99	INAPP	334	87.4%

Valid	Invalid	Minimum	Maximum
42	340	1	2

J2MQF4

Label

Quasi Med: Frequency 4

Question Text

Frequency: number of doses #4

Backward Skip

(J2MQM = 0) OR (J2MQMID4 = INAPP)

Value	Label	Frequency	%
98	MISSING	3	0.8%
99	INAPP	334	87.4%

Valid	Invalid	Minimum	Maximum
45	337	1	3

J2MQFU4

Label

Quasi Med: Frequency unit 4

Question Text

Frequency: number of doses per: day, week, etc. #4

Backward Skip

(J2MQM = 0) OR (J2MQMID4 = INAPP)

Value	Label	Frequency	%
1	DAY	40	10.5%
2	EVERY OTHER DAY	1	0.3%
5	AS NEEDED (PRN)	1	0.3%
8	MISSING	6	1.6%
9	INAPP	334	87.4%

Valid	Invalid	Minimum	Maximum
42	340	1	5

J2MQT4

Label

Quasi Med: Taken for how long 4

Question Text

Taken for how long: number of (years, months, etc.) #4

Backward Skip

(J2MQM = 0) OR (J2MQMID4 = INAPP)

Value	Label	Frequency	%
98	MISSING	14	3.7%
99	INAPP	334	87.4%

Valid	Invalid	Minimum	Maximum
34	348	1	20

J2MQTU4

Label

Quasi Med: Unit of time taken 4

Question Text

Taken for how long: unit of time (months, years, etc.) #4

Backward Skip

([J2MQM](#) = 0) OR ([J2MQMID4](#) = INAPP)

Value	Label	Frequency	%
1	DAY	1	0.3%
2	WEEK	1	0.3%
3	MONTH	12	3.1%
4	YEAR	19	5.0%
8	MISSING	15	3.9%
9	INAPP	334	87.4%

Valid	Invalid	Minimum	Maximum
33	349	1	4

J2MQICD9M4

Label

Quasi Med: Why taken ICD 9 major category code 4

Backward Skip

([J2MQM](#) = 0) OR ([J2MQMID4](#) = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
4	378	338	719	498.5	168.61

J2MQMDC4

Label

Quasi Med: Why taken MIDUS code 4

Backward Skip

([J2MQM](#) = 0) OR ([J2MQMID4](#) = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
26	356

🏛 J2MQMID5

Label

Quasi Med: Multum Drug ID 5

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID5 = INAPP)

Forward Skip

IF J2MQMID5 = INAPP, GO TO J2ML

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

🏛 J2MQGN5

Label

Quasi Med: Multum generic drug name 5

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID5 = INAPP)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQDD5

Label

Quasi Med: Drug dosage 5

Question Text

Drug name and dosage: Dose #5

Backward Skip

(J2MQM = 0) OR (J2MQMID5 = INAPP)

Value	Label	Frequency	%
9995	VARIABLE DOSAGE	1	0.3%
9998	MISSING	5	1.3%
9999	INAPP	359	94.0%

Valid	Invalid	Minimum	Maximum
18	364	1	9995

J2MQDU5

Label

Quasi Med: Drug dosage units 5

Question Text

Drug name and dosage: Dose Units #5

Backward Skip

(J2MQM = 0) OR (J2MQMID5 = INAPP)

Value	Label	Frequency	%
1	MG	5	1.3%
6	CC/ML	2	0.5%
8	TABLET	11	2.9%
98	MISSING	5	1.3%
99	INAPP	359	94.0%

Valid	Invalid	Minimum	Maximum

| 18 | 364 | 1 | 8 |

J2MQR5

Label

Quasi Med: Method of taking (route) 5

Question Text

Route #5

Backward Skip

(J2MQM = 0) OR (J2MQMID5 = INAPP)

Value	Label	Frequency	%
1	ORAL (PO)	19	5.0%
98	MISSING	4	1.0%
99	INAPP	359	94.0%

Valid	Invalid	Minimum	Maximum
19	363	1	1

J2MQF5

Label

Quasi Med: Frequency 5

Question Text

Frequency: number of doses #5

Backward Skip

(J2MQM = 0) OR (J2MQMID5 = INAPP)

Value	Label	Frequency	%
98	MISSING	2	0.5%
99	INAPP	359	94.0%

Valid	Invalid	Minimum	Maximum
21	361	1	3

J2MQFU5

Label

Quasi Med: Frequency unit 5

Question Text

Frequency: number of doses per: day, week, etc. #5

Backward Skip

(J2MQM = 0) OR (J2MQMID5 = INAPP)

Value	Label	Frequency	%
1	DAY	19	5.0%
5	AS NEEDED (PRN)	1	0.3%
8	MISSING	3	0.8%
9	INAPP	359	94.0%

Valid	Invalid	Minimum	Maximum
20	362	1	5

J2MQT5

Label

Quasi Med: Taken for how long 5

Question Text

Taken for how long: number of (years, months, etc.) #5

Backward Skip

(J2MQM = 0) OR (J2MQMID5 = INAPP)

Value	Label	Frequency	%
98	MISSING	6	1.6%
99	INAPP	359	94.0%

Valid	Invalid	Minimum	Maximum
17	365	1	10

J2MQTU5

Label

Quasi Med: Unit of time taken 5

Question Text

Taken for how long: unit of time (months, years, etc.) #5

Backward Skip

(J2MQM = 0) OR (J2MQMID5 = INAPP)

Value	Label	Frequency	%
3	MONTH	3	0.8%
4	YEAR	13	3.4%
8	MISSING	7	1.8%
9	INAPP	359	94.0%

Valid	Invalid	Minimum	Maximum
16	366	3	4

J2MQICD9M5

Label

Quasi Med: Why taken ICD 9 major category code 5

Backward Skip

(J2MQM = 0) OR (J2MQMID5 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
0	382

J2MQMDC5

Label

Quasi Med: Why taken MIDUS code 5

Backward Skip

(J2MQM = 0) OR (J2MQMID5 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
15	367

J2MQMID6

Label

Quasi Med: Multum Drug ID 6

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID6 = INAPP)

Forward Skip

IF J2MQMID6 = INAPP, GO TO J2ML

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQGN6

Label

Quasi Med: Multum generic drug name 6

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID6 = INAPP)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQDD6

Label

Quasi Med: Drug dosage 6

Question Text

Drug name and dosage: Dose #6

Backward Skip

(J2MQM = 0) OR (J2MQMID6 = INAPP)

Value	Label	Frequency	%
9998	MISSING	2	0.5%
9999	INAPP	372	97.4%

Valid	Invalid	Minimum	Maximum
8	374	1	400

J2MQDU6

Label

Quasi Med: Drug dosage units 6

Question Text

Drug name and dosage: Dose Units #6

Backward Skip

(J2MQM = 0) OR (J2MQMID6 = INAPP)

Value	Label	Frequency	%
1	MG	1	0.3%
8	TABLET	7	1.8%
98	MISSING	2	0.5%
99	INAPP	372	97.4%

Valid	Invalid	Minimum	Maximum
8	374	1	8

J2MQR6

Label

Quasi Med: Method of taking (route) 6

Question Text

Route #6

Backward Skip

(J2MQM = 0) OR (J2MQMID6 = INAPP)

Value	Label	Frequency	%
1	ORAL (PO)	9	2.4%
98	MISSING	1	0.3%
99	INAPP	372	97.4%

Valid	Invalid	Minimum	Maximum
9	373	1	1

J2MQF6

Label

Quasi Med: Frequency 6

Question Text

Frequency: number of doses #6

Backward Skip

(J2MQM = 0) OR (J2MQMID6 = INAPP)

Value	Label	Frequency	%
98	MISSING	2	0.5%
99	INAPP	372	97.4%

Valid	Invalid	Minimum	Maximum
8	374	1	3

J2MQFU6

Label

Quasi Med: Frequency unit 6

Question Text

Frequency: number of doses per: day, week, etc. #6

Backward Skip

(J2MQM = 0) OR (J2MQMID6 = INAPP)

Value	Label	Frequency	%
1	DAY	7	1.8%
8	MISSING	3	0.8%
9	INAPP	372	97.4%

Valid	Invalid	Minimum	Maximum
7	375	1	1

J2MQT6

Label

Quasi Med: Taken for how long 6

Question Text

Taken for how long: number of (years, months, etc.) #6

Backward Skip

(J2MQM = 0) OR (J2MQMID6 = INAPP)

Value	Label	Frequency	%
98	MISSING	3	0.8%
99	INAPP	372	97.4%

Valid	Invalid	Minimum	Maximum
7	375	2	7

J2MQTU6

Label

Quasi Med: Unit of time taken 6

Question Text

Taken for how long: unit of time (months, years, etc.) #6

Backward Skip

(J2MQM = 0) OR (J2MQMID6 = INAPP)

Value	Label	Frequency	%
3	MONTH	1	0.3%
4	YEAR	5	1.3%
8	MISSING	4	1.0%
9	INAPP	372	97.4%

Valid	Invalid	Minimum	Maximum
6	376	3	4

J2MQICD9M6

Label

Quasi Med: Why taken ICD 9 major category code 6

Backward Skip

(J2MQM = 0) OR (J2MQMID6 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1	381	564	564	564	NaN

J2MQMDC6

Label

Quasi Med: Why taken MIDUS code 6

Backward Skip

(J2MQM = 0) OR (J2MQMID6 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
5	377

J2MQMID7

Label

Quasi Med: Multum Drug ID 7

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID7 = INAPP)

Forward Skip

IF J2MQMID7 = INAPP, GO TO J2ML

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQGN7

Label

Quasi Med: Multum generic drug name 7

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID7 = INAPP)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQDD7

Label

Quasi Med: Drug dosage 7

Question Text

Drug name and dosage: Dose #7

Backward Skip

(J2MQM = 0) OR (J2MQMID7 = INAPP)

Value	Label	Frequency	%
9999	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	5000

J2MQDU7

Label

Quasi Med: Drug dosage units 7

Question Text

Drug name and dosage: Dose Units #7

Backward Skip

(J2MQM = 0) OR (J2MQMID7 = INAPP)

Value	Label	Frequency	%
1	MG	1	0.3%
8	TABLET	2	0.5%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	8

J2MQR7

Label

Quasi Med: Method of taking (route) 7

Question Text

Route #7

Backward Skip

(J2MQM = 0) OR (J2MQMID7 = INAPP)

Value	Label	Frequency	%
1	ORAL (PO)	3	0.8%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	1

J2MQF7

Label

Quasi Med: Frequency 7

Question Text

Frequency: number of doses #7

Backward Skip

([J2MQM](#) = 0) OR ([J2MQMID7](#) = INAPP)

Value	Label	Frequency	%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	3

🗃 J2MQFU7

Label

Quasi Med: Frequency unit 7

Question Text

Frequency: number of doses per: day, week, etc. #7

Backward Skip

([J2MQM](#) = 0) OR ([J2MQMID7](#) = INAPP)

Value	Label	Frequency	%
1	DAY	3	0.8%
9	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	1

🗃 J2MQT7

Label

Quasi Med: Taken for how long 7

Question Text

Taken for how long: number of (years, months, etc.) #7

Backward Skip

([J2MQM](#) = 0) OR ([J2MQMID7](#) = INAPP)

Value	Label	Frequency	%
98	MISSING	1	0.3%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
2	380	5	6

J2MQTU7

Label

Quasi Med: Unit of time taken 7

Question Text

Taken for how long: unit of time (months, years, etc.) #7

Backward Skip

(J2MQM = 0) OR (J2MQMID7 = INAPP)

Value	Label	Frequency	%
3	MONTH	1	0.3%
4	YEAR	1	0.3%
8	MISSING	1	0.3%
9	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
2	380	3	4

J2MQICD9M7

Label

Quasi Med: Why taken ICD 9 major category code 7

Backward Skip

(J2MQM = 0) OR (J2MQMID7 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1	381	719	719	719	NaN

J2MQMDC7

Label

Quasi Med: Why taken MIDUS code 7

Backward Skip

(J2MQM = 0) OR (J2MQMID7 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
0	382

J2MQMID8

Label

Quasi Med: Multum Drug ID 8

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID8 = INAPP)

Forward Skip

IF J2MQMID8 = INAPP, GO TO J2ML

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQGN8

Label

Quasi Med: Multum generic drug name 8

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID8 = INAPP)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQDD8

Label

Quasi Med: Drug dosage 8

Question Text

Drug name and dosage: Dose #8

Backward Skip

(J2MQM = 0) OR (J2MQMID8 = INAPP)

Value	Label	Frequency	%
9999	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	2	6

J2MQDU8

Label

Quasi Med: Drug dosage units 8

Question Text

Drug name and dosage: Dose Units #8

Backward Skip

([J2MQM](#) = 0) OR ([J2MQMID8](#) = INAPP)

Value	Label	Frequency	%
8	TABLET	3	0.8%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	8	8

J2MQR8

Label

Quasi Med: Method of taking (route) 8

Question Text

Route #8

Backward Skip

([J2MQM](#) = 0) OR ([J2MQMID8](#) = INAPP)

Value	Label	Frequency	%
1	ORAL (PO)	3	0.8%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	1

J2MQF8

Label

Quasi Med: Frequency 8

Question Text

Frequency: number of doses #8

Backward Skip

([J2MQM](#) = 0) OR ([J2MQMID8](#) = INAPP)

Value	Label	Frequency	%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	3

J2MQFU8

Label

Quasi Med: Frequency unit 8

Question Text

Frequency: number of doses per: day, week, etc. #8

Backward Skip

([J2MQM](#) = 0) OR ([J2MQMID8](#) = INAPP)

Value	Label	Frequency	%
1	DAY	3	0.8%
9	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	1

J2MQT8

Label

Quasi Med: Taken for how long 8

Question Text

Taken for how long: number of (years, months, etc.) #8

Backward Skip

([J2MQM](#) = 0) OR ([J2MQMID8](#) = INAPP)

Value	Label	Frequency	%

98	MISSING	1	0.3%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
2	380	1.5	5

📊 J2MQTU8

Label

Quasi Med: Unit of time taken 8

Question Text

Taken for how long: unit of time (months, years, etc.) #8

Backward Skip

(J2MQM = 0) OR (J2MQMID8 = INAPP)

Value	Label	Frequency	%
4	YEAR	2	0.5%
8	MISSING	1	0.3%
9	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
2	380	4	4

📊 J2MQICD9M8

Label

Quasi Med: Why taken ICD 9 major category code 8

Backward Skip

(J2MQM = 0) OR (J2MQMID8 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1	381	719	719	719	NaN

J2MQMDC8

Label

Quasi Med: Why taken MIDUS code 8

Backward Skip

(J2MQM = 0) OR (J2MQMID8 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
0	382

J2MQMID9

Label

Quasi Med: Multum Drug ID 9

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID9 = INAPP)

Forward Skip

IF J2MQMID9 = INAPP, GO TO J2ML

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQGN9

Label

Quasi Med: Multum generic drug name 9

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID9 = INAPP)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQDD9

Label

Quasi Med: Drug dosage 9

Question Text

Drug name and dosage: Dose #9

Backward Skip

(J2MQM = 0) OR (J2MQMID9 = INAPP)

Value	Label	Frequency	%
9999	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	1	4

J2MQDU9

Label

Quasi Med: Drug dosage units 9

Question Text

Drug name and dosage: Dose Units #9

Backward Skip

(J2MQM = 0) OR (J2MQMID9 = INAPP)

Value	Label	Frequency	%

8	TABLET	2	0.5%
99	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	8	8

J2MQR9

Label

Quasi Med: Method of taking (route) 9

Question Text

Route #9

Backward Skip

(J2MQM = 0) OR (J2MQMID9 = INAPP)

Value	Label	Frequency	%
1	ORAL (PO)	2	0.5%
99	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	1	1

J2MQF9

Label

Quasi Med: Frequency 9

Question Text

Frequency: number of doses #9

Backward Skip

(J2MQM = 0) OR (J2MQMID9 = INAPP)

Value	Label	Frequency	%
99	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	2	3

J2MQFU9

Label

Quasi Med: Frequency unit 9

Question Text

Frequency: number of doses per: day, week, etc. #9

Backward Skip

(J2MQM = 0) OR (J2MQMID9 = INAPP)

Value	Label	Frequency	%
1	DAY	2	0.5%
9	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	1	1

J2MQT9

Label

Quasi Med: Taken for how long 9

Question Text

Taken for how long: number of (years, months, etc.) #9

Backward Skip

(J2MQM = 0) OR (J2MQMID9 = INAPP)

Value	Label	Frequency	%
98	MISSING	1	0.3%
99	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
1	381	5	5

J2MQTU9

Label

Quasi Med: Unit of time taken 9

Question Text

Taken for how long: unit of time (months, years, etc.) #9

Backward Skip

(J2MQM = 0) OR (J2MQMID9 = INAPP)

Value	Label	Frequency	%
4	YEAR	1	0.3%
8	MISSING	1	0.3%
9	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
1	381	4	4

J2MQICD9M9

Label

Quasi Med: Why taken ICD 9 major category code 9

Backward Skip

(J2MQM = 0) OR (J2MQMID9 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
0	382

J2MQMDC9

Label

Quasi Med: Why taken MIDUS code 9

Backward Skip

(J2MQM = 0) OR (J2MQMID9 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
0	382

🗃 J2MQMID10

Label

Quasi Med: Multum Drug ID 10

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID10 = INAPP)

Forward Skip

IF J2MQMID10 = INAPP, GO TO J2ML

Notes

See 'Documentation for MIDJA Clinic Visit data collection protocols' for details. Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

🗃 J2MQGN10

Label

Quasi Med: Multum generic drug name 10

Type

Text

Backward Skip

(J2MQM = 0) OR (J2MQMID10 = INAPP)

Notes

Lexi-Data item, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
382	0

J2MQDD10

Label

Quasi Med: Drug dosage 10

Question Text

Drug name and dosage: Dose #10

Backward Skip

(J2MQM = 0) OR (J2MQMID10 = INAPP)

Value	Label	Frequency	%
9999	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	1	21

J2MQDU10

Label

Quasi Med: Drug dosage units 10

Question Text

Drug name and dosage: Dose Units #10

Backward Skip

(J2MQM = 0) OR (J2MQMID10 = INAPP)

Value	Label	Frequency	%
8	TABLET	2	0.5%
99	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum

2	380	8	8

📑 J2MQR10

Label

Quasi Med: Method of taking (route) 10

Question Text

Route #10

Backward Skip

(J2MQM = 0) OR (J2MQMID10 = INAPP)

Value	Label	Frequency	%
1	ORAL (PO)	2	0.5%
99	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	1	1

📑 J2MQF10

Label

Quasi Med: Frequency 10

Question Text

Frequency: number of doses #10

Backward Skip

(J2MQM = 0) OR (J2MQMID10 = INAPP)

Value	Label	Frequency	%
99	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	1	3

J2MQFU10

Label

Quasi Med: Frequency unit 10

Question Text

Frequency: number of doses per: day, week, etc. #10

Backward Skip

(J2MQM = 0) OR (J2MQMID10 = INAPP)

Value	Label	Frequency	%
1	DAY	2	0.5%
9	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	1	1

J2MQT10

Label

Quasi Med: Taken for how long 10

Question Text

Taken for how long: number of (years, months, etc.) #10

Backward Skip

(J2MQM = 0) OR (J2MQMID10 = INAPP)

Value	Label	Frequency	%
98	MISSING	1	0.3%
99	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
1	381	5	5

🔧 J2MQTU10

Label

Quasi Med: Unit of time taken 10

Question Text

Taken for how long: unit of time (months, years, etc.) #10

Backward Skip

(J2MQM = 0) OR (J2MQMID10 = INAPP)

Value	Label	Frequency	%
4	YEAR	1	0.3%
8	MISSING	1	0.3%
9	INAPP	380	99.5%

Valid	Invalid	Minimum	Maximum
1	381	4	4

🔧 J2MQICD9M10

Label

Quasi Med: Why taken ICD 9 major category code 10

Backward Skip

(J2MQM = 0) OR (J2MQMID10 = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
0	382

🔧 J2MQMDC10

Label

Quasi Med: Why taken MIDUS code 10

Backward Skip

([J2MQM](#) = 0) OR ([J2MQMID10](#) = INAPP)

Notes

Code variable, see 'Documentation for MIDUS & MIDJA Medication data'.

Valid	Invalid
0	382

J2ML

Label

Any Medication Allergies?

Question Text

Does R have any medication allergies?

Notes

See 'Documentation for MIDJA Clinic Visit Data Collection Protocols' for medication allergy data collection and coding protocols.

Value	Label	Frequency	%
1		28	7.3%
2		354	92.7%

Valid	Invalid	Minimum	Maximum
382	0	1	2

J2MLM

Label

Allergies: Number of Medication Allergies

Question Text

Number of allergic reactions

Valid	Invalid	Minimum	Maximum	Mean	StdDev
382	0	0	7	0.1	0.47

J2MLN1

Label

Allergies: Drug name 1

Type

Text

Question Text

Drug name: #1

Backward Skip

([J2MLM](#) = 0)

Valid	Invalid
382	0

J2MLRC1

Label

Allergies: Coded reaction categories 1

Question Text

Reaction to Drug: #1

Backward Skip

([J2MLM](#) = 0)

Notes

Code variable, see 'Documentation for MIDJA Clinic Visit Data collection Protocols'.

Value	Label	Frequency	%
2	RASH	11	2.9%
3	HIVES	3	0.8%
5	SWELLING	2	0.5%
6	STOMACH UPSET	1	0.3%
8	NAUSEA	2	0.5%
10	OTHER	3	0.8%
97	DON'T KNOW	3	0.8%

98	MISSING	3	0.8%
99	INAPP	354	92.7%

Valid	Invalid	Minimum	Maximum
22	360	2	10

J2MLN2

Label

Allergies: Drug name 2

Type

Text

Question Text

Drug name: #2

Backward Skip

(J2MLM = 0 OR 1)

Valid	Invalid
382	0

J2MLRC2

Label

Allergies: Coded reaction categories 2

Question Text

Reaction to Drug: #2

Backward Skip

(J2MLM = 0 OR 1)

Notes

Code variable, see 'Documentation for MIDJA Clinic Visit Data collection Protocols'.

Value	Label	Frequency	%
1	ANAPHYLAXIS	1	0.3%
2	RASH	1	0.3%

10	OTHER	1	0.3%
99	INAPP	379	99.2%

Valid	Invalid	Minimum	Maximum
3	379	1	10

J2MLN3

Label

Allergies: Drug name 3

Type

Text

Question Text

Drug name: #3

Backward Skip

(J2MLM = 2 OR LESS)

Valid	Invalid
382	0

J2MLRC3

Label

Allergies: Coded reaction categories 3

Question Text

Reaction to Drug: #3

Backward Skip

(J2MLM = 2 OR LESS)

Notes

Code variable, see 'Documentation for MIDJA Clinic Visit Data collection Protocols'.

Value	Label	Frequency	%
1	ANAPHYLAXIS	1	0.3%
10	OTHER	1	0.3%

	99	INAPP		380	99.5%

Valid	Invalid	Minimum	Maximum
2	380	1	10

J2MTC_40

Label

Multum Therapeutic Class 40 - cardiovascular agents: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	73	19.1%
2	NO	154	40.3%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MTC_40_N

Label

Multum Therapeutic Class 40 - cardiovascular agents: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
98	NOT CALCULATED (Due to missing data)	4	1.0%
99	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
227	155	0	4	0.54	0.91

J2MTC_57

Label

Multum Therapeutic Class 57 - central nervous system agents: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	51	13.4%
2	NO	176	46.1%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MTC_57_N

Label

Multum Therapeutic Class 57 - central nervous system agents: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
98	NOT CALCULATED (Due to missing data)	4	1.0%
99	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
227	155	0	5	0.37	0.83

J2MTC_87

Label

Multum Therapeutic Class 87 - gastrointestinal agents: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	54	14.1%
2	NO	173	45.3%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MTC_87_N

Label

Multum Therapeutic Class 87 - gastrointestinal agents: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
98	NOT CALCULATED (Due to missing data)	4	1.0%
99	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
227	155	0	6	0.32	0.7

J2MTC_115

Label

Multum Therapeutic Class 115 - nutritional products: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	74	19.4%

2	NO	153	40.1%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MTC_115_N

Label

Multum Therapeutic Class 115 - nutritional products: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
98	NOT CALCULATED (Due to missing data)	4	1.0%
99	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
227	155	0	9	0.5	0.96

J2MTC_218

Label

Multum Therapeutic Class 218 - alternative medicines: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	91	23.8%
2	NO	135	35.3%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	152	39.8%

Valid	Invalid	Minimum	Maximum
226	156	1	2

J2MTC_218_N

Label

Multum Therapeutic Class 218 - alternative medicines: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
98	NOT CALCULATED (Due to missing data)	4	1.0%
99	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
227	155	0	37	0.81	2.62

J2MTC_358

Label

Multum Therapeutic Class 358 - metabolic agents: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	65	17.0%
2	NO	162	42.4%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MTC_358_N

Label

Multum Therapeutic Class 358 - metabolic agents: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
98	NOT CALCULATED (Due to missing data)	4	1.0%
99	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
227	155	0	4	0.42	0.78

J2MTCS_19

Label

Multum Therapeutic Sub-Class 19 - antihyperlipidemic agents: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	49	12.8%
2	NO	178	46.6%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MTCS_48

Label

Multum Therapeutic Sub-Class 48 - calcium channel blocking agents: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	48	12.6%
2	NO	179	46.9%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MTCS_56

Label

Multum Therapeutic Sub-Class 56 - angiotensin II inhibitors: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	31	8.1%
2	NO	196	51.3%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MTCS_58

Label

Multum Therapeutic Sub-Class 58 - analgesics: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	28	7.3%
2	NO	199	52.1%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MTCS_67

Label

Multum Therapeutic Sub-Class 67 - anxiolytics sedatives and hypnotics: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	30	7.9%
2	NO	197	51.6%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MTCS_119

Label

Multum Therapeutic Sub-Class 119 - vitamins: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	36	9.4%

			Frequency	%
2	NO		191	50.0%
8	NOT CALCULATED (Due to missing data)		4	1.0%
9	NOT CALCULATED (Due to INAPP data)		151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MTCS_120

Label

Multum Therapeutic Sub-Class 120 - vitamin and mineral combinations: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	35	9.2%
2	NO	192	50.3%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MTCS_219

Label

Multum Therapeutic Sub-Class 219 - nutraceutical products: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	56	14.7%
2	NO	170	44.5%
8	NOT CALCULATED (Due to missing data)	4	1.0%

			Frequency	%
9	NOT CALCULATED (Due to INAPP data)		152	39.8%

Valid	Invalid	Minimum	Maximum
226	156	1	2

J2MTCS_220

Label

Multum Therapeutic Sub-Class 220 - herbal products: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	58	15.2%
2	NO	168	44.0%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	152	39.8%

Valid	Invalid	Minimum	Maximum
226	156	1	2

J2MTCS_272

Label

Multum Therapeutic Sub-Class 272 - proton pump inhibitors: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	12	3.1%
2	NO	215	56.3%
8	NOT CALCULATED (Due to missing data)	4	1.0%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
227	155	1	2

J2MPC_958

Label

Multum Pharmacologic Category 958 - angiotensin II receptor blocker: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	31	8.1%
2	NO	157	41.1%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
188	194	1	2

J2MPC_958_N

Label

Multum Pharmacologic Category 958 - angiotensin II receptor blocker: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
188	194	0	1	0.16	0.37

J2MPC_971

Label

Multum Pharmacologic Category 971 - antianginal agent: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	43	11.3%
2	NO	145	38.0%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
188	194	1	2

J2MPC_971_N

Label

Multum Pharmacologic Category 971 - antianginal agent: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
188	194	0	2	0.24	0.47

J2MPC_1171

Label

Multum Pharmacologic Category 1171 - antilipemic agent HMG-CoA reductase inhibitor: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	39	10.2%
2	NO	149	39.0%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
188	194	1	2

J2MPC_1171_N

Label

Multum Pharmacologic Category 1171 - antilipemic agent HMG-CoA reductase inhibitor: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
188	194	0	1	0.21	0.41

J2MPC_1313

Label

Multum Pharmacologic Category 1313 - calcium channel blocker: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	42	11.0%

			Frequency	%
2	NO		146	38.2%
8	NOT CALCULATED (Due to missing data)		43	11.3%
9	NOT CALCULATED (Due to INAPP data)		151	39.5%

Valid	Invalid	Minimum	Maximum
188	194	1	2

J2MPC_1313_N

Label

Multum Pharmacologic Category 1313 - calcium channel blocker: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
188	194	0	2	0.23	0.43

J2MPC_1428

Label

Multum Pharmacologic Category 1428 - dietary supplement: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	25	6.5%
2	NO	163	42.7%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
188	194	1	2

J2MPC_1428_N

Label

Multum Pharmacologic Category 1428 - dietary supplement: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
188	194	0	2	0.16	0.41

J2MPC_1651

Label

Multum Pharmacologic Category 1651 - proton pump inhibitor: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	12	3.1%
2	NO	176	46.1%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
188	194	1	2

J2MPC_1651_N

Label

Multum Pharmacologic Category 1651 - proton pump inhibitor: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
188	194	0	1	0.06	0.25

J2MPC_1750

Label

Multum Pharmacologic Category 1750 - vitamin: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	27	7.1%
2	NO	161	42.1%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
188	194	1	2

J2MPC_1750_N

Label

Multum Pharmacologic Category 1750 - vitamin: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
188	194	0	2	0.19	0.44

🔧 J2MPC_1753

Label

Multum Pharmacologic Category 1753 - vitamin fat soluble: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	31	8.1%
2	NO	156	40.8%
4		1	0.3%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
188	194	1	4

🔧 J2MPC_1753_N

Label

Multum Pharmacologic Category 1753 - vitamin fat soluble: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%

		Frequency	%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
188	194	0	4	0.21	0.52

J2MPC_1824

Label

Multum Pharmacologic Category 1824 - substituted benzimidazole: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	12	3.1%
2	NO	176	46.1%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
188	194	1	2

J2MPC_1824_N

Label

Multum Pharmacologic Category 1824 - substituted benzimidazole: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev

188	194	0	1	0.06	0.25

J2MPC_1797080

Label

Multum Pharmacologic Category 1797080 - calcium channel blocker, dihydropyridine: YES/NO?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
1	YES	38	9.9%
2	NO	150	39.3%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum
188	194	1	2

J2MPC_1797080_N

Label

Multum Pharmacologic Category 1797080 - calcium channel blocker, dihydropyridine: HOW MANY?

Notes

Computed variable, see 'Documentation for MIDUS & MIDJA Medication Data'

Value	Label	Frequency	%
8	NOT CALCULATED (Due to missing data)	43	11.3%
9	NOT CALCULATED (Due to INAPP data)	151	39.5%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
188	194	0	2	0.21	0.42