ICPSR

INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 34969

Survey of Midlife in Japan (MIDJA): Biomarker Project, 2009-2010

MIDJA Stacked Medication Data DDI Codebook

Survey of Midlife in Japan (MIDJA): Biomarker Project, 2009-2010

Hazel Markus
Stanford University

Christopher Coe
University of Wisconsin

Carol Ryff
University of Wisconsin

Mayumi Karasawa
Tokyo Woman's Christian University

Norito Kawakami
University of Tokyo

Shinobu Kitayama
University of Michigan

Terms of Use

Information about Copyrighted Content

MIDJA1_MEDICATION_STACKED_ PUBLIC_N=793_01_ 08-03-2016

🔴 MIDJA1_MEDICATION_STACKED_ PUBLIC_N=793_01_ 08-03-2016

File Name

MIDJA1_MEDICATION_STACKED_PUBLIC_N=793_01_08-03-2016.sav

Case Quantity

793

🔷 MIDJA_IDs

Label

MIDJA ID

Representation

Numeric

Role

input

Valid	Invalid	Minimum	Maximum
793	0	20249	29982

🔷 J2CSEX

Label

Respondent gender

Representation

Role

input

Value	Label	Frequency	%
1	MALE	347	43.8%
2	FEMALE	446	56.2%

Valid	Invalid	Minimum	Maximum

793	0	1	2

J2CAGE

Label

Respondent age at MIDJA 1 clinic visit

Representation

Numeric

Role

input

Valid	Invalid	Minimum	Maximum	Mean	StdDev
793	0	31	80	62.43	12.99

J2MINDEX

Label

Record number in the origianl flat data file

Representation

Type
Text

Role

input

Valid	Invalid
793	0

J2MTM

Label

Total number of medications

Representation

Numeric

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Valid	Invalid	Minimum	Maximum	Mean	StdDev
793	0	1	50	7.95	11.33

J2MPM

Label

Number of prescription medications

Representation

Numeric

Role

input

qstnLit

# of prescription medications?

Valid	Invalid	Minimum	Maximum	Mean	StdDev
793	0	0	13	3.64	3.24

J2MQM

Label

Number of Quasi (non-prescription) medications

Representation

Numeric

Role

input

qstnLit

# of quasi-medications?

Valid	Invalid	Minimum	Maximum	Mean	StdDev
793	0	0	50	4.31	11.98

J2MTYPE

Label

Medication Type: Prescription or Quasi

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	PRESCRIPTION MEDICATION	525	66.2%
2	QUASI MEDICATION	268	33.8%

Valid	Invalid	Minimum	Maximum
793	0	1	2

J2MMID

Label

Multum Drug ID

Representation

Type

Text

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Valid	Invalid
793	0

J2MGN

Label

Multum Generic Drug Name

Representation

Type
Text

Role
input

Notes
Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Valid	Invalid
793	0

J2MDD

Label
Drug dosage

Representation

Role
input

qstnLit
Drug dosage

Value	Label	Frequency	%
9995	VARIABLE DOSAGE	9	1.1%
9997	DON'T KNOW	1	0.1%
9998	MISSING	123	15.5%

Valid	Invalid	Minimum	Maximum
669	124	0.03	9995

J2MDU

Label
Drug dosage units

Representation

Role
input

qstnLit

Drug dosage unit

Value	Label	Frequency	%
1	MG	373	47.0%
2	GRAM	24	3.0%
3	MCG	1	0.1%
6	CC/ML	5	0.6%
7	TEASPOON	1	0.1%
8	TABLET	251	31.7%
9	CAPSULE	3	0.4%
10	PFUU/SQUIRT	1	0.1%
11	UNIT	2	0.3%
13	PERCENT	3	0.4%
15	OTHER	2	0.3%
97	DON'T KNOW	1	0.1%
98	MISSING	126	15.9%

Valid	Invalid	Minimum	Maximum
666	127	1	15

J2MR

Label

Method of taking (route)

Representation

Role

input

qstnLit

Route

Value	Label	Frequency	%
1	ORAL (PO)	713	89.9%
2	INHALED	4	0.5%

3	TOPICAL	17	2.1%
4	SUB Q/SUB C	4	0.5%
98	MISSING	55	6.9%

Valid	Invalid	Minimum	Maximum
738	55	1	4

J2MF

Label
Frequency

Representation

Numeric

Role
input

qstnLit
Frequency

Value	Label	Frequency	%
97	DON'T KNOW	2	0.3%
98	REFUSED	46	5.8%

Valid	Invalid	Minimum	Maximum
745	48	1	4

J2MFU

Label
Frequency unit

Representation

Role
input

qstnLit
Frequency unit

Value	Label	Frequency	%

1	DAY		679	85.6%
2	EVERY OTHER DAY		5	0.6%
3	WEEK		9	1.1%
4	MONTH		2	0.3%
5	AS NEEDED (PRN)		19	2.4%
7	DON'T KNOW		2	0.3%
8	MISSING		77	9.7%

Valid	Invalid	Minimum	Maximum
714	79	1	5

J2MT

Label

Taken for how long

Representation

Numeric

Decimal Positions

2

Role

input

qstnLit

Taken for how long: time

Value	Label	Frequency	%
98	MISSING	249	31.4%

Valid	Invalid	Minimum	Maximum
544	249	1	42

J2MTU

Label

Unit of time taken

Representation

Role

input

qstnLit

Taken for how long: time unit

Value	Label	Frequency	%
1	DAY	26	3.3%
2	WEEK	15	1.9%
3	MONTH	113	14.2%
4	YEAR	384	48.4%
8	MISSING	255	32.2%

Valid	Invalid	Minimum	Maximum
538	255	1	4

J2MICD9M

Label

Why are you taking it: ICD 9 major category code

Representation

Role

input

qstnLit

Why are you taking it?

Value	Label	Frequency	%
10	PRIMARY TUBERCULOUS INFECTION	4	0.5%
150	MALIGNANT NEOPLASM OF ESOPHAGUS	1	0.1%
242	TOXIC DIFFUSE GOITER	1	0.1%
246	OTH DISORDERS OF THYROID	3	0.4%
250	DIABETES MELLITUS	20	2.5%
255	ADRENAL GLAND DISORDERS	2	0.3%
268	VITAMIN D DEFICIENCY	1	0.1%
272	PURE HYPERCHOLESTEROLEM	38	4.8%
274	GOUT	9	1.1%

285	ANEMIA NEC/NOS	2	0.3%
297	DELUSIONAL DISORDERS	2	0.3%
300	NEUROTIC DISORDERS	29	3.7%
311	DEPRESSIVE DISORDER NEC	2	0.3%
337	AUTONOMIC NERVE DISORDER	1	0.1%
338	PAIN, NOT ELSEWHERE CLASSIFIED	4	0.5%
345	EPILEPSY	1	0.1%
346	MIGRAINE	1	0.1%
350	TRIGEMINAL NERVE DISORDERS	1	0.1%
365	GLAUCOMA	1	0.1%
375	LACRIMAL SYSTEM DISORDER	2	0.3%
388	DISORDERS OF EAR NEC	1	0.1%
401	ESSENTIAL HYPERTENSION	97	12.2%
410	ACUTE MYOCARDIAL INFARCT	6	0.8%
413	ANGINA PECTORIS	7	0.9%
427	CARDIAC DYSRHYTHMIAS	2	0.3%
431	INTRACEREBRAL HEMORRHAGE	3	0.4%
453	OTH VENOUS THROMBOSIS	9	1.1%
460	ACUTE NASOPHARYNGITIS	5	0.6%
461	ACUTE SINUSITIS	1	0.1%
477	ALLERGIC RHINITIS	11	1.4%
478	OTH UPPR RESPIRATORY DIS	3	0.4%
493	ASTHMA	7	0.9%
531	GASTRIC ULCER	4	0.5%
532	DUODENAL ULCER	1	0.1%
533	PEPTIC ULCER, SITE NOS	5	0.6%
535	GASTRITIS AND DUODENITIS	3	0.4%
536	STOMACH FUNCTION DISORD	20	2.5%
558	OTH NONINF GASTROENTERIT	3	0.4%
564	FUNCT DIGESTIVE DIS NEC	12	1.5%

569	OTH INTESTINAL DISORDERS	1	0.1%
574	CHOLELITHIASIS	1	0.1%
600	HYPERPLASIA OF PROSTATE	1	0.1%
626	DISORDER OF MENSTRUATION	1	0.1%
627	MENOPAUSAL DISORDERS	3	0.4%
686	OTHER LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	1	0.1%
692	CONTACT DERMATITIS	1	0.1%
698	PRURITUS & LIKE COND	1	0.1%
706	SEBACEOUS GLAND DISEASE	3	0.4%
719	JOINT DISORDER NEC & NOS	10	1.3%
724	BACK DISORDER NEC & NOS	6	0.8%
729	OTHER SOFT TISSUE DIS	5	0.6%
733	OTH BONE & CARTILAGE DIS	8	1.0%
780	GENERAL SYMPTOMS	21	2.6%
782	SKIN/OTH INTEGUMENT SYMP	5	0.6%
783	NUTRIT/METAB/DEVEL SYMP	1	0.1%
784	SYMPTOMS INVOL HEAD/NECK	3	0.4%
786	RESP SYS/OTH CHEST SYMP	5	0.6%
788	URINARY SYSTEM SYMPTOMS	5	0.6%
790	NONSPECIFIC FINDINGS ON EXAMINATION OF BLOOD	9	1.1%
995	CERTAIN ADVERSE EFF NEC	14	1.8%
9996	UNABLE TO CLASSIFY	6	0.8%
9998	MISSING	183	23.1%
9999	INAPP	174	21.9%

Valid	Invalid	Minimum	Maximum	Mean	StdDev
430	363	10	995	478.47	199.43

J2MMDC

Label

Why are you taking it: MIDUS code

Representation

Role

input

qstnLit

Why are you taking it?

Value	Label	Frequency	%
M1000	GENERAL HEALTH	75	9.5%
M1010	IMPROVE HEALTH	5	0.6%
M1020	ENERGY	15	1.9%
M1030	GENERAL HEALTH, OTHERS	1	0.1%
M2000	SUPPLEMENT	1	0.1%
M2010	VITAMIN SUPPLEMENT	6	0.8%
M2020	CALCIUM SUPPPLEMENT	2	0.3%
M2040	ENSURE NUTRITIONAL INTAKES	5	0.6%
M2050	POOR DIET	1	0.1%
M2070	SUPPLEMENT, OTHERS	2	0.3%
M3010	CARDIOVASCULAR HEALTH	6	0.8%
M3013	CARDIOVASCULAR HEALTH, OTHERS	15	1.9%
M3020	MUSCULOSKELETAL HEALTH	4	0.5%
M3030	DIGESTIVE HEALTH	5	0.6%
M3031	INTESTINAL/COLON HEALTH	1	0.1%
M3040	PROSTATE HEALTH	2	0.3%
M3050	EYE HEALTH	2	0.3%
M3070	IMMUNE HEALTH	6	0.8%
M3080	INTEGUMENT HEALTH	4	0.5%
M3090	OTHER TARGETED HEALTH	11	1.4%
M4020	GOOD FOR YOU/ME	1	0.1%

M4030	FAMILY/FRIEND RECOMMEND	1	0.1%
M5000	WEIGHT LOSS	1	0.1%
M5100	STRESS	1	0.1%
Z9996	UNABLE TO CLASSIFY	7	0.9%
Z9998	MISSING	183	23.1%
Z9999	INAPP	430	54.2%

Valid	Invalid
793	0

J2MMT

Label

Flag: Matched with Lexicon Generic Name

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	MATCHED WITH LEXICON	472	59.5%
2	UNMATCHED MEDICATION	281	35.4%
3	UNMATCHED, INSUFFICIENT INFO	40	5.0%

Valid	Invalid	Minimum	Maximum
793	0	1	3

J2MDUP

Label

Flag: R Takes Two Prescription Meds with Same Generic Name

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	10	1.3%
2	NO	515	64.9%
9	INAPP	268	33.8%

Valid	Invalid	Minimum	Maximum
525	268	1	2

J2MVAR

Label

Flag: R reports medication taken in variable dosage

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	9	1.1%
2	NO	675	85.1%
8	MISSING	109	13.7%

Valid	Invalid	Minimum	Maximum
684	109	1	2

J2MPRN

Label

Flag: Medications taken as needed (PRN)

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	23	2.9%
2	NO	723	91.2%
8	MISSING	47	5.9%

Valid	Invalid	Minimum	Maximum
746	47	1	2

📊 J2MTC1

Label

Multum Therapeutic Class #1

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	ANTI-INFECTIVES	15	1.9%
20	ANTINEOPLASTICS	2	0.3%
40	CARDIOVASCULAR AGENTS	122	15.4%
57	CENTRAL NERVOUS SYSTEM AGENTS	85	10.7%
81	COAGULATION MODIFIERS	3	0.4%
87	GASTROINTESTINAL AGENTS	73	9.2%
97	HORMONES/HORMONE MODIFIERS	10	1.3%
105	MISCELLANEOUS AGENTS	14	1.8%
113	GENITOURINARY TRACT AGENTS	2	0.3%
115	NUTRITIONAL PRODUCTS	102	12.9%
122	RESPIRATORY AGENTS	27	3.4%
133	TOPICAL AGENTS	10	1.3%

218	ALTERNATIVE MEDICINES	178	22.4%
242	PSYCHOTHERAPEUTIC AGENTS	15	1.9%
358	METABOLIC AGENTS	95	12.0%
999	INAPP	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	358

📚 J2MTC2

Label

Multum Therapeutic Class #2

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
81	COAGULATION MODIFIERS	15	1.9%
97	HORMONES/HORMONE MODIFIERS	1	0.1%
105	MISCELLANEOUS AGENTS	1	0.1%
115	NUTRITIONAL PRODUCTS	11	1.4%
133	TOPICAL AGENTS	1	0.1%
218	ALTERNATIVE MEDICINES	5	0.6%
331	RADIOLOGIC AGENTS	1	0.1%
999	INAPP	758	95.6%

Valid	Invalid	Minimum	Maximum
35	758	81	331

J2MTC3

Label

Multum Therapeutic Class #3

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
254	IMMUNOLOGIC AGENTS	1	0.1%
999	INAPP	792	99.9%

Valid	Invalid	Minimum	Maximum
1	792	254	254

J2MTC1S1

Label

Multum Therapeutic Sub-class #1 for TC1

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
2	AMEBICIDES	1	0.1%
4	ANTIFUNGALS	4	0.5%
6	ANTITUBERCULOSIS AGENTS	4	0.5%
7	ANTIVIRAL AGENTS	1	0.1%
9	CEPHALOSPORINS	1	0.1%
11	MACROLIDE DERIVATIVES	2	0.3%
14	QUINOLONES	1	0.1%

18	AMINOGLYCOSIDES	1	0.1%
19	ANTIHYPERLIPIDEMIC AGENTS	51	6.4%
23	ANTIMETABOLITES	1	0.1%
24	ANTINEOPLASTIC HORMONES	1	0.1%
42	ANGIOTENSIN CONVERTING ENZYME INHIBITORS	4	0.5%
43	ANTIADRENERGIC AGENTS, PERIPHERALLY ACTING	8	1.0%
45	ANTIANGINAL AGENTS	1	0.1%
46	ANTIARRHYTHMIC AGENTS	10	1.3%
47	BETA-ADRENERGIC BLOCKING AGENTS	5	0.6%
48	CALCIUM CHANNEL BLOCKING AGENTS	45	5.7%
49	DIURETICS	10	1.3%
51	MISCELLANEOUS CARDIOVASCULAR AGENTS	2	0.3%
53	VASODILATORS	6	0.8%
56	ANGIOTENSIN II INHIBITORS	31	3.9%
58	ANALGESICS	35	4.4%
64	ANTICONVULSANTS	2	0.3%
65	ANTIEMETIC/ANTIVERTIGO AGENTS	2	0.3%
66	ANTIPARKINSON AGENTS	2	0.3%
67	ANXIOLYTICS, SEDATIVES, AND HYPNOTICS	42	5.3%
73	MUSCLE RELAXANTS	2	0.3%
83	ANTIPLATELET AGENTS	2	0.3%
85	MISCELLANEOUS COAGULATION MODIFIERS	1	0.1%
88	ANTACIDS	9	1.1%
90	ANTIDIARRHEALS	4	0.5%
91	DIGESTIVE ENZYMES	4	0.5%
92	GALLSTONE SOLUBILIZING AGENTS	4	0.5%
93	GI STIMULANTS	2	0.3%
94	H2 ANTAGONISTS	18	2.3%

95	LAXATIVES	6	0.8%
96	MISCELLANEOUS GI AGENTS	13	1.6%
98	ADRENAL CORTICAL STEROIDS	5	0.6%
99	ANTIDIABETIC AGENTS	20	2.5%
103	THYROID HORMONES	5	0.6%
110	MISCELLANEOUS UNCATEGORIZED AGENTS	5	0.6%
116	IRON PRODUCTS	4	0.5%
117	MINERALS AND ELECTROLYTES	11	1.4%
118	ORAL NUTRITIONAL SUPPLEMENTS	6	0.8%
119	VITAMINS	42	5.3%
120	VITAMIN AND MINERAL COMBINATIONS	39	4.9%
123	ANTIHISTAMINES	15	1.9%
125	BRONCHODILATORS	4	0.5%
128	EXPECTORANTS	4	0.5%
132	UPPER RESPIRATORY COMBINATIONS	1	0.1%
136	DERMATOLOGICAL AGENTS	6	0.8%
147	OPHTHALMIC PREPARATIONS	3	0.4%
194	ANTIGOUT AGENTS	14	1.8%
219	NUTRACEUTICAL PRODUCTS	91	11.5%
220	HERBAL PRODUCTS	80	10.1%
243	LEUKOTRIENE MODIFIERS	3	0.4%
247	NASAL PREPARATIONS	1	0.1%
249	ANTIDEPRESSANTS	6	0.8%
251	ANTIPSYCHOTICS	9	1.1%
265	URINARY PH MODIFIERS	2	0.3%
270	ANTIPSORIATICS	1	0.1%
272	PROTON PUMP INHIBITORS	12	1.5%
277	5-AMINOSALICYLATES	1	0.1%
284	VISCOSUPPLEMENTATION AGENTS	8	1.0%
289	ANTIHYPERURICEMIC AGENTS	5	0.6%

	Value	Label	Frequency	%
363	PROBIOTICS		7	0.9%
409	BONE RESORPTION INHIBITORS		5	0.6%
999	INAPP		40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	2	409

📊 J2MTC1S1_1

Label

Multum Therapeutic Sub-sub-class #1 for TC1S1

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
61	NONSTEROIDAL ANTI-INFLAMMATORY AGENTS	20	2.5%
62	SALICYLATES	13	1.6%
63	ANALGESIC COMBINATIONS	1	0.1%
69	BENZODIAZEPINES	36	4.5%
70	MISCELLANEOUS ANXIOLYTICS, SEDATIVES AND HYPNOTICS	7	0.9%
77	MISCELLANEOUS ANTIPSYCHOTIC AGENTS	3	0.4%
126	METHYLXANTHINES	1	0.1%
138	TOPICAL STEROIDS	2	0.3%
140	MISCELLANEOUS TOPICAL AGENTS	2	0.3%
154	LOOP DIURETICS	3	0.4%
155	POTASSIUM-SPARING DIURETICS	2	0.3%
156	THIAZIDE AND THIAZIDE-LIKE DIURETICS	5	0.6%
159	FIRST GENERATION CEPHALOSPORINS	1	0.1%
164	OPHTHALMIC GLAUCOMA AGENTS	1	0.1%

169	MISCELLANEOUS OPHTHALMIC AGENTS	1	0.1%
173	HMG-COA REDUCTASE INHIBITORS	39	4.9%
174	MISCELLANEOUS ANTIHYPERLIPIDEMIC AGENTS	8	1.0%
177	MISCELLANEOUS ANTIVIRALS	1	0.1%
178	SKELETAL MUSCLE RELAXANTS	2	0.3%
180	ADRENERGIC BRONCHODILATORS	2	0.3%
193	ANTIMIGRAINE AGENTS	1	0.1%
198	MISCELLANEOUS ANTIEMETICS	2	0.3%
205	ANTICHOLINERGIC ANTIPARKINSON AGENTS	2	0.3%
208	SSRI ANTIDEPRESSANTS	2	0.3%
209	TRICYCLIC ANTIDEPRESSANTS	2	0.3%
211	PLATELET AGGREGATION INHIBITORS	2	0.3%
213	SULFONYLUREAS	5	0.6%
214	BIGUANIDES	6	0.8%
215	INSULIN	3	0.4%
216	ALPHA-GLUCOSIDASE INHIBITORS	2	0.3%
217	BISPHOSPHONATES	5	0.6%
232	RIFAMYCIN DERIVATIVES	1	0.1%
234	MISCELLANEOUS ANTITUBERCULOSIS AGENTS	2	0.3%
236	AZOLE ANTIFUNGALS	4	0.5%
241	FIBRIC ACID DERIVATIVES	4	0.5%
245	NASAL STEROIDS	1	0.1%
267	OPHTHALMIC ANTIHISTAMINES AND DECONGESTANTS	1	0.1%
271	THIAZOLIDINEDIONES	3	0.4%
274	CARDIOSELECTIVE BETA BLOCKERS	3	0.4%
275	NON-CARDIOSELECTIVE BETA BLOCKERS	2	0.3%
282	MEGLITINIDES	1	0.1%
299	ANTICHOLINERGIC BRONCHODILATORS	1	0.1%

301	GLUCOCORTICOIDS	5	0.6%
304	MACROLIDES	2	0.3%
306	PHENYLPIPERAZINE ANTIDEPRESSANTS	1	0.1%
307	TETRACYCLIC ANTIDEPRESSANTS	1	0.1%
311	DIBENZAZEPINE ANTICONVULSANTS	1	0.1%
341	ATYPICAL ANTIPSYCHOTICS	6	0.8%
387	GROUP III ANTIARRHYTHMICS	1	0.1%
388	GROUP IV ANTIARRHYTHMICS	4	0.5%
389	GROUP V ANTIARRHYTHMICS	4	0.5%
448	TOPICAL NON-STEROIDAL ANTI-INFLAMMATORIES	2	0.3%
457	HYDRAZIDE DERIVATIVES	1	0.1%
999	INAPP	560	70.6%

Valid	Invalid	Minimum	Maximum
233	560	61	457

J2MTC1S2

Label

Multum Therapeutic Sub-class #2 for TC1

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
12	MISCELLANEOUS ANTIBIOTICS	1	0.1%
47	BETA-ADRENERGIC BLOCKING AGENTS	1	0.1%
48	CALCIUM CHANNEL BLOCKING AGENTS	4	0.5%
50	INOTROPIC AGENTS	3	0.4%
53	VASODILATORS	1	0.1%

65	ANTIEMETIC/ANTIVERTIGO AGENTS	1	0.1%
127	DECONGESTANTS	1	0.1%
220	HERBAL PRODUCTS	10	1.3%
289	ANTIHYPERURICEMIC AGENTS	12	1.5%
340	ALDOSTERONE RECEPTOR ANTAGONISTS	2	0.3%
363	PROBIOTICS	2	0.3%
999	INAPP	755	95.2%

Valid	Invalid	Minimum	Maximum
38	755	12	363

J2MTC1S2_1

Label

Multum Therapeutic Sub-sub-class #1 for TC1S2

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
198	MISCELLANEOUS ANTIEMETICS	1	0.1%
999	INAPP	792	99.9%

Valid	Invalid	Minimum	Maximum
1	792	198	198

J2MTC1S3

Label

Multum Therapeutic Sub-class #3 for TC1

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
67	ANXIOLYTICS, SEDATIVES, AND HYPNOTICS	1	0.1%
999	INAPP	792	99.9%

Valid	Invalid	Minimum	Maximum
1	792	67	67

J2MTC1S3_1

Label

Multum Therapeutic Sub-sub-class #1 for TC1S3

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
203	BENZODIAZEPINE ANTICONVULSANTS	1	0.1%
999	INAPP	792	99.9%

Valid	Invalid	Minimum	Maximum
1	792	203	203

J2MTC2S1

Label

Multum Therapeutic Sub-class #1 for TC2

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
83	ANTIPLATELET AGENTS	15	1.9%
117	MINERALS AND ELECTROLYTES	9	1.1%
119	VITAMINS	3	0.4%
136	DERMATOLOGICAL AGENTS	1	0.1%
192	ANTIRHEUMATICS	1	0.1%
219	NUTRACEUTICAL PRODUCTS	2	0.3%
220	HERBAL PRODUCTS	1	0.1%
332	RADIOLOGIC ADJUNCTS	1	0.1%
363	PROBIOTICS	2	0.3%
417	SELECTIVE ESTROGEN RECEPTOR MODULATORS	1	0.1%
999	INAPP	757	95.5%

Valid	Invalid	Minimum	Maximum
36	757	83	417

J2MTC2S1_1

Label

Multum Therapeutic Sub-sub-class #1 for TC2S1

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
141	TOPICAL STEROIDS WITH ANTI INFECTIVES	1	0.1%
211	PLATELET AGGREGATION INHIBITORS	15	1.9%
374	CARDIAC STRESSING AGENTS	1	0.1%
999	INAPP	776	97.9%

Valid	Invalid	Minimum	Maximum

17	776	141	374

J2MTC2S2

Label

Multum Therapeutic Sub-class #2 for TC2

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
270	ANTIPSORIATICS	1	0.1%
999	INAPP	792	99.9%

Valid	Invalid	Minimum	Maximum
1	792	270	270

J2MTC3S1

Label

Multum Therapeutic Sub-class #1 for TC3

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
104	IMMUNOSUPPRESSIVE AGENTS	1	0.1%
999	INAPP	792	99.9%

Valid	Invalid	Minimum	Maximum
1	792	104	104

J2MTC3S1_1

Label

Multum Therapeutic Sub-sub-class #1 for TC3S1

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
445	OTHER IMMUNOSUPPRESSANTS	1	0.1%
999	INAPP	792	99.9%

Valid	Invalid	Minimum	Maximum
1	792	445	445

J2MPC1

Label

Multum Phamacologic category #1

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
919	ALPHA 1 BLOCKER	6	0.8%
928	ALPHA-/BETA- AGONIST	1	0.1%
930	ALPHA2-ADRENERGIC AGONIST	1	0.1%
934	AMEBICIDE	1	0.1%
938	5-AMINOSALICYLIC ACID DERIVATIVE	1	0.1%
957	ANGIOTENSIN-CONVERTING ENZYME (ACE) INHIBITOR	4	0.5%

958	ANGIOTENSIN II RECEPTOR BLOCKER	31	3.9%
961	ANTACID	9	1.1%
971	ANTIANGINAL AGENT	46	5.8%
979	ANTIARRHYTHMIC AGENT, CLASS III	1	0.1%
983	ANTIARRHYTHMIC AGENT, MISCELLANEOUS	4	0.5%
1002	ANTIBIOTIC, MACROLIDE	1	0.1%
1009	ANTIBIOTIC, QUINOLONE	1	0.1%
1017	ANTIBIOTIC, MISCELLANEOUS	1	0.1%
1019	ANTICHOLINERGIC AGENT	2	0.3%
1032	ANTICONVULSANT, MISCELLANEOUS	1	0.1%
1050	ANTIDEPRESSANT, SELECTIVE SEROTONIN REUPTAKE INHIBITOR	2	0.3%
1052	ANTIDEPRESSANT, SEROTONIN REUPTAKE INHIBITOR/ANTAGONIST	1	0.1%
1054	ANTIDEPRESSANT, TETRACYCLIC	1	0.1%
1057	ANTIDEPRESSANT, TRICYCLIC (SECONDARY AMINE)	1	0.1%
1058	ANTIDEPRESSANT, TRICYCLIC (TERTIARY AMINE)	1	0.1%
1062	ANTIDIABETIC AGENT, ALPHA-GLUCOSIDASE INHIBITOR	1	0.1%
1063	ANTIDIABETIC AGENT, BIGUANIDE	6	0.8%
1065	ANTIDIABETIC AGENT, SULFONYLUREA	4	0.5%
1066	ANTIDIABETIC AGENT, THIAZOLIDINEDIONE	3	0.4%
1069	ANTIDIARRHEAL	1	0.1%
1124	ANTIFIBRINOLYTIC AGENT	1	0.1%
1130	ANTIFUNGAL AGENT, ORAL	4	0.5%
1138	ANTIGOUT AGENT	18	2.3%
1170	ANTILIPEMIC AGENT, FIBRIC ACID	4	0.5%
1171	ANTILIPEMIC AGENT, HMG-COA REDUCTASE INHIBITOR	39	4.9%

1174	ANTIMANIC AGENT	4	0.5%
1177	ANTIMIGRAINE AGENT	1	0.1%
1225	ANTIPLATELET AGENT	17	2.1%
1259	ANTIRHEUMATIC, DISEASE MODIFYING	1	0.1%
1267	ANTITUBERCULAR AGENT	3	0.4%
1289	BENZODIAZEPINE	6	0.8%
1291	BETA-BLOCKER, BETA-1 SELECTIVE	1	0.1%
1293	BETA-BLOCKER, NONSELECTIVE	1	0.1%
1294	BETA-BLOCKER WITH ALPHA-BLOCKING ACTIVITY	2	0.3%
1305	BISPHOSPHONATE DERIVATIVE	4	0.5%
1314	CALCIUM SALT	2	0.3%
1369	CORTICOSTEROID, SYSTEMIC	5	0.6%
1370	CORTICOSTEROID, TOPICAL	2	0.3%
1428	DIETARY SUPPLEMENT	31	3.9%
1435	DIURETIC, LOOP	3	0.4%
1438	DIURETIC, POTASSIUM SPARING	2	0.3%
1439	DIURETIC, THIAZIDE	1	0.1%
1447	ELECTROLYTE SUPPLEMENT, ORAL	6	0.8%
1449	ENZYME	1	0.1%
1481	GALLSTONE DISSOLUTION AGENT	4	0.5%
1507	HISTAMINE H2 ANTAGONIST	17	2.1%
1523	HYPNOTIC, MISCELLANEOUS	5	0.6%
1534	IRON SALT	2	0.3%
1545	LAXATIVE, STIMULANT	3	0.4%
1551	LEUKOTRIENE RECEPTOR ANTAGONIST	1	0.1%
1599	NONSTEROIDAL ANTI-INFLAMMATORY DRUG (NSAID)	2	0.3%
1602	NONSTEROIDAL ANTI-INFLAMMATORY DRUG (NSAID), ORAL	9	1.1%
1613	OPHTHALMIC AGENT, VISCOELASTIC	6	0.8%

1646	PROSTAGLANDIN	1	0.1%
1651	PROTON PUMP INHIBITOR	12	1.5%
1671	SELECTIVE ESTROGEN RECEPTOR MODULATOR (SERM)	1	0.1%
1710	THYROID PRODUCT	5	0.6%
1718	TRACE ELEMENT	1	0.1%
1750	VITAMIN	4	0.5%
1753	VITAMIN, FAT SOLUBLE	7	0.9%
1756	VITAMIN, WATER SOLUBLE	19	2.4%
1768	HISTAMINE H1 ANTAGONIST	9	1.1%
1827	ANTIPSYCHOTIC AGENT, ATYPICAL	2	0.3%
1828	ANTIPSYCHOTIC AGENT, TYPICAL	1	0.1%
363221	ANTIDIABETIC AGENT, MEGLITINIDE DERIVATIVE	1	0.1%
370141	INSULIN, RAPID-ACTING	3	0.4%
3861322	PHOSPHODIESTERASE ENZYME INHIBITOR, NONSELECTIVE	1	0.1%
3974202	ANTILIPEMIC AGENT, OMEGA-3 FATTY ACIDS	2	0.3%
9999999	INAPP	384	48.4%

Valid	Invalid	Minimum	Maximum
409	384	919	3974202

J2MPC2

Label

Multum Phamacologic category #2

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
980	ANTIARRHYTHMIC AGENT, CLASS IV	4	0.5%
1017	ANTIBIOTIC, MISCELLANEOUS	1	0.1%
1074	ANTIDOTE	9	1.1%
1139	ANTIHEMOPHILIC AGENT	1	0.1%
1156	ANTIHYPERTENSIVE	8	1.0%
1219	ANTI-PARKINSON'S AGENT, ANTICHOLINERGIC	1	0.1%
1267	ANTITUBERCULAR AGENT	1	0.1%
1291	BETA-BLOCKER, BETA-1 SELECTIVE	2	0.3%
1313	CALCIUM CHANNEL BLOCKER	39	4.9%
1318	CARDIAC GLYCOSIDE	3	0.4%
1370	CORTICOSTEROID, TOPICAL	3	0.4%
1380	DECONGESTANT	1	0.1%
1390	DIAGNOSTIC AGENT	1	0.1%
1447	ELECTROLYTE SUPPLEMENT, ORAL	1	0.1%
1528	IMMUNOSUPPRESSANT AGENT	1	0.1%
1539	LAXATIVE, BULK-PRODUCING	1	0.1%
1576	MAGNESIUM SALT	6	0.8%
1603	NONSTEROIDAL ANTI-INFLAMMATORY DRUG (NSAID), PARENTERAL	3	0.4%
1607	OPHTHALMIC AGENT, ANTIGLAUCOMA	1	0.1%
1665	SALICYLATE	13	1.6%
1687	SKIN AND MUCOUS MEMBRANE AGENT, MISCELLANEOUS	6	0.8%
1742	VASODILATOR	1	0.1%
1750	VITAMIN	31	3.9%
1757	XANTHINE OXIDASE INHIBITOR	17	2.1%
1762	SEROTONIN 5-HT1B, 1D RECEPTOR AGONIST	1	0.1%
1780	SELECTIVE ALDOSTERONE BLOCKER	2	0.3%
1824	SUBSTITUTED BENZIMIDAZOLE	12	1.5%

1827	ANTIPSYCHOTIC AGENT, ATYPICAL	4	0.5%
1118479	RESPIRATORY FLUOROQUINOLONE	1	0.1%
1163619	NONSTEROIDAL ANTI-INFLAMMATORY DRUG (NSAID), TOPICAL	2	0.3%
1177583	HISTAMINE H1 ANTAGONIST, SECOND GENERATION	8	1.0%
1177584	HISTAMINE H1 ANTAGONIST, FIRST GENERATION	1	0.1%
1826674	ANTIPLATELET AGENT, THIENOPYRIDINE	2	0.3%
3861323	PHOSPHODIESTERASE-3 ENZYME INHIBITOR	2	0.3%
3988862	ANTICHOLINERGIC AGENT, LONG-ACTING	1	0.1%
9999999	INAPP	602	75.9%

Valid	Invalid	Minimum	Maximum
191	602	980	3988862

J2MPC3

Label

Multum Phamacologic category #3

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1313	CALCIUM CHANNEL BLOCKER	4	0.5%
1314	CALCIUM SALT	9	1.1%
1504	HEMOSTATIC AGENT	1	0.1%
1753	VITAMIN, FAT SOLUBLE	32	4.0%
1768	HISTAMINE H1 ANTAGONIST	1	0.1%
1820	ANTIRHEUMATIC, MISCELLANEOUS	6	0.8%

1822	ANTINEOPLASTIC AGENT, ANTIMETABOLITE (ANTIFOLATE)	1	0.1%
1823	ANTIPROTOZOAL, NITROIMIDAZOLE	1	0.1%
1797080	CALCIUM CHANNEL BLOCKER, DIHYDROPYRIDINE	39	4.9%
2952225	ALKYLAMINE DERIVATIVE	1	0.1%
2952340	PIPERAZINE DERIVATIVE	5	0.6%
2952559	PIPERIDINE DERIVATIVE	3	0.4%
2965759	FIBER SUPPLEMENT	1	0.1%
9999999	INAPP	689	86.9%

Valid	Invalid	Minimum	Maximum
104	689	1313	2965759

J2MPC4

Label

Multum Phamacologic category #4

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1447	ELECTROLYTE SUPPLEMENT, ORAL	9	1.1%
1177583	HISTAMINE H1 ANTAGONIST, SECOND GENERATION	1	0.1%
1711459	LYSINE ANALOG	1	0.1%
1797079	CALCIUM CHANNEL BLOCKER, NONDIHYDROPYRIDINE	4	0.5%
9999999	INAPP	778	98.1%

Valid	Invalid	Minimum	Maximum
15	778	1447	1797079

J2MPC5

Label

Multum Phamacologic category #5

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
2952559	PIPERIDINE DERIVATIVE	1	0.1%
9999999	INAPP	792	99.9%

Valid	Invalid	Minimum	Maximum
1	792	2952559	2952559

J2MTC_40

Label

Multum Therapeutic Class 40 - cardiovascular agents: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	122	15.4%
2	NO	631	79.6%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTC_57

Label

Multum Therapeutic Class 57 - central nervous system agents: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	85	10.7%
2	NO	668	84.2%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTC_87

Label

Multum Therapeutic Class 87 - gastrointestinal agents: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	73	9.2%
2	NO	680	85.8%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTC_115

Label

Multum Therapeutic Class 115 - nutritional products: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	113	14.2%
2	NO	640	80.7%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTC_218

Label

Multum Therapeutic Class 218 - alternative medicines: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	183	23.1%
2	NO	570	71.9%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTC_358

Label

Multum Therapeutic Class 358 -metabolic agents: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	95	12.0%
2	NO	658	83.0%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTCS_19

Label

Multum Therapeutic Sub-Class 19 - antihyperlipidemic agents: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	51	6.4%
2	NO	702	88.5%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTCS_48

Label

Multum Therapeutic Sub-Class 48 - calcium channel blocking agents: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	49	6.2%
2	NO	704	88.8%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTCS_56

Label

Multum Therapeutic Sub-Class 56 - angiotensin II inhibitors: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	31	3.9%
2	NO	722	91.0%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTCS_58

Label

Multum Therapeutic Sub-Class 58 - analgesics: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	35	4.4%
2	NO	718	90.5%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTCS_67

Label

Multum Therapeutic Sub-Class 67 - anxiolytics sedatives and hypnotics: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	43	5.4%
2	NO	710	89.5%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTCS_119

Label

Multum Therapeutic Sub-Class 119 - vitamins: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	45	5.7%
2	NO	708	89.3%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTCS_120

Label

Multum Therapeutic Sub-Class 120 - vitamin and mineral combinations: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	39	4.9%
2	NO	714	90.0%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTCS_219

Label

Multum Therapeutic Sub-Class 219 - nutraceutical products: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	93	11.7%
2	NO	660	83.2%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTCS_220

Label

Multum Therapeutic Sub-Class 220 - herbal products: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	91	11.5%
2	NO	662	83.5%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MTCS_272

Label

Multum Therapeutic Sub-Class 272 - proton pump inhibitors: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	12	1.5%
2	NO	741	93.4%
8	NOT CALCULATED (Due to missing data)	40	5.0%

Valid	Invalid	Minimum	Maximum
753	40	1	2

J2MPC_958

Label

Multum Pharmacologic Category 958 - angiotensin II receptor blocker: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	31	3.9%
2	NO	441	55.6%
9	NOT CALCULATED (Due to INAPP data)	321	40.5%

Valid	Invalid	Minimum	Maximum
472	321	1	2

J2MPC_971

Label

Multum Pharmacologic Category 971 - antianginal agent: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	46	5.8%
2	NO	426	53.7%
9	NOT CALCULATED (Due to INAPP data)	321	40.5%

Valid	Invalid	Minimum	Maximum
472	321	1	2

J2MPC_1171

Label

Multum Pharmacologic Category 1171 - antilipemic agent hmg coa reductase inhibitor: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	39	4.9%
2	NO	433	54.6%
9	NOT CALCULATED (Due to INAPP data)	321	40.5%

Valid	Invalid	Minimum	Maximum
472	321	1	2

J2MPC_1313

Label

Multum Pharmacologic Category 1313 - calcium channel blocker: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	43	5.4%
2	NO	429	54.1%
9	NOT CALCULATED (Due to INAPP data)	321	40.5%

Valid	Invalid	Minimum	Maximum
472	321	1	2

J2MPC_1428

Label

Multum Pharmacologic Category 1428 - dietary supplement: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	31	3.9%
2	NO	441	55.6%
9	NOT CALCULATED (Due to INAPP data)	321	40.5%

Valid	Invalid	Minimum	Maximum
472	321	1	2

J2MPC_1651

Label

Multum Pharmacologic Category 1651 - proton pump inhibitor: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	12	1.5%
2	NO	460	58.0%
9	NOT CALCULATED (Due to INAPP data)	321	40.5%

Valid	Invalid	Minimum	Maximum
472	321	1	2

J2MPC_1750

Label

Multum Pharmacologic Category 1750 - vitamin: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	35	4.4%
2	NO	437	55.1%
9	NOT CALCULATED (Due to INAPP data)	321	40.5%

Valid	Invalid	Minimum	Maximum
472	321	1	2

📇 J2MPC_1753

Label

Multum Pharmacologic Category 1753 - vitamin fat soluble: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	39	4.9%
2	NO	433	54.6%
9	NOT CALCULATED (Due to INAPP data)	321	40.5%

Valid	Invalid	Minimum	Maximum
472	321	1	2

📇 J2MPC_1824

Label

Multum Pharmacologic Category 1824 - substituted benzimidazole: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	12	1.5%
2	NO	460	58.0%
9	NOT CALCULATED (Due to INAPP data)	321	40.5%

Valid	Invalid	Minimum	Maximum
472	321	1	2

J2MPC_1797080

Label

Multum Pharmacologic Category 1797080 - calcium channel blocker, dihydropyridine: YES/NO?

Representation

Role

input

Notes

Constructed variables: see 'MIDUS-MIDJA Biomarker Medication Documentation' for details

Value	Label	Frequency	%
1	YES	39	4.9%
2	NO	433	54.6%
9	NOT CALCULATED (Due to INAPP data)	321	40.5%

Valid	Invalid	Minimum	Maximum
472	321	1	2