



Lab class 3 (optional) – Basic HTML + CSS

Marco Santoro | *Web and Multimedia Technologies* | 09/06/2026

Intro

In questa esercitazione andiamo a creare una pagina web con HTML base e CSS.

STEP 1-2-3

Andiamo a creare la cartella “web” e dentro la cartella il file index.html.

> Marco Santoro > unipavia > web_multi > web				
☐	Nome	Ultima modifica	Tipo	Dimensione
	index.html	09/06/2026 20:07	Chrome HTML Do...	1 KB

STEP 4

Visto l'argomento del testo, andiamo ad inserire una foto in basso a tema Dr. Jekyll and Mr. Hyde, con l'istruzione ``, ridimensionandola 300x200.

The strange case of Dr. Jekyll and Mr. Hyde

Story of the Door

Mr. Utterson the lawyer was a man of a rugged countenance that was never lighted by a smile; cold, scanty and embarrassed in discourse; backward in sentiment; lean, long, dusty, dreary and yet somehow lovable.

At friendly meetings, and when the wine was to his taste, something eminently human beaconed from his eye; something indeed which never found its way into his talk, but which spoke not only in these silent symbols of the after-dinner face, but more often and loudly in the acts of his life.



STEP 5

Andiamo quindi ad inserire sotto la foto una lista ordinata di quattro capitoli del racconto

The strange case of Dr. Jekyll and Mr. Hyde

Story of the Door

Mr. Utterson the lawyer was a man of a rugged countenance that was never lighted by a smile; cold, scanty and embarrassed in discourse; backward in sentiment; lean, long, dusty, dreary and yet somehow lovable.

At friendly meetings, and when the wine was to his taste, something eminently human beaconed from his eye; something indeed which never found its way into his talk, but which spoke not only in these silent symbols of the after-dinner face, but more often and loudly in the acts of his life.



1. Story of the Door
2. Search for Mr Hyde
3. Dr Jekyll was Quite and at Ease
4. The Carew Murder Case

STEP 6-7

Andiamo a creare una nuova cartella “chapters” con le pagine dei relativi quattro capitoli, e andiamo a collegarli tramite il tag `<a>` con attributo `<href>` nella lista dei capitoli precedentemente creata.

Marco Santoro > unipavia > web_multi > web > chapters				
Ordina Visualizza ...				
☐ Nome	Ultima modifica	Tipo	Dimensione	
 ch1.html	09/06/2026 20:27	Chrome HTML Do...	0 KB	
 ch2.html	09/06/2026 20:27	Chrome HTML Do...	0 KB	
 ch3.html	09/06/2026 20:27	Chrome HTML Do...	0 KB	
 ch4.html	09/06/2026 20:27	Chrome HTML Do...	0 KB	

Le pagine dei capitoli conterranno solo il titolo del capitolo e a fine pagine un link di ritorno a index.html.

The strange case of Dr. Jekyll and Mr. Hyde

Story of the Door

Mr. Utterson the lawyer was a man of a rugged countenance that was never lighted by a smile; cold, scanty and embarrassed in discourse; backward in sentiment; lean, long, dusty, dreary and yet somehow lovable.

At friendly meetings, and when the wine was to his taste, something eminently human beaconed from his eye; something indeed which never found its way into his talk, but which spoke not only in these silent symbols of the after-dinner face, but more often and loudly in the acts of his life.



1. [Story of the Door](#)
2. [Search for Mr Hyde](#)
3. [Dr Jekyll was Quite and at Ease](#)
4. [The Carew Murder Case](#)

The strange case of Dr. Jekyll and Mr. Hyde

Story of the Door

[Back to Main Page](#)

STEP 8

Alla fine della pagina principale andremo ad inserire una tabella come da istruzioni.

Di default, aggiungendo nel tag `<table>` la proprietà `borders= 1px solid black` aggiunge un bordo di 1 px per ogni cella; per avere il bordo unito basta inserire in `<head>` `<style>` (o in un css esterno) la proprietà `border-collapse: collapse;` per ottenere l'effetto in figura. In più aggiungiamo un `padding= 8px` per migliorare la leggibilità e un allineamento differenziato tra intestazioni (`allin. a sx`) e dati (`allin.centrale`). La larghezza della tabella è stata impostata a 60% per evitare che andasse a riempire tutta la larghezza della pagina.

The strange case of Dr. Jekyll and Mr. Hyde

Story of the Door

Mr. Utterson the lawyer was a man of a rugged countenance that was never lighted by a smile; cold, scanty and embarrassed in discourse; backward

At friendly meetings, and when the wine was to his taste, something eminently human beamed from his eye; something indeed which never found dinner face, but more often and loudly in the acts of his life.



1. [Story of the Door](#)
2. [Search for Mr Hyde](#)
3. [Dr Jekyll was Quite and at Ease](#)
4. [The Carew Murder Case](#)

Chapters

Info\Chapter	Chapter 1	Chapter 2	Chapter 3	Chapter 4
Titles	Story of the Door	Search for Mr Hyde	Dr Jekyll was Quite and at Ease	The Carew Murder Case
Pages	5 - 12	13 - 25	26 - 30	31 - 37

STEP 9

Adesso andiamo a modificare la tabella in modo da avere unite le celle di intestazione come indicato; per fare ciò andiamo ad inserire le proprietà `<colspan>` e `<rowspan>` nelle definizioni delle tabelle, ed esattamente:

```
<thead>
    <tr>
        <th>Info\Chapter</th>
        <th colspan="4">Chapters 1-4</th>
    </tr>
    .....

<tbody>
    <tr>
        <th rowspan="2">Titles and Pages</th>
        ...
    </tr>
```

avendo cura di eliminare sia le celle “Chapter” che le celle “Pages” che sono state incorporate.

The strange case of Dr. Jekyll and Mr. Hyde

Story of the Door

Mr. Utterson the lawyer was a man of a rugged countenance that was never lighted by a smile; cold, scanty and embarrassed in discourse; backward

at friendly meetings, and when the wine was to his taste, something eminently human beaconed from his eye; something indeed which never found dinner face, but more often and loudly in the acts of his life.



1. [Story of the Door](#)
2. [Search for Mr Hyde](#)
3. [Dr Jekyll was Quite and at Ease](#)
4. [The Carew Murder Case](#)

Chapters

Info\Chapter	Chapters 1-4			
Titles and Pages	Story of the Door	Search for Mr Hyde	Dr Jekyll was Quite and at Ease	The Carew Murder Case
	5 - 12	13 - 25	26 - 30	31 - 37

STEP 10

In questo punto andiamo ad inserire un form di registrazione; tramite il tag <form> e le definizioni di <label> e <input> avremo dunque:

- una casella di testo (text);
- una casella di scelta (radio button - una o l'altra opzione);
- una casella di selezione (checkbox - una o più opzioni);
- una casella a discesa (select box - selezione di un elemento tra una serie di valori);
- un'area di testo per i commenti (textarea di 40x100px);
- un pulsante per inviare il modulo (button).


Registration Form

Name and Surname
Gender ☐ M ☐ F
I heard about this service through ☐ Internet ☐ Press ☐ Television
I wish a receive a message every

Comments

STEP 11

Andiamo a creare un file esterno “mystyle.css” e lo colleghiamo al nostro index.html con il tag <link>.



STEP 11-12-13

Nel file css andiamo ad impostare il colore di fondo (background color: cyan) e le proprietà per l'intestazione h2 (font-family, font-size, color, font-weight and text-align, with values sans-serif, 2em, red, bold, and center).

The strange case of Dr. Jekyll and Mr. Hyde

Story of the Door

Mr. Utterson the lawyer was a man of a rugged countenance that was never lighted by a smile; cold, scanty and embarrassed in discourse; backward in sentiment; lean, long, dusty, dreary and yet somehow lovable. At friendly meetings, and when the wine was to his taste, something eminently human beaconed from his eye; something indeed which never found its way into his talk, but which spoke not only in these silent dinner face, but more often and loudly in the acts of his life.



1. [Story of the Door](#)
2. [Search for Mr Hyde](#)
3. [Dr Jekyll was Quite and at Ease](#)
4. [The Carew Murder Case](#)

Chapters

Info/Chapter	Chapters 1-4			
Titles and Pages	Story of the Door	Search for Mr Hyde	Dr Jekyll was Quite and at Ease	The Carew Murder Case
	5 - 12	13 - 25	26 - 30	31 - 37

Registration Form

Name and Surname

Gender ☐ M ☐ F

I heard about this service through ☐ Internet ☐ Press ☐ Television

I wish a receive a message every

STEP 14

Applichiamo tramite l'istruzione `margin: 2.5em` un margine di 2.5em per tutti e quattro le direzioni; infatti, specificando un valore solo viene interpretato unico per le quattro direzioni (top,bottom,left,right).

The strange case of Dr. Jekyll and Mr. Hyde

Story of the Door

Mr. Utterson the lawyer was a man of a rugged countenance that was never lighted by a smile; cold, scanty and embarrassed in discourse; cautious, haggard and weary of life; but, above all else, **solitary**. At friendly meetings, and when the wine was to his taste, something eminently human beaconed from his eye; something indeed which gave him the appearance of the after-dinner face, but more often and loudly in the acts of his life.



- [1. Story of the Door](#)
- [2. Search for Mr Hyde](#)
- [3. Dr Jekyll was Quite and at Ease](#)
- [4. The Carew Murder Case](#)

Chapters

STEP 15

Per formattare il secondo paragrafo diverso dal primo, andiamo a definire direttamente nel `<body>` una classe che chiameremo "p2" e che avrà le caratteristiche del grassetto verde. Successivamente la richiameremo nel paragrafo con `<p class="p2">`.

The strange case of Dr. Jekyll and Mr. Hyde

Story of the Door

Mr. Utterson the lawyer was a man of a rugged countenance that was never lighted by a smile; cold, scanty and embarrassed in discourse; cautious, haggard and weary of life; but, above all else, **solitary**. At friendly meetings, and when the wine was to his taste, something eminently human beaconed from his eye; something indeed which gave him the appearance of the after-dinner face, but more often and loudly in the acts of his life.

STEP 16

Definiamo una nuova classe `special` da utilizzare con il tag `<span>` con le caratteristiche del carattere di colore blue e sottolineato, ottenendo quindi:

The strange case of Dr. Jekyll

[Mr. Utterson the lawyer](#) was a man of a rugged countenance

At friendly meetings, and when the wine was to his taste, symbols of the after-dinner face, but more often and loud

STEP 17

In seguito, nel file css andiamo ad impostare l'intestazione <h2> con ulteriori due proprietà, che danno vita ad un bordo rosso di 5px di spessore.

The strange case of Dr. Jekyll and Mr. Hyde

Story of the Door

STEP 18

In questo passo andiamo ad impostare una immagine di sfondo; per evitare di disturbare il testo andiamo ad inserire un motivo leggero su colore chiaro; l'istruzione è `background-image: url("immagine_sfondo.jpg")` ed il risultato:

The strange case of Dr. Jekyll and Mr. Hyde

Story of the Door

[Mr. Utterson the lawyer](#) was a man of a rugged countenance that was never lighted by a smile; cold, scanty and embarrassed in discourse; backward i

At friendly meetings, and when the wine was to his taste, something eminently human beacons from his eye; something indeed which never symbols of the after-dinner face, but more often and loudly in the acts of his life.



1. [Story of the Door](#)
2. [Search for Mr Hyde](#)
3. [Dr Jekyll was Quite and at Ease](#)
4. [The Carew Murder Case](#)


STEP 19

Per ultimo andiamo a modificare l'estetica del form in fondo alla pagina; potremmo passare il codice da sans-serif a Verdana, aumentare il font e metterlo tutto sottolineato. Possiamo farlo creando una classe apposita che possiamo riutilizzare su ogni etichetta che vogliamo cambiare; la classe sarà `.lab` e sarà così composta:

```
.lab { font-family: Arial;  
      font-size: 1.2em;  
      font-style: underline;  
      text-align: left;  
      border: 1px dashed purple;  
}
```

cambiando il carattere in Arial, ingrandito di 1.2em, sottolineato, allineato a sx e ogni voce bordata con una cornice viola da 1px.

Abbiamo allungato anche la casella dei commenti a 80x10px, con questo risultato finale:



The image shows a web form titled "Registration Form" on a light gray background. The form contains the following elements:

- A label "Name and Surname:" followed by a text input field.
- A label "Gender:" followed by two radio buttons labeled "M" and "F".
- A label "I heard about this service through:" followed by three checkboxes labeled "Internet", "Press", and "Television".
- A label "I wish a receive a message every:" followed by a dropdown menu labeled "Frequency".
- A label "Comments:" followed by a large, empty text area.
- A "Send" button at the bottom left of the form.

Red dashed boxes are drawn around the labels "Name and Surname:", "Gender:", "I heard about this service through:", "I wish a receive a message every:", and "Comments:" to highlight the styling changes described in the text.