

CSS3

CSS



A continuous evolution

<https://www.w3.org/Style/CSS/current-work>



The screenshot shows the 'CSS current work & how to participate' page on W3.org. The page has a header with the W3C logo, the title 'CSS current work & how to participate', and a 'Languages' link with flags. Below the header is a navigation bar with links: 'CSS HOME', 'LEARN & USE', 'SOFTWARE', and 'PARTICIPATE / DRAFTS' (which is highlighted). A search bar is also present. The main content area is titled 'CSS SPECIFICATIONS' and contains two paragraphs of text. The first paragraph explains that the page lists all completed specifications and drafts by the CSS WG, and provides a link to 'If you want to help'. The second paragraph discusses the importance of specifications, mentioning 'fantasai's Understanding the CSS Specifications' and 'David Eisenberg's How to read W3C specs'. Below this is a section titled 'WHAT'S NEW?' with a list of three items, each with a date in a blue box and a description of a new draft.

CSS current work
& how to participate

Languages

CSS HOME LEARN & USE SOFTWARE PARTICIPATE / DRAFTS

CSS SPECIFICATIONS

This page contains a list of all completed specifications and drafts by the [CSS WG](#). If you want to follow the development of CSS, this is the place to start. You have ideas? Contributions? See ['If you want to help'](#) on this page.

A *specification* is not a manual. There is no excuse for badly written drafts and please complain if you find one. But specs do target a specific audience. See [fantasai's Understanding the CSS Specifications](#). J. David Eisenberg has written another useful [How to read W3C specs](#). Or you can read about 'modules,' 'levels,' 'snapshots' and the CSS process.

WHAT'S NEW?

- **2025-10-30** Updated Working Draft: [CSS Conditional Rules Level 5](#).
- **2025-10-21** New Working Draft: [CSS Anchor Positioning Level 2](#).
- **2025-10-14** Updated Candidate Recommendation Draft: [CSS Flexible Box Layout Level 1](#).

Borders

It is possible to create rounded borders, add shadows to boxes, and use an image as a border

Properties: border-radius, box-shadow, border-image

Examples:

```
div {  
  border: 2px solid #a1a1a1;  
  padding: 10px 40px;  
  background: #dddddd;  
  width: 300px;  
  -moz-border-radius: 25px;  
  border-radius: 25px;  
}
```

For old versions of browsers (when CSS3 properties were not fully supported):

- moz → Mozilla
- webkit → Chrome and Safari
- ms → Internet Explorer
- o → Opera

The border-radius property allows you to add rounded corners to elements.


Background

It is possible to set the size of the background image and the area where it is positioned (*content, padding, border*)

Properties: background-size, background-origin

Examples:

```
div {  
  background: url(img_flwr.gif);  
  background-size: 80px 60px;  
  background-repeat: no-repeat;  
}  
div {  
  background: url("img_flwr.gif");  
  background-repeat: no-repeat;  
  background-size: 100% 100%;  
  background-origin: content-box;  
}
```



“Special effects” for text

New text features are introduced: `text-shadow`, `word-wrap`

Examples:

```
h1 {  
  text-shadow: 5px 5px 5px #FF0000;  
}
```

Text shadow effect!

```
p {word-wrap: break-word;}
```

This paragraph contains a very long word: thisisaveryveryveryveryveryverylongword. The long word will break and wrap to the next line.

This paragraph contains a very long word: thisisaveryveryveryveryveryverylongword. The long word will break and wrap to the next line.

Fonts

Web designers can now use whatever font they like.

Once the font has been found/bought, its file(s) will be stored on the web server and automatically downloaded to the user when needed

At-rule: @font-face

Example:

```
@font-face {  
    font-family: myFirstFont;  
    src: url('Sansation_Light.ttf'),  
         url('Sansation_Light.eot'); /* IE9+ */  
}  
  
div {  
    font-family: myFirstFont;  
}
```


2D Transformations...

Elements can be shifted, resized, rotated, etc.

Properties: `transform(translate(), rotate(), scale(), skew(), matrix())`

Example:

```
div {  
  transform: translate(50px, 100px);  
}
```



... 2D transformations

Examples:

```
div {  
  transform: rotate(30deg);  
}
```

```
div {  
  transform: scale(2,4);  
}
```

```
div {  
  transform: skew(30deg,20deg);  
}
```

```
div {  
  transform: matrix(0.866,0.5,-0.5,0.866,0,0);  
}
```



3D transformations

Elements can be rotated in the 3D space

Properties: `rotateX()`, `rotateY()`

Examples:

```
div {  
  transform: rotateX(120deg);  
}
```



```
div {  
  transform: rotateY(130deg);  
}
```



Transitions

It is possible to create transitions from one style to another

Property: `transition`

Examples:

```
div {  
  transition: width 2s;  
}
```

```
div {  
  transition: width 2s, height 2s, transform 2s;  
}
```

Animations

It is possible to create animations using pure CSS code

At-rule: `@keyframes`

Property: `animation`

Example:

```
@keyframes myanim {  
  from {background: red;}  
  to {background: yellow;}  
}
```

```
div {  
  width: 100px;  
  height: 100px;  
  animation-name: myanim;  
  animation-duration: 5s;  
}
```

Multiple Column layout

The content is evenly distributed among columns

Properties: column-count, column-gap, column-rule-style, column-rule-width, column-rule-color, column-rule, column-span, column-width

Example:

```
.newspaper {  
  column-count: 3;  
  column-gap: 40px;  
}
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex

ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit

augue duis dolore te feugait nulla facilisi. Nam liber tempor cum soluta nobis eleifend option congue nihil imperdiet doming id quod mazim placerat facer possim assum.


Interface

It is possible to modify some user interface elements...


Properties: `resize`, `box-sizing`, `outline-offset`

Examples:

```
div {  
  resize: both;  
  overflow: auto;  
}
```



```
div {  
  border: 2px solid black;  
  outline: 2px solid red;  
  outline-offset: 15px;  
}
```



Media queries (Responsive Web Design)

Examples:

```
/* Only if width less than 575px */  
@media only screen and (max-width: 575px) {  
  ...  
}
```

```
/* Only if width greater than 575px */  
@media only screen and (min-width: 575px) {  
  ...  
}
```

```
/* Only if width between 575px and 955px */  
@media only screen and (min-width: 575px) and (max-width: 955px) {  
  ...  
}
```