

Daily Vulnerability Report - 2026-09-07

Window (UTC): 2026-09-07T00:00 to 2026-09-08T00:00 | Sources: NVD, CISA KEV, EPSS, Vulnrichment, GHSA, OSV | Generated 2026-09-17 11:29:01 UTC

Total	New	Updated	KEV added	KEV	Critical	High	Medium	Unscored	Watchlist
302	285	0	17	18	17	77	120	45	11

New today - published in this report window

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-75650	New	10.0	CRIT	Yes	0.021	adobe:commerce, adobe:commerce_b2b, adobe:magento	Adobe Commerce is affected by an Improper Neutralization of Special Elements Used in a Template Engine vulnerability that could result in arbitrary code execution in the context of the current user. An attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue does not require user interaction. Scope is changed.
CVE-2026-18922	New	9.8	CRIT		0.006		A flaw was found in 389 Directory Server. During SASL PLAIN authentication, a stale identity carried in a Cyrus SASL auxiliary property from a prior failed bind attempt can be installed on a connection following a subsequent, unrelated successful bind, regardless of which SASL mechanism completes that second bind. An attacker can send a SASL PLAIN bind as cn=Directory Manage...
CVE-2026-76578	New	9.8	CRIT		0.005		A flaw was found in FreeIPA. The self-managed OTP token ACI does not require authentication and does not restrict which attributes may be added alongside the token entry. An unauthenticated LDAP client can exploit this, combined with a related flaw in the underlying directory server's ACI evaluation (tracked separately), to create an arbitrary attacker-controlled Kerberos pr...
CVE-2026-7861	New	9.8	CRIT		0.003		Deserialization of untrusted data vulnerability in Next4Biz Information Technologies Inc. CSM (Customer Service Management) allows Code Injection. This issue affects CSM (Customer Service Management): before 8.0.3.
CVE-2026-80129	New	9.8	CRIT		0.004	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal') vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to remote execution.
CVE-2026-80131	New	9.8	CRIT		0.005	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal') vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to remote execution.
CVE-2026-86478	New	9.8	CRIT		0.004		In JetBrains YouTrack before 2025.3.161254, 2026.1.14042 improper authentication in YouTrack Helpdesk allowed unauthenticated account takeover via a self-asserted email address
CVE-2026-86480	New	9.8	CRIT		0.003		In JetBrains Hub before 2026.2.52442 an unauthenticated attacker could register a trusted service and gain superuser privileges

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-61410	New	9.4	CRIT		0.013	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains a Missing Authorization vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to remote execution. This vulnerability is considered critical because it allows an attacker to execute commands remo...
CVE-2026-6223	New	9.4	CRIT		0.004		Improper restriction of excessive authentication attempts vulnerability in Bahçelievler Municipality BiHayat App allows Authentication Bypass. This issue affects BiHayat App: from 2.1.7 through 07092026. NOTE: The vendor was contacted early about this disclosure but did not respond in any way.
CVE-2026-16876	New	9.3	CRIT		0.003		An authentication bypass vulnerability exists in the WebGUI of Series UNIVERGE IX-R/IX-V. A user could bypass authentication and execute arbitrary CLI commands by tampering with WebGUI messages and sending them to the device via internet.
CVE-2026-80238	New	9.3	CRIT		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Execution with Unnecessary Privileges vulnerability. An unauthenticated attacker with local access could potentially exploit this vulnerability, leading to Protection mechanism bypass. This vulnerability is considered critical because a low-privileged op...
CVE-2026-86296	New	9.3	CRIT		0.013		A vulnerability was determined in D-Link DIR-822A A_101. This vulnerability affects the function strcpy of the file udhcpd/serverpacket.c of the component udhcpd. This manipulation causes stack-based buffer overflow. The attack is possible to be carried out remotely. The exploit has been publicly disclosed and may be utilized.
CVE-2026-86543	New	9.3	CRIT		0.004		knowns versions before 0.30.0 serve the management API without authentication on all network interfaces by default, with no password required on fresh installations. Attackers can access the unauthenticated /api/tunnel/start endpoint to provision a public tunnel and republish the API at a publicly accessible address.
CVE-2026-86426	New	9.2	CRIT		0.014		LibreNMS before 26.8.0 contains an authentication bypass vulnerability in the REST API that allows unauthenticated attackers to access protected endpoints by sending numeric values instead of string tokens. Attackers can exploit MySQL type coercion by sending small integers like 0 through 9 to match token hashes, gaining access to API functionality including device credentia...
CVE-2026-80164	New	9.1	CRIT		0.002	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Certificate Validation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to unauthorized access.
CVE-2026-86419	New	9.1	CRIT		0.002	misp-project:misp	Affected versions of MISP contain insufficient validation of server-side outbound HTTP destinations in feed retrieval and TAXII discovery functionality. In feed processing, redirects were followed without validating the redirect scheme or destination. The original request headers were reused across redirect hops, meaning authentication headers or API credentials configured...
CVE-2026-80130	New	8.8	HIGH		0.004	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains a Relative Path Traversal vulnerability. A low privileged attacker with remote access could potentially exploit this vulnerability, leading to remote execution.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86404	New	8.8	HIGH		0.004		EAP's Artemis deserialization configuration permits deserialization by default. <code>ObjectMessage.getObject()</code> uses <code>ObjectInputStreamWithClassLoader</code> , which implements allow-list/block-list filtering via its <code>checkSecurity()/isTrustedType()</code> method. However, by default both allow-list and block-list are empty. When the allow-list is empty (size == 0), <code>isTrustedType()</code> returns true fo...
CVE-2026-86482	New	8.8	HIGH		0.002		In JetBrains YouTrack before 2026.2.18634 unchecked group membership changes allowed privilege escalation
CVE-2026-86542	New	8.8	HIGH		0.005		knowns before 0.30.0 fails to validate import names in the import routes, allowing unauthenticated attackers to write files outside the imports directory. Attackers can supply traversal sequences in the name parameter to escape the imports directory and overwrite arbitrary files writable by the server process.
CVE-2022-51017	New	8.7	HIGH		0.005		PocketMine-MP versions before 3.26.5 and 4.0.5 fail to validate the length of skin data fields submitted by players, allowing uncapped values to exceed the 32767 byte TAG_String limit. Attackers can submit oversized skin data fields like skinID or geometryName to trigger exceptions during NBT data serialization, causing server crashes.
CVE-2026-14297	New	8.7	HIGH		0.002		A buffer overflow in the Bluetooth Continuous Glucose Monitoring Service (CGMS) Record Access Control Point (RACP) write handler allows an authenticated BLE peer to overflow a 20-byte static buffer into adjacent BSS memory. The exploitable impact cannot be predetermined - it is entirely dependent on the linker-assigned BSS layout of the specific firm...
CVE-2026-19204	New	8.7	HIGH		0.003		A client may send a WebSocket frame with an unknown opcode and a very large declared payload length, causing Jetty to attempt a large memory allocation and potentially exhaust the JVM heap. This occurs when auto-fragmentation is enabled, as unknown opcodes bypass the normal maximum frame size handling and payload allocation occurs before the opcode is validated.
CVE-2026-84732	New	8.7	HIGH		0.005		Retransmissions of ACK packet ID in OpenVPN through 2.6.22 and 2.7.6 allow remote unauthenticated attackers to cause a denial of service via crafted inputs that trigger a timeout integer overflow
CVE-2026-86427	New	8.7	HIGH		0.003		LibreNMS before 26.8.0 contains an argument injection vulnerability in the graph_title parameter that allows authenticated attackers to inject arbitrary rrdtool arguments by breaking out of double-quote escaping. Attackers can inject DEF and LINE arguments to read RRD files from unauthorized devices, or use newline injection to execute arbitrary rrdtool commands, bypassing p...
CVE-2026-86428	New	8.7	HIGH		0.003	thephpleague:commonmark	commonmark versions from 1.5.0 before 2.10.0 contain a denial of service vulnerability in the AttributesExtension when processing distinctly-named attributes. Attackers can submit Markdown with numerous distinct attribute names to cause quadratic-time attribute merging and filtering, consuming disproportionate CPU resources and preventing legitimate requests from completing.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86430	New	8.7	HIGH		0.003	thephpleague:commonmark	league/commonmark versions before 2.9.1 contain multiple denial of service vulnerabilities in fenced code block detection, reference link label lookup, and emphasis delimiter processing that perform super-linear work on crafted input. Attackers can submit specially crafted Markdown with long backtick runs, nested brackets, or delimiter sequences to consume disproportionate C...
CVE-2026-86433	New	8.7	HIGH		0.003		commonmark versions from 1.5.0 before 2.8.4 contain a denial of service vulnerability in the Attributes extension where AttributesListener::findTargetAndDirection() performs quadratic-time sibling list scanning. Unauthenticated attackers can submit approximately 32 KB of repeated attribute blocks to cause parsing to take over 5 seconds, exhausting server resources.
CVE-2026-86435	New	8.7	HIGH		0.003		commonmark versions from 1.5.0 before 2.8.4 contain a denial of service vulnerability in the Footnote extension that fails to deduplicate footnote definitions. Attackers can craft documents with duplicate footnote definitions and references to create quadratic output expansion, consuming excessive memory and CPU to exhaust server resources.
CVE-2026-86439	New	8.7	HIGH		0.008		knowns versions before 0.30.0 fail to validate filesystem paths in MCP tool arguments, allowing attackers to read, create, overwrite and delete files outside the project directory. Attackers can supply path arguments containing directory traversal sequences to access arbitrary Markdown files accessible to the server process.
CVE-2026-86538	New	8.7	HIGH		0.007		knowns versions before 0.30.0 contain a path traversal vulnerability in the POST /api/templates/preview endpoint that allows unauthenticated attackers to read arbitrary files. Attackers can supply directory traversal sequences in the templateFile parameter to bypass path restrictions and read sensitive files like credentials and configuration through the JSON response.
CVE-2026-79697	New	8.6	HIGH		0.034		A vulnerability was determined in Advantech WISE-6610-NB, WISE-6610-EB, WISE-6610-TB, WISE-6610-JB, WISE-6610-CB, WISE-6610-EL-NB, WISE-6610-EL-EB, WISE-6610-EL-TB, WISE-6610-EL-JB, WISE-6610-EL-CB, WISE-6610P-DEA, WISE-6610P-DNA and WISE-6610P-DTA 1.2.1_20251110. This affects the function basicstation_apply of the component Basic Station Certificate-Deletion Handler. This m...
CVE-2026-79698	New	8.6	HIGH		0.017		A vulnerability was identified in Advantech WISE-6610-NB, WISE-6610-EB, WISE-6610-TB, WISE-6610-JB, WISE-6610-CB, WISE-6610-EL-NB, WISE-6610-EL-EB, WISE-6610-EL-TB, WISE-6610-EL-JB, WISE-6610-EL-CB, WISE-6610P-DEA, WISE-6610P-DNA and WISE-6610P-DTA 1.2.1_20251110. This vulnerability affects the function nodered_lib_apply of the component Node-RED Library. Such manipulation o...
CVE-2026-86299	New	8.6	HIGH		0.02		A vulnerability was detected in Linksys RE7000 2.0.15. This affects the function platform_event_pingTest of the file /cgi-bin/json.cgi?PingTest of the component PingTest Handler. The manipulation of the argument pingTestIp/pingTestPktSize/pingTestTimes results in os command injection. The attack can be launched remotely. The exploit is now public and may be used.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86437	New	8.6	HIGH		0.004		Lara Dashboard before 1.3.2 authorizes the POST /admin/settings/core-upgrades/upload endpoint with only the settings.edit permission, allowing non-Superadmin administrators to upload and extract arbitrary zip archives over the live application source code. Attackers can upload a malicious archive containing modified application files such as routes/web.php with embedded syst...
CVE-2026-86438	New	8.6	HIGH		0.006		Lara Dashboard before 1.3.2 fails to authorize the MarketplaceModuleBrowser installModule Livewire action, allowing non-Superadmin administrators to install modules. Attackers can download and auto-activate arbitrary PHP modules from the marketplace over unsigned HTTP requests, achieving remote code execution.
CVE-2026-84226	New	8.5	HIGH		0.001		OpenVPN version 2.5.0 through 2.6.22 and 2.7_alpha1 through 2.7.6 on Windows allows local authenticated users to perform a binary planting attack during network configuration steps
CVE-2026-86492	New	8.5	HIGH		0.006		In JetBrains YouTrack before 2026.2.18634 a shared token cache allowed cross-tenant theft of GitHub App installation tokens
CVE-2026-86540	New	8.5	HIGH		0.001		knowns versions before 0.30.0 fail to validate the settings.lsp.languages binary field in project configuration files, allowing attackers to execute arbitrary binaries by crafting a malicious .knowns/config.json file. When a repository with a crafted configuration is opened, the unvalidated binary path is executed twice under the user's account without any verification.
CVE-2026-19843	New	8.4	HIGH		0.005		A flaw was found in 389-ds-base. The Cockpit 389 Console's LDAP editor constructs an ldapsearch command by embedding an LDAP entry's distinguished name (DN) into a shell command string without proper escaping. An LDAP user with delegated privileges to create or rename directory entries could craft a malicious DN containing shell metacharacters. When a Cockpit administrator s...
CVE-2026-20501	New	8.4	HIGH		0.001	mediatek:mt2718, mediatek:mt2718_firmware, mediatek:mt6580, mediatek:mt6580_firmware, mediatek:mt6739, mediatek:mt6739_f	In vdec, there is a possible out of bounds write due to a heap buffer overflow. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation. Patch ID: ALPS11262030; Issue ID: MSV-9197.
CVE-2026-20502	New	8.4	HIGH		0.001	mediatek:mt2718, mediatek:mt2718_firmware, mediatek:mt6580, mediatek:mt6580_firmware, mediatek:mt6739, mediatek:mt6739_f	In vdec, there is a possible out of bounds write due to a missing bounds check. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation. Patch ID: ALPS11262030; Issue ID: MSV-9196.
CVE-2026-86502	New	8.4	HIGH		0.001		In JetBrains IntelliJ IDEA before 2026.2.2 missing TLS and authentication on the IJent gRPC server allowed local code execution on Remote Development hosts
CVE-2026-84173	New	8.3	HIGH		0.001		In Eclipse Ankaio versions v0.5.1 through v1.0.1, the agent-side Control Interface authorizer incorrectly evaluates multi-segment allow rules whose first path segment is a wildcard. An authenticated workload with access restricted by such a rule can submit a CompleteStateRequest or UpdateStateRequest with an empty field mask. The request may then be incorrectly authorized a...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-79645	New	8.2	HIGH		0.002	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains a Missing Authentication for Critical Function vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to unauthorized access.
CVE-2026-82586	New	8.2	HIGH		0.003		Improper Protection of Alternate Path vulnerability in ash-project ash_lua allows a user-supplied Lua script to read attributes that are not on the exposed-field allow-list. AshLua exposes Ash resources to Lua scripts, gated by a manifest declaring which fields are exposed. The read action's operation aggregate path in AshLua.Runtime took the field name straight from the Lu...
CVE-2026-82753	New	8.2	HIGH		0.004		Allocation of Resources Without Limits or Throttling vulnerability in ash-project ash_authentication_oauth2_server allows an unauthenticated attacker to exhaust database storage and memory. The /authorize endpoint is unauthenticated by design. With Client ID Metadata Documents enabled, resolve_client/3 in AshAuthentication.Oauth2Server.CIMD fetches the document for each new...
CVE-2026-86297	New	8.2	HIGH		0.01		A vulnerability was identified in D-Link DIR-605 B1v202WWB03. This issue affects the function tunnel_set_params of the file progs.gpl/pppd.alpha/l2tp/tunnel.c of the component L2TP Control Message Parser. Such manipulation of the argument peer_hostname leads to off-by-one. The attack may be performed from remote. Attacks of this nature are highly complex. The exploitability...
CVE-2026-79678	New	8.1	HIGH		0.005		A flaw was found in FreeIPA's idp-add command, where insufficiently validated --organization/--base-url input reaches a constrained eval() call before the corresponding LDAP access control check is enforced. This allows any authenticated IPA principal, regardless of privilege level, to enumerate and read the environment variables of the affected server process and to cause d...
CVE-2026-80132	New	8.1	HIGH		0.004	dell:secure_connect_gateway	ell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains a Missing Authentication for Critical Function vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to unauthorized access.
CVE-2026-80133	New	8.1	HIGH		0.006	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains a Relative Path Traversal vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to remote execution.
CVE-2026-86479	New	8.1	HIGH		0.002		In JetBrains YouTrack before 2026.2.18788, 2026.1.14055, 2025.3.161254 missing authorisation allowed access to restricted REST API resources via IDOR
CVE-2026-80166	New	7.8	HIGH		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Privilege Management vulnerability. An unauthenticated attacker with local access could potentially exploit this vulnerability, leading to elevation of privileges.
CVE-2026-80178	New	7.8	HIGH		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Privilege Management vulnerability. A low privileged attacker with local access could potentially exploit this vulnerability, leading to elevation of privileges.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86313	New	7.8	HIGH		0.001		Out-of-bounds write vulnerability in Samsung Opensource Walrus allows Overflow Buffers. This issue affects Walrus: af80e665ea49d9003695a66502f841ed1d8397e7.
CVE-2026-86504	New	7.8	HIGH		0.001		In JetBrains IntelliJ IDEA before 2026.2.2 missing project-trust confirmation before building a Dev Container allowed host-level code execution
CVE-2026-80134	New	7.7	HIGH		0.003	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Use of Hard-coded Credentials vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to unauthorized access.
CVE-2026-84256	New	7.7	HIGH		0.004		An argument parsing issue in OpenVPN 2.1_rc10 through 2.6.22 and 2.7_alpha1 through 2.7.6 on Windows allows remote authenticated users to execute arbitrary commands via a crafted certificate subject
CVE-2026-86494	New	7.7	HIGH		0.002		In JetBrains YouTrack before 2026.2.18634 cloning a whiteboard allowed unauthorized changes to links on inaccessible issues
CVE-2026-86498	New	7.7	HIGH		0.002		In JetBrains YouTrack before 2025.3.160480, 2026.1.14047 pUT requests on link sub-resources allowed modification linked entities without update permission
CVE-2026-79639	New	7.6	HIGH		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Certificate Validation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to unauthorized access.
CVE-2026-14296	New	7.5	HIGH		0.001		When using the Direct XIP update strategy, the main application image starts other cores (i.e. radio core), based on the currently active slot without additional verification. The MCUboot in the bare (upstream) configuration assumes that if there is at least a single slot for each image available, the system is bootable and continues the boot process. This may lead to a situ...
CVE-2026-14444	New	7.5	HIGH		0.002		The WP Fusion (Pro) plugin for WordPress is vulnerable to Privilege Escalation in all versions up to, and including, 3.47.13. This is due to insufficient authorization checks on the role parameter in the ThriveCart Auto Login handler's thrivecart() function. This makes it possible for authenticated attackers, with Subscriber-level access and above, and who possess the access...
CVE-2026-16028	New	7.5	HIGH		0.006		Protocol::HTTP2 versions before 1.14 for Perl allow memory exhaustion via closed streams that stream_state never removes from the connection stream table. When a stream reaches the CLOSED state, stream_state returns the concurrency slot and clears most of the stream's keys, but the entry itself stays in the connection stream table and nothing in the distribution removes it....
CVE-2026-18355	New	7.5	HIGH		0.008		A heap buffer overflow flaw was found in the SASL I/O layer of 389 Directory Server (389-ds-base). In sasl_io_start_packet(), the wrapped-record length read from the wire is validated only against an upper bound. A small wire length (0, 1, or 2) produces an encrypted_buffer_count below the already-consumed encrypted_buffer_offset, causing an unsigned subtraction underflow in...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-18453	New	7.5	HIGH		0.008		A flaw was found in 389 Directory Server. A missing NULL pointer check in the paged results handling of op_shared_search allows an unauthenticated remote attacker to crash the LDAP server by sending a crafted sequence of search requests using the USE_ONE_BACKEND control, resulting in denial of service.
CVE-2026-6377	New	7.5	HIGH		0.003		Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal') vulnerability in Next4Biz Information Technologies Inc. CSM (Customer Service Management) allows Path Traversal. This issue affects CSM (Customer Service Management): from 6.8.9 before 8.0.3.
CVE-2026-76560	New	7.5	HIGH		0.004		A flaw was found in 389 Directory Server. The SELFDN ACI bind-rule evaluator incorrectly matches an anonymous LDAP client's empty bind DN against an empty stored attribute value, allowing an unauthenticated client to satisfy access control checks intended to require a matching authenticated identity. This can allow an anonymous LDAP client to perform an operation, such as ad...
CVE-2026-78480	New	7.5	HIGH		0.003	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains a Missing Authentication for Critical Function vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to unauthorized access.
CVE-2026-79734	New	7.5	HIGH		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Certificate Validation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to protection mechanism bypass.
CVE-2026-86287	New	7.5	HIGH		0.004		Net::IP::LPM versions before 1.12 for Perl accept malformed prefix lengths. Non-numeric and non-ASCII prefix lengths are accepted and treated as 0. Integers over 31 bits are silently truncated. A single malformed mask will poison the lookup table. The result is that the lookup will silently succeed for every address. An allow-list will allow every address, and a deny-list...
CVE-2026-86420	New	7.5	HIGH		0.003	imagemagick:imagemagick	ImageMagick before 7.1.2-30 and 6.9.13-55 fails to properly lower the memory budget when an operation inside OpenPixelCache fails. Repeated triggering of such failures can exhaust the process memory budget and result in a denial of service.
CVE-2026-86421	New	7.5	HIGH		0.004	imagemagick:imagemagick	ImageMagick before 7.1.2-30 and 6.9.13-55 contains a memory leak in the MSL image decoder. A crafted MSL image triggers memory allocation without proper deallocation, allowing an attacker to exhaust memory and cause a denial of service.
CVE-2026-86429	New	7.5	HIGH		0.003	thephpleague:commonmark	The league/commonmark (thephpleague/commonmark) library in versions >= 1.5.0 and < 2.9.1 contains quadratic parsing complexity in its SmartPunctExtension and AttributesExtension. When either extension is explicitly registered on the Environment (they are not enabled by default and are excluded from the standard CommonMark and GitHub-Flavored Markdown converters), an unauthen...
CVE-2026-86434	New	7.5	HIGH		0.003		league/commonmark versions >= 2.0.0 and < 2.8.4 (patched in 2.9.0) contain a denial of service vulnerability in UniqueSlugNormalizer::normalize(), which restarts its numeric-suffix search from 1 on every slug collision, resulting in O(K^2) time complexity for K headings that collapse to the same base slug. The vulnerable path is reached when HeadingPermalinkExtension, Footno...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86452	New	7.5	HIGH		0.003	misp-project:misp	Affected versions of MISP permit unauthenticated or weakly constrained request paths to perform persistent work without adequate input bounds or rate limiting. The users/forgot password-reset endpoint accepted an attacker-controlled email value without first imposing a reasonable length bound or validating its format. That value was then used to create an audit log entry a...
CVE-2026-78254	New	7.4	HIGH		0.005	apache:ant	The ftp and scp tasks of Apache Ant can download files from a remote server. A malicious server can provide relative paths that allow it to write outside of the dedicated target directory for the download, making it possible to overwrite files of the attacker's choice using the permissions of the user running Ant in versions prior to Ant 1.10.18. In order to exploit thi...
CVE-2026-79644	New	7.4	HIGH		0.002	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Certificate Validation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to unauthorized access.
CVE-2026-61409	New	7.3	HIGH		0.014	dell:secure_connect_gateway	Dell Secure Connect Gateway (SCG) 5.0 Application, versions prior to 5.36.00.00, contains an Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection') vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to remote execution.
CVE-2026-79643	New	7.3	HIGH		0.003	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Use of Incorrect Operator vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to unauthorized access.
CVE-2026-79691	New	7.3	HIGH		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Certificate Validation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to protection mechanism bypass.
CVE-2026-6431	New	7.2	HIGH		0.002		The User Profile Builder – Beautiful User Registration Forms, User Profiles & User Role Editor plugin for WordPress is vulnerable to Stored Cross-Site Scripting via the 'Biographical Info' meta field parameter in all versions up to, and including, 3.15.7 due to insufficient input sanitization and output escaping. This makes it possible for unauthenticated attackers to inject...
CVE-2026-80127	New	7.2	HIGH		0.009	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection') vulnerability. A high privileged attacker with remote access could potentially exploit this vulnerability, leading to elevation of privileges.
CVE-2026-86541	New	7.2	HIGH		0.005		knowns versions before 0.30.0 contain a path traversal vulnerability in the handleCodeReplace() function that allows attackers to overwrite arbitrary files outside the project root. Attackers can supply absolute paths or relative paths containing directory traversal sequences to write malicious content to sensitive files like shell startup scripts or SSH configuration files.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86544	New	7.2	HIGH		0.003		known versions before 0.30.0 contain an authorization bypass vulnerability where mutating code actions are incorrectly classified as read-only operations. Attackers with read-restricted sessions can exploit code.replace to modify permission configurations and escalate privileges on subsequent calls.
CVE-2022-51010	New	7.1	HIGH		0.005		PocketMine-MP versions before 4.4.2 fail to properly validate item IDs received from clients in itemstack NBT data. Attackers can send crafted item IDs outside the valid range to trigger an uncaught exception that crashes the server.
CVE-2022-51012	New	7.1	HIGH		0.005		PocketMine-MP versions before 4.2.9 fail to properly validate NBT data types during deserialization of inventory transaction packets from clients. Attackers can send crafted inventory transactions with malformed NBT tags to trigger server crashes and cause denial of service.
CVE-2022-51013	New	7.1	HIGH		0.005		PocketMine-MP versions before 4.2.3 fail to validate damage metadata values in tool and armor item NBT data received from clients. Attackers can send negative or out-of-range damage values in itemstack NBT to trigger unhandled exceptions in the Durable class, causing server crashes.
CVE-2022-51014	New	7.1	HIGH		0.005		PocketMine-MP before 4.0.7 contains an unhandled exception vulnerability in the ModalFormResponsePacket handler when processing malformed JSON from clients. Attackers can send specially crafted form response packets with invalid JSON to trigger an uncaught InvalidArgumentException, causing server crashes.
CVE-2022-51015	New	7.1	HIGH		0.007		PocketMine-MP before 4.0.6 does not validate facing values in PlayerActionPacket (for START_BREAK and CRACK_BREAK actions) or in UseItemTransactionData (typically within InventoryTransactionPacket). A remote authenticated attacker can send crafted packets with invalid facing values (e.g., negative or out-of-range) to crash the server, resulting in a denial of service.
CVE-2022-51018	New	7.1	HIGH		0.004		PocketMine-MP before 3.26.5 and 4.0.x before 4.0.5 does not limit book page text length, page count, or author/title length. A player who obtains a writable book can create oversized NBT ('book bombs'), causing excess bandwidth consumption and server crashes (exceeding the 1 MB chunk size limit when saving region-based worlds in PM3, or exceeding the 32 KiB TAG_String limit ...
CVE-2026-78325	New	6.9	MEDI		0.001		Cross-site scripting in the Evernote and Google Keep note importers in Standard Notes for Android through 3.201.24 allows an attacker to execute arbitrary JavaScript in the application context when a victim imports a crafted .enex or Google Keep HTML file, leading to theft of encryption keys and note data, and arbitrary invocation of native device APIs.
CVE-2026-84186	New	6.9	MEDI		0.003		Vulnerability involving incorrect access control in the Tools::getRemoteAddr() function in PrestaShop, which allows the client's IP address to be spoofed via the X-Forwarded-For header when the application is running behind a reverse proxy, load balancer or CDN. The application incorrectly processes the IP address string and uses the address controlled by the visitor rather ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86303	New	6.9	MEDI		0.003		A vulnerability was determined in 92181 markdown up to 058cab0cb7fb245a0ccc6b8446963ff8d573558f. Affected by this issue is the function lds of the file md.c. Executing a manipulation can lead to out-of-bounds read. The attack can be executed remotely. This product implements a rolling release for ongoing delivery, which means version information for affected or updated relea...
CVE-2026-86317	New	6.9	MEDI		0.004		A vulnerability was detected in ggml-org llama.cpp up to 0.4.0. This impacts the function rpc_server::deserialize_tensor of the file ggml/src/ggml-rpc/ggml-rpc.cpp of the component RPC Server. Performing a manipulation of the argument ne results in reachable assertion. The attack is possible to be carried out remotely. The reported GitHub issue was closed automatically due t...
CVE-2026-86431	New	6.9	MEDI		0.002	thephpleague:commonmark	league/commonmark (thephpleague/commonmark) versions >= 2.7.0 and < 2.9.1 contain a cross-site scripting vulnerability in the AttributesExtension. Prefixing an attribute name with a single U+000C form feed byte (e.g. {x0Conclick="alert(1)"} bypasses the AttributesHelper::filterAttributes() 'on*' event-handler filter because PHP's trim() does not strip U+000C, causing the a...
CVE-2026-86432	New	6.9	MEDI		0.002		commonmark versions from 2.0.0 before 2.8.4 contain a denial of service vulnerability in XmlRenderer that emits depth-proportional indentation for every XML tag. Attackers can provide deeply nested Markdown or AST structures to cause quadratic memory consumption and output amplification, exhausting server resources.
CVE-2026-86539	New	6.9	MEDI		0.002		knowns through 0.33.0 contains a server-side request forgery vulnerability in the POST /api/embedding-models/test endpoint that issues outbound requests to caller-supplied destinations without validation. Attackers can enumerate internal hosts and cloud metadata endpoints by observing transport error messages that reveal network reachability information.
CVE-2026-18796	New	6.8	MEDI		0.001		Any application that uses external QSPI flash for encrypted XIP on nRF5340 and relies on that encryption for confidentiality and/or integrity of the externally stored code. No specific nRF Connect SDK version is the root cause; the weakness is in the on-the-fly decryption scheme.
CVE-2026-82325	New	6.8	MEDI		0.001		A use-after-free vulnerability in the OpenVPN ovpn-dco-win driver version 2.5.0 through 2.8.6 allows local authenticated users to cause a system crash via crafted control messages
CVE-2026-85201	New	6.8	MEDI		0.001		In Eclipse Ankaio versions 0.1.0 through 1.0.1, the agent does not limit the length declared by a workload in a length-delimited protobuf message received through the Control Interface FIFO. A workload granted Control Interface access can specify an excessive message length, causing an unbounded memory allocation that may abort the Ankaio agent process. This results in los...
CVE-2026-86497	New	6.8	MEDI		0.003		In JetBrains YouTrack before 2026.2.18769 changing a mailbox host without re-authentication allowed a project administrator to exfiltrate stored mailbox credentials
CVE-2026-20506	New	6.7	MEDI		0.001		In Audio HAL, there is a possible escalation of privilege due to use after free. This could lead to local escalation of privilege if a malicious actor has already obtained the System privilege. User interaction is not needed for exploitation. Patch ID: ALPS11191981; Issue ID: MSV-9126.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-20507	New	6.7	MEDI		0.001		In Audio HAL, there is a possible escalation of privilege due to use after free. This could lead to local escalation of privilege if a malicious actor has already obtained the System privilege. User interaction is not needed for exploitation. Patch ID: ALPS11191981; Issue ID: MSV-9125.
CVE-2026-20508	New	6.7	MEDI		0.001		In Power HAL, there is a possible escalation of privilege due to type confusion. This could lead to local escalation of privilege if a malicious actor has already obtained the System privilege. User interaction is not needed for exploitation. Patch ID: ALPS11165543; Issue ID: MSV-9012.
CVE-2026-20509	New	6.7	MEDI		0.001		In Power HAL, there is a possible out of bounds write due to a missing bounds check. This could lead to local escalation of privilege if a malicious actor has already obtained the System privilege. User interaction is not needed for exploitation. Patch ID: ALPS11165543; Issue ID: MSV-9011.
CVE-2026-20510	New	6.7	MEDI		0.001		In camera middleware, there is a possible escalation of privilege due to double free. This could lead to local escalation of privilege if a malicious actor has already obtained the System privilege. User interaction is not needed for exploitation. Patch ID: ALPS11134622; Issue ID: MSV-8894.
CVE-2026-20511	New	6.7	MEDI		0.001		In SurfaceFlinger, there is a possible memory corruption due to use after free. This could lead to local escalation of privilege if a malicious actor has already obtained the System privilege. User interaction is not needed for exploitation. Patch ID: ALPS11123860; Issue ID: MSV-8890.
CVE-2026-20512	New	6.7	MEDI		0.001		In Audio HAL, there is a possible escalation of privilege due to improper input validation. This could lead to local escalation of privilege if a malicious actor has already obtained the System privilege. User interaction is not needed for exploitation. Patch ID: ALPS11087540; Issue ID: MSV-8246.
CVE-2026-20517	New	6.7	MEDI		0.001		In geniezone, there is a possible escalation of privilege due to use after free. This could lead to local escalation of privilege if a malicious actor has already obtained the System privilege. User interaction is not needed for exploitation. Patch ID: ALPS10900510; Issue ID: MSV-6781.
CVE-2026-12757	New	6.5	MEDI		0.003		The The Email Subscribers & Newsletters – Email Marketing, Post Notifications & Newsletter Plugin for WordPress plugin for WordPress is vulnerable to arbitrary shortcode execution in all versions up to, and including, 5.9.27. This is due to the software allowing users to execute an action that does not properly validate a value before running do_shortcode. This makes it poss...
CVE-2026-78488	New	6.5	MEDI		0.032	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection') vulnerability. A low privileged attacker with remote access could potentially exploit this vulnerability, leading to command execution.
CVE-2026-80126	New	6.5	MEDI		0.002	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Locking vulnerability. A low privileged attacker with remote access could potentially exploit this vulnerability, leading to filesystem access for attacker.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-80128	New	6.5	MEDI		0.002	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Authentication vulnerability. A low privileged attacker with remote access could potentially exploit this vulnerability, leading to protection mechanism bypass.
CVE-2026-80170	New	6.5	MEDI		0.002	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Use of Hard-coded Credentials vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to protection mechanism bypass.
CVE-2026-86332	New	6.5	MEDI		0.002		A flaw was found in odh-dashboard in Red Hat OpenShift AI. The backend-for-frontend route GET /api/nim-serving/:nimResource reads Kubernetes Secrets using the dashboard service account and returns the full Secret object, including .data, without an authorization check. Any authenticated dashboard user can retrieve the cluster NVIDIA NGC API key Secret (apiKeySecret) and the ...
CVE-2026-86347	New	6.5	MEDI		0.003	misp-project:misp	Affected versions of MISP allow any authenticated user to access TemplatesController::uploadFile() because the ACL entry for templates/uploadFile used the wildcard *. This bypasses the intended role restrictions applied to neighboring template-management operations. The upload handler accepts arbitrary content with only minimal checks and writes it into app/tmp/files/. A l...
CVE-2026-86408	New	6.5	MEDI		0.002	misp-project:misp	Affected versions of MISP do not enforce parent-event visibility when serving cryptographic keys through CryptographicKeysController::view(). The vulnerable handler queried CryptographicKey directly using the supplied key ID and selected sensitive fields such as: * type * key_data * fingerprint but did not fetch or authorize the associated parent ev...
CVE-2026-86488	New	6.5	MEDI		0.002		In JetBrains YouTrack before 2026.2.18634 iDOR via the watchRules and issueListConfig endpoints exposed private saved searches
CVE-2026-86489	New	6.5	MEDI		0.002		In JetBrains YouTrack before 2026.2.18634 an IDOR in the user profile API disclosed private issues and starred folders across organizations
CVE-2026-86490	New	6.5	MEDI		0.002		In JetBrains YouTrack before 2026.2.18634 improper permission checks allowed overwriting of bundled apps via the app import endpoint
CVE-2026-86493	New	6.5	MEDI		0.002		In JetBrains YouTrack before 2026.2.18634 improper permission checks allowed read-only users to create and modify whiteboard cards
CVE-2026-86495	New	6.5	MEDI		0.002		In JetBrains YouTrack before 2026.2.18687 missing permission checks allowed creating knowledge base articles in inaccessible projects
CVE-2026-2390	New	6.4	MEDI		0.002		The Powerkit plugin for WordPress is vulnerable to Stored Cross-Site Scripting via the Lazy Load module's image processing in all versions up to, and including, 3.0.4. This is due to the 'content_process_images' function using a flawed regex-based HTML attribute parser. This makes it possible for authenticated attackers, with Contributor-level access and above, to inject arb...
CVE-2026-77697	New	6.3	MEDI		0.002		Zohocorp ManageEngine Endpoint Central versions below 11.4.2540.23 are vulnerable to Privilege Escalation During JAR Extraction

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-82754	New	6.3	MEDI		0.004		Improper Protection of Alternate Path vulnerability in ash-project ash_authentication_oauth2_server exposes the state-changing OAuth endpoints under an unintended URL prefix, bypassing controls scoped to the canonical prefix. oauth2_server_protocol_routes/1 in AshAuthentication.Phoenix.Oauth2Server.Router forwards the same ProtocolRouter at both the /oauth prefix and the /...
CVE-2026-82755	New	6.3	MEDI		0.004		Use of Cache Containing Sensitive Information vulnerability in ash-project ash_authentication_oauth2_server allows a shared HTTP cache to serve one tenant's OAuth discovery metadata to another tenant's clients. The RFC 8414 and RFC 9728 metadata endpoints in AshAuthentication.Phoenix.Oauth2Server.ProtocolRouter return tenant-specific values (issuer, authorization_endpoint, ...
CVE-2026-82756	New	6.3	MEDI		0.004		Improper Encoding or Escaping of Output vulnerability in ash-project ash_authentication_oauth2_server allows an unauthenticated attacker to inject arbitrary authentication parameters into the WWW-Authenticate challenge header. BearerPlug and RequireScopePlug built the Bearer resource_metadata="..." challenge by interpolating a resource_metadata URL derived from the request ...
CVE-2026-82757	New	6.3	MEDI		0.004		Server-Side Request Forgery (SSRF) vulnerability in ash-project ash_authentication_oauth2_server allows an attacker who controls a client metadata URL and its DNS to make the server connect to internal or loopback addresses. public_ip?/1 in AshAuthentication.Oauth2Server.CIMD.ReqFetcher enforces the outbound policy for CIMD metadata fetches. It classified several address fo...
CVE-2026-82758	New	6.3	MEDI		0.004		Improper Authentication vulnerability in ash-project ash_authentication_oauth2_server allows an unauthenticated attacker to register OAuth clients even when Dynamic Client Registration is gated by an initial access token. resolve_secret/3 in AshAuthentication.Oauth2Server (reached through __resolve_secret__) treated any return other than {ok, _} or :error from a configure...
CVE-2026-85640	New	6.3	MEDI		0.002		Zohocorp ManageEngine Endpoint Central versions below 11.5.2600.15 are vulnerable to Privilege Escalation Due to Outdated Component
CVE-2026-86314	New	6.2	MEDI		0.001		Integer overflow in the source-bounds check in Memory::init() (src/runtime/Memory.cpp) in Samsung walrus on all platforms allows a remote attacker to cause an out-of-bounds heap read and denial of service via a crafted WebAssembly module in which a 32-bit unsigned addition wraps around and bypasses the bounds check. This issue affects Walrus: ff3bf5ff5c4878f8e5572c9593d30...
CVE-2026-86315	New	6.2	MEDI		0.001		An out-of-bounds write caused by numeric truncation Samsung Open Source Escargot on Linux x86-64 allows an attacker who can supply JavaScript for execution to corrupt native memory and crash the host process via a crafted class definition whose instance initialization entry count exceeds UINT16_MAX. This issue affects Escargot: 5dc93606abd42b859045add05d704a038e197359.
CVE-2026-86351	New	6.1	MEDI		0.002	misp-project:misp	Affected versions of MISP validate the user-configurable homepage by checking only whether the supplied path begins with /. That check is insufficient because protocol-relative URLs such as //attacker.example also begin with / but resolve to an external origin in browsers. The vulnerable homepage value can be stored as a user setting and later used by the post-login routin...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-78221	New	5.9	MEDI		0.001		An incorrect buffer size calculation in the Windows Interactive Service in OpenVPN 2.7_alpha1 through 2.7.6 allows local authenticated users to cause memory corruption or disclose sensitive information via crafted NRPT inputs.
CVE-2026-80125	New	5.9	MEDI		0.002	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Certificate Validation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to unauthorized access.
CVE-2026-86506	New	5.9	MEDI		0.002		In JetBrains GoLand before 2026.2.2.1 missing authentication on the GoLand profiler's injected pprof server exposed profiling data
CVE-2026-77698	New	5.7	MEDI		0.002		Zohocorp ManageEngine Endpoint Central versions before 11.5.2605.01 are vulnerable to local privilege escalation due to Agent upgrade.
CVE-2026-78043	New	5.6	MEDI		0.002		The Windows Interactive Service in OpenVPN 2.7_alpha1 through 2.7.6 allows local authenticated users to bypass the trusted configuration directory constraint and load arbitrary configuration files via specially crafted paths
CVE-2026-79642	New	5.6	MEDI		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Certificate Validation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to unauthorized access.
CVE-2026-81830	New	5.6	MEDI		0.001		The Windows interactive service in OpenVPN 2.4.0 through 2.6.22 allows local authenticated users to bypass the trusted configuration directory constraint via incorrect file path validation
CVE-2026-20500	New	5.5	MEDI		0.001	mediatek:mt2716, mediatek:mt2716_firmware, mediatek:mt6835, mediatek:mt6835_firmware, mediatek:mt6858, mediatek:mt6858_f	In Modem, there is a possible system crash due to improper input validation. This could lead to local denial of service with User execution privileges needed. User interaction is needed for exploitation. Patch ID: MOLY01810811; Issue ID: MSV-9232.
CVE-2026-20515	New	5.5	MEDI		0.001		In gpu, there is a possible system crash due to use after free. This could lead to local information disclosure with User execution privileges needed. User interaction is needed for exploitation. Patch ID: ALPS11122991; Issue ID: MSV-8132.
CVE-2026-20516	New	5.5	MEDI		0.001		In MiracastService, there is a possible escalation of privilege due to a confused deputy. This could lead to local denial of service with User execution privileges needed. User interaction is not needed for exploitation. Patch ID: ALPS11060069 / DTV04881615; Issue ID: MSV-7882.
CVE-2026-78487	New	5.5	MEDI		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Use of Hard-coded Cryptographic Key vulnerability. A low privileged attacker with local access could potentially exploit this vulnerability, leading to information disclosure.
CVE-2026-79975	New	5.5	MEDI		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Certificate Validation vulnerability. A low privileged attacker with local access could potentially exploit this vulnerability, leading to server-side request forgery.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-80054	New	5.5	MEDI		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Incorrect Permission Assignment for Critical Resource vulnerability. A low privileged attacker with local access could potentially exploit this vulnerability, leading to unauthorized access.
CVE-2026-80056	New	5.5	MEDI		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Insertion of Sensitive Information into Log File vulnerability. A low privileged attacker with local access could potentially exploit this vulnerability, leading to information exposure.
CVE-2026-80057	New	5.5	MEDI		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Use of Hard-coded Cryptographic Key vulnerability. A low privileged attacker with local access could potentially exploit this vulnerability, leading to information disclosure.
CVE-2026-80058	New	5.5	MEDI		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains a Cleartext Storage of Sensitive Information vulnerability. A low privileged attacker with local access could potentially exploit this vulnerability, leading to information exposure.
CVE-2026-80167	New	5.5	MEDI		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Use of Hard-coded Cryptographic Key vulnerability. A low privileged attacker with local access could potentially exploit this vulnerability, leading to information disclosure.
CVE-2026-86237	New	5.5	MEDI		0.005		A vulnerability was found in openagents-org openagents up to 0.8.19/0.9.3.post20. Impacted is the function test_default_model of the file sdk/src/openagents/sdk/transport/http.py. Performing a manipulation of the argument base_url results in server-side request forgery. The attack may be initiated remotely. The exploit has been made public and could be used. Endpoint and bo...
CVE-2026-86239	New	5.5	MEDI		0.005		A vulnerability was identified in liufee FeehiCMS up to 2.1.1. The impacted element is the function UeditorAction::init of the file backend/widgets/ueditor/UeditorAction.php of the component UEditor Widget. The manipulation leads to unrestricted upload. Remote exploitation of the attack is possible. The exploit is publicly available and might be used. The project was informe...
CVE-2026-86260	New	5.5	MEDI		0.004		A security flaw has been discovered in sfturing hosp_order up to 627f426331da8086ce8fff2017d65b1ddef384f8. The affected element is the function modifyPassWord of the file ssm_pro/src/main/java/cn/sfturing/web/CommonUserController.java of the component Password Recovery. Performing a manipulation results in unverified password change. Remote exploitation of the attack is poss...
CVE-2026-86261	New	5.5	MEDI		0.004		A weakness has been identified in sfturing hosp_order up to 627f426331da8086ce8fff2017d65b1ddef384f8. The impacted element is an unknown function of the file ssm_pro/src/main/java/cn/sfturing/web/OrderController.java of the component Order Controller. Executing a manipulation of the argument useridenf can lead to authorization bypass. The attack can be executed remotely. The...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86262	New	5.5	MEDI		0.004		A security vulnerability has been detected in sfturing hosp_order up to 627f426331da8086ce8fff2017d65b1ddef384f8. This affects the function updateOrderSta1/updateOrderdiseaseInfo of the file ssm_pro/src/main/java/cn/sfturing/web/OrderController.java of the component Order Handler. The manipulation of the argument userID/id leads to authorization bypass. The attack is possibl...
CVE-2026-86263	New	5.5	MEDI		0.004		A vulnerability was detected in sfturing hosp_order up to 627f426331da8086ce8fff2017d65b1ddef384f8. This impacts the function orderRecordsService.cancelOrder of the file ssm_pro/src/main/java/cn/sfturing/web/OrderController.java of the component Order Cancellation. The manipulation of the argument ID results in authorization bypass. The attack may be performed from remote. T...
CVE-2026-86268	New	5.5	MEDI		0.003		A vulnerability was detected in itsourcecode School Management System 1.0. Impacted is an unknown function of the file User_Login.php. The manipulation of the argument email results in sql injection. The attack can be executed remotely. The exploit is now public and may be used.
CVE-2026-86272	New	5.5	MEDI		0.004		A vulnerability was determined in Beijing Meite Software Technology U+Smart Enjoyment WebSite 18.6001.1096.1000. This impacts an unknown function of the file /Report/Upload/UploadFormImg.ashx. Executing a manipulation of the argument File can lead to unrestricted upload. It is possible to launch the attack remotely. The exploit has been publicly disclosed and may be utilized.
CVE-2026-86273	New	5.5	MEDI		0.003		A weakness has been identified in projeto-siga siga up to 11.1.1. Affected by this issue is the function DownloadExterno.getUrl of the file sigaex/src/main/java/br/gov/jfrj/siga/vraptor/ExUtilController.java of the component HTML-to-PDF Endpoint. This manipulation of the argument html causes server-side request forgery. The attack may be initiated remotely. The exploit has b...
CVE-2026-86274	New	5.5	MEDI		0.004		A security vulnerability has been detected in projeto-siga siga up to 11.0.2.10/11.0.2.13/11.1.1. This affects the function ExAutenticacaoController.autenticar of the file sigaex/src/main/java/br/gov/jfrj/siga/vraptor/ExAutenticacaoController.java of the component Authentication Flow. Such manipulation of the argument cod/jwt leads to missing authorization. The attack may be...
CVE-2026-86275	New	5.5	MEDI		0.003		A vulnerability was detected in SourceCodester Syllabus-Aligned Learning Management & Examination System 1.0. This vulnerability affects the function register of the file auth.php. Performing a manipulation of the argument role results in improper privilege management. Remote exploitation of the attack is possible. The exploit is now public and may be used.
CVE-2026-86276	New	5.5	MEDI		0.003		A flaw has been found in SourceCodester Syllabus-Aligned Learning Management & Examination System 1.0. This issue affects some unknown processing of the file db.php. Executing a manipulation can lead to hard-coded credentials. The attack can be executed remotely. The exploit has been published and may be used.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86277	New	5.5	MEDI		0.003		A vulnerability has been found in SourceCodester Syllabus-Aligned Learning Management & Examination System 1.0. Impacted is an unknown function of the file delete_exam.php. The manipulation of the argument ID leads to authorization bypass. The attack is possible to be carried out remotely. The exploit has been disclosed to the public and may be used.
CVE-2026-86280	New	5.5	MEDI		0.002		A vulnerability was identified in SourceCodester Syllabus-Aligned Learning Management & Examination System 1.0. This affects an unknown function of the file cict_portal.sql. Such manipulation leads to cleartext storage of sensitive information. It is possible to launch the attack remotely. The exploit is publicly available and might be used.
CVE-2026-86282	New	5.5	MEDI		0.003		A weakness has been identified in jaychouchannel Tourism-Management-System up to 8122bf020d91199eddf3ee02d1632a70a9a132. Affected is an unknown function of the file travel/src/main/java/com/controller/CommonController.java of the component CommonDao. Executing a manipulation of the argument table/column/xColumn/yColumn can lead to sql injection. The attack can be launched ...
CVE-2026-86284	New	5.5	MEDI		0.003		A security vulnerability has been detected in jaychouchannel Tourism-Management-System up to 8122bf020d91199eddf3ee02d1632a70a9a132. Affected by this vulnerability is the function getOption of the file travel/src/main/java/com/controller/CommonController.java. The manipulation of the argument tableName/columnName leads to information disclosure. The attack may be initiated...
CVE-2026-86290	New	5.5	MEDI		0.003		A weakness has been identified in SourceCodester Online Voting System 1.0. This affects an unknown function of the file /voting/ajax.php?action=save_category. This manipulation of the argument Category causes sql injection. The attack can be initiated remotely. The exploit has been made available to the public and could be used for attacks.
CVE-2026-86292	New	5.5	MEDI		0.005		A vulnerability was detected in SourceCodester Simple Traffic Offense System 1.0. Affected is an unknown function of the file saveuser.php of the component User Creation. Performing a manipulation of the argument position results in missing authentication. The attack may be initiated remotely. The exploit is now public and may be used.
CVE-2026-86293	New	5.5	MEDI		0.007		A flaw has been found in SourceCodester Simple Traffic Offense System 1.0. Affected by this vulnerability is an unknown functionality of the file delete-user.php of the component Deletion Endpoint. Executing a manipulation of the argument ID can lead to missing authentication. The attack may be launched remotely. The exploit has been published and may be used.
CVE-2026-86295	New	5.5	MEDI		0.017		A vulnerability was found in D-Link DIR-895L A1_102b07. This affects the function sendACK of the file udhpcd/serverpacket.c of the component udhpcd. The manipulation of the argument Hostname results in command injection. The attack can be executed remotely. The exploit has been made public and could be used.
CVE-2026-86298	New	5.5	MEDI		0.003		A security flaw has been discovered in SourceCodester Class and Exam Timetabling System 1.0. Impacted is an unknown function of the file /delete_subject.php. Performing a manipulation of the argument ID results in sql injection. It is possible to initiate the attack remotely. The exploit has been released to the public and may be used for attacks.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86300	New	5.5	MEDI		0.005		A flaw has been found in Tenda AC9 15.03.05.14. This impacts the function R7WebsSecurityHandler of the component Web Management. This manipulation causes improper authentication. The attack may be initiated remotely. The exploit has been published and may be used.
CVE-2026-86302	New	5.5	MEDI		0.003		A vulnerability was found in code-projects Hospital Information System 1.0. Affected by this vulnerability is an unknown functionality of the file /HIS/his.sql of the component SQL Database Backup File Handler. Performing a manipulation results in information disclosure. Remote exploitation of the attack is possible. The exploit has been made public and could be used.
CVE-2026-86305	New	5.5	MEDI		0.004		A security flaw has been discovered in light0011 cms c774dce31c6df0055568a8d5c53d964d99be199d/f72cf46f601efb2a0618c3814cc2f61380b38930. Affected by this issue is the function Upload::upload of the file ThinkPHP/Library/Think/Upload.class.php. Performing a manipulation results in unrestricted upload. The attack is possible to be carried out remotely. The exploit has been rele...
CVE-2026-86306	New	5.5	MEDI		0.005		A weakness has been identified in light0011 cms c774dce31c6df0055568a8d5c53d964d99be199d/f72cf46f601efb2a0618c3814cc2f61380b38930. This affects an unknown part of the file App/Home/Model/UserModel.class.php of the component Cookie Helper. Executing a manipulation of the argument Username can lead to improper authentication. The attack may be performed from remote. The exploi...
CVE-2026-86308	New	5.5	MEDI		0.003		A vulnerability was detected in light0011 cms c774dce31c6df0055568a8d5c53d964d99be199d/f72cf46f601efb2a0618c3814cc2f61380b38930. This issue affects some unknown processing of the file App/Common/Conf/config.php of the component Debug Mode. The manipulation of the argument DB_DEBUG results in information disclosure. It is possible to launch the attack remotely. The exploit is...
CVE-2026-86318	New	5.5	MEDI		0.004		A flaw has been found in java-json-tools json-patch up to 1.13. Affected is the function JsonMergePatch.fromJson of the file JsonMergePatchDeserializer.java. Executing a manipulation can lead to stack-based buffer overflow. The attack may be performed from remote. The exploit has been published and may be used. The project was informed of the problem early through an issue r...
CVE-2026-86319	New	5.5	MEDI		0.004		A vulnerability has been found in java-json-tools json-patch up to 1.13. Affected by this vulnerability is the function JsonPatch.apply of the file src/main/java/com/github/fge/jsonpatch/JsonPatch.java of the component Patch Operation Handler. The manipulation leads to resource consumption. It is possible to initiate the attack remotely. The exploit has been disclosed to the...
CVE-2026-86321	New	5.5	MEDI		0.004		A vulnerability was found in java-json-tools jackson-coreutils 2.0. Affected by this issue is the function JsonLoader.fromURL of the file src/main/java/com/github/fge/jackson/JsonLoader.java of the component URL Validation. The manipulation results in server-side request forgery. It is possible to launch the attack remotely. The exploit has been made public and could be used...
CVE-2026-86423	New	5.5	MEDI		0.001	imagemagick:imagemagick	ImageMagick before 7.1.2-30 and 6.9.x before 6.9.13-55 contains a heap-use-after-free vulnerability in the GetList method of PerlMagick. A crafted call to the GetList method can trigger the use-after-free, resulting in a crash (denial of service).

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86425	New	5.5	MEDI		0.001	imagemagick:imagemagick	ImageMagick before 7.1.2-30 and 6.9.x before 6.9.13-55 contains a heap-use-after-free vulnerability in the Layer method of PerlMagick. An attacker who supplies a crafted list of images can trigger memory access after deallocation, resulting in a crash (denial of service).
CVE-2026-86500	New	5.5	MEDI		0.002		In JetBrains YouTrack before 2026.1.14047 a missing escalation check let a user with project update permissions grant themselves Project Admin
CVE-2026-12853	New	5.4	MEDI		0.003		The Flamingo plugin for WordPress is vulnerable to authorization bypass in all versions up to, and including, 2.6.2. This is due to the plugin not properly verifying that a user is authorized to perform an action. This makes it possible for authenticated attackers, with contributor-level access and above, to enumerate taxonomy terms including channel names derived from Conta...
CVE-2026-86416	New	5.4	MEDI		0.003		ILIAS versions before 9.23, 10.11, and 11.4 contain an authorization bypass vulnerability in iObjGroupGUI where saveMapSettingsObject() and updateGroupTypeObject() perform state-changing operations without write permission checks. Authenticated users with only read access to a group can craft POST requests to modify group map settings and didactic template assignments, chan...
CVE-2026-86440	New	5.4	MEDI		0.001	misp-project:misp	Affected versions of MISP insufficiently validate URLs used by dashboard widgets, particularly the Button widget. The widget's URL is stored configuration controlled by a user. The previous renderer considered a URL safe if it appeared relative or if its parsed hostname matched the configured MISP hostname. That logic failed to reject dangerous schemes and URL forms that b...
CVE-2026-86483	New	5.4	MEDI		0.004		In JetBrains YouTrack before 2026.2.18634 stored XSS via a custom field on Agile board cards was possible
CVE-2022-51011	New	5.3	MEDI		0.004		PocketMine-MP before 4.2.10 fails to validate the total length of incoming chat message blobs before splitting them by newline characters, allowing attackers to send large messages containing many newlines. Malicious clients can send megabyte-sized chat packets and bombard the server with thousands of such messages, causing server lockups lasting seconds or minutes.
CVE-2022-51016	New	5.3	MEDI		0.002		PocketMine-MP 3.x (before 3.27.0) does not implement Minecraft Bedrock protocol encryption, so the server cannot verify that a connecting client possesses the private key corresponding to its login token. An attacker who captures a valid login from another player's session (for example by tricking the player into connecting to an attacker-controlled server) can replay that l...
CVE-2026-20503	New	5.3	MEDI		0.002	mediatek:mt2716, mediatek:mt2716_firmware, mediatek:mt2735, mediatek:mt2735_firmware, mediatek:mt2737, mediatek:mt2737_f	In Modem, there is a possible system crash due to a missing bounds check. This could lead to remote denial of service, if a UE has connected to a rogue base station controlled by the attacker, with no additional execution privileges needed. User interaction is not needed for exploitation. Patch ID: MOLY01371002; Issue ID: MSV-9020.
CVE-2026-20504	New	5.3	MEDI		0.002	mediatek:mt2735, mediatek:mt2735_firmware, mediatek:mt6833, mediatek:mt6833_firmware, mediatek:mt6853, mediatek:mt6853_f	In Modem, there is a possible system crash due to a missing bounds check. This could lead to remote denial of service, if a UE has connected to a rogue base station controlled by the attacker, with no additional execution privileges needed. User interaction is not needed for exploitation. Patch ID: MOLY00755024; Issue ID: MSV-7865.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-4945	New	5.3	MEDI		0.003		The Otter Blocks – Gutenberg Blocks, Page Builder for Gutenberg Editor & FSE plugin for WordPress is vulnerable to Insecure Direct Object Reference in all versions up to, and including, 3.1.7 via the 'watch_checkout' function due to missing validation on a user controlled key. This makes it possible for unauthenticated attackers to pay for a lower-cost product while obtainin...
CVE-2026-80135	New	5.3	MEDI		0.003	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Check or Handling of Exceptional Conditions vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to protection mechanism bypass.
CVE-2026-8279	New	5.3	MEDI		0.002		The Masteriyo LMS plugin for WordPress is vulnerable to unauthorized data deletion due to a missing capability check on the 'delete_item_permissions_check' function in the CourseProgressItemsController in all versions up to, and including, 2.2.0. This makes it possible for unauthenticated attackers to delete arbitrary course progress records belonging to any student.
CVE-2026-86436	New	5.3	MEDI		0.003		Lara Dashboard before 1.3.2 fails to authorize access to the post-builder image and video upload endpoints, allowing authenticated accounts without content permissions to upload files. Attackers can upload polyglot files with attacker-chosen extensions to the public web root and execute code if the deployment permits execution of the uploaded file type.
CVE-2026-86469	New	5.3	MEDI		0.001		A flaw was found in GLib2. When g_file_replace() is used with G_FILE_CREATE_REPLACE_DESTINATION and creating the .goutputstream-XXXXXX temporary file fails, the library unlinks the destination and recreates it without exclusive creation or symlink protection. A local attacker who can write to the destination directory can win that race and redirect the write to another file.
CVE-2026-77699	New	5.0	MEDI		0.002		Zohocorp ManageEngine Endpoint Central versions below 11.5.2605.01 are vulnerable to Local privilege escalation due to loading a dll from an untrusted path.
CVE-2026-79943	New	4.8	MEDI		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Validation of Certificate with Host Mismatch vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to protection mechanism bypass.
CVE-2026-80176	New	4.7	MEDI		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains a Plaintext Storage of a Password vulnerability. A low privileged attacker with local access could potentially exploit this vulnerability, leading to information disclosure.
CVE-2026-86484	New	4.6	MEDI		0.004		In JetBrains YouTrack before 2026.2.18634 angularJS template injection in assignee names led to stored XSS
CVE-2026-20513	New	4.4	MEDI		0.002		In Audio HAL, there is a possible information disclosure due to improper input validation. This could lead to local information disclosure if a malicious actor has already obtained the System privilege. User interaction is not needed for exploitation. Patch ID: ALPS11087533; Issue ID: MSV-8245.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-20514	New	4.4	MEDI		0.001		In Audio HAL, there is a possible information disclosure due to a missing permission check. This could lead to local information disclosure if a malicious actor has already obtained the System privilege. User interaction is not needed for exploitation. Patch ID: ALPS11087632; Issue ID: MSV-8244.
CVE-2026-20518	New	4.4	MEDI		0.001		In geniezone, there is a possible information disclosure due to a missing bounds check. This could lead to local information disclosure if a malicious actor has already obtained the System privilege. User interaction is needed for exploitation. Patch ID: ALPS10867524 / ALPS10876355; Issue ID: MSV-6674.
CVE-2026-86342	New	4.3	MEDI		0.002	misp-project:misp	Affected versions of MISP contain improper authorization checks in the freetext feed preview functionality. The preview performed correlation lookups against attributes from events without applying the requesting user's ACL, allowing restricted event correlations and associated event information to be exposed to users who could not otherwise access those events. The vulnerab...
CVE-2026-86417	New	4.3	MEDI		0.002	misp-project:misp	Affected versions of MISP inconsistently enforced email-address visibility in DashboardsController::listTemplates(). The query always fetched User.email, while redaction happened only inside the non-REST rendering branch. As a result, the same authenticated user who saw redacted data in the normal HTML interface could request the REST/JSON representation and receive templa...
CVE-2026-86418	New	4.3	MEDI		0.002	misp-project:misp	Affected versions of MISP expose organisation metadata through the dashboard organisation picker without applying the same visibility restrictions enforced by the normal organisation index and per-organisation view. The affected endpoint returned fields including: - organisation ID; - UUID; - name. When Security.hide_organisation_index_from_users was enabled, no...
CVE-2026-86441	New	4.3	MEDI		0.002	misp-project:misp	Affected versions of MISP contain inconsistent authorization checks across dashboard widgets that display organisation information. Several organisation-related widgets did not honor Security.hide_organisation_index_from_users. As a result, authenticated users without the perm_sharing_group permission could enumerate organisations even though the normal organisation index ...
CVE-2026-86451	New	4.3	MEDI		0.002	misp-project:misp	Affected versions of MISP allow authenticated users to retrieve object-reference records by UUID through EventGraphTool::get_reference_data() without first checking whether the requester is authorized to view the object the reference belongs to. The vulnerable code queried ObjectReference.uuid directly and returned the matching row whenever it existed. Because no parent-ob...
CVE-2026-86481	New	4.3	MEDI		0.002		In JetBrains YouTrack before 2026.2.18634 signed URL reuse allowed disclosure of restricted project icons
CVE-2026-86496	New	4.3	MEDI		0.002		In JetBrains YouTrack before 2026.2.18769 missing access control on Helpdesk authorized reporters exposed reporter email addresses
CVE-2026-86499	New	4.3	MEDI		0.002		In JetBrains YouTrack before 2026.1.14047 predefined search fields leaked all group names to any user, regardless of visibility permission
CVE-2026-86486	New	3.7	LOW		0.002		In JetBrains YouTrack before 2026.2.18634 the generic VCS webhook handler failed open when its secret was blank

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2025-52651	New	3.5	LOW		0.001		HCL MyXalytics was affected by Improper Input validation Vulnerability. It allow malicious or unexpected data to cause unintended system behaviour or security issues.
CVE-2025-52652	New	3.5	LOW		0.001		HCL MyXalytics was affected by Content Spoofing Vulnerability. It may allow an attacker to manipulate displayed content, making it appear as though it originates from a trusted source, potentially leading to phishing or data theft.
CVE-2025-52657	New	3.5	LOW		0.002		HCL MyXalytics was affected by Potential DOS Vulnerability. It allows users to input data without any restriction on the number of characters which can impact system performance or availability.
CVE-2026-86491	New	3.5	LOW		0.001		In JetBrains YouTrack before 2026.2.18634 stored XSS was possible via project and organization icon uploads
CVE-2026-86422	New	3.3	LOW		0.001	imagemagick:imagemagick	ImageMagick before 7.1.2-30 contains a time-of-check-time-of-use vulnerability in path policy enforcement on Windows that allows attackers to bypass read or write restrictions by exploiting symlink race conditions. Attackers can swap symlinks between policy validation and file access to read or write policy-denied files.
CVE-2026-86485	New	3.3	LOW		0.001		In JetBrains YouTrack before 2026.2.18634 iP spoofing via HTTP headers allowed forged Bitbucket webhooks
CVE-2026-86503	New	3.3	LOW		0.001		In JetBrains IntelliJ IDEA before 2026.2.2 opening an untrusted project could trigger SSRF via Kubernetes spec-source URL fetching
CVE-2026-86505	New	3.3	LOW		0.001		In JetBrains IntelliJ IDEA before 2026.2.2 missing project-trust check leaked project metadata to JetBrains Marketplace
CVE-2026-86487	New	3.1	LOW		0.001		In JetBrains YouTrack before 2026.2.18634 a crafted WebSocket message allowed read-only whiteboard users to modify canvas content
CVE-2026-86501	New	2.8	LOW		0.003		In JetBrains IntelliJ IDEA before 2026.2.2 terminal command input could be written to idea.log
CVE-2026-86424	New	2.5	LOW		0.001	imagemagick:imagemagick	ImageMagick before 7.1.2-30 and 6.9.13-55 contains a time-of-check-time-of-use (TOCTOU) vulnerability in the video decoder that allows attackers to bypass path policy write restrictions via symlink swaps. An attacker can replace a symlink between policy validation (check-time) and the file write operation (use-time) to write to policy-denied locations.
CVE-2026-81738	New	2.3	LOW		0.003		OpenVPN 2.5.0 through 2.7.6 on Windows using the tap-windows6 driver allows attackers to trigger an out-of-bounds write via crafted DOMAIN-SEARCH entries
CVE-2026-82584	New	2.3	LOW		0.003		Improper Neutralization of Escape, Meta, or Control Sequences vulnerability in ash-project igniter allows a malicious package publisher to forge the mix igniter.install confirmation prompt. mix igniter.install prints a confirmation panel (an anti-typosquatting safeguard) listing a package's hex metadata before adding it. The panel builder in Igniter.Project.Deps wrote publi...
CVE-2026-81638	New	2.1	LOW		0.001		Improper Handling of Alternate Encoding vulnerability in ash-project ash_double_entry allows an attacker to submit several distinct string spellings of the same identifier. AshDoubleEntry.ULID renders a 128-bit ULID as 26 Crockford base-32 characters, but the first character encodes only 3 bits, so canonical values are 0 to 7. decode/1 in lib/ulid.ex masks the first charact...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86233	New	2.1	LOW		0.002		A security vulnerability has been detected in itsourcecode Sales and Inventory System 1.0. Affected by this issue is some unknown functionality of the file /pages/us_del.php?type=user. The manipulation of the argument ID leads to sql injection. It is possible to initiate the attack remotely. The exploit has been disclosed publicly and may be used.
CVE-2026-86234	New	2.1	LOW		0.002		A vulnerability was detected in itsourcecode Sales and Inventory System 1.0. This affects an unknown part of the file /pages/cust_transac.php?action=add. The manipulation of the argument firstname results in sql injection. It is possible to launch the attack remotely. The exploit is now public and may be used.
CVE-2026-86235	New	2.1	LOW		0.002		A flaw has been found in itsourcecode Sales and Inventory System 1.0. This vulnerability affects unknown code of the file /pages/pos_transac.php?action=add. This manipulation of the argument Customer causes sql injection. The attack can be initiated remotely. The exploit has been published and may be used.
CVE-2026-86236	New	2.1	LOW		0.002		A vulnerability has been found in itsourcecode Sales and Inventory System 1.0. This issue affects some unknown processing of the file /pages/pro_transac.php?action=add. Such manipulation of the argument Name leads to sql injection. The attack can be launched remotely. The exploit has been disclosed to the public and may be used.
CVE-2026-86238	New	2.1	LOW		0.004		A vulnerability was determined in projectworlds Online Examination System 1.0. The affected element is an unknown function of the file feedback.php of the component Feedback Form. Executing a manipulation of the argument Name/Subject can lead to cross site scripting. The attack may be launched remotely. The exploit has been publicly disclosed and may be utilized.
CVE-2026-86241	New	2.1	LOW		0.005		A weakness has been identified in liufee FeehiCMS up to 2.1.1. This impacts an unknown function of the file environments/prod/backend/config/main-local.php of the component Cookie Validation. This manipulation of the argument cookieValidationKey causes use of hard-coded cryptographic key . The attack is possible to be carried out remotely. The exploit has been made availabl...
CVE-2026-86244	New	2.1	LOW		0.003		A security vulnerability has been detected in FastAdmin up to 1.2.0.20210401_beta. Affected is the function register/login of the file application/index/controller/User.php of the component User Controller. Such manipulation of the argument url leads to cross site scripting. The attack may be performed from remote. The exploit has been disclosed publicly and may be used. Upg...
CVE-2026-86245	New	2.1	LOW		0.002		A vulnerability was detected in itsourcecode Sales and Inventory System 1.0. Affected by this vulnerability is an unknown functionality of the file /pages/sup_transac.php. Performing a manipulation of the argument companyname results in sql injection. It is possible to initiate the attack remotely. The exploit is now public and may be used.
CVE-2026-86264	New	2.1	LOW		0.003		A flaw has been found in sfturing ssm_pro up to 627f426331da8086ce8ff2017d65b1ddef384f8. Affected is an unknown function of the file ssm_pro/src/main/java/cn/sfturing/web/OrderController.java of the component Order Endpoint. This manipulation of the argument hospitalName/officesName/doctorName causes cross site scripting. It is possible to initiate the attack remotely. The ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86265	New	2.1	LOW		0.002		A vulnerability has been found in itsourcecode Sales and Inventory System 1.0. Affected by this vulnerability is an unknown functionality of the file /pages/us_transac.php. Such manipulation of the argument Username leads to sql injection. It is possible to launch the attack remotely. The exploit has been disclosed to the public and may be used.
CVE-2026-86267	New	2.1	LOW		0.002		A security vulnerability has been detected in itsourcecode Information System Society Membership System 1.0. This issue affects some unknown processing of the file /society/check_student.php. The manipulation of the argument student_id leads to sql injection. Remote exploitation of the attack is possible. The exploit has been disclosed publicly and may be used.
CVE-2026-86269	New	2.1	LOW		0.002		A flaw has been found in itsourcecode Sales and Inventory System 1.0. The affected element is an unknown function of the file /pages/emp_edit1.php. This manipulation of the argument ID causes sql injection. The attack is possible to be carried out remotely. The exploit has been published and may be used.
CVE-2026-86270	New	2.1	LOW		0.002		A vulnerability has been found in itsourcecode Sales and Inventory System 1.0. The impacted element is an unknown function of the file /pages/settings_edit.php. Such manipulation of the argument ID leads to sql injection. The attack may be performed from remote. The exploit has been disclosed to the public and may be used.
CVE-2026-86278	New	2.1	LOW		0.003		A vulnerability was found in SourceCodester Syllabus-Aligned Learning Management & Examination System 1.0. The affected element is an unknown function of the file manage_subjects.php. The manipulation of the argument msg/title/content results in cross site scripting. The attack may be performed from remote. The exploit has been made public and could be used.
CVE-2026-86279	New	2.1	LOW		0.002		A vulnerability was determined in SourceCodester Syllabus-Aligned Learning Management & Examination System 1.0. The impacted element is an unknown function of the file auth_process.php of the component Login. This manipulation causes session fixation. It is possible to initiate the attack remotely. The exploit has been publicly disclosed and may be utilized.
CVE-2026-86281	New	2.1	LOW		0.002		A security flaw has been discovered in SourceCodester Syllabus-Aligned Learning Management & Examination System 1.0. This impacts an unknown function. Performing a manipulation results in cross-site request forgery. The attack can be initiated remotely. The exploit has been released to the public and may be used for attacks.
CVE-2026-86285	New	2.1	LOW		0.002		A vulnerability was detected in BookStack up to 26.05.2. Affected by this issue is the function AttachmentController::getUpdateForm of the file app/Uploads/Controllers/AttachmentController.php of the component Attachment Edit Endpoint. The manipulation of the argument ID results in improper access controls. The attack may be launched remotely. The exploit is now public and m...
CVE-2026-86288	New	2.1	LOW		0.003		A vulnerability has been found in ModelCloud GPTQModel up to 7.2.0. This vulnerability affects unknown code of the file gptqmodel/nn_modules/qlinear/tritonv2.py of the component Triton dequantization kernel. Such manipulation of the argument g_idx leads to out-of-bounds read. The attack can be executed remotely. The exploit has been disclosed to the public and may be used. U...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86289	New	2.1	LOW		0.004		A vulnerability was found in Ollama up to 0.31.1. This issue affects the function readGGUFV1String of the file fs/ggml/gguf.go of the component GGUF Decoder. Performing a manipulation results in integer overflow. The attack is possible to be carried out remotely. The exploit has been made public and could be used. Upgrading to version 0.31.2-rc1 is capable of addressing this...
CVE-2026-86291	New	2.1	LOW		0.003		A security vulnerability has been detected in itsourcecode Sales and Inventory System 1.0. This impacts an unknown function of the file /pages/us_edit1.php. Such manipulation of the argument ID leads to sql injection. The attack can be launched remotely. The exploit has been disclosed publicly and may be used.
CVE-2026-86294	New	2.1	LOW		0.004		A vulnerability has been found in SourceCodester Simple Traffic Offense System 1.0. Affected by this issue is some unknown functionality of the file save-settings.php of the component Settings Update Endpoint. The manipulation of the argument site_name/site_desc leads to cross site scripting. Remote exploitation of the attack is possible. The exploit has been disclosed to th...
CVE-2026-86307	New	2.1	LOW		0.002		A security vulnerability has been detected in light0011 cms c774dce31c6df0055568a8d5c53d964d99be199d/f72cf46f601efb2a0618c3814cc2f61380b38930. This vulnerability affects unknown code. The manipulation leads to cross-site request forgery. It is possible to initiate the attack remotely. The exploit has been disclosed publicly and may be used. This product is using a rolling re...
CVE-2026-86309	New	2.1	LOW		0.002		A flaw has been found in itsourcecode Sales and Inventory System 1.0. Impacted is an unknown function of the file /pages/pro_searchfrm.php. This manipulation of the argument ID causes sql injection. The attack can be initiated remotely. The exploit has been published and may be used.
CVE-2026-86310	New	2.1	LOW		0.002		A vulnerability has been found in itsourcecode Sales and Inventory System 1.0. The affected element is an unknown function of the file /pages/cust_edit1.php. Such manipulation of the argument ID leads to sql injection. The attack can be launched remotely. The exploit has been disclosed to the public and may be used.
CVE-2026-86240	New	2.0	LOW		0.004		A security flaw has been discovered in liufee FeehiCMS up to 2.1.1. This affects the function catchImage of the file backend/widgets/ueditor/Uploader.php of the component UEditor. The manipulation of the argument source[] results in server-side request forgery. The attack can be executed remotely. The exploit has been released to the public and may be used for attacks. The p...
CVE-2026-86271	New	2.0	LOW		0.002		A vulnerability was found in FluentCMS up to 0.0.5. This affects the function GetAccessible of the file src/Backend/FluentCMS.Services/Permissions/PermissionManager.cs. Performing a manipulation results in missing authorization. It is possible to initiate the attack remotely. The exploit has been made public and could be used. The project was informed of the problem early th...
CVE-2026-86301	New	2.0	LOW		0.002		A vulnerability has been found in code-projects Hospital Information System 1.0. Affected is an unknown function of the file /HIS/src/patients/editPatient.php of the component Patient Management. Such manipulation of the argument ID leads to cross site scripting. The attack may be launched remotely. The exploit has been disclosed to the public and may be used.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-82312	New	1.8	LOW		0.001		OpenVPN 2.0.0 through 2.6.22 and 2.7_alpha1 through 2.7.6 on Windows allows local authenticated users to cause a denial of service via a NULL DACL on named IPC objects
GHSA-327g-rcr8-hp3p	New					npm:bmc-i18n-extract-cli	--- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (70d52b44b46819aa61ff57d4863315b09f655a4fb5b5787843c2a24f85d9c6db) The package's package.json declares a preinstall hook `bun run index.js` and lists the Bun runtime (`bun ^1.3.13`) as a dependency, causing an obfuscated ~500KB index.js to execute automatically on `npm install` under a ...
GHSA-356v-pcf2-7958	New					npm:@aircanada/navigation-handler	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ghsa-malware (78d6c89dae0e934ca5564921316f878b55ca1e3fb9bdfebbc8a04e07708de03c) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-46mp-56rw-qpmm	New					npm:@aircanada/core	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ghsa-malware (5a5af6f9411d25b2d87c0c4f50130fa9eccd9d4348195663b38d4c9c9edef6f5) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-5cg4-38v4-j4vc	New					npm:cb-wallet-solana-provider	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ghsa-malware (bddc9d7ea15dfa107dd3aa50c0b0204d42a90ba749f4941954cd458c6bce980) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-7944-c265-3ff7	New					npm:cb-wallet-analytics	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ghsa-malware (b29044036392080bdeaddb33f07b5b5b09b7b6f0792f0bc711979738a27d1557) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-994q-v55m-r2mw	New					npm:@idkruan-10/dpd-depconf-probe	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ghsa-malware (2bf846560a10c8a741e6acdc52828666f0f665f5770a2e01e8531341ef9dc4a8) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-997w-vpm2-ww7x	New					npm:bmc-translate-utils	--- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (a55e2a625f0b96f6903ccac0251c6b8380cf9589a1f222e9de7e97dbf466156) package.json declares a preinstall script `bun run index.js`. index.js is a ~500 KB javascript-obfuscator-packed module (rotated string array `_0x71ec`, decoder `_0x2a3a`, self-defending IIFE, hex identifier names) unrel...
GHSA-9hpg-rmwp-vg4p	New					npm:base-app-data	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ghsa-malware (385b3732590f10aba4436505fecbd325128919df56f33c060ef3f9f557ead91f) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
GHSA-c2v5-8c2f-jj54	New					npm:blueai-cli	--- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (fa623814be7289a45580d8333138d25b98458b558fbe67c447294944723ec844) package.json declares "preinstall": "bun run index.js", causing npm install to execute a 499KB obfuscator.io-style file via the Bun runtime. index.js uses hex-mangled identifiers, a rotating string array (`_0x71ec`), a...
GHSA-c6m6-wr2f-6f63	New					npm:oscar-redis	--- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (4c988ef2dab3264cefcab98e4aae196d6c45b5555b22641e5862d89bde83815b) The package was found to contain malicious code or consuming dependency that contains malicious code ## Source: ghsa-malware (3f49e49ca1c452b8174beb6fde58222d8eeff2d24b020f2d9291c46848f72fd6) Any computer that has this ...
GHSA-cj4c-268v-m597	New					npm:op-ts-server-core	--- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (10907c74bd3094d2b21cc247498cb53b280d3e6bdb6947b86f17bee73b8eec7f) The package was found to contain malicious code or consuming dependency that contains malicious code ## Source: ghsa-malware (f264e9423adc999377519d6da580a609869844b11b7739a19d0bb8fa1ca763e6) Any computer that has this ...
GHSA-cxwc-958j-45g8	New					npm:cb-wallet-metadata	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ghsa-malware (ef5687a0934fb8c3bbf63f534898153c0a41c337532e5ad3a8114290badb8a13) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-fv48-xvcx-h3qh	New					npm:scw-core	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ghsa-malware (4e609dfddbc549c740b78ea2dfcc4dc218584bdb695d1967e49e262c3ed2fb8e) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-g8cr-3r7q-pcr6	New					npm:kiki-baileys	--- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (0b5b7a87ff7f08fee548c24dce02f8904d9920735f6643ec236ac00dda5c5470) The package was found to contain malicious code or consuming dependency that contains malicious code ## Source: ghsa-malware (a6640ef80f885411f2cb6ba4d728b20c69e8db878a8e7f283d1cded63c90f512) Any computer that has this ...
GHSA-gw4f-3mgw-h64x	New					npm:cb-wallet-store	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ghsa-malware (16b89e0045c311aec83f8b4710dc1709b64bf083541c7ad26d639b89f5c98a7b) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-h9g8-rwcg-hpmh	New					npm:scw-mobile	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ghsa-malware (f92fe2c0fe1acd783b5612c30ba1976c68c421b6451a68d150928e5166c362e8) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
GHSA-m2c9-2v7c-fxf9	New					npm:service-home	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (2ffce66fb482d77c6fcfc9cf3ab50c0de30f856921f4a90f9de969212a2687f) The package was found to contain malicious code or consuming dependency that contains malicious code ## Source: ghsa-malware (dda66c2d91622ef8cd5e5c9a74a09a50597e5d377b4616604c3202db5c3e3ca3) Any computer that has this ...
GHSA-m477-pr6m-v2fp	New					npm:cb-wallet-env	--- _-= Per source details. Do not edit below this line.=_ ## Source: ghsa-malware (86afb447bbbe39fd4f8d9f4146149d70fbb46777c17eebf0c52fd6cef1fef8f) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-q5c6-p5q5-g3px	New					npm:feishu-docx-mcp	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (0e7567437816acf6d56f5ef9e5303da39aa1663ac47d547f66552a0482158d19) package.json declares "preinstall": "bun run index.js" and lists `bun` as a runtime dependency, so `npm install` fetches the alternate Bun runtime and executes the tarball's top-level `index.js` on the installer machin...
GHSA-qh9w-32r6-2qpw	New					npm:wallet-cds-web	--- _-= Per source details. Do not edit below this line.=_ ## Source: ghsa-malware (90a2fd556bde6edbeed9d4c1ebd8dcf4b1c24a5dfda8d70d6cb91cfc7ee3fa2b) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-qw4m-ccr9-7r43	New					npm:wallet-engine-signing	--- _-= Per source details. Do not edit below this line.=_ ## Source: ghsa-malware (448194cce4cee2143b4cfee29a7c171ecab686469ac508f8fb2ad4d2fb67cf67) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-v9rh-vg7p-gwqm	New					npm:redis-type-intel	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (0b6f84d412afce72584ec95c5e2595987bf307b67540da51870c8a3a22b05952) The package was found to contain malicious code or consuming dependency that contains malicious code ## Source: ghsa-malware (ed65988a4ac24440d372ee9ed85040bfa2f110284ec4730a384028f4f8919774) Any computer that has this ...
GHSA-vgm8-2vf8-769j	New					npm:base-account-core	--- _-= Per source details. Do not edit below this line.=_ ## Source: ghsa-malware (ae6343291a1e909323f40cb39c63de633e733d3a7ca24827d35ff2d960f9e6a2) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-w6c3-rrw8-wxrx	New					npm:@aircanada/components	--- _-= Per source details. Do not edit below this line.=_ ## Source: ghsa-malware (356e229b0e7aa4523c4bd61f176ee40d5e20a3d897bac1821057ffefc969ec12) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
MAL-2026-16007	New					npm:@caliperx2/components	This package is malicious. It is not a real library. An attacker put it on the public npm registry. The package name is a copy of a private, internal package name. This is a dependency confusion attack. A build that gets the name from public npm installs this package in place of the real one. The package.json has a `preinstall` script. npm runs this script during install. T...
MAL-2026-16008	New					npm:b2b-frontend-external-library	This package is malicious. It is not a real library. An attacker put it on the public npm registry. The package name is a copy of a private, internal package name. This is a dependency confusion attack. A build that gets the name from public npm installs this package in place of the real one. The package.json has a `preinstall` script. npm runs this script during install. T...
MAL-2026-16009	New					npm:omni-channel-configurator-wireline-frontend	This package is malicious. It is not a real library. An attacker put it on the public npm registry. The package name is a copy of a private, internal package name. This is a dependency confusion attack. A build that gets the name from public npm installs this package in place of the real one. The package.json has a `preinstall` script. npm runs this script during install. T...
MAL-2026-16015	New					npm:@cp-shared-14/frontend-ui	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ossf-package-analysis (f9a0b8746f6c279b21cfa1c66d1ec6ceaff3a528152347aa7b2c5458952fe691) The OpenSSF Package Analysis project identified '@cp-shared-14/frontend-ui' @ 6.3.4 (npm) as malicious. It is considered malicious because: - The package communicates with a domain associated with malicious activi...
MAL-2026-16016	New					PyPI:cv-train	--- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (3e63e889d2bfc807902ef5bcd86b6d65b95272587726dda61e4efb63d461fc3b) setup.py defines a phone_home() function invoked at module top level, so it runs during `pip install`. The function collects the machine hostname, username, current working directory, and the path of any discovered pip.c...
MAL-2026-16017	New					PyPI:telegram-helper	--- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (90afeb1d39f1ef3d107f2da6a26c4af8c7efb314bb0f272d45fa755119e1b669) telegram_helper describes itself as "A minimal example Python library" and ships a Russian-language template README (the Homepage field is still the unedited placeholder https://github.com/your-username/telegram_helper),...

Significant updates today - original Published Date retained

None in this window.

Added to CISA KEV today

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-58704	Added to KEV	8.8	HIGH	Yes	0.001	google:pixel	Google Pixel devices contain an improper authorization vulnerability in the cellular modem. A logic error may allow an attacker to bypass permission checks and escalate privileges.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87491	Added to KEV	8.8	HIGH	Yes	0.01	google:chromium v8	Google Chromium V8 contains an out of bounds write vulnerability that allows a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. This vulnerability could affect multiple web browsers that utilize Chromium, including, but not limited to, Google Chrome, Microsoft Edge, and Opera.
CVE-2025-25249	Added to KEV			Yes	0.024	fortinet:multiple products	Fortinet FortiOS, FortiSwitchManager, and FortiSASE contain a heap-based buffer overflow vulnerability that allows an attacker to execute unauthorized code or commands via specially crafted packets.
CVE-2026-19490	Added to KEV			Yes	0.056	citrix:netscaler	Citrix NetScaler ADC and NetScaler Gateway contain an authentication-bypass vulnerability involving an alternate path or channel. When the NetScaler appliance is configured as an AAA virtual server or as a Gateway (SSL VPN, ICA Proxy, CVPN, or RDP Proxy), an unauthenticated remote threat actor may be able to bypass authentication.
CVE-2026-20079	Added to KEV			Yes	0.758	cisco:secure firewall management center (fmc) and security cloud control (scc) firewall management	Cisco Secure Firewall Management Center (FMC) Software and Cisco Security Cloud Control (SCC) Firewall Management contain an authentication Bypass using an alternate path or channel vulnerability that could allow an unauthenticated, remote attacker to bypass authentication and execute script files on an affected device to obtain root access to the underlying operating system.
CVE-2026-42016	Added to KEV			Yes	0.009	jfrog:artifactory	JFrog Artifactory contains an incorrect authorization vulnerability that leads to a privilege escalation attack due to a validation check of the token signature/issuer and not the token's scope.
CVE-2026-42018	Added to KEV			Yes	0.009	jfrog:artifactory	JFrog Artifactory contains an improper authentication vulnerability that could return an internal anonymous-user token to an unauthenticated caller when anonymous access is disabled, potentially exposing sensitive resources.
CVE-2026-67277	Added to KEV			Yes	0.009	mikrotik:routeros	MikroTik RouterOS contains a missing authentication for critical function vulnerability which allows kernel memory disclosure and denial of service in the btest service.
CVE-2026-76460	Added to KEV			Yes		cisco:identity services engine	Cisco Identity Services Engine (ISE) and Cisco ISE Passive Identity Connector (ISE-PIC) contain an incorrect use of privileged APIs vulnerability that could allow an unauthenticated, remote attacker to gain unauthorized access to the affected device by bypassing the web-based management interface.
CVE-2026-76461	Added to KEV			Yes	0.02	cisco:secure email gateway	Cisco AsyncOS software for Cisco Secure Email Gateway (SEG) contains a SQL injection vulnerability that could allow an unauthenticated, remote attacker to execute arbitrary commands with root privileges on the underlying operating system.
CVE-2026-81963	Added to KEV			Yes	0.006	microsoft:windows	Microsoft Windows Update Stack contains a link following vulnerability that allows a local attacker to escalate privileges locally up to SYSTEM.
CVE-2026-84869	Added to KEV			Yes	0.007	connectwise:screenconnect	ConnectWise ScreenConnect contains both an improper privilege management and missing authorization vulnerability that may allow an attacker to transfer and execute files through an active remote session without authorization or host confirmation.
CVE-2026-85706	Added to KEV			Yes	0.12	gitlab:community edition and enterprise edition	GitLab Community Edition and Enterprise Edition contains a path traversal vulnerability that allows an unauthenticated user to read arbitrary files due to an improper path confinement and missing authentication enforcement in the repository commits API.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-85880	Added to KEV			Yes	0.006	microsoft:windows	Microsoft Windows Advanced Local Procedure Call contains a heap-based buffer overflow vulnerability that allows an attacker to elevate privileges locally.
CVE-2026-86060	Added to KEV			Yes	0.011	mikrotik:routeros	MikroTik RouterOS contains an improper neutralization of argument delimiters in a command vulnerability which allows an attacker to change the trusted RouterOS policy mask, leading to privilege escalation.
CVE-2026-86218	Added to KEV			Yes	0.007	n-able:n-central	N-able N-central contains a static code injection vulnerability that could allow for pre-authentication remote code execution.
CVE-2026-87886	Added to KEV			Yes		acronis:backup	Acronis Backup plugin for cPanel & WHM and extension for Plesk contains an incorrect default permissions vulnerability that could allow for privilege escalation.

P1 new today

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-75650	New	10.0	CRIT	Yes	0.021	adobe:commerce, adobe:commerce_b2b, adobe:magento	Adobe Commerce is affected by an Improper Neutralization of Special Elements Used in a Template Engine vulnerability that could result in arbitrary code execution in the context of the current user. An attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue does not require user interaction. Scope is changed.

P2 new today

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-18922	New	9.8	CRIT		0.006		A flaw was found in 389 Directory Server. During SASL PLAIN authentication, a stale identity carried in a Cyrus SASL auxiliary property from a prior failed bind attempt can be installed on a connection following a subsequent, unrelated successful bind, regardless of which SASL mechanism completes that second bind. An attacker can send a SASL PLAIN bind as cn=Directory Manage...
CVE-2026-76578	New	9.8	CRIT		0.005		A flaw was found in FreeIPA. The self-managed OTP token ACI does not require authentication and does not restrict which attributes may be added alongside the token entry. An unauthenticated LDAP client can exploit this, combined with a related flaw in the underlying directory server's ACI evaluation (tracked separately), to create an arbitrary attacker-controlled Kerberos pr...
CVE-2026-7861	New	9.8	CRIT		0.003		Deserialization of untrusted data vulnerability in Next4Biz Information Technologies Inc. CSM (Customer Service Management) allows Code Injection. This issue affects CSM (Customer Service Management): before 8.0.3.
CVE-2026-80129	New	9.8	CRIT		0.004	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal') vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to remote execution.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-80131	New	9.8	CRIT		0.005	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal') vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to remote execution.
CVE-2026-86478	New	9.8	CRIT		0.004		In JetBrains YouTrack before 2025.3.161254, 2026.1.14042 improper authentication in YouTrack Helpdesk allowed unauthenticated account takeover via a self-asserted email address
CVE-2026-86480	New	9.8	CRIT		0.003		In JetBrains Hub before 2026.2.52442 an unauthenticated attacker could register a trusted service and gain superuser privileges
CVE-2026-61410	New	9.4	CRIT		0.013	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains a Missing Authorization vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to remote execution. This vulnerability is considered critical because it allows an attacker to execute commands remo...
CVE-2026-6223	New	9.4	CRIT		0.004		Improper restriction of excessive authentication attempts vulnerability in Bahçelievler Municipality BiHayat App allows Authentication Bypass. This issue affects BiHayat App: from 2.1.7 through 07092026. NOTE: The vendor was contacted early about this disclosure but did not respond in any way.
CVE-2026-16876	New	9.3	CRIT		0.003		An authentication bypass vulnerability exists in the WebGUI of Series UNIVERGE IX-R/IX-V. A user could bypass authentication and execute arbitrary CLI commands by tampering with WebGUI messages and sending them to the device via internet.
CVE-2026-80238	New	9.3	CRIT		0.001	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Execution with Unnecessary Privileges vulnerability. An unauthenticated attacker with local access could potentially exploit this vulnerability, leading to Protection mechanism bypass. This vulnerability is considered critical because a low-privileged op...
CVE-2026-86296	New	9.3	CRIT		0.013		A vulnerability was determined in D-Link DIR-822A A_101. This vulnerability affects the function strcpy of the file udhcpd/serverpacket.c of the component udhcpd. This manipulation causes stack-based buffer overflow. The attack is possible to be carried out remotely. The exploit has been publicly disclosed and may be utilized.
CVE-2026-86543	New	9.3	CRIT		0.004		knowns versions before 0.30.0 serve the management API without authentication on all network interfaces by default, with no password required on fresh installations. Attackers can access the unauthenticated /api/tunnel/start endpoint to provision a public tunnel and republish the API at a publicly accessible address.
CVE-2026-86426	New	9.2	CRIT		0.014		LibreNMS before 26.8.0 contains an authentication bypass vulnerability in the REST API that allows unauthenticated attackers to access protected endpoints by sending numeric values instead of string tokens. Attackers can exploit MySQL type coercion by sending small integers like 0 through 9 to match token hashes, gaining access to API functionality including device credentia...
CVE-2026-80164	New	9.1	CRIT		0.002	dell:secure_connect_gateway	Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Certificate Validation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to unauthorized access.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-86419	New	9.1	CRIT		0.002	misp-project:misp	Affected versions of MISP contain insufficient validation of server-side outbound HTTP destinations in feed retrieval and TAXII discovery functionality. In feed processing, redirects were followed without validating the redirect scheme or destination. The original request headers were reused across redirect hops, meaning authentication headers or API credentials configured...

Historical reports are not rewritten when an older CVE changes. A CVE published on an earlier date remains in that earlier daily report; a meaningful change is shown separately in the update section for the date on which the change was detected.