

Daily Vulnerability Report - 2026-09-12

Window (UTC): 2026-09-12T00:00 to 2026-09-13T00:00 | Sources: NVD, CISA KEV, EPSS, Vulnrichment, GHSA, OSV | Generated 2026-09-17 09:56:28 UTC

Total	New	Updated	KEV	Critical	High	Medium	Unscored	Watchlist	Packages
123	99	24	6	14	45	49	11	21	0

P1 - Act now (KEV / high EPSS)

ID	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-85706 New	10.0	CRIT	Yes	0.12	gitlab:gitlab	GitLab has remediated an issue in GitLab CE/EE affecting all versions from 18.7 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that, under certain conditions, an unauthenticated user could have read arbitrary files from the GitLab server due to improper path confinement and missing authentication enforcement in the repository commits API.
CVE-2026-84869 Newly scored	9.9	CRIT	Yes	0.007	connectwise:screenconnect	A condition in the ScreenConnect client may allow files to be transferred and executed through an active remote session without authorization or Host confirmation in certain circumstances. ScreenConnect servers are not impacted.
CVE-2026-58704 Added to KEV	8.8	HIGH	Yes	0.001	google:pixel	Google Pixel devices contain an improper authorization vulnerability in the cellular modem. A logic error may allow an attacker to bypass permission checks and escalate privileges.
CVE-2026-76460 Added to KEV			Yes		cisco:identity services engine	Cisco Identity Services Engine (ISE) and Cisco ISE Passive Identity Connector (ISE-PIC) contain an incorrect use of privileged APIs vulnerability that could allow an unauthenticated, remote attacker to gain unauthorized access to the affected device by bypassing the web-based management interface.
CVE-2026-76461 Added to KEV			Yes	0.02	cisco:secure email gateway	Cisco AsyncOS software for Cisco Secure Email Gateway (SEG) contains a SQL injection vulnerability that could allow an unauthenticated, remote attacker to execute arbitrary commands with root privileges on the underlying operating system.
CVE-2026-87886 Added to KEV			Yes		acronis:backup	Acronis Backup plugin for cPanel & WHM and extension for Plesk contains an incorrect default permissions vulnerability that could allow for privilege escalation.

P2 - High (CVSS >= 9.0 or 7.0+ with EPSS >= 0.10)

ID	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-82845 New	9.9	CRIT		0.004		The Masteriyo LMS WordPress plugin before 3.4.1 does not prevent user-supplied values held as metadata from being deserialized when they are read back, allowing users with a minimal account to inject arbitrary PHP objects and, by way of a class shipped in a library bundled with the Masteriyo LMS WordPress plugin before 3.4.1, write and execute arbitrary code on the server. A weaker form of the same issue is reac...
CVE-2026-87719 New	9.9	CRIT		0.006		GitLab has remediated an issue in GitLab EE affecting all versions from 18.3 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could allow an authenticated user with Duo Chat access to obtain Advanced Search instance configurations and sensitive credentials using a specially crafted GraphQL subscription argument to bypass serialization and perform server object lookup.

ID	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-75800 New	9.8	CRIT		0.004		The Frontegg SAML SSO WordPress plugin through 1.0.1 does not verify the signature or issuer of SAML authentication responses before establishing a session, allowing unauthenticated attackers to log in as any user, including administrators, as well as to create arbitrary accounts.
CVE-2026-78006 New	9.8	CRIT		0.008		The The Events Calendar plugin for WordPress is vulnerable to Remote Code Execution in all versions up to, and including, 6.17.4 via the is_safe_widget_instance function. This is due to insufficient protection in is_safe_widget_instance, which can be bypassed because PHP fires magic methods during its pre-parse, combined with enable_rendering_widget_copied() forging a valid wp_hash integrity attribute before unuser...
CVE-2026-78159 New	9.8	CRIT		0.008		The The Events Calendar plugin for WordPress is vulnerable to Remote Code Execution in all versions up to, and including, 6.17.3 via the parse_array function. This is due to insufficient validation of the widget 'classes' map, allowing a plain-array payload to bypass the is_safe_widget_instance() object check and reach the callable-invocation sink in Element_Classes::parse_array(). This makes it possible for unaut...
CVE-2026-81402 New	9.8	CRIT		0.004		The DS Ad Rotator WordPress plugin through 0.8 does not perform any capability check, nonce verification, or file-type validation on its image upload handler, allowing unauthenticated attackers to upload arbitrary files, including PHP, to a web-accessible directory, which can lead to remote code execution.
CVE-2026-84171 New	9.8	CRIT		0.004		The WP images upload on piclect WordPress plugin through 1.0 does not validate the name or type of uploaded files before writing them to a publicly accessible directory, allowing unauthenticated attackers to upload arbitrary files and execute arbitrary code on the server.
CVE-2026-85681 New	9.8	CRIT		0.003		The WP Component WordPress plugin through 2.2.4 does not have any capability or nonce checks on one of the actions it makes available to unauthenticated users, and it takes both the option name and the option value from the request, allowing unauthenticated attackers to overwrite any of the site's options. On a single site installation this leads to a full takeover, as registration can be enabled with a default ro...
CVE-2026-77005 New	9.6	CRIT		0.003		The CODE MONKEYS PROPOSALS WordPress plugin through 1.0.1 does not validate a user-supplied file path before deleting a file, and does not check the capability of the user making the request, allowing any authenticated user, such as a subscriber, to delete arbitrary files on the server, which can lead to a site takeover.
CVE-2026-77006 New	9.6	CRIT		0.002		The WebTotem Backups WordPress plugin through 1.0.1 does not validate a user-supplied file path, does not check the capability of the user making the request, and discards the result of its own CSRF check, allowing any authenticated user, such as a subscriber, to delete arbitrary files on the server, which can lead to a site takeover.
CVE-2026-90558 New	9.3	CRIT		0.005		sngrep through 1.8.4 contains stack buffer overflow vulnerabilities in SIP attribute formatting routines when header values exceed the 255-byte buffer limit. Attackers can craft malicious SIP packets with oversized Call-ID, X-Call-ID, or other header fields to overflow stack buffers and cause crashes or execute arbitrary code during packet parsing and rendering.
CVE-2026-90647 New	9.1	CRIT		0.001		ASE/Kalkitech ASE2000 V2 Communication Test Set 2.35 through 2.37 on Windows contains an improper certificate validation vulnerability in the IEC 60870-5-104 TLS client (Task Mode). This allows a network-positioned attacker to bypass certificate validation via a certificate with multiple simultaneous faults, enabling a Man-in-the-Middle attack on protected communications.

Watchlist matches (other priorities)

ID	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-72996 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-73002 Newly scored	7.8	HIGH		0.002	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Integer overflow or wraparound in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-73007 Newly scored	7.8	HIGH		0.002	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-78448 Newly scored	7.8	HIGH		0.002	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-83954 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-83967 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-83970 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-83971 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.

ID	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83972 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-83973 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-83977 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-83980 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-83981 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-83982 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-83983 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-83985 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.

ID	CVSS	Sev	KEV	EPSS	Vendor / Product / Package	Description
CVE-2026-83987 Newly scored	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.

P3/P4 items (105) are in the Excel report. Unscored CVEs are newly published and awaiting NVD analysis; re-check tomorrow's report.