

Daily Vulnerability Report - 2026-09-15

Window (UTC): 2026-09-15T00:00 to 2026-09-16T00:00 | Sources: NVD, CISA KEV, FIRST EPSS | Generated 2026-09-17 06:03:24 UTC

Total	KEV (exploited)	Critical	High	Medium	Low	Unscored	Watchlist
2005	5	226	1037	463	118	160	939

P1 - Act now (KEV / high EPSS)

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-65400	9.8	CRIT	Yes	0.105	apple:macos	An authentication issue was addressed with improved state management. This issue is fixed in macOS Golden Gate 27, macOS Sequoia 15.7.9, macOS Sonoma 14.8.9, macOS Tahoe 26.6.1, macOS Tahoe 26.7. An attacker on the network may be able to authenticate to Screen Sharing without valid credentials.
CVE-2026-76461	9.8	CRIT	Yes	0.02	cisco:asyncos, cisco:secure_email_gateway_c195, cisco:secure_email_gateway_c395, cisco:secure_email_gateway_c695, cisco:	A vulnerability in the email parsing of Cisco AsyncOS Software for Cisco Secure Email Gateway could allow an unauthenticated, remote attacker to execute arbitrary commands with root privileges on the underlying operating system. This vulnerability is due to insufficient validation in the email parsing logic. An attacker could exploit this vulnerability by sending a crafted email message that contains malicious ...
CVE-2026-58704	8.8	HIGH	Yes	0.001	google:android	In Cellular Modem, there is a possible permission bypass due to a logic error in the code. This could lead to remote (proximal/adjacent) escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-76460			Yes		cisco:identity services engine	Cisco Identity Services Engine (ISE) and Cisco ISE Passive Identity Connector (ISE-PIC) contain an incorrect use of privileged APIs vulnerability that could allow an unauthenticated, remote attacker to gain unauthorized access to the affected device by bypassing the web-based management interface.
CVE-2026-87886			Yes		acronis:backup	Acronis Backup plugin for cPanel & WHM and extension for Plesk contains an incorrect default permissions vulnerability that could allow for privilege escalation.

P2 - High (CVSS >= 9.0 or 7.0+ with EPSS >= 0.10)

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-53710	10.0	CRIT		0.008		MCP Context Forge is an AI gateway, registry, and proxy for MCP, A2A, REST, and gRPC APIs. Prior to 1.0.2, the python_sandbox_server in mcp-servers/python/python_sandbox_server/src/python_sandbox_server/server_fastmcp.py exposes raw getattr through safe_builtins, omits a required _getattr_guard, and relies on validate_code checks for literal dangerous dunder strings. An attacker can construct dunder names at runt...
CVE-2026-59971	10.0	CRIT		0.004		MySQL MCP Server is a Model Context Protocol server that enables secure interaction with MySQL databases. Prior to 0.4.2, setting MCP_TRANSPORT=sse causes src/mysql_mcp_server/server.py to construct SseServerTransport without security_settings or enable_dns_rebinding_protection, while the Starlette routes /, /sse, and /messages/ have no authentication and the service binds to 0.0.0.0 by default. A network attacker...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-71133	10.0	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pro...
CVE-2026-83020	10.0	CRIT		0.004		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Platform Security for Java. While the vulnerability is in Oracle Platform Security for Java, attac...
CVE-2026-83021	10.0	CRIT		0.004		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Web Container). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebLogic Server. While the vulnerability is in Oracle WebLogic Server, attacks may significantly impact additio...
CVE-2026-83059	10.0	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, attacks may significantly impact addition...
CVE-2026-83099	10.0	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly impact additional products (scope chang...
CVE-2026-87230	10.0	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact ad...
CVE-2026-45579	9.9	CRIT		0.004		DIRAC is an interware, meaning a software framework for distributed computing. Prior to versions 8.0.79, 9.0.22, and 9.1.10, the RequestManagementSystem/Service/ReqManagerHandler.py export_getRequestCountersWeb function passes an authenticated caller-controlled groupingAttribute to RequestManagementSystem/DB/RequestDB.py getRequestCountersWeb. An unrecognized value is resolved against the Request object and evalua...
CVE-2026-57138	9.9	CRIT		0.004		PraisonAI is a multi-agent teams system. From 1.4.0 until 1.7.2, codeMode in src/praisonai-ts/src/tools/builtins/code-mode.ts executes untrusted JavaScript with new Function() inside with(sandbox) and relies on a small source-code blacklist plus shadowed process and require properties. Code can use ({}).constructor.constructor to recover the real Function constructor, obtain process and process.mainModule.require,...
CVE-2026-61667	9.9	CRIT		0.007		DIRAC is an interware, meaning a software framework for distributed computing. Prior to versions 8.0.79, 9.0.22, and 9.1.10, DataManagementSystem/Service/FileCatalogHandler.py checkDataset forwards an authenticated caller-controlled datasets value to DatasetManager.py __checkDataset, where datasetName is interpolated into an FC_MetaDatasets SQL query without parameterization. The injected query can control the ret...
CVE-2026-71163	9.9	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional prod...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-73945	9.9	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional prod...
CVE-2026-73948	9.9	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional products (s...
CVE-2026-76669	9.9	CRIT		0.004		Privilege escalation vulnerabilities exist in the API of HPE Networking EdgeConnect SD-WAN Orchestrator. Successful exploitation could allow a remote low-privileged authenticated user to escalate their privileges to those of an administrative user, leading to complete system compromise.
CVE-2026-76670	9.9	CRIT		0.004		Privilege escalation vulnerabilities exist in the API of HPE Networking EdgeConnect SD-WAN Orchestrator. Successful exploitation could allow a remote low-privileged authenticated user to escalate their privileges to those of an administrative user, leading to complete system compromise.
CVE-2026-76672	9.9	CRIT		0.004		A vulnerability exists in the SD-WAN Orchestrator that may lead to the exposure of sensitive configuration information. An authenticated remote attacker with read-only privileges could exploit this vulnerability by sending a specially crafted request to the cache synchronization endpoint. Successful exploitation could result in the disclosure of sensitive third-party API tokens and credentials, potentially enablin...
CVE-2026-82997	9.9	CRIT		0.005		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Service Delivery Platform. While the vulnerability is in Service Delivery Platform, attacks may significantly impact add...
CVE-2026-82998	9.9	CRIT		0.005		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Service Delivery Platform. While the vulnerability is in Service Delivery Platform, attacks may significantly impact add...
CVE-2026-82999	9.9	CRIT		0.005		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Service Delivery Platform. While the vulnerability is in Service Delivery Platform, attacks may significantly impact additio...
CVE-2026-83031	9.9	CRIT		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Sites. While the vulnerability is in Oracle WebCenter Sites, attacks may significantly impact additional product...
CVE-2026-83038	9.9	CRIT		0.003		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: TopLink Integration). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebLogic Server. While the vulnerability is in Oracle WebLogic Server, attacks may significant...
CVE-2026-83039	9.9	CRIT		0.005		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional products (s...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83055	9.9	CRIT		0.004		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, attacks may significantly impact additiona...
CVE-2026-83056	9.9	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, attacks may significantly impact additiona...
CVE-2026-83057	9.9	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, attacks may significantly impact additiona...
CVE-2026-83058	9.9	CRIT		0.004		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, attacks may significantly impact additiona...
CVE-2026-83282	9.9	CRIT		0.003		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerability is in Oracle Business Intelligence Enterprise Editi...
CVE-2026-87172	9.9	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact add...
CVE-2019-7105	9.8	CRIT		0.076	adobe:xd, apple:macos	Adobe XD versions 16.0 and earlier have a path traversal vulnerability. Successful exploitation could lead to arbitrary code execution.
CVE-2019-7106	9.8	CRIT		0.076	adobe:xd, apple:macos	Adobe XD versions 16.0 and earlier have a path traversal vulnerability. Successful exploitation could lead to arbitrary code execution.
CVE-2026-10536	9.8	CRIT		0.006	haxx:curl	A use-after-free vulnerability exists in libcurl when an application configures an HTTP/2 stream-dependency tree via `CURLOPT_STREAM_DEPENDS` or `CURLOPT_STREAM_DEPENDS_E`, subsequently invokes `curl_easy_reset()`, and finally terminates the handle with `curl_easy_cleanup()`. During this final cleanup phase, libcurl attempts to access and modify an internal structure that was already freed during the reset operation.
CVE-2026-11856	9.8	CRIT		0.007	haxx:curl	Successfully using libcurl to do a transfer to a specific HTTP origin (`hostA`) with **Digest** authentication and then changing the origin to a different one (`hostB`) for a second transfer, reusing the same handle, makes libcurl wrongly pass on the `Authorization:` header field meant for `hostA`, to `hostB`.
CVE-2026-12351	9.8	CRIT		0.009		IBM MQ 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 LTS, and 10.0.0.0 could allow a remote attacker to execute arbitrary code due to unsafe JNDI lookup processing when the IVT application is deployed.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-19773	9.8	CRIT		0.006		libwebsockets HTTP/2 HPACK Path Header Parsing Out-Of-Bounds Write Remote Code Execution Vulnerability. This vulnerability allows remote attackers to execute arbitrary code on affected installations of libwebsockets. Authentication is not required to exploit this vulnerability. The specific flaw exists within the parsing of HTTP/2 HPACK path header. The issue results from the lack of proper validation of user-sup...
CVE-2026-19931	9.8	CRIT		0.012	haxx:curl	A flaw in libcurl makes it wrongly reuse an HTTP connection setup for a given hostname using Negotiate authentication, when the initial request is done using empty credentials. This can make user B's request get sent over user A's previously authenticated connection.
CVE-2026-20274	9.8	CRIT		0.007		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20274 are related to improper resource control issues that are grouped under th...
CVE-2026-20279	9.8	CRIT		0.003		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20279 are related to improper access control issues that are grouped under the ...
CVE-2026-20353	9.8	CRIT		0.004		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco Secure Email Gateway and Cisco Secure Email and Web Manager engineering team has conducted a comprehensive internal security review. This review resulted in software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20353 are related to issues with impr...
CVE-2026-28606	9.8	CRIT		0.003	google:android	In handleBondStateChanged of AdapterService.java, there is a possible way to skip pairing due to a logic error in the code. This could lead to remote escalation of privilege without user consent with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-37152	9.8	CRIT		0.002		TOTOLINK X5000R V9.1.0cu.2415_B20250515 was discovered to contain a hardcoded password for root access.
CVE-2026-42010	9.8	CRIT		0.011	gnu:gnutls, redhat:enterprise_linux, redhat:hardened_images, redhat:openshift_container_platform	A flaw was found in gnutls. Servers configured with RSA-PSK (Rivest–Shamir–Adleman – Pre-Shared Key) wrongfully matched usernames containing a NUL character with truncated usernames. A remote attacker could exploit this by sending a specially crafted username, leading to an authentication bypass. This vulnerability allows an attacker to gain unauthorized access by circumventing the authentication process.
CVE-2026-52098	9.8	CRIT		0.008	flowiseai:flowise	An issue in Flowise 3.1.2 allows a remote attacker to execute arbitrary code via the /api/v1/prediction/<flowId> endpoint
CVE-2026-52924	9.8	CRIT		0.004	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: sctp: purge outqueue on stale COOKIE-ECHO handling sctp_stream_update() is only invoked when the association is moved into COOKIE_WAIT during association setup/reconfiguration. In this path, the outbound stream scheduler state (stream->out_curr) is expected to be clean, since no user data should have been transmitted yet unless the state machine...
CVE-2026-54333	9.8	CRIT		0.004		UEFI Firmware Parser parses BIOS, Intel ME, and UEFI firmware structures including volumes, file systems, and files. Prior to 1.14, MakeTable() in uefi_firmware/compression/Tiano/Decompress.c does not validate that bit-length values read from a crafted Tiano or EFI compressed firmware bitstream remain within the expected range from 0 through 16. The normal CompressedSection.process() to efi_compressor.TianoDecompr...
CVE-2026-54337	9.8	CRIT		0.004		Fireshare facilitates self-hosted media and link sharing. Prior to version 1.6.14, an argument Injection in the video upload function allows unauthenticated attacker to write/overwrite system files. Version 1.6.14 fixes the issue.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-55211	9.8	CRIT		0.005		Surfio is a library for reading and writing surface files. Prior to 0.0.19, surfio does not correctly validate size fields in IRAP files, leading to a buffer overflow when untrusted files are parsed. The severity assumes surfio is used to parse untrusted files in a networking context such as a web service. This issue is fixed in version 0.0.19.
CVE-2026-55366	9.8	CRIT		0.002		In IP Multimedia Subsystem, there is a possible authentication bypass due to a logic error in the code. This could lead to remote escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-56960	9.8	CRIT		0.002		In multiple locations, there is a possible use-after-free due to a logic error in the code. This could lead to remote escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-57123	9.8	CRIT		0.005		PraisonAI is a multi-agent teams system. Prior to praisonaiagents 1.6.59, ToolsMCPServer.run_sse and launch_tools_mcp_server bind to 0.0.0.0 and create /sse and /messages/ routes without invoking the available SecurityConfig authentication, origin-validation, or DNS-rebinding controls. Any reachable client can list and invoke registered tools, and a browser can target a local instance through DNS rebinding, with i...
CVE-2026-57124	9.8	CRIT		0.006		PraisonAI is a multi-agent teams system. Prior to 4.6.59, the default UI host applications expose POST /api/mcp/connect without mandatory authentication and accept caller-controlled command and args values that PraisonAIUI passes to StdioMCPClient to start a local process. Because the UI commands bind to 0.0.0.0 by default, a reachable unauthenticated client can execute commands as the UI service account even when...
CVE-2026-57125	9.8	CRIT		0.004		PraisonAI is a multi-agent teams system. Prior to praisonai 4.6.59 and praisonaiagents 1.6.59, the unauthenticated POST /api/v1/runs Jobs API accepts attacker-controlled agent_yaml, and the approve field can mark execute_command as YAML-approved before @require_approval checks critical tools. This chain allows a remote caller to cause a configured language model agent to invoke arbitrary operating-system commands ...
CVE-2026-57139	9.8	CRIT		0.004		PraisonAI is a multi-agent teams system. From 1.5.0 until 1.7.2, MCPServer.startHttp() in src/praisonai-ts/src/mcp/server.ts binds without a host restriction and forwards every HTTP POST request to handleRequest() without authentication or authorization. Any network client that can reach the port can call tools/list, tools/call, resources/read, or prompts/get, causing registered handlers to run with server-side cr...
CVE-2026-57141	9.8	CRIT		0.005		PraisonAI is a multi-agent teams system. Prior to 1.7.2, the codeMode tool in src/praisonai-ts/src/tools/builtins/code-mode.ts executes model-generated JavaScript with new Function() and with(sandbox), while a regular-expression blocklist can be bypassed with Function('return this')() to recover the global object and by constructing the child_process module name dynamically. An attacker who can influence the code ...
CVE-2026-57147	9.8	CRIT		0.008		PraisonAI is a multi-agent teams system. Prior to 0.1.6, praisonai_platform/services/auth_service.py assigns the public dev-secret-change-me value to JWT_SECRET when PLATFORM_JWT_SECRET is unset, and its production guard does not run when PLATFORM_ENV is also unset because that setting defaults to dev. A remote unauthenticated attacker can mint an HS256 token with an arbitrary sub and email, and the platform's Aut...
CVE-2026-57148	9.8	CRIT		0.004		PraisonAI is a multi-agent teams system. Prior to 0.1.6, praisonai_platform/services/auth_service.py falls back to the public dev-secret-change-me HS256 signing key when PLATFORM_JWT_SECRET is unset, while the startup and token-issuance guards are disabled because PLATFORM_ENV also defaults to dev. An unauthenticated attacker can sign a JWT containing an attacker-chosen sub value, and AuthService._verify_token() a...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-61560	9.8	CRIT		0.007		`@zereight/mcp-gitlab` is a Model Context Protocol server for GitLab. Prior to version 2.1.27, the SSE transport mode (`SSE=true`) exposes all MCP tools without any authentication. The `upload_markdown` tool reads arbitrary files from the server's local filesystem via an unsanitized `file_path` parameter and uploads them to a GitLab project. Combined, any unauthenticated network-reachable attacker can read `/proc/...
CVE-2026-62379	9.8	CRIT		0.006		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.2, the pre-authentication /authservice PLL endpoint accepts a CustomCallback XML element whose className value selects an arbitrary Java class for AuthXMLUtils to load and instantiate without verifying that it implements DSAMECallbackInterface. Default configurations expose the endpoint without authentication, allowing attacker-control...
CVE-2026-63695	9.8	CRIT		0.005		Dell SmartFabric OS10 Software, versions prior to 10.6.1.3, contains a Session Fixation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to Session theft.
CVE-2026-70748	9.8	CRIT		0.003		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle WebLogic Server. Successful attacks of this vulnerability can result in takeover of Oracle WebLogic Serv...
CVE-2026-70756	9.8	CRIT		0.004		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle WebLogic Server. Successful attacks of this vulnerability can result in takeover of Oracle WebLogic Serv...
CVE-2026-70757	9.8	CRIT		0.003		Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle WebLogic Server. Successful attacks of this vulnerability can result in takeover of Oracle WebLogic Serv...
CVE-2026-70913	9.8	CRIT		0.003		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle Identity Manager. CVSS 3.1 Base Score 9...
CVE-2026-73940	9.8	CRIT		0.004		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in takeover of Oracle Access Manager. CVSS 3...
CVE-2026-73947	9.8	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in takeover of Oracle Access Manager. CVSS 3.1 B...
CVE-2026-73950	9.8	CRIT		0.004		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in takeover of Oracle Access Manager. CVSS 3.1 B...
CVE-2026-73953	9.8	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3.1 ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-73956	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3.1 Base Sco...
CVE-2026-73961	9.8	CRIT		0.005		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: ADF Faces). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in takeover of Oracle JDeveloper. CVSS 3.1 Base Score 9.8 (Confident...
CVE-2026-73963	9.8	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3.1 ...
CVE-2026-76440	9.8	CRIT		0.005		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco Secure Email Gateway and Cisco Secure Email and Web Manager engineering team has conducted a comprehensive internal security review. This review resulted in software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-76440 are related to path traversal i...
CVE-2026-76441	9.8	CRIT		0.005		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco Secure Email Gateway and Cisco Secure Email and Web Manager engineering team has conducted a comprehensive internal security review. This review resulted in software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-76441 are related to issues with impr...
CVE-2026-76443	9.8	CRIT		0.004		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco Secure Email Gateway and Cisco Secure Email and Web Manager engineering team has conducted a comprehensive internal security review. This review resulted in software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-76443 are related to issues with impr...
CVE-2026-76673	9.8	CRIT		0.005		Vulnerabilities have been identified in the API of EdgeConnect SD-WAN Orchestrator that could potentially allow an unauthenticated remote actor to circumvent existing authentication controls. Successful exploitation could allow an attacker to gain administrative privileges leading to complete compromise of the EdgeConnect SD-WAN Orchestrator host.
CVE-2026-76674	9.8	CRIT		0.011		Buffer overflow vulnerabilities exist in the underlying operating system of HPE Networking EdgeConnect SD-WAN Gateways that could allow an unauthenticated remote attacker to execute arbitrary code. Successful exploitation could allow an attacker to execute arbitrary commands on the underlying operating system leading to complete system compromise.
CVE-2026-82994	9.8	CRIT		0.005		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Platform Security for Java. Successful attacks of this vulnerability can result in takeover of Ora...
CVE-2026-82995	9.8	CRIT		0.005		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Platform Security for Java. Successful attacks of this vulnerability can result in takeover of Ora...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83000	9.8	CRIT		0.005		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Service Delivery Platform. Successful attacks of this vulnerability can result in takeover of Service Delivery Platform. CV...
CVE-2026-83035	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Sites. CVSS 3.1 Base...
CVE-2026-83036	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Sites. CVSS 3.1 Base...
CVE-2026-83037	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Sites. CVSS 3.1 Base...
CVE-2026-83042	9.8	CRIT		0.005		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle Identity Manager. CVSS 3.1 Bas...
CVE-2026-83054	9.8	CRIT		0.004		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in takeover of Oracle Internet Directory. CVSS...
CVE-2026-83060	9.8	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in takeover of Oracle Internet Directory. CVSS...
CVE-2026-83061	9.8	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in takeover of Oracle Internet Directory. CVSS...
CVE-2026-83062	9.8	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in takeover of Oracle Internet Directory. CVSS...
CVE-2026-83066	9.8	CRIT		0.005		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in takeover of Oracle Internet Directory. ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83094	9.8	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 9.8 (Con...
CVE-2026-83095	9.8	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 9.8 (Con...
CVE-2026-83098	9.8	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 9.8 (Con...
CVE-2026-83100	9.8	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 9.8 (Con...
CVE-2026-83108	9.8	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 9.8 (Con...
CVE-2026-83151	9.8	CRIT		0.004		Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Service Delivery Platform. Successful attacks of this vulnerability can result in takeover of Service Delivery Platform. CV...
CVE-2026-83232	9.8	CRIT		0.003		Vulnerability in the Oracle Data Integrator product of Oracle Fusion Middleware (component: Console / Repository Explorer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Data Integrator. Successful attacks of this vulnerability can result in takeover of Oracle Data Integrator....
CVE-2026-83261	9.8	CRIT		0.004		Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Core). The supported version that is affected is 3.6.1. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Product Lifecycle Analytics. Successful attacks of this vulnerability can result in takeover of Oracle Product Lifecycle Analytics. CVSS 3.1 Bas...
CVE-2026-83269	9.8	CRIT		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeover of Oracle BI Publisher. CVSS 3.1 Base...
CVE-2026-83283	9.8	CRIT		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeover of Oracle ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83327	9.8	CRIT		0.005		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover of Oracle Applications Framework. CVSS ...
CVE-2026-83339	9.8	CRIT		0.005		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability can result in takeover of Oracle WebCen...
CVE-2026-83355	9.8	CRIT		0.004		Vulnerability in the Oracle Enterprise Manager for Fusion Middleware product of Oracle Enterprise Manager (component: Metrics). Supported versions that are affected are 13.5 and 24.1. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Enterprise Manager for Fusion Middleware. Successful attacks of this vulnerability can result in takeover of Oracle...
CVE-2026-83452	9.8	CRIT		0.005		Vulnerability in the Oracle Document Management and Collaboration product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Document Management and Collaboration. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-83462	9.8	CRIT		0.005		Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Mobile Application Server. Successful attacks of this vulnerability can result in takeover of Oracle Mobile Application S...
CVE-2026-85025	9.8	CRIT		0.004	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 Langflow could allow an unauthenticated attacker to execute arbitrary code and access or modify chat sessions through publicly shared MCP project endpoints due to improper enforcement of public-flow security restrictions and session isolation controls.
CVE-2026-87184	9.8	CRIT		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87188	9.8	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management...
CVE-2026-88617	9.8	CRIT		0.002		SmartAdmin v3.30.0 contains an authorization flaw in the configuration query endpoint. This allows a remote attacker to escalate privileges.
CVE-2026-8925	9.8	CRIT		0.007	haxx:curl	The curl logic that works with SASL authentication could end up cleaning up the GSASL context *twice* without clearing the pointer in between, making it `free()` the same pointer twice.
CVE-2026-9079	9.8	CRIT		0.006	haxx:curl	libcurl had a flaw that when instructed to clear proxy authentication credentials which made it not do so, leaving the old credentials around to get used for subsequent transfers that should not know nor use them.
CVE-2026-39821	9.6	CRIT		0.007	golang:net	The ToASCII and ToUnicode functions incorrectly accept Punycode-encoded labels that decode to an ASCII-only label. For example, ToUnicode("xn--example-.com") incorrectly returns the name "example.com" rather than an error. This behavior can lead to privilege escalation in programs using the idna package. For example, a program which performs privilege checks on the ASCII hostname may reject "example.com" but permi...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-61559	9.6	CRIT		0.003		`@zereight/mcp-gitlab` is a Model Context Protocol server for GitLab. Starting in version 0.0.1 and prior to version 2.1.27, when the environment variable `ENABLE_DYNAMIC_API_URL=true` is set, the server reads the `X-GitLab-API-URL` HTTP request header and uses it as the base URL for all outbound GitLab API calls made within that request. The server validates that the value is a well-formed URL (`new URL(dynamicAp...
CVE-2026-61568	9.6	CRIT		0.003		`@zereight/mcp-gitlab` is a Model Context Protocol server for GitLab. Versions prior to 2.1.30 expose the Streamable HTTP MCP endpoint without an effective Host or Origin allowlist. A malicious web page can use DNS rebinding to route browser requests to a victim's local MCP listener while preserving an attacker-controlled `Host` and `Origin`. The server accepts those headers and reaches the MCP initialization path...
CVE-2026-73962	9.6	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pro...
CVE-2026-77822	9.6	CRIT		0.002	ibm:contextforge	IBM ContextForge MCP Gateway could allow a remote authenticated attacker to obtain sensitive information due to server-side request forgery via DNS rebinding.
CVE-2026-83029	9.6	CRIT		0.004		Vulnerability in the Oracle Managed File Transfer product of Oracle Fusion Middleware (component: MFT Runtime Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Managed File Transfer. While the vulnerability is in Oracle Managed File Transfer, attacks may significantly impa...
CVE-2026-83040	9.6	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle WebCenter Portal. Successful attacks require human interaction from a person other than the attacker and while the vuln...
CVE-2026-83043	9.6	CRIT		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks require human interaction from a person other than the attacker and while the vulnerabilit...
CVE-2026-87186	9.6	CRIT		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. W...
CVE-2026-91710	9.6	CRIT		0.002		Use after free in WebAppInstalls in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91716	9.6	CRIT		0.002		Use after free in Auth in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91718	9.6	CRIT		0.002		Use after free in Core in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91728	9.6	CRIT		0.004		Integer overflow in V8 in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91729	9.6	CRIT		0.002		Use after free in DigitalCredentials in Google Chrome prior to 153.0.8010.47 allowed a remote attacker leveraging social engineering to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-91738	9.6	CRIT		0.002		Improper input validation in ANGLE in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: Medium)
CVE-2026-91749	9.6	CRIT		0.003		Use after free in Workers in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: Critical)
CVE-2026-78225	9.5	CRIT		0.004		A hardcoded cryptographic server key vulnerability exists in the deployer-ng Update Controller component of Wärsilä FOS-Onboard.
CVE-2026-57140	9.4	CRIT		0.004		PraisonAI is a multi-agent teams system. From 1.6.0 until 1.7.2, AgentOS in src/praisonai-ts/src/os/agentos.ts uses the 0.0.0.0 default from src/praisonai-ts/src/os/config.ts and registers GET /api/agents and POST /api/chat without authentication middleware. A remote caller who can reach the service can obtain agent names, roles, and instruction prefixes and can invoke a selected agent, potentially reaching its to...
CVE-2026-66887	9.4	CRIT		0.002		The affected products are missing authorization on state-changing CGIs and session checks are not performed.
CVE-2026-66890	9.4	CRIT		0.002		The affected products use hard-coded credentials, which could allow remote access to files with root privileges where FTP is reachable.
CVE-2026-68491	9.4	CRIT		0.003		An insufficient check allowed for the overwrite of arbitrary files via a symlink.
CVE-2026-77179	9.4	CRIT		0.002		On macOS, the virtio-fs host server used by Docker Sandboxes improperly follows symlinks when reopening an unlinked file from a stored path. A malicious guest can replace a parent directory with a symlink, escape the shared workspace, and read or modify arbitrary host files as the VMM user, potentially achieving host code execution.
CVE-2026-90692	9.4	CRIT		0.005		A vulnerability was detected in D-Link DIR-878 120B05. This affects the function SetDynamicDNSIPv6Settings of the component Dynamic DNS IPv6 Settings. The manipulation of the argument IPv6Address/Hostname results in stack-based buffer overflow. The attack may be launched remotely.
CVE-2026-90693	9.4	CRIT		0.005		A flaw has been found in D-Link DIR-878 120B05. This impacts the function SetWan3Settings of the component WAN Settings. This manipulation of the argument Primary/Secondary causes stack-based buffer overflow. Remote exploitation of the attack is possible.
CVE-2026-91998	9.4	CRIT		0.004		Casdoor through 4.4.0 contains an authorization bypass vulnerability in the /api/mcp endpoint that allows attackers with any application's clientId and clientSecret to gain unrestricted access to user administration across all organizations. Attackers can enumerate user records including password salts and email addresses, create administrator accounts, modify existing users, and delete them in any organization by...
CVE-2023-54398	9.3	CRIT		0.006		Yonyou U8 Cloud contains an unauthenticated Java deserialization vulnerability in the nc.impl.pub.filesystem.FileManageServlet component that allows remote unauthenticated attackers to execute arbitrary OS commands by sending a serialized payload via POST request. Attackers can exploit the doAction method, which passes raw HTTP request body data directly to ObjectInputStream.readObject() without filtering, to achi...
CVE-2024-58385	9.3	CRIT		0.004		Yonyou U8 CRM contains an unauthenticated SQL injection vulnerability in the fillbacksettingedit.php configuration endpoint where the DontCheckLogin=1 parameter bypasses authentication and the id parameter is incorporated into SQL queries without sanitization. Attackers can exploit this flaw to execute arbitrary SQL commands and, on Microsoft SQL Server deployments with xp_cmdshell enabled, write backdoor files an...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-39919	9.3	CRIT		0.005		Ghostscript before 10.08.0 contains a heap-based buffer overflow vulnerability in the JPEG 2000 output adapter (base/sjpx_openjpeg.c) that allows attackers to cause memory corruption by supplying a crafted PDF containing a JPEG 2000 image with mismatched component subsampling factors. When image components declare different subsampling values, the non-samescale sub-byte-depth output path allocates a row buffer siz...
CVE-2026-45052	9.3	CRIT		0.003		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, the Liberty Web Services SOAP receiver permits unauthenticated remote requests to write persistent entries through SOAPReceiver and DiscoveryService into a user's Liberty Discovery store and the shared root-realm Discovery branch. The server-side handlers bypass requester LDAP and identity ACLs, and the global path uses an internal ...
CVE-2026-46619	9.3	CRIT		0.006		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, MSISDNValidation in the MSISDN authentication module concatenates the request-supplied MSISDN value into an LDAP search filter without escaping, while the default empty trusted-gateway list allows all traffic. In a realm where an MSISDN module is enabled in a reachable authentication chain, an unauthenticated remote attacker can inj...
CVE-2026-53459	9.3	CRIT		0.004		Bambuddy is a self-hosted print archive and management system for Bambu Lab 3D printers. Starting in version 0.1.6 and prior to version 0.2.4.4, a fail-open in the authentication code allows any attacker to bypass authentication by flooding a public endpoint to exhaust resources causing database access to fail, granting unauthenticated access to all protected endpoints. Version 0.2.4.4 patches the issue.
CVE-2026-54072	9.3	CRIT		0.003		Authorizer is an open-source, self-hostable authentication and authorization server. Prior to version 2.2.1, the `/authorize` endpoint accepts any `redirect_uri` without validating it against `AllowedOrigins`. When `response_type=token` or `response_type=id_token`, the server appends `access_token`, `id_token`, and `refresh_token` as query parameters and issues a 302 redirect to the attacker-supplied URL. An unaut...
CVE-2026-67399	9.3	CRIT		0.007		Deserialization of untrusted data in WHMCS 9.0.0 before 9.0.8 and 8.0.0 before 8.13.7 allows remote attackers to execute arbitrary code.
CVE-2026-72709	9.3	CRIT		0.004		SPIP before version 4.4.18 contains a missing authorization vulnerability in sensitive actions under ecrire/action/ that allows unauthenticated attackers to invoke privileged actions by supplying only a valid CSRF nonce without any server-side permission check. Attackers can bypass template-level authorization guards through direct HTTP requests to invoke actions such as editer_auteur, enabling arbitrary account p...
CVE-2026-72710	9.3	CRIT		0.006		SPIP before 4.4.18 contains a mass assignment vulnerability in the editer_objet action that allows unauthenticated attackers to write arbitrary rows to any SQL table lacking a champs_editables allowlist by supplying an attacker-controlled arg parameter resolving to internal database tables. Attackers can insert a malicious row into the spip_jobs queue with a controlled PHP function and arguments, which is then dyn...
CVE-2026-73807	9.3	CRIT		0.007		The mySCADA myPRO Manager command API does not properly enforce authentication for privileged functions. An unauthenticated attacker with network access to the affected API could exploit this vulnerability to access privileged management functions.
CVE-2026-73957	9.3	CRIT		0.003		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks require human interaction from a person other than the attacker and while the vuln...
CVE-2026-81855	9.3	CRIT		0.005		A hardcoded cryptographic client authentication key vulnerability exists in the robot testing framework component of Wärtsilä FOS-Onboard.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83027	9.3	CRIT		0.003		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Identity Manager Connector executes to compromise Oracle Identity Manager Connec...
CVE-2026-88866	9.3	CRIT		0.003		WWBN AVideo through commit c3edcc274c389816d434acdac07ee78eaf330c1 contains a stored cross-site scripting vulnerability in the LoginControl plugin that fails to encode the User-Agent header before storing it in login history. Attackers with any valid login account can inject malicious scripts in the User-Agent header that execute in administrator browsers when viewing the Login History page, allowing script execu...
CVE-2026-89026	9.3	CRIT		0.005		The Issabel Framework, the web framework supporting Issabel PBX software, before commit b97dbaf contains a hard-coded HS256 JWT signing key in the pbxapi index.php file that is identical across every installation, allowing unauthenticated remote attackers to forge valid bearer tokens. Attackers can use the forged token to call the manager originate endpoint with the System application parameter, causing Asterisk t...
CVE-2026-89040	9.3	CRIT		0.009		Tencent Mass Service Engine in Cluster (MSEC) allows a remote, unauthenticated attacker to send a crafted POST request including ../ and gain root access on the target device. An attacker who uploads a webshell can execute arbitrary code as root.
CVE-2026-89308	9.3	CRIT		0.03		An unauthenticated OS command injection vulnerability exists in the ping.php endpoint, allowing remote attackers to execute arbitrary commands on the underlying operating system and achieve remote code execution.
CVE-2026-91939	9.3	CRIT		0.006		Cotonti 1.0.0 Comments plugin passes the ci GET parameter to unserialize() without allowed_classes restriction, allowing unauthenticated attackers to instantiate arbitrary PHP classes with attacker-controlled properties. Attackers can exploit PHP object injection through crafted serialized payloads to trigger gadget chains and achieve database manipulation or code execution.
CVE-2026-91995	9.3	CRIT		0.006		pig before 4.1.0 contains an authentication bypass vulnerability in the /register/password endpoint where password verification results are discarded, allowing any value as the current password. Remote attackers can submit a username with an incorrect current password to overwrite any account credential including the admin account and gain full administrative control.
CVE-2026-45051	9.2	CRIT		0.005		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, WebAuthnAuthentication loads a serialized AuthenticatorImpl object graph from the configured userAttribute through loadAuthenticators without an ObjectInputFilter. Exploitation requires the WebAuthn flow to be reachable and an attacker to have previously written controlled data to that attribute through delegated administration, pro...
CVE-2026-46495	9.2	CRIT		0.007		OpenDJ is an LDAPv3 compliant directory service. Prior to 5.1.1, the JMX RMI connector in opendj-server-legacy/src/main/java/org/opens/server/protocols/jmx/RmiConnector.java processes attacker-controlled credential objects before authentication without a restrictive jmx.remote.rmi.server.credentials.filter.pattern, and RmiAuthenticator.authenticate in opendj-server-legacy/src/main/java/org/opens/server/protocols...
CVE-2026-62263	9.2	CRIT		0.005		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.2, WebAuthnAuthentication.deserialize applies an ObjectInputFilter that allows every serialized object at depth greater than 1 and therefore constrains only an AuthenticatorImpl root object. A pre-authentication attacker can supply a userHandle whose serialized graph has a valid AuthenticatorImpl root and a nested gadget class, causing...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-69204	9.2	CRIT		0.003		Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, Ember HTTP/1.1 does not reject messages containing both Transfer-Encoding and Content-Length, so an intermediary and Ember can select different body framing rules. When ember-server is behind a keep-alive intermediary that forwards both headers and frames by Content-Length, an unauthenticated attacker can smuggle a second request, bypas...
CVE-2026-73458	9.2	CRIT		0.004		On affected platforms running Arista EOS with authenticated Bidirectional Forwarding Detection (BFD) sessions configured, a specially crafted packet can cause the BFD session(s) to go down. This may result in undesirable network changes because various routing protocols monitor status on BFD session(s).
CVE-2026-88881	9.2	CRIT		0.003		Renovate, a dependency update tool, follows pagination links supplied by the GitHub server in the HTTP `Link` header when interacting with GitHub.com, GitHub Enterprise Cloud, or GitHub Enterprise Server, and sends the credentials configured for that host to the URL given as the `next` page. Because the pagination URL is not validated against the host originally contacted, a malicious or compromised GitHub server ...
CVE-2026-91949	9.2	CRIT		0.004		FreeRDP server versions before 3.31.0 contain a protocol negotiation bypass vulnerability that allows unauthenticated attackers to establish RDSTLS connections despite server policy disabling them. Attackers can send incompatible protocol requests, receive negotiation failures, then complete TLS handshake and enter RDSTLS to bypass pre-authentication transport restrictions.
CVE-2026-91988	9.2	CRIT		0.003		atomic-agents-stack before 1.1.0 accepts cleartext HTTP schemes in the HTTP MCP server-registry backend factory, allowing network man-in-the-middle attackers to rewrite catalog responses. Attackers can inject arbitrary command and argument values that are spawned as local subprocesses by MCPClientPool to achieve code execution on the agent host.
CVE-2026-9323	9.2	CRIT		0.004		The urwid web display backend (urwid/display/web.py) generates web session identifiers (urwid_id) in Screen.start() by concatenating two random.randrange(10**9) calls that use Python's Mersenne Twister PRNG, which is not cryptographically secure. Each call consumes approximately 30 bits of PRNG state, and the Mersenne Twister internal state is approximately 19,937 bits, so an attacker who observes approximately 33...
CVE-2026-11564	9.1	CRIT		0.004	haxx:curl	libcurl keeps previously used connections in a connection pool for subsequent transfers to reuse if one of them matches the setup. An easy handle that first uses default native CA trust can continue trusting the native platform store after the application switches that same handle to custom CA material for a later transfer.
CVE-2026-18924	9.1	CRIT		0.009	haxx:curl	A flaw in libcurl's handling of HTTP/2 Server Push streams, when the parent handle is set to share connections with other handles, can lead to use-after-free in the cleanup process.
CVE-2026-39832	9.1	CRIT		0.006	golang:crypto	When adding a key to a remote agent constraint extensions such as restrict-destination-v00@openssh.com were not serialized in the request. Destination restrictions were silently stripped when forwarding keys, allowing unrestricted use of the key on the remote host. The client now serializes all constraint extensions. Additionally, the in-memory keyring returned by NewKeyring() now rejects keys with unsupported con...
CVE-2026-42508	9.1	CRIT		0.073	golang:crypto	Previously, a revoked 'SignatureKey' belonging to a CA was not correctly checked for revocation. Now, both the 'key' and 'key.SignatureKey' are checked for @revoked.
CVE-2026-46488	9.1	CRIT		0.003		motionEye (mEye) is an online interface for a piece of software called "motion," which is a video surveillance program with motion detection. Prior to 0.44.0, motionEye accepts the client-controlled meye_username and meye_password_hash cookies as authentication material without server-side session validation. An unauthenticated attacker who knows a target username and corresponding hash can set the cookies manuall...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-48024	9.1	CRIT		0.007	wazuh:wazuh	Wazuh is a free and open source platform used for threat prevention, detection, and response. From 4.0.0 until 4.14.6 and 5.0.0-beta3, cluster.unmerge_info() in framework/wazuh/core/cluster/cluster.py constructs paths from peer-controlled merge_type and name values in a merged synchronization archive. process_files_from_worker() in framework/wazuh/core/cluster/master.py does not adequately confine the resulting pa...
CVE-2026-48162	9.1	CRIT		0.006	wazuh:wazuh	Wazuh is a free and open source platform used for threat prevention, detection, and response. From 4.0.0 until 4.14.6 and 5.0.0-beta3, DistributedAPI.send_tmp_file() in framework/wazuh/core/cluster/dapi/dapi.py joins an attacker-controlled tmp_file value to WAZUH_PATH without canonicalization or confinement. A cluster peer holding the shared Fernet key can use traversal or an absolute path to make the master retur...
CVE-2026-48717	9.1	CRIT		0.003		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, AuthorizationCodeGrantTypeHandler requires a code_verifier only when the realm-wide codeVerifierEnforced setting is enabled, even when an authorization code stores a code_challenge. Because that setting is disabled by default, an attacker who intercepts a PKCE-protected authorization code can omit code_verifier and redeem the code, ...
CVE-2026-49441	9.1	CRIT		0.005	wazuh:wazuh	Wazuh is a free and open source platform used for threat prevention, detection, and response. From 4.3.0 until 4.14.6 and 5.0.0-beta3, the non-merged branch of process_files_from_worker() in framework/wazuh/core/cluster/master.py trusts a peer-controlled file_path key from files_metadata.json. The destination is joined to WAZUH_PATH without proving that it remains inside the directory selected by cluster_item_key....
CVE-2026-50006	9.1	CRIT		0.008		Anyquery is an SQL query engine built on top of SQLite. Prior to 0.4.5, anyquery server forwards unauthenticated SQL from its MySQL-compatible server port to SQLite without restricting ATTACH DATABASE filesystem targets. A remote attacker can select any path writable by the Anyquery server process, cause SQLite to create a database file there, and place attacker-controlled table content in that file. This permits ...
CVE-2026-52824	9.1	CRIT		0.021		Kimai is an open-source time tracking application. Prior to 2.58.0, the official Docker image sets APP_SECRET to the public value change_this_to_something_unique in Dockerfile, and .docker/entrypoint.sh neither replaces nor rejects that value before Symfony uses it as kernel.secret. An unauthenticated attacker who reaches a deployment that did not override APP_SECRET, knows a username, correctly guesses the accoun...
CVE-2026-55158	9.1	CRIT		0.004		Conflibot warns in advance when merging a pull request will cause conflicts in other open pull requests. Prior to 1.2.1, src/index.ts builds git checkout, git merge, and git format-patch commands by interpolating the attacker-controlled pull request head.ref value into strings passed to exec. In the documented pull_request_target configuration, an attacker can open a pull request, including from a fork, whose bran...
CVE-2026-57145	9.1	CRIT		0.004		PraisonAI is a multi-agent teams system. Prior to 4.6.62, src/praisonai/praisonai/tools/multiedit.py passes the LLM-controlled filepath parameter directly to open for reading and writing without traversal rejection, symlink resolution, a workspace boundary, or protected-path checks. Prompt-influenced agents can read files through edit and diff behavior or overwrite files accessible to the process, exposing secrets...
CVE-2026-61800	9.1	CRIT		0.006	wazuh:wazuh	Wazuh is an open-source security platform providing unified XDR and SIEM protection for endpoints and cloud workloads. In versions 4.4.0 through 4.14.6, a party holding the cluster key can write, overwrite, or delete arbitrary files under /var/ossec on worker nodes, leading to remote code execution as root. During cluster file synchronization, the non-merged branch of update_master_files_in_worker() moves each sta...
CVE-2026-63696	9.1	CRIT		0.003		Dell SmartFabric OS10 Software, versions prior to 10.6.1.3, contains a Download of Code Without Integrity Check vulnerability. A high privileged attacker with remote access could potentially exploit this vulnerability, leading to Code execution.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-71362	9.1	CRIT		0.245	adobe:commerce, adobe:commerce_b2b, adobe:magento	Adobe Commerce is affected by an Incorrect Authorization vulnerability that could result in privilege escalation. An attacker could leverage this vulnerability to gain elevated access to sensitive resources. Exploitation of this issue does not require user interaction.
CVE-2026-73944	9.1	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificat...
CVE-2026-73946	9.1	CRIT		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pro...
CVE-2026-73952	9.1	CRIT		0.003		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificati...
CVE-2026-75045	9.1	CRIT		0.003	jetbrains:youtrack	In JetBrains YouTrack before 2025.3.156085, 2026.1.13913, 2026.2.18112 an unauthenticated attacker could download database backups via shared draft signature
CVE-2026-76675	9.1	CRIT		0.013		A command injection vulnerability exists in the command line interface of EdgeConnect SD-WAN Gateways. Successful exploitation could allow an authenticated remote attacker with high privileges to execute arbitrary commands on the underlying operating system leading to complete system compromise.
CVE-2026-83001	9.1	CRIT		0.005		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pro...
CVE-2026-83006	9.1	CRIT		0.005		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle WebCenter Enterprise Capture, attacks may s...
CVE-2026-83064	9.1	CRIT		0.005		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional produ...
CVE-2026-83103	9.1	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly impact additional products (scope chang...
CVE-2026-83104	9.1	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83107	9.1	CRIT		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly impact additional products (scope chang...
CVE-2026-83149	9.1	CRIT		0.003		Vulnerability in Oracle Application Testing Suite. The supported version that is affected is 13.3.0.1. Easily exploitable vulnerability allows low privileged attacker having Test Manager for Web Apps privilege with network access via HTTP to compromise Oracle Application Testing Suite. While the vulnerability is in Oracle Application Testing Suite, attacks may significantly impact additional products (scope cha...
CVE-2026-83154	9.1	CRIT		0.003		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or all Siebel ...
CVE-2026-83196	9.1	CRIT		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. While the vulnerability is in Siebel CRM Deployment, attacks may significantly impact additional products (scope change). S...
CVE-2026-83197	9.1	CRIT		0.004		Vulnerability in the Siebel Apps - Financial Services product of Oracle Siebel CRM (component: Financial Accounts). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel Apps - Financial Services. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete ...
CVE-2026-83201	9.1	CRIT		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical d...
CVE-2026-83202	9.1	CRIT		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical d...
CVE-2026-83229	9.1	CRIT		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Siebel Management Console). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. While the vulnerability is in Siebel CRM Deployment, attacks may significantly impact additional products (scope change)...
CVE-2026-83260	9.1	CRIT		0.005		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Event Java PX). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows high privileged attacker with network access via T3, IIOP to compromise Oracle Agile PLM. While the vulnerability is in Oracle Agile PLM, attacks may significantly impact additional products (scope change). Successful attacks o...
CVE-2026-83268	9.1	CRIT		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional produc...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-84961	9.1	CRIT		0.001	nodejs:undici	undici's BalancedPool constructor passes its entire options object through an internal deep-clone that serializes and reparses the value as JSON. Because JSON cannot represent functions, any function-valued TLS option, such as a caller-supplied checkServerIdentity callback or a custom connector inside the connect option, is silently discarded before it reaches the TLS layer. As a result a peer whose certificate th...
CVE-2026-85184	9.1	CRIT		0.003	fastify:fastify/middie	@fastify/middie versions >= 9.1.0 and before 9.3.4 decide whether to run path-scoped middleware by matching against the raw request target, while the Fastify router resolves an absolute-form request target to its path before dispatching. Because the two layers evaluate different strings, a request using an absolute-form target reaches the route handler while the path-scoped middleware, such as authentication or au...
CVE-2026-87128	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized creatio...
CVE-2026-87129	9.1	CRIT		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized creatio...
CVE-2026-87170	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification...
CVE-2026-87173	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-87175	9.1	CRIT		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-87176	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-87189	9.1	CRIT		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via Oracle Net to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly imp...
CVE-2026-87214	9.1	CRIT		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact ad...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87217	9.1	CRIT		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification...
CVE-2026-87223	9.1	CRIT		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification...
CVE-2026-89022	9.1	CRIT		0.003		BookStack before 26.05.5 contains an authentication bypass vulnerability in its social login implementation that allows unauthenticated attackers to sign in as arbitrary users by authenticating through a different social provider sharing the same driver_id namespace. Attackers can authenticate at one enabled social provider using a user ID that matches an account linked to a different social provider, bypassing cr...
CVE-2026-8924	9.1	CRIT		0.007	haxx:curl	A flaw in curl's cookie parsing logic allows a malicious HTTP server to set "super cookies" that bypass the Public Suffix List check. This enables an attacker-controlled origin to inject cookies that curl subsequently scopes and transmits to unrelated third-party domains.
CVE-2026-8926	9.1	CRIT		0.004	haxx:curl	When asking curl to use a <code>.netrc</code> file to find credentials and at the same time specifying a URL with a username (without a password), like <code>https://user@example.com/</code> , curl could wrongly get and use the password for <code>*another*</code> user set in the <code>.netrc</code> file for that host if such a one exists and there is no match for the specified user.
CVE-2026-8927	9.1	CRIT		0.005	haxx:curl	When reusing a libcurl handle for sequential transfers driven by environment-variable proxy configuration, libcurl fails to clear the proxy authentication state between requests. Specifically, if the initial transfer authenticates against <code>proxyA</code> using Digest auth, a subsequent transfer routed through <code>proxyB</code> erroneously leaks the <code>Proxy-Authorization:</code> header intended solely for <code>proxyA</code> .
CVE-2026-90647	9.1	CRIT		0.001		ASE/Kalkitech ASE2000 V2 Communication Test Set 2.35 through 2.37 on Windows contains an improper certificate validation vulnerability in the IEC 60870-5-104 TLS client (Task Mode). This allows a network-positioned attacker to bypass certificate validation via a certificate with multiple simultaneous faults, enabling a Man-in-the-Middle attack on protected communications.
CVE-2026-90711	9.1	CRIT		0.002		proxy-addr is a Node.js module that determines a request's client address behind trusted reverse proxies, and it backs Express req.ip and req.ips. In versions 1.1.0 through 2.0.7, a trust subnet written in IPv4-mapped IPv6 notation with an IPv4-sized prefix, such as <code>::ffff:10.0.0.0/8</code> instead of the correct <code>::ffff:10.0.0.0/104</code> , is accepted without error but trusts every IPv4 address on the internet rather than the ...
CVE-2023-54397	9.0	CRIT		0.004		Tornado before 6.3.3 contains an HTTP request smuggling vulnerability due to improper parsing of Content-Length headers accepting non-standard characters. Attackers can send crafted HTTP requests with these characters to bypass proxy validation and smuggle requests when deployed behind certain proxies.
CVE-2024-14029	9.0	CRIT		0.004		Tornado before 6.4.1 ignores duplicate Transfer-Encoding: chunked headers, treating requests as having no message body and parsing the chunked body as a subsequent request. Attackers can exploit this inconsistency when Tornado is deployed behind proxies to perform HTTP request smuggling, enabling access control bypass, cache poisoning, or connection desynchronization.
CVE-2026-61549	9.0	CRIT		0.002		Woodpecker is a CI/CD engine. From 1.0.0 until 3.16.0, pipeline/backend/kubernetes/backend_options.go defines backend_options.kubernetes.serviceAccountName, and the Kubernetes backend in pipeline/backend/kubernetes/pod.go copies that pipeline-step value directly into the pod specification without administrator authorization. Any user with Push permission on a connected repository can therefore run pipeline pods un...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-77866	9.0	CRIT		0.005		Server-Side Request Forgery (SSRF) vulnerability in Slab safeurl allows an attacker who controls a validated URL to reach internal network destinations the library is configured to block. Only IPv4 addresses are matched against the reserved ranges and the blocklist. Every other address is treated as matching nothing, so a destination that is rejected in its IPv4 form is accepted when written as an IPv6 address, I...
CVE-2026-77972	9.0	CRIT		0.003		Time-of-check Time-of-use (TOCTOU) Race Condition in Slab safeurl allows an attacker who controls a hostname's DNS responses to reach internal network destinations that validation rejected. Validation returns a verdict and not the address it approved, so the HTTP clients the library ships receive the original hostname and resolve it a second time when the request is made. An attacker who controls the authoritativ...
CVE-2026-83105	9.0	CRIT		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly impact additional products (scope cha...
CVE-2026-91931	9.0	CRIT		0.006		Flowise before 3.1.4 contains a remote code execution vulnerability in the Custom MCP node that allows authenticated attackers to execute arbitrary code by supplying npx package names in the mcpServerConfig parameter. Attackers can invoke npx with attacker-controlled npm packages to execute code on the Flowise server.
CVE-2026-91932	9.0	CRIT		0.008		Flowise before 3.1.4 contains a validation bypass vulnerability in MCP server configuration allowing authenticated attackers remote code execution through an unvalidated cwd parameter. Attackers can bypass path validation using clean filenames in the args array while controlling the working directory to execute malicious code.

Watchlist matches (other priorities)

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-21441	8.9	HIGH		0.03	python:urllib3	urllib3 is an HTTP client library for Python. urllib3's streaming API is designed for the efficient handling of large HTTP responses by reading the content in chunks, rather than loading the entire response body into memory at once. urllib3 can perform decoding or decompression based on the HTTP `Content-Encoding` header (e.g., `gzip`, `deflate`, `br`, or `zstd`). When using the streaming API, the library decompre...
CVE-2026-83304	8.9	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Web General). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerability is in Oracle Busin...
CVE-2026-12728	8.8	HIGH		0.006		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker to execute arbitrary code due to a deserialization of untrusted data.
CVE-2026-14805	8.8	HIGH		0.003		The Consulting theme for WordPress is vulnerable to Privilege Escalation in versions up to, and including, 6.7.16. This is due to a combination of two flaws: (1) the masterstudy_ms_stm_set_discard_transient AJAX endpoint in admin/admin-notices/classes/STMHandler.php accepts an arbitrary transient key without capability checks or nonce validation, and (2) the developer access login mechanism in admin/classes/stm-th...
CVE-2026-18486	8.8	HIGH		0.003	ibm:contextforge	IBM ContextForge MCP Gateway <= v1.0.7 MCP Context Forge could allow a remote authenticated attacker to obtain sensitive credentials and escalate privileges due to improper validation of jq filters.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-20275	8.8	HIGH		0.002		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20275 are related to incorrect calculation issues that are grouped under the Co...
CVE-2026-20278	8.8	HIGH		0.003		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20278 are related to improper neutralization issues that are grouped under the ...
CVE-2026-20280	8.8	HIGH		0.003		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20280 are related to improper checking or handling of exceptional conditio...
CVE-2026-40058	8.8	HIGH		0.001		CrowdStrike released a security update to address a vulnerability in the Falcon sensor for Windows. The vulnerability only exists when the Microsoft Office File Malicious Macro Removal Windows policy setting is enabled and customers remain protected through the Cloud Anti-malware for Microsoft Office Files settings. An update is available immediately for versions 7.34 and above, 7.32 LTS, and 7.16 for Windows ...
CVE-2026-43112	8.8	HIGH		0.004	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: fs/smb/client: fix out-of-bounds read in cifs_sanitize_prepath When cifs_sanitize_prepath is called with an empty string or a string containing only delimiters (e.g., "/"), the current logic attempts to check *(cursor2 - 1) before cursor2 has advanced. This results in an out-of-bounds read. This patch adds an early exit check after stripping pr...
CVE-2026-44300	8.8	HIGH		0.004		OpenCost provides cost monitoring for Kubernetes workloads and cloud costs. Prior to 1.121.0, the POST /serviceKey endpoint in pkg/costmodel/router.go allows a network client to invoke AddServiceKey without mandatory authentication and submit an arbitrary key form value that is written to the GCP service-account key.json file returned by GetGCPAuthSecretFilePath in core/pkg/env/core.go. The attacker controls the f...
CVE-2026-67368	8.8	HIGH		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Improper link resolution before file access ('link following') in SQL Server allows an authorized attacker to elevate privileges over a network.
CVE-2026-67631	8.8	HIGH		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-67638	8.8	HIGH		0.007	microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-67639	8.8	HIGH		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-67642	8.8	HIGH		0.005	microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-67643	8.8	HIGH		0.008	microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-68775	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-68786	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-69486	8.8	HIGH		0.007		Heap-based buffer overflow in Microsoft Edge (Chromium-based) allows an unauthorized attacker to execute code over a network.
CVE-2026-69669	8.8	HIGH		0.008	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Kernel allows an unauthorized attacker to execute code over a network.
CVE-2026-70915	8.8	HIGH		0.003		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle Identity Manager. CVSS 3.1 Base Scor...
CVE-2026-71047	8.8	HIGH		0.004		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle Identity Manager. CVSS 3.1 Base Score 8....
CVE-2026-73028	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Improper access control in SQL Server allows an authorized attacker to elevate privileges over a network.
CVE-2026-73942	8.8	HIGH		0.004		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle Identity Manager. CVSS 3.1 Base...
CVE-2026-73949	8.8	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3.1 B...
CVE-2026-73959	8.8	HIGH		0.005		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3.1 Base Scor...
CVE-2026-77480	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Insufficient granularity of access control in SQL Server allows an authorized attacker to elevate privileges over a network.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-77481	8.8	HIGH		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-77482	8.8	HIGH		0.008	microsoft:sql_server_2017, microsoft:sql_server_2019	Heap-based buffer overflow in SQL Server allows an unauthorized attacker to execute code over a network.
CVE-2026-77483	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Weak authentication in SQL Server allows an authorized attacker to elevate privileges over a network.
CVE-2026-77484	8.8	HIGH		0.011	microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Deserialization of untrusted data in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-77486	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019	Integer overflow or wraparound in SQL Server allows an unauthorized attacker to execute code over a network.
CVE-2026-77487	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Improper access control in SQL Server allows an authorized attacker to elevate privileges over a network.
CVE-2026-78456	8.8	HIGH		0.009	microsoft:sql_server_2022	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-83005	8.8	HIGH		0.004		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability can result in takeover of Oracle WebCent...
CVE-2026-83008	8.8	HIGH		0.005		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability can result in takeover of Oracle Web...
CVE-2026-83009	8.8	HIGH		0.004		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability can result in takeover of Oracle WebCent...
CVE-2026-83013	8.8	HIGH		0.004		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability can result in takeover of Oracle WebCent...
CVE-2026-83017	8.8	HIGH		0.004		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Report Distribution). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in takeover of PeopleSoft Enterprise PeopleTools. C...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83032	8.8	HIGH		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Sites. CVSS 3.1 Base ...
CVE-2026-83033	8.8	HIGH		0.005		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Sites. CVSS 3.1 Base ...
CVE-2026-83053	8.8	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3.1 Base...
CVE-2026-83069	8.8	HIGH		0.004		Vulnerability in the Oracle Fusion Middleware Control product of Oracle Fusion Middleware (component: Framework). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Fusion Middleware Control. Successful attacks of this vulnerability can result in takeover of Oracle Fusion Middleware...
CVE-2026-83086	8.8	HIGH		0.005		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. Successful attacks of this vulnerability can result in takeover of Siebel CRM Cloud Applications. CVSS 3.1 Bas...
CVE-2026-83090	8.8	HIGH		0.004		Vulnerability in the Oracle Spares Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Spares Management. Successful attacks of this vulnerability can result in takeover of Oracle Spares Management. CVSS 3.1 Base Sco...
CVE-2026-83119	8.8	HIGH		0.004		Vulnerability in the Oracle User Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.6-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle User Management. Successful attacks of this vulnerability can result in takeover of Oracle User Management. CVSS 3.1 Base Score 8.8...
CVE-2026-83120	8.8	HIGH		0.004		Vulnerability in the Oracle Alert product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Alert. Successful attacks of this vulnerability can result in takeover of Oracle Alert. CVSS 3.1 Base Score 8.8 (Confidentiality, Integrity a...
CVE-2026-83121	8.8	HIGH		0.004		Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Marketing. Successful attacks of this vulnerability can result in takeover of Oracle Marketing. CVSS 3.1 Base Score 8.8 (Confidentiality, Integrity ...
CVE-2026-83122	8.8	HIGH		0.004		Vulnerability in the Oracle Report Manager product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Report Manager. Successful attacks of this vulnerability can result in takeover of Oracle Report Manager. CVSS 3.1 Base Score 8.8 (...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83124	8.8	HIGH		0.004		Vulnerability in the Oracle Sales Online product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales Online. Successful attacks of this vulnerability can result in takeover of Oracle Sales Online. CVSS 3.1 Base Score 8.8 (Confide...
CVE-2026-83125	8.8	HIGH		0.003		Vulnerability in the Oracle Report Manager product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Report Manager. Successful attacks of this vulnerability can result in takeover of Oracle Report Manager. CVSS 3.1 Base Score 8.8 (C...
CVE-2026-83136	8.8	HIGH		0.003		Vulnerability in the Oracle Spares Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Spares Management. Successful attacks of this vulnerability can result in takeover of Oracle Spares Management. CVSS 3.1 Base Sco...
CVE-2026-83137	8.8	HIGH		0.003		Vulnerability in the Oracle Spares Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Spares Management. Successful attacks of this vulnerability can result in takeover of Oracle Spares Management. CVSS 3.1 Base Sco...
CVE-2026-83148	8.8	HIGH		0.005		Vulnerability in Oracle Application Testing Suite. The supported version that is affected is 13.3.0.1. Easily exploitable vulnerability allows low privileged attacker having Test Manager for Web Apps privilege with network access via HTTP to compromise Oracle Application Testing Suite. Successful attacks of this vulnerability can result in takeover of Oracle Application Testing Suite. CVSS 3.1 Base Score 8.8 (C...
CVE-2026-83153	8.8	HIGH		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 8.8 (Confident...
CVE-2026-83160	8.8	HIGH		0.005		Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Easily exploitable vulnerability allows low privileged attacker having Create Table privilege with network access via Oracle Net to compromise RDBMS. Successful attacks of this vulnerability can result in takeover of RDBMS. CVSS 3.1 Base Score 8.8 (Confidentiality, Integrity and Availability i...
CVE-2026-83163	8.8	HIGH		0.005		Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Attachments / File Upload). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in takeover of Oracle Application ...
CVE-2026-83164	8.8	HIGH		0.004		Vulnerability in the Oracle Customer Interaction History product of Oracle E-Business Suite (component: Outcome-Result). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Customer Interaction History. Successful attacks of this vulnerability can result in takeover of Oracle Customer Interactio...
CVE-2026-83165	8.8	HIGH		0.003		Vulnerability in the Oracle Customer Interaction History product of Oracle E-Business Suite (component: User Interface). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Customer Interaction History. Successful attacks of this vulnerability can result in takeover of Oracle Customer Interacti...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83168	8.8	HIGH		0.004		Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Oracle Diagnostics Interfaces). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result in takeover of Oracle Applications Manage...
CVE-2026-83180	8.8	HIGH		0.005		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 8.8 (Confidenti...
CVE-2026-83189	8.8	HIGH		0.004		Vulnerability in the Oracle User Management product of Oracle E-Business Suite (component: Proxy User Delegation). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle User Management. Successful attacks of this vulnerability can result in takeover of Oracle User Management. CVSS 3.1 Base Score 8...
CVE-2026-83194	8.8	HIGH		0.005		Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.10-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in takeover of Oracle Depot Repair. CVSS 3.1 Base Score 8.8 (Confid...
CVE-2026-83199	8.8	HIGH		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 8.8 (Confidenti...
CVE-2026-83205	8.8	HIGH		0.004		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover of Oracle Applications Framework. CVSS 3...
CVE-2026-83208	8.8	HIGH		0.005		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Migration). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via SQL to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 8.8 (Confidentiality, Integr...
CVE-2026-83209	8.8	HIGH		0.004		Vulnerability in the Siebel CRM Development product of Oracle Siebel CRM (component: Workflow). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Development. Successful attacks of this vulnerability can result in takeover of Siebel CRM Development. CVSS 3.1 Base Score 8.8 (Confidentiality, Int...
CVE-2026-83210	8.8	HIGH		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via SQL to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 8.8 (Confidentia...
CVE-2026-83212	8.8	HIGH		0.004		Vulnerability in the Siebel Apps - Self Service product of Oracle Siebel CRM (component: Helpdesk/Training). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel Apps - Self Service. Successful attacks of this vulnerability can result in takeover of Siebel Apps - Self Service. CVSS 3.1 Base Score 8.8 ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83271	8.8	HIGH		0.005		Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Easily exploitable vulnerability allows low privileged attacker having Execute on DBMS_REDEFINITION privilege with network access via Oracle Net to compromise RDBMS. Successful attacks of this vulnerability can result in takeover of RDBMS. CVSS 3.1 Base Score 8.8 (C...
CVE-2026-83301	8.8	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Service Administration UI). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeover of ...
CVE-2026-83306	8.8	HIGH		0.005		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: Resource Catalog Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in takeover of Oracle JDeveloper. CVSS 3.1 Base Score...
CVE-2026-83315	8.8	HIGH		0.005		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeover of Oracle BI Publisher. CVSS 3.1 Base ...
CVE-2026-83329	8.8	HIGH		0.004		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.9-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover of Oracle Applications Framework. CVSS 3...
CVE-2026-83331	8.8	HIGH		0.004		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.9-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover of Oracle Applications Framework. CVSS 3...
CVE-2026-83335	8.8	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Server). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeove...
CVE-2026-83338	8.8	HIGH		0.004		Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Oracle Diagnostics Interfaces). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result in takeover of Oracle Applications Manager...
CVE-2026-83340	8.8	HIGH		0.004		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Security). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle Identity Manager. CVSS 3.1 Base Scor...
CVE-2026-83348	8.8	HIGH		0.005		Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Easily exploitable vulnerability allows low privileged attacker having Create DB Link privilege with network access via Oracle Net to compromise RDBMS. Successful attacks of this vulnerability can result in takeover of RDBMS. CVSS 3.1 Base Score 8.8 (Confidentiality...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83410	8.8	HIGH		0.004		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via multiple protocols to compromise Oracle Coherence. Successful attacks of this vulnerability can result in takeover of Oracle Coherence. CVSS ...
CVE-2026-83411	8.8	HIGH		0.003		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Coherence. Successful attacks of this vulnerability can result in takeover of Oracle Coherence. CVSS 3.1 Base Score 8.8 (Confid...
CVE-2026-83423	8.8	HIGH		0.003		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: Security Framework). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in takeover of Oracle JDeveloper. CVSS 3.1 Base Score 8.8 (C...
CVE-2026-83444	8.8	HIGH		0.004		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in takeover of Oracle Product Hub. CVSS 3.1 Base Score 8.8 (Confidenti...
CVE-2026-83445	8.8	HIGH		0.004		Vulnerability in the Oracle Complex Maintenance, Repair and Overhaul product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Complex Maintenance, Repair and Overhaul. Successful attacks of this vulnerability can result in takeover...
CVE-2026-83454	8.8	HIGH		0.005		Vulnerability in the Oracle Document Management and Collaboration product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Document Management and Collaboration. Successful attacks of this vulnerability can result in takeover of Ora...
CVE-2026-83456	8.8	HIGH		0.005		Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in takeover of Oracle Demand Signal Reposito...
CVE-2026-83479	8.8	HIGH		0.004		Vulnerability in the Oracle Contracts product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.14-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Contracts. Successful attacks of this vulnerability can result in takeover of Oracle Contracts. CVSS 3.1 Base Score 8.8 (Confidentiality...
CVE-2026-85893	8.8	HIGH		0.007		Use after free in Microsoft Edge (Chromium-based) allows an unauthorized attacker to elevate privileges over a network.
CVE-2026-87150	8.8	HIGH		0.005		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Setup Workbench). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. Successful attacks of this vulnerability can result in takeover of Oracle Bills of Material. CVSS 3.1 Base Score 8...
CVE-2026-87155	8.8	HIGH		0.005		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in takeover of Oracle Product Hub. CVSS 3.1 Base Score 8.8 (Confidenti...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87162	8.8	HIGH		0.004		Vulnerability in the Oracle Contract Lifecycle Management for Public Sector product of Oracle E-Business Suite (component: Award/PO). Supported versions that are affected are 12.2.13-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Contract Lifecycle Management for Public Sector. Successful attacks of this vulnerability can result in takeo...
CVE-2026-87163	8.8	HIGH		0.005		Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: Other issue). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in takeover of Oracle Purchasing. CVSS 3.1 Base Score 8.8 (Confidentiality, Inte...
CVE-2026-87165	8.8	HIGH		0.004		Vulnerability in the Oracle Contract Lifecycle Management for Public Sector product of Oracle E-Business Suite (component: ECC For Award and IDV). The supported version that is affected is V16. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Contract Lifecycle Management for Public Sector. Successful attacks of this vulnerability can result in ta...
CVE-2026-87179	8.8	HIGH		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87180	8.8	HIGH		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87181	8.8	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87182	8.8	HIGH		0.001		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Fi...
CVE-2026-87185	8.8	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87187	8.8	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. S...
CVE-2026-87201	8.8	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87202	8.8	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management. ...
CVE-2026-87204	8.8	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87224	8.8	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87226	8.8	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87227	8.8	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87238	8.8	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management. ...
CVE-2026-88616	8.8	HIGH		0.006		An issue in RuoYi-Vue-Plus 6.0.0 allows a remote attacker to execute arbitrary code via the FlwTaskController.java component, and the FlwTaskServiceImpl.completeTask, CompleteExecuteComponent.process, Warm-Flow TaskService.skip, POST /workflow/task/completeTask components
CVE-2026-54251	8.7	HIGH		0.003		netty-incubator-codec-ohhttp implements Oblivious HTTP (OHTTP) gateway and client functionality using Netty. Prior to 0.0.23.Final, the OHTTP gateway decryption path in codec-ohhttp/src/main/java/io/netty/incubator/codecs/ohhttp/OHttpRequestResponseContext.java allocates a pooled direct ByteBuf for decrypted plaintext before the AEAD tag is verified. When an invalid tag causes decryptChunk() to throw CryptoException, ...
CVE-2026-55887	8.7	HIGH		0.002		MCP Gateway allows easy and secure running and deployment of MCP servers. From 0.21.0 until 0.42.2, Docker MCP Gateway YAML-unmarshalled the attacker-controlled io.docker.server.metadata OCI image label into the broad catalog.Server structure for direct docker:// references and catalog snapshot imports in pkg/oci/self_contained.go and pkg/workingset/workingset.go. Runtime-shaping fields including Volumes, User, an...
CVE-2026-58201	8.7	HIGH		0.003		Lokka is a Model Context Protocol server for Microsoft 365, including Microsoft Graph and other services. Prior to 2.1.2, the Lokka-Microsoft tool in src/mcp/src/main.ts uses direct URL string concatenation to append the user-controlled path value to the management.azure.com base URL. A specially crafted path can alter URL authority parsing and cause an Azure Resource Manager bearer token to be sent to an unattend...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-68489	8.7	HIGH		0.004		Static Code Injection in Plesk extensions "Ruby" before 1.6.6 and "Node.js Toolkit" before 2.5.0 allows remote authenticated users to execute arbitrary code as root via custom environment variables.
CVE-2026-72708	8.7	HIGH		0.003		SPIP before 4.4.18 contains an unauthenticated blind SQL injection vulnerability in the SQL escaping layer that allows unauthenticated attackers to inject arbitrary SQL by supplying a crafted annee parameter value matching a word character followed by an open parenthesis, which bypasses escaping for date-type columns across MySQL, SQLite, and PostgreSQL backends. Attackers can exploit the always-present sitemap.xml...
CVE-2026-73926	8.7	HIGH		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pro...
CVE-2026-79418	8.7	HIGH		0.003		EMX Tecnologia Gestao X version <= 8.4 contains a Stored Cross-Site Scripting (XSS) vulnerability in the Help Chat functionality. Improper neutralization of user-controlled input during web page generation allows authenticated attackers to execute arbitrary JavaScript in the context of other authenticated users, potentially resulting in session hijacking, account takeover, and unauthorized actions.
CVE-2026-79994	8.7	HIGH		0.001		The guest-to-host Unix-domain socket relay in Docker Sandboxes validates that a socket path is inside an authorized workspace, but later reconnects using the pathname. A malicious guest can replace an intermediate directory with a symlink between validation and connection, causing the host to connect to an arbitrary AF_UNIX socket outside the shared workspace. This can expose data or host-side capabilities provide...
CVE-2026-83025	8.7	HIGH		0.003		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Identity Manager Connector. While the vulnerability is in Oracle Identity Manager Connector, attacks may significantly i...
CVE-2026-83135	8.7	HIGH		0.004		Vulnerability in the Oracle iStore product of Oracle E-Business Suite (component: Shopping Cart). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iStore. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in Oracle iStore, attack...
CVE-2026-83144	8.7	HIGH		0.004		Vulnerability in the Siebel Apps - Customer Order Management product of Oracle Siebel CRM (component: Order Management). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel Apps - Customer Order Management. Successful attacks require human interaction from a person other than the attacker and while t...
CVE-2026-83145	8.7	HIGH		0.004		Vulnerability in the Siebel Apps - Customer Order Management product of Oracle Siebel CRM (component: Order Management). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel Apps - Customer Order Management. Successful attacks require human interaction from a person other than the attacker and while t...
CVE-2026-83310	8.7	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks require human interaction from a person other than the attacker and while the vulne...
CVE-2026-87171	8.7	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTPS to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87178	8.7	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via SQL to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact add...
CVE-2026-91771	8.7	HIGH		0.007		Weights & Biases wandb before 0.29.0 fails to validate the file name from server responses in the File.download function, allowing path traversal attacks. Attackers controlling the backend can supply file names with directory traversal sequences to write files outside the intended download directory, potentially enabling code execution through modification of shell startup files or Python import paths.
CVE-2026-91937	8.7	HIGH		0.003		Flowise before 3.1.4 fails to sanitize the overrideConfig.sessionId parameter before using it in MongoDB queries within the MongoDBMemory node. Unauthenticated attackers can submit MongoDB operator objects through the prediction API to read chat history records belonging to other users from the shared collection.
CVE-2026-20276	8.6	HIGH		0.003		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20276 are related to insufficient control flow management issues that are group...
CVE-2026-55691	8.6	HIGH		0.003		The EmbedVideo Extension is a MediaWiki extension which adds a parser function called #ev and various parser tags for embedding video clips from various video sharing services. Prior to 4.1.0, EmbedHtmlFormatter::toHtml in includes/EmbedService/EmbedHtmlFormatter.php passes the user-supplied class value directly to sprintf while constructing a figure element. A quote in the class value can terminate the class attr...
CVE-2026-57122	8.6	HIGH		0.001		PraisonAI is a multi-agent teams system. Prior to 4.6.59, the WhatsApp and Linear bot webhook handlers verify HMAC signatures only when WHATSAPP_APP_SECRET or LINEAR_WEBHOOK_SECRET is configured and otherwise parse and dispatch unsigned request bodies. A remote unauthenticated client that reaches the webhook route can forge messages, comments, or agent-session events, impersonate platform users, influence agent pr...
CVE-2026-73941	8.6	HIGH		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pro...
CVE-2026-80097	8.6	HIGH		0.004		Improper authentication in Microsoft Authenticator allows an unauthorized attacker to elevate privileges locally.
CVE-2026-83023	8.6	HIGH		0.004		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager Connector. While the vulnerability is in Oracle Identity Manager Connector, attacks may significantly im...
CVE-2026-83074	8.6	HIGH		0.003		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via SSH to compromise Siebel CRM Cloud Applications. While the vulnerability is in Siebel CRM Cloud Applications, attacks may significantly impact additional produ...
CVE-2026-83093	8.6	HIGH		0.004		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly impact additional products (scope chang...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83203	8.6	HIGH		0.004		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel CRM End User acc...
CVE-2026-83284	8.6	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or freque...
CVE-2026-83305	8.6	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorized access to critical data or compl...
CVE-2026-87273	8.6	HIGH		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person other than the attacker and while the vul...
CVE-2026-88056	8.6	HIGH		0.004		Angular is a development platform for building mobile and desktop web applications using TypeScript/JavaScript and other languages. Prior to 20.3.30, 21.2.22, and 22.1.4, Angular Server-Side Rendering in @angular/platform-server processes user-controlled resource or request URLs through HttpClient after application code validates them with WHATWG URL parsing. The resolveUrl and parseUrl utilities called String.pro...
CVE-2026-11729	8.5	HIGH		0.003		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker to execute arbitrary code in client applications due to unsafe deserialization that enables JNDI injection attacks.
CVE-2026-18111	8.5	HIGH		0.003		Concrete CMS 9 before 9.5.3 was vulnerable to stored cross-site scripting (XSS) in the Feature, Feature Link, Hero Image, and Image blocks and before Concrete 8.5.21 in the feature and Image blocks because the external link URL was insufficiently validated by the link filter and was rendered without output escaping. A user with page-editing permissions (such as Add Block combined with Edit Contents on a single pag...
CVE-2026-67636	8.5	HIGH		0.005	microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-82993	8.5	HIGH		0.003		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Business Interlink). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. While the vulnerability is in PeopleSoft Enterprise PeopleTools, attacks may significantly impact additi...
CVE-2026-83002	8.5	HIGH		0.004		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pr...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83003	8.5	HIGH		0.003		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle WebCenter Enterprise Capture, attacks may si...
CVE-2026-83007	8.5	HIGH		0.003		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle WebCenter Enterprise Capture, attacks may si...
CVE-2026-83045	8.5	HIGH		0.002		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional produc...
CVE-2026-83049	8.5	HIGH		0.003		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Security Framework). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional p...
CVE-2026-83083	8.5	HIGH		0.003		Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Marketing. While the vulnerability is in Oracle Marketing, attacks may significantly impact additional products (scope change). Successful attacks ...
CVE-2026-83172	8.5	HIGH		0.003		Vulnerability in the Oracle Sales Online product of Oracle E-Business Suite (component: OSO Other). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales Online. While the vulnerability is in Oracle Sales Online, attacks may significantly impact additional products (scope change). Successfu...
CVE-2026-83267	8.5	HIGH		0.003		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Publisher Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional produc...
CVE-2026-83272	8.5	HIGH		0.004		Vulnerability in the Oracle Text component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Difficult to exploit vulnerability allows low privileged attacker having Create Index privilege with network access via Oracle Net to compromise Oracle Text. While the vulnerability is in Oracle Text, attacks may significantly impact additional products (scope...
CVE-2026-83302	8.5	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Publisher Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional products (scope change). Succes...
CVE-2026-83303	8.5	HIGH		0.003		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional product...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83309	8.5	HIGH		0.003		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Web Server). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional products (scope c...
CVE-2026-83311	8.5	HIGH		0.003		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional product...
CVE-2026-83321	8.5	HIGH		0.003		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Actions). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerability is in Oracle Business Intelligence En...
CVE-2026-83425	8.5	HIGH		0.004		Vulnerability in the Oracle Complex Maintenance, Repair and Overhaul product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.12-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Complex Maintenance, Repair and Overhaul. While the vulnerability is in Oracle Complex Maintenance, Repai...
CVE-2026-83449	8.5	HIGH		0.003		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. While the vulnerability is in Oracle Bills of Material, attacks may significantly impact additional products (...)
CVE-2026-83451	8.5	HIGH		0.003		Vulnerability in the Oracle Product Workbench product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Workbench. While the vulnerability is in Oracle Product Workbench, attacks may significantly impact additional products...
CVE-2026-83490	8.5	HIGH		0.003		Vulnerability in the Oracle iRecruitment product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iRecruitment. While the vulnerability is in Oracle iRecruitment, attacks may significantly impact additional products (scope change). ...
CVE-2026-87161	8.5	HIGH		0.002		Vulnerability in the Oracle HRMS (India) product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle HRMS (India). While the vulnerability is in Oracle HRMS (India), attacks may significantly impact additional products (scope change). ...
CVE-2026-87177	8.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact add...
CVE-2026-88765	8.5	HIGH		0.007		GitLab has remediated an issue in GitLab EE affecting all versions from 12.3 to 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 under certain conditions could allow an authenticated user to achieve remote code execution by importing a specially crafted Git project export to overflow the Unicode conversion buffer used in Advanced Search indexing.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-88886	8.5	HIGH		0.002		Renovate is a dependency update automation tool. In versions before 44.14.7 (and in Mend Renovate CE/EE distributions before 15.4.0, and the mend-renovate-enterprise-edition Helm chart before 10.4.0), the manager/gradle-wrapper module does not escape the distributionUrl value read from a repository's gradle/wrapper/gradle-wrapper.properties file before invoking the Gradle Wrapper CLI. In self-hosted deployments co...
CVE-2026-90493	8.5	HIGH		0.001		A vulnerability was detected in Tonec Internet Download Manager up to 6.42 Build 63 on Windows. The impacted element is an unknown function of the file idmwfp.sys of the component Kernel Driver. The manipulation results in improper access controls. Attacking locally is a requirement. Internet Download Manager for Windows up to and including 6.42 Build 63 installs idmwfp.sys, a Windows kernel driver that exposes th...
CVE-2026-44901	8.4	HIGH		0.007	wazuh:wazuh	Wazuh is a free and open source platform used for threat prevention, detection, and response. From 4.0.0 until 4.14.6 and 5.0.0-beta2, AffectedItemsWazuhResult.merge() in framework/wazuh/core/results.py trusts the sort_casting field in a cluster worker's JSON response. During a distributed API merge, attacker-controlled type names are resolved through Python builtins without an allowlist. A compromised worker can ...
CVE-2026-57441	8.4	HIGH		0.002		MCPVault is a lightweight Model Context Protocol server for safe access to files in an Obsidian vault. Prior to 0.11.4, PathFilter in src/pathfilter.ts compiles restricted-directory patterns case-sensitively and compares paths without canonicalizing filesystem-equivalent segment names. On case-insensitive macOS and Windows filesystems, case variants of .git, .obsidian, or node_modules pass both isAllowed() and isA...
CVE-2026-60163	8.4	HIGH		0.003	oracle:mysql_cluster, oracle:mysql_server	Vulnerability in the MySQL Server, MySQL Cluster product of Oracle MySQL (component: Server: Group Replication Plugin). Supported versions that are affected are MySQL Server: 8.4.0-8.4.10, 9.7.0-9.7.1; MySQL Cluster: 8.0.0-8.0.47, 8.4.0-8.4.10 and 9.7.0-9.7.1. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where MySQL Server, MySQL Cluster executes to compromise...
CVE-2026-69638	8.4	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows NTFS allows an unauthorized attacker to execute code locally.
CVE-2026-83264	8.4	HIGH		0.002		Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Installation Issues). The supported version that is affected is 3.6.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Product Lifecycle Analytics executes to compromise Oracle Product Lifecycle Analytics. While the vulnerability is in Oracle Product Li...
CVE-2026-87219	8.4	HIGH		0.001		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Fi...
CVE-2026-87259	8.4	HIGH		0.001		Vulnerability in the Oracle Agile Engineering Data Management product of Oracle Supply Chain (component: Engineering Communication Interface). The supported version that is affected is 6.2.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile Engineering Data Management executes to compromise Oracle Agile Engineering Data Management. While the vul...
CVE-2026-83026	8.3	HIGH		0.002		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Identity Manager Connector executes to compromise Oracle Identity Manager Conn...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83030	8.3	HIGH		0.004		Vulnerability in the Oracle Managed File Transfer product of Oracle Fusion Middleware (component: MFT Runtime Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOp to compromise Oracle Managed File Transfer. Successful attacks of this vulnerability can result in unauthorized creation, deletio...
CVE-2026-83285	8.3	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Search). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in unauthorized creation, dele...
CVE-2026-83307	8.3	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-87125	8.3	HIGH		0.003		Vulnerability in the Oracle Financials for Asia/Pacific product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.8-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Financials for Asia/Pacific. Successful attacks of this vulnerability can result in unauthorized creation, deletion or...
CVE-2026-87210	8.3	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. S...
CVE-2026-91936	8.3	HIGH		0.003		Flowise versions before 3.1.4 contain a script injection vulnerability in Docker image build workflows where workflow_dispatch inputs are directly interpolated into shell run blocks. Attackers with repository write access can inject shell metacharacters through inputs like tag_version and node_version to execute arbitrary commands and steal AWS credentials and Docker Hub tokens.
CVE-2026-91943	8.3	HIGH		0.003		Crawl4AI before 0.9.3 contains a server-side request forgery vulnerability in PDFContentScrapingStrategy where _get_pdf_path() re-downloads targets with Python requests without egress validation. Authenticated attackers can supply URLs that redirect to internal addresses or use DNS rebinding to access internal services, exfiltrating responses through PDF text extraction in crawl results.
CVE-2026-20277	8.2	HIGH		0.002		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20277 are related to protection mechanism failure issues that are grouped under...
CVE-2026-69846	8.2	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Integer overflow or wraparound in Windows Secure Kernel Mode allows an authorized attacker to elevate privileges locally.
CVE-2026-69906	8.2	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Secure Kernel Mode allows an authorized attacker to elevate privileges locally.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-76191	8.2	HIGH		0.003	adobe:animate, apple:macos, microsoft:windows	Animate is affected by an Improper Control of Generation of Code ('Code Injection') vulnerability that could result in arbitrary code execution in the context of the current user. A low-privileged attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue requires user interaction in that a victim must open a malicious file. Scope is changed.
CVE-2026-83047	8.2	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-83078	8.2	HIGH		0.004		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete acce...
CVE-2026-83085	8.2	HIGH		0.002		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Siebel CRM Cloud Applications executes to compromise Siebel CRM Cloud Applications. While the vulne...
CVE-2026-83087	8.2	HIGH		0.003		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. While the vulnerability is in Siebel CRM Cloud Applications, attacks may significantly impact additional pro...
CVE-2026-83181	8.2	HIGH		0.003		Vulnerability in the Siebel CRM Development product of Oracle Siebel CRM (component: Workspaces). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Development. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel CRM Dev...
CVE-2026-83215	8.2	HIGH		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebe...
CVE-2026-83234	8.2	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability...
CVE-2026-83236	8.2	HIGH		0.002		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks require human interac...
CVE-2026-83248	8.2	HIGH		0.004		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result i...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83265	8.2	HIGH		0.004		Vulnerability in the Oracle Web Services Manager product of Oracle Fusion Middleware (component: Web Services Agent). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Web Services Manager. Successful attacks of this vulnerability can result in unauthorized access to critical dat...
CVE-2026-83266	8.2	HIGH		0.004		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: Resource Catalog Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-83343	8.2	HIGH		0.004		Vulnerability in the Oracle Utilities Network Management System product of Oracle Utilities Applications (component: System Wide). Supported versions that are affected are 2.5.0.2.0-2.5.0.2.13, 2.6.0.1.0-2.6.0.12B, 2.6.0.2.0-2.6.0.2.10A and 25.12.0.0.0-25.12.0.0.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Utilities Network Management Syste...
CVE-2026-83418	8.2	HIGH		0.003		Vulnerability in the Oracle Communications Cloud Native Core Security Edge Protection Proxy product of Oracle Communications (component: SEPP). Supported versions that are affected are 26.1.200 and 25.2.201. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Communications Cloud Native Core Security Edge Protection Proxy. While the vulnerability i...
CVE-2026-83435	8.2	HIGH		0.003		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.13-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. While the vulnerability is in Oracle Bills of Material, attacks may significantly impact additional product...
CVE-2026-83438	8.2	HIGH		0.003		Vulnerability in the Oracle Engineering product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Engineering. While the vulnerability is in Oracle Engineering, attacks may significantly impact additional products (scope change). ...
CVE-2026-83461	8.2	HIGH		0.003		Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Mobile Application Server. Successful attacks of this vulnerability can result in unauthorized access to critical data o...
CVE-2026-83465	8.2	HIGH		0.002		Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Mobile Application Server. Successful attacks require human interaction from a person other than the attacker and while ...
CVE-2026-87174	8.2	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87196	8.2	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87197	8.2	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87200	8.2	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification...
CVE-2026-87228	8.2	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87229	8.2	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification...
CVE-2026-87266	8.2	HIGH		0.004		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Application Server). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Agile PLM. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle Agile PLM a...
CVE-2026-11728	8.1	HIGH		0.006		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow a remote attacker to cause a denial of service or potentially execute arbitrary code in the client due to a heap buffer overflow when receiving messages from a malicious queue manager or through a man-in-the-m...
CVE-2026-12355	8.1	HIGH		0.004		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an attacker to perform JNDI injection attacks due to insufficient input validation, potentially leading to information disclosure or remote code execution.
CVE-2026-12666	8.1	HIGH		0.003		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 Classes for Java could allow an authenticated attacker to obtain sensitive information or cause a denial of service due to XML external entity injection in MQRFH2 header processing.
CVE-2026-54076	8.1	HIGH		0.004		ArcadeDB is a Multi-Model DBMS. Prior to 26.6.1, the fix for CVE-2026-44221 added an UPDATE_SCHEMA authorization check only to LocalDocumentType.createProperty, while the remaining public schema mutators in engine/src/main/java/com/arcadedb/schema/LocalDocumentType.java and engine/src/main/java/com/arcadedb/schema/LocalProperty.java remained unchecked. An authenticated identity, including a read-only API token wit...
CVE-2026-73951	8.1	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3....

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-73954	8.1	HIGH		0.003		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Business Interlink). Supported versions that are affected are 8.61-8.63. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in takeover of PeopleSoft Enterprise PeopleTools....
CVE-2026-73958	8.1	HIGH		0.003		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in takeover of Oracle Access Manager. CVSS 3.1...
CVE-2026-83010	8.1	HIGH		0.003		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks require human interaction from a person other than the attack...
CVE-2026-83011	8.1	HIGH		0.004		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Platform Security for Java. Successful attacks of this vulnerability can result in takeover of O...
CVE-2026-83014	8.1	HIGH		0.004		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Cube Manager). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83019	8.1	HIGH		0.004		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: SQR). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all ...
CVE-2026-83067	8.1	HIGH		0.003		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: ADF Shared Components). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification acces...
CVE-2026-83072	8.1	HIGH		0.004		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Search Bean [Incl. Advanced]). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in unauthorized creation, deletion or...
CVE-2026-83073	8.1	HIGH		0.002		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Siebel CRM Cloud Applications executes to compromise Siebel CRM Cloud Applications. Successful att...
CVE-2026-83089	8.1	HIGH		0.004		Vulnerability in the Oracle Alert product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Alert. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or all...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83101	8.1	HIGH		0.003		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 8.1 (C...
CVE-2026-83132	8.1	HIGH		0.004		Vulnerability in the Oracle iStore product of Oracle E-Business Suite (component: Shopping Cart). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iStore. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or all Ora...
CVE-2026-83143	8.1	HIGH		0.004		Vulnerability in the Siebel Apps - Life Sciences product of Oracle Siebel CRM (component: eDetailing). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel Apps - Life Sciences. Successful attacks require human interaction from a person other than the attacker. Successful attacks of this vulnerabilit...
CVE-2026-83152	8.1	HIGH		0.004		Vulnerability in the Oracle Project Intelligence product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Project Intelligence. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-83169	8.1	HIGH		0.004		Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Java Server Issues). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle One-to-One Fulfillment. Successful attacks of this vulnerability can result in takeover of Oracle One-to-One Fulfillment. ...
CVE-2026-83174	8.1	HIGH		0.004		Vulnerability in the Oracle CRM Technical Foundation product of Oracle E-Business Suite (component: Application Framework). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle CRM Technical Foundation. Successful attacks of this vulnerability can result in unauthorized creation, deletion or mod...
CVE-2026-83177	8.1	HIGH		0.004		Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Documents). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle One-to-One Fulfillment. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83191	8.1	HIGH		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 8.1 (Confiden...
CVE-2026-83192	8.1	HIGH		0.003		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in takeover of Siebel CRM End User. CVSS 3.1 Base Score 8.1 (Confidentiality, Integrity ...
CVE-2026-83220	8.1	HIGH		0.002		Vulnerability in the Siebel CRM Integration product of Oracle Siebel CRM (component: Event Publish and Subscribe). Supported versions that are affected are 23.6-26.7. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Siebel CRM Integration executes to compromise Siebel CRM Integration. Successful attacks of this v...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83245	8.1	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result...
CVE-2026-83246	8.1	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result...
CVE-2026-83254	8.1	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result ...
CVE-2026-83255	8.1	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result ...
CVE-2026-83256	8.1	HIGH		0.004		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result ...
CVE-2026-83258	8.1	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result...
CVE-2026-83286	8.1	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can r...
CVE-2026-83297	8.1	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-83299	8.1	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Web General). The supported version that is affected is 12.2.1.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeover of O...
CVE-2026-83308	8.1	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83314	8.1	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Web Service API). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification acc...
CVE-2026-83351	8.1	HIGH		0.003		Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Difficult to exploit vulnerability allows unauthenticated attacker with network access via Oracle Net to compromise RDBMS. Successful attacks of this vulnerability can result in takeover of RDBMS. CVSS 3.1 Base Score 8.1 (Confidentiality, Integrity and Availability impacts). CVSS Vector: (CVS...
CVE-2026-83357	8.1	HIGH		0.003		Vulnerability in the Oracle GraalVM for JDK, Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM for JDK 17: 23.0.13.1; Oracle GraalVM for JDK 21: 23.1.12.1; Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM for JDK, Oracle GraalVM. Successful...
CVE-2026-83408	8.1	HIGH		0.003		Vulnerability in the Oracle GraalVM for JDK, Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM for JDK 17: 23.0.13.1; Oracle GraalVM for JDK 21: 23.1.12.1; Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM for JDK, Oracle GraalVM. Successful...
CVE-2026-83412	8.1	HIGH		0.004		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via TCP to compromise Oracle Coherence. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification a...
CVE-2026-83422	8.1	HIGH		0.004		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks require human interaction from a person other than the attacker. Successful attacks o...
CVE-2026-83428	8.1	HIGH		0.004		Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modif...
CVE-2026-83429	8.1	HIGH		0.004		Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modif...
CVE-2026-83430	8.1	HIGH		0.004		Vulnerability in the Oracle Product Workbench product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Workbench. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83432	8.1	HIGH		0.004		Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Estimate and Actual Charges). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access t...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83434	8.1	HIGH		0.003		Vulnerability in the Oracle Product Workbench product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Workbench. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83439	8.1	HIGH		0.004		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-security-providers-idcs-mapper). Supported versions that are affected are 3.0.0-3.2.20 and 4.0.0-4.5.4. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83446	8.1	HIGH		0.004		Vulnerability in the Oracle Financials Common Modules product of Oracle E-Business Suite (component: Common Components). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Financials Common Modules. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modif...
CVE-2026-83447	8.1	HIGH		0.004		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83448	8.1	HIGH		0.003		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83455	8.1	HIGH		0.004		Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modif...
CVE-2026-83457	8.1	HIGH		0.004		Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modif...
CVE-2026-83464	8.1	HIGH		0.003		Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Mobile Application Server. Successful attacks of this vulnerability can result in takeover of Oracle Mobile Application...
CVE-2026-83477	8.1	HIGH		0.003		Vulnerability in the Oracle Work in Process product of Oracle E-Business Suite (component: Workbenches). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Work in Process executes to compromise Oracle Work in Process. Successful attacks of this vulner...
CVE-2026-87016	8.1	HIGH		0.004	openwebui:open_webui	Open WebUI is an extensible, feature-rich, and user-friendly self-hosted AI platform. From 0.6.41 until 0.11.1, get_user_by_oauth_sub and get_user_by_scim_external_id in backend/open_webui/models/users.py used JSON contains matching that compiled to SQL LIKE substring matching on SQLite. An OAuth subject containing percent or underscore wildcard characters could resolve to a different stored identity, potentially ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87152	8.1	HIGH		0.004		Vulnerability in the Oracle Installed Base product of Oracle E-Business Suite (component: Create Item Instance). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Installed Base. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to c...
CVE-2026-87153	8.1	HIGH		0.004		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical...
CVE-2026-87154	8.1	HIGH		0.004		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical...
CVE-2026-87157	8.1	HIGH		0.004		Vulnerability in the Oracle Order Management product of Oracle E-Business Suite (component: Product Diagnostic Tools). Supported versions that are affected are 12.2.4-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Order Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification acc...
CVE-2026-87159	8.1	HIGH		0.003		Vulnerability in the Oracle HRMS (India) product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle HRMS (India). Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critic...
CVE-2026-87166	8.1	HIGH		0.004		Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: Other issue). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or a...
CVE-2026-87167	8.1	HIGH		0.003		Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: G-Invoicing). Supported versions that are affected are 12.2.11-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or ...
CVE-2026-87168	8.1	HIGH		0.003		Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: G-Invoicing). Supported versions that are affected are 12.2.10-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or ...
CVE-2026-87218	8.1	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. S...
CVE-2026-87231	8.1	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Manageme...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87232	8.1	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. S...
CVE-2026-87234	8.1	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-87241	8.1	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. S...
CVE-2026-87265	8.1	HIGH		0.003		Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: Other issue). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or a...
CVE-2026-87286	8.1	HIGH		0.002		Vulnerability in the Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM. Successful attacks of this vulnerability can result in takeover of Oracle GraalVM. CVSS 3.1 Base Score 8.1 (Confidentiality, Integrity ...
CVE-2026-87287	8.1	HIGH		0.002		Vulnerability in the Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM. Successful attacks of this vulnerability can result in takeover of Oracle GraalVM. CVSS 3.1 Base Score 8.1 (Confidentiality, Integrity ...
CVE-2026-87288	8.1	HIGH		0.002		Vulnerability in the Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM. Successful attacks of this vulnerability can result in takeover of Oracle GraalVM. CVSS 3.1 Base Score 8.1 (Confidentiality, Integrity ...
CVE-2026-9327	8.1	HIGH		0.002	ibm:websphere_application_server	IBM WebSphere Application Server 9.0, and 8.5 could allow an authenticated user with a low-privilege administrative role to modify security configuration. This could result in information disclosure or denial of service.
CVE-2026-55225	8.0	HIGH		0.002		Strimzi provides a way to run an Apache Kafka cluster on Kubernetes or OpenShift in various deployment configurations. In Strimzi 1.0.0 and earlier, an attacker who can create a Kafka custom resource can set Kafka.spec.entityOperator watchedNamespace to a target namespace, causing the Cluster Operator to create a Role with full Secret CRUD permissions there and bind it to the Entity Operator ServiceAccount in the ...
CVE-2026-69875	8.0	HIGH		0.008	microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:windows_11_23h2, microsoft:wi	Heap-based buffer overflow in Windows NTFS allows an authorized attacker to elevate privileges over a network.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83081	8.0	HIGH		0.002		Vulnerability in the Oracle Banking Corporate Lending product of Oracle Financial Services Applications (component: Core). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Banking Corporate Lending executes to compromise Oracle Banking Corpor...
CVE-2026-83138	8.0	HIGH		0.003		Vulnerability in the Oracle Spares Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Spares Management. While the vulnerability is in Oracle Spares Management, attacks may significantly impact additional product...
CVE-2026-83157	8.0	HIGH		0.003		Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Command Line - RapidClone). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Applications Manager. While the vulnerability is in Oracle Applications Manager, attacks may significantly impact add...
CVE-2026-83170	8.0	HIGH		0.003		Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Documents). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Oracle One-to-One Fulfillment executes to compromise Oracle One-to-One Fulfillment. Successful atta...
CVE-2026-83178	8.0	HIGH		0.004		Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Application Object Library. While the vulnerability is in Oracle Application Object Library, attacks may significantly impact additi...
CVE-2026-83450	8.0	HIGH		0.004		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Setup Workbench). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Bills of Material. While the vulnerability is in Oracle Bills of Material, attacks may significantly impact additional products (s...
CVE-2026-83483	8.0	HIGH		0.004		Vulnerability in the Oracle Advanced Benefits product of Oracle E-Business Suite (component: Self-serv What-if Analysis). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Advanced Benefits. While the vulnerability is in Oracle Advanced Benefits, attacks may significantly impact additional ...
CVE-2026-87164	8.0	HIGH		0.002		Vulnerability in the Oracle Banking Branch product of Oracle Financial Services Applications (component: Reports). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Banking Branch. Successful attacks require human interaction from a person other than the attacker and while the vulnera...
CVE-2026-87243	8.0	HIGH		0.001		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. ...
CVE-2026-87245	8.0	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Su...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-43133	7.9	HIGH		0.001	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: KVM: nSVM: Always use vmcb01 in VMLOAD/VMSAVE emulation Commit cc3ed80ae69f ("KVM: nSVM: always use vmcb01 to for vmsave/vmload of guest state") made KVM always use vmcb01 for the fields controlled by VMSAVE/VMLOAD, but it missed updating the VMLOAD/VMSAVE emulation code to always use vmcb01. As a result, if VMSAVE/VMLOAD is executed by an L2 g...
CVE-2026-83022	7.9	HIGH		0.002		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle WebCenter Enterprise Capture executes to compromise Oracle WebCente...
CVE-2026-83079	7.9	HIGH		0.002		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Siebel CRM Cloud Applications executes to compromise Siebel CRM Cloud Applications. While the vulnerability is in Siebel CRM Cloud Applications,...
CVE-2026-83096	7.9	HIGH		0.002		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Forms. Successful attacks require human interaction from a person other than the attacker and while the vulnerabili...
CVE-2026-0065	7.8	HIGH		0.001	google:android	In areBackgroundActivityStartsAllowed of BackgroundLaunchProcessController.java, there is a possible unintended way to launch activities in the background due to a logic error in the code. This could lead to local escalation of privilege with User execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-0084	7.8	HIGH		0.001	google:android	In multiple functions of HostEmulationManager.java, there is a possible background activity launch due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28593	7.8	HIGH		0.001	google:android	In getItemList of SettingsFragment.java, there is a possible user interaction bypass due to misleading or insufficient UI. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28599	7.8	HIGH		0.001	google:android	In addCreatorToken of ActivityManagerService.java, there is a possible Intent Redirection Bypass due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28600	7.8	HIGH		0.001	google:android	In onCreate of PaymentDefaultDialog.java, there is a possible way to change default payment app due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28602	7.8	HIGH		0.001	google:android	In setClipboardAccessNotificationsEnabledForUser of ClipboardService.java, there is a possible multi-user isolation due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28603	7.8	HIGH		0.001	google:android	In assertSafeToStartCustomActivity of AppRestrictionsFragment.java, there is a possible read/write access to private files due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28611	7.8	HIGH		0.001	google:android	In multiple functions of NfcService.java, there is a possible silent payment session hijacking enablement due to a missing permission check. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-28612	7.8	HIGH		0.001	google:android	In resolveActivity of ActivityStarter.java, there is a possible way to perform Intent Redirection attacks due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28614	7.8	HIGH		0.001	google:android	In onCreate of SlicePermissionActivity.java, there is a possible permission bypass due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28631	7.8	HIGH		0.001	google:android	In buildMiniResolver of IntentForwarderActivity.java, there is a possible consent bypass due to a tapjacking/overlay attack. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28634	7.8	HIGH		0.001	google:android	In handleUsdRequest of PhoneInterfaceManager.java, there is a possible way to send a USSD request without permission due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28636	7.8	HIGH		0.001	google:android	In setupLayout of PickActivity.java, there is a possible bypass of the "Install unknown apps" security restriction due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28642	7.8	HIGH		0.001	google:android	In executeRequest of ActivityStarter.java, there is a possible background activity launch due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28644	7.8	HIGH		0.001	google:android	In startNextMatchingActivity of ActivityTaskManagerService.java, there is a possible permission bypass due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28650	7.8	HIGH		0.001	google:android	In setHiddenWhileSuspended of WindowState.java, there is a possible overlay bypass due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28655	7.8	HIGH		0.001	google:android	In multiple functions of RemoteViews.java, there is a possible background activity launch bypass due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28657	7.8	HIGH		0.001	google:android	In onActivityResult of AppWidgetConfigActivityProxy.java, there is a possible unauthorized URI permission grant due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28658	7.8	HIGH		0.001	google:android	In findMetaAuthUid of AccountsDb.java, there is a possible frp bypass due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-31663	7.8	HIGH		0.001	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: xfrm: hold dev ref until after transport_finish NF_HOOK After async crypto completes, xfrm_input_resume() calls dev_put() immediately on re-entry before the skb reaches transport_finish. The skb->dev pointer is then used inside NF_HOOK and its okfn, which can race with device teardown. Remove the dev_put from the async resumption entry and inst...
CVE-2026-43329	7.8	HIGH		0.001	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: netfilter: flowtable: strictly check for maximum number of actions The maximum number of flowtable hardware offload actions in IPv6 is: * ethernet mangling (4 payload actions, 2 for each ethernet address) * SNAT (4 payload actions) * DNAT (4 payload actions) * Double VLAN (4 vlan actions, 2 for popping vlan, and 2 for pushing) for QinQ. * Red...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-43502	7.8	HIGH		0.001	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: net/rds: handle zerocopy send cleanup before the message is queued A zerocopy send can fail after user pages have been pinned but before the message is attached to the sending socket. The purge path currently infers zerocopy state from rm->m_rs, so an unqueued message can be cleaned up as if it owned normal payload pages. However, zerocopy owne...
CVE-2026-46116	7.8	HIGH		0.001	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: xfrm: defensively unhash xfrm_state lists in __xfrm_state_delete KASAN reproduces a slab-use-after-free in __xfrm_state_delete()'s hlist_del_rcu calls under syzkaller load on linux-6.12.y stable (reproduced on 6.12.47, also reachable via the same code path on torvalds/master and on the ipsec tree). Nine unique signatures cluster in the xfrm_stat...
CVE-2026-68787	7.8	HIGH		0.002	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code locally.
CVE-2026-69709	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows NTFS allows an authorized attacker to execute code locally.
CVE-2026-70289	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Win32 Kernel Subsystem allows an authorized attacker to elevate privileges locally.
CVE-2026-71337	7.8	HIGH		0.003	microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:windows_11_23h2, microsoft:windows_11_24h2, microsoft:wi	Stack-based buffer overflow in Windows Storage Management Provider allows an authorized attacker to elevate privileges locally.
CVE-2026-71343	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Remote Access Connection Manager allows an authorized attacker to execute code locally.
CVE-2026-71399	7.8	HIGH		0.002	adobe:xd, apple:macos, microsoft:windows	Adobe XD is affected by a Buffer Overflow vulnerability that could result in arbitrary code execution in the context of the current user. An attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue requires user interaction in that a victim must open a malicious file.
CVE-2026-82992	7.8	HIGH		0.002		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Installation). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVS...
CVE-2026-82996	7.8	HIGH		0.002		Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Platform Security for Java executes to compromise Oracle Platform Security for Java. Successful attacks...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83018	7.8	HIGH		0.002		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: SQR). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where PeopleSoft Enterprise PeopleTools executes to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in takeover of...
CVE-2026-83024	7.8	HIGH		0.002		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Identity Manager Connector executes to compromise Oracle Identity Manager Connector. Successful attacks of this vulnerability ...
CVE-2026-83071	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Machine Learning). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Editi...
CVE-2026-83118	7.8	HIGH		0.002		Vulnerability in the Applications DBA product of Oracle E-Business Suite (component: AD Utilities). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Applications DBA executes to compromise Applications DBA. Successful attacks of this vulnerability can result in takeover of Applications DBA. CVSS 3.1 Bas...
CVE-2026-83147	7.8	HIGH		0.002		Vulnerability in the PeopleSoft Enterprise FIN Inventory Brazil product of Oracle PeopleSoft (component: Inventory). The supported version that is affected is 9.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where PeopleSoft Enterprise FIN Inventory Brazil executes to compromise PeopleSoft Enterprise FIN Inventory Brazil. Successful attacks of this vulnerabil...
CVE-2026-83159	7.8	HIGH		0.001		Vulnerability in the Applications DBA product of Oracle E-Business Suite (component: ADPatch). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Applications DBA executes to compromise Applications DBA. Successful attacks require human interaction from a person other than the attacker. Successful attack...
CVE-2026-83211	7.8	HIGH		0.002		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deploy...
CVE-2026-83214	7.8	HIGH		0.001		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deploy...
CVE-2026-83216	7.8	HIGH		0.001		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deploy...
CVE-2026-83247	7.8	HIGH		0.002		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to compromise Oracle Commerce Guided Search / Orac...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83249	7.8	HIGH		0.001		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to compromise Oracle Commerce Guided Search / Ora...
CVE-2026-83253	7.8	HIGH		0.001		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Endeca Application Controller). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to compromise Oracle Comme...
CVE-2026-83288	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Search). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise ...
CVE-2026-83290	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Edit...
CVE-2026-83291	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Edit...
CVE-2026-83293	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: FNDN). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of...
CVE-2026-83294	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence En...
CVE-2026-83317	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Installation). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterpri...
CVE-2026-83336	7.8	HIGH		0.002		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Server). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Editi...
CVE-2026-83337	7.8	HIGH		0.002		Vulnerability in the Oracle Middleware Common Libraries and Tools product of Oracle Fusion Middleware (component: Remote Diagnostic Agent). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Middleware Common Libraries and Tools executes to compromise Oracle Middl...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83342	7.8	HIGH		0.001		Vulnerability in the Oracle Utilities Network Management System product of Oracle Utilities Applications (component: System Wide). Supported versions that are affected are 2.4.0.1.0-2.4.0.1.33, 2.5.0.1.0-2.5.0.1.19, 2.5.0.2.0-2.5.0.2.13, 2.6.0.1.0-2.6.0.12B, 2.6.0.2.0-2.6.0.2.10A and 25.12.0.0.0-25.12.0.0.3. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Or...
CVE-2026-83353	7.8	HIGH		0.001		Vulnerability in the Oracle WebCenter Content product of Oracle Fusion Middleware (component: Content Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle WebCenter Content executes to compromise Oracle WebCenter Content. Successful attacks of this vulnerability can result in tak...
CVE-2026-83420	7.8	HIGH		0.002		Vulnerability in the PeopleSoft Enterprise FIN Engineering Brazil product of Oracle PeopleSoft (component: Engineering). The supported version that is affected is 9.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where PeopleSoft Enterprise FIN Engineering Brazil executes to compromise PeopleSoft Enterprise FIN Engineering Brazil. Successful attacks of this vu...
CVE-2026-83978	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-87216	7.8	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can res...
CVE-2026-87268	7.8	HIGH		0.002		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeover of Oracle VM VirtualBox. Note: This v...
CVE-2026-87269	7.8	HIGH		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeover of Oracle VM VirtualBox. Note: This v...
CVE-2026-87270	7.8	HIGH		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeover of Oracle VM VirtualBox. Note: This v...
CVE-2026-87271	7.8	HIGH		0.002		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeover of Oracle VM VirtualBox. Note: This v...
CVE-2026-87272	7.8	HIGH		0.002		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeover of Oracle VM VirtualBox. CVSS 3.1 Bas...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-13210	7.7	HIGH		0.004		GitLab has remediated an issue in GitLab CE/EE affecting all versions from 15.7 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed an authenticated user to access CI/CD variables outside their intended environment scope due to improper input validation in the environment scope pattern matcher.
CVE-2026-18905	7.7	HIGH		0.003	ibm:contextforge	IBM ContextForge MCP Gateway (`mcp-contextforge-gateway`) <= v1.0.6 MCP Context Forge could allow a remote authenticated attacker to obtain sensitive information due to a DNS rebinding vulnerability during tool invocation.
CVE-2026-19407	7.7	HIGH		0.005		Bucket Squatting in Google Cloud Gemini Enterprise Agent Platform SDK for Python versions prior to 1.166.1 allows an attacker to achieve Remote Code Execution (RCE) and tenant-project token theft.
CVE-2026-45794	7.7	HIGH		0.005		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, the anonymous Push Notification SNS callback handled by SnsMessageResource falls back to a CTS predicate blob after a messageId expires from the in-memory dispatcher, treats top-level blob keys as Java class names for Class.forName, and deserializes attacker-controlled JSON through Jackson. A low-privileged user who starts Push Regi...
CVE-2026-81897	7.7	HIGH		0.002		In Concrete CMS below CMS 9.5.3, the save_control action in the Express entities forms dashboard controller did not validate the anti-CSRF token. By causing an authenticated administrator to submit a forged cross-site request, a remote attacker without credentials could write attacker-controlled headline and body values to an existing Express form Text control. Those values were emitted without output encoding by ...
CVE-2026-83012	7.7	HIGH		0.004		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle WebCenter Enterprise Capture, attacks may si...
CVE-2026-83041	7.7	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional pro...
CVE-2026-83048	7.7	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional produc...
CVE-2026-83068	7.7	HIGH		0.004		Vulnerability in the Oracle Enterprise Manager for Oracle Database product of Oracle Enterprise Manager (component: Core). The supported version that is affected is 24.1. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Enterprise Manager for Oracle Database. While the vulnerability is in Oracle Enterprise Manager for Oracle Database, attacks may ...
CVE-2026-83070	7.7	HIGH		0.004		Vulnerability in the PeopleSoft Enterprise PRTL Interaction Hub product of Oracle PeopleSoft (component: Enterprise Portal). The supported version that is affected is 9.1. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PRTL Interaction Hub. While the vulnerability is in PeopleSoft Enterprise PRTL Interaction Hub, attacks may signi...
CVE-2026-83084	7.7	HIGH		0.004		Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Marketing. While the vulnerability is in Oracle Marketing, attacks may significantly impact additional products (scope change). Successful attacks ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83088	7.7	HIGH		0.004		Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Easily exploitable vulnerability allows low privileged attacker having Authenticated User privilege with network access via Oracle Net to compromise RDBMS. While the vulnerability is in RDBMS, attacks may significantly impact additional products (scope change). Successful attacks of this vuln...
CVE-2026-83116	7.7	HIGH		0.004		Vulnerability in the Oracle Order Management product of Oracle E-Business Suite (component: Product Diagnostic Tools). Supported versions that are affected are 12.2.5-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Order Management. While the vulnerability is in Oracle Order Management, attacks may significantly impact additional products...
CVE-2026-83127	7.7	HIGH		0.003		Vulnerability in the Oracle Sales Offline product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales Offline. While the vulnerability is in Oracle Sales Offline, attacks may significantly impact additional products (scope change)...
CVE-2026-83129	7.7	HIGH		0.004		Vulnerability in the Oracle Sales product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales. While the vulnerability is in Oracle Sales, attacks may significantly impact additional products (scope change). Successful attacks o...
CVE-2026-83131	7.7	HIGH		0.003		Vulnerability in the Oracle Web Applications Desktop Integrator product of Oracle E-Business Suite (component: File download). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Web Applications Desktop Integrator. While the vulnerability is in Oracle Web Applications Desktop Integrator, attac...
CVE-2026-83134	7.7	HIGH		0.004		Vulnerability in the Oracle iStore product of Oracle E-Business Suite (component: Shopping Cart). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iStore. While the vulnerability is in Oracle iStore, attacks may significantly impact additional products (scope change). Successful attacks of t...
CVE-2026-83141	7.7	HIGH		0.004		Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. While the vulnerability is in Oracle Field Service, attacks may significantly impact additional products (scope change)...
CVE-2026-83142	7.7	HIGH		0.004		Vulnerability in the Oracle Proposals product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Proposals. While the vulnerability is in Oracle Proposals, attacks may significantly impact additional products (scope change). Successf...
CVE-2026-83146	7.7	HIGH		0.003		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in Siebel CRM End User, att...
CVE-2026-83166	7.7	HIGH		0.004		Vulnerability in the Oracle Customer Interaction History product of Oracle E-Business Suite (component: Outcome-Result). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Customer Interaction History. While the vulnerability is in Oracle Customer Interaction History, attacks may significantly ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83233	7.7	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. While the vulnerability is in Oracle Comm...
CVE-2026-83243	7.7	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. While the vulnerability is in Oracle Comm...
CVE-2026-83287	7.7	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Presentation Services). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerability is in Oracle Business...
CVE-2026-83312	7.7	HIGH		0.003		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: E-Business Suite - XDO). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional produ...
CVE-2026-83313	7.7	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional product...
CVE-2026-83319	7.7	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Web Service API). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional products (scope change). Successful a...
CVE-2026-83356	7.7	HIGH		0.003		Vulnerability in the Enterprise Command Center Framework product of Oracle E-Business Suite (component: Security). The supported version that is affected is V16. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Enterprise Command Center Framework. While the vulnerability is in Enterprise Command Center Framework, attacks may significantly impact addition...
CVE-2026-83437	7.7	HIGH		0.003		Vulnerability in the Oracle Engineering product of Oracle E-Business Suite (component: Change Management). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Engineering. While the vulnerability is in Oracle Engineering, attacks may significantly impact additional products (scope change). Succ...
CVE-2026-83485	7.7	HIGH		0.004		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Item Catalog). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. While the vulnerability is in Oracle Product Hub, attacks may significantly impact additional products (scope change). Successfu...
CVE-2026-83486	7.7	HIGH		0.004		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Item Catalog). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. While the vulnerability is in Oracle Product Hub, attacks may significantly impact additional products (scope change). Successfu...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83487	7.7	HIGH		0.004		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Item Catalog). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. While the vulnerability is in Oracle Product Hub, attacks may significantly impact additional products (scope change). Successful...
CVE-2026-87124	7.7	HIGH		0.004		Vulnerability in the Oracle iRecruitment product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iRecruitment. While the vulnerability is in Oracle iRecruitment, attacks may significantly impact additional products (scope change). ...
CVE-2026-87127	7.7	HIGH		0.003		Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: G-Invoicing). Supported versions that are affected are 12.2.10-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. While the vulnerability is in Oracle Purchasing, attacks may significantly impact additional products (scope change). Successful a...
CVE-2026-87134	7.7	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via TCP to compromise Oracle Hyperion Data Relationship Management. While the vulnerability is in Oracle Hyperion Data Relationship Management, at...
CVE-2026-87141	7.7	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. While the vulnerability is in Oracle Hyperion Data Relationship Management, a...
CVE-2026-87147	7.7	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. While the vulnerability is in Oracle Hyperion Data Relationship Management...
CVE-2026-87151	7.7	HIGH		0.004		Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Setup Workbench). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. While the vulnerability is in Oracle Bills of Material, attacks may significantly impact additional products (scop...
CVE-2026-87183	7.7	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Successful attacks require human interaction fr...
CVE-2026-87256	7.7	HIGH		0.004		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Application Server). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Agile PLM. While the vulnerability is in Oracle Agile PLM, attacks may significantly impact additional products (scope change). Successful attacks o...
CVE-2026-87257	7.7	HIGH		0.004		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: SDK). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Agile PLM. While the vulnerability is in Oracle Agile PLM, attacks may significantly impact additional products (scope change). Successful attacks of this vulnerab...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87264	7.7	HIGH		0.003		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Integration Broker). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. While the vulnerability is in PeopleSoft Enterprise PeopleTools, attacks may significantly impact additi...
CVE-2026-73943	7.6	HIGH		0.003		Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Identity Manager. While the vulnerability is in Oracle Identity Manager, attacks may significantly impact additional produ...
CVE-2026-83052	7.6	HIGH		0.003		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional produ...
CVE-2026-83091	7.6	HIGH		0.003		Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all...
CVE-2026-83126	7.6	HIGH		0.003		Vulnerability in the Oracle Sales Online product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales Online. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in Ora...
CVE-2026-83207	7.6	HIGH		0.003		Vulnerability in the Siebel CRM Development product of Oracle Siebel CRM (component: Integration - Scripting). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Development. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable cras...
CVE-2026-83320	7.6	HIGH		0.003		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Administration). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks require human interaction from a person other than the attacker and while the vulnerabili...
CVE-2026-87131	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human interaction from a person other than the att...
CVE-2026-87132	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human interaction from a person other than the att...
CVE-2026-87133	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. While the vulnerability is in Oracle Hyperion Data Relationship Management, ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87137	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human interaction from a person other than the att...
CVE-2026-87144	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human interaction from a person other than the att...
CVE-2026-87233	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact ad...
CVE-2026-87250	7.6	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks require human interaction from a person other than the attacker and while the vulnera...
CVE-2026-87258	7.6	HIGH		0.003		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Folders, Files & Attachments). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Agile PLM. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in Oracle Agil...
CVE-2026-11926	7.5	HIGH		0.003		IBM Verify Identity Access could allow a remote attacker to cause a denial of service due to insufficient validation of incoming request resources.
CVE-2026-11929	7.5	HIGH		0.002		IBM Security Verify Identity Access Reverse Proxy in certain configurations may provide weaker than expected cryptographic validation of user supplied data.
CVE-2026-12354	7.5	HIGH		0.005		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker to execute arbitrary code on the application server due to improper validation of JNDI names in the Resource Adapter Installation Verification Test application.
CVE-2026-12358	7.5	HIGH		0.004		IBM Verify Identity Access could allow a remote attacker to cause a denial of service due to insufficient validation of incoming request resources.
CVE-2026-54629	7.5	HIGH		0.01		Anyquery is an SQL query engine built on top of SQLite. Prior to 0.4.5, anyquery server exposes file-backed SQLite virtual table modules such as csv_reader and log_reader through its MySQL-compatible server port without authentication, authorization, or directory restrictions. A remote attacker can use SQLite CREATE VIRTUAL TABLE statements to provide a local path to these modules, which use hashicorp/go-getter un...
CVE-2026-54632	7.5	HIGH		0.005		SIPSorcery is a WebRTC, SIP, and VoIP library for C# and .NET. Prior to 10.0.9, RTPChannel.OnRTTPacketReceived and the STUNAttribute.ParseMessageAttributes, STUNXORAddressAttribute, and STUNAddressAttribute parsing path index untrusted bytes without sufficient length checks, while UdpReceiver.EndReceiveFrom closes the channel when those operations raise a non-socket exception. A remote party can send a single shor...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-55149	7.5	HIGH		0.004		Vouch Proxy is an SSO and OAuth/OIDC login solution for Nginx using the auth_request module. Prior to 0.48.0, Cookie in pkg/cookie/cookie.go parses the total part count from an attacker-controlled multipart cookie name and passes the value to make([]string, numParts) without checking that the value is positive or reasonably bounded. Requests to /validate and /_external-auth:id reach JWTCacheHandler in pkg/jwtmana...
CVE-2026-55690	7.5	HIGH		0.003		The EmbedVideo Extension is a MediaWiki extension which adds a parser function called #ev and various parser tags for embedding video clips from various video sharing services. Prior to 4.1.0, EmbedServiceFactory::newFromName in includes/EmbedService/EmbedServiceFactory.php interpolates an attacker-controlled unknown service name into exception text, and includes/EmbedVideo.php returns that text as HTML through th...
CVE-2026-55692	7.5	HIGH		0.004		The EmbedVideo Extension is a MediaWiki extension which adds a parser function called #ev and various parser tags for embedding video clips from various video sharing services. Prior to 4.1.0, with the default \$wgEmbedVideoRequireConsent configuration enabled, includes/EmbedService/EmbedHtmlFormatter.php places JSON returned through includes/EmbedService/AbstractEmbedService.php into the data-mw-iframeconfig attri...
CVE-2026-70587	7.5	HIGH		0.008	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Improper null termination in Windows Remote Desktop Protocol allows an unauthorized attacker to disclose information over a network.
CVE-2026-73960	7.5	HIGH		0.004		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Ren Server). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repea...
CVE-2026-80229	7.5	HIGH		0.009	haxx:curl	When performing transfers via libcurl's multi interface, pooled TLS connections can outlive their originating easy handles. In OpenSSL 3 provider configurations, libcurl attaches an allocated library context to the easy handle's state and passes it to OpenSSL without acquiring an ownership reference; destroying the easy handle prematurely frees this context while the active connection retains a dangling pointer, l...
CVE-2026-81381	7.5	HIGH		0.006	microsoft:visual_studio_code	Insufficiently protected credentials in GitHub Copilot and Visual Studio Code allows an unauthorized attacker to disclose information over a network.
CVE-2026-83028	7.5	HIGH		0.003		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Identity Manager Connector executes to compromise Oracle Identity Manager Conn...
CVE-2026-83034	7.5	HIGH		0.004		Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-83051	7.5	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83065	7.5	HIGH		0.003		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). The supported version that is affected is 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle WebCenter Portal executes to compromise Oracle WebCenter Portal. Successful attacks of this ...
CVE-2026-83075	7.5	HIGH		0.004		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete acce...
CVE-2026-83106	7.5	HIGH		0.003		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 7.5 (Co...
CVE-2026-83110	7.5	HIGH		0.004		Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Marketing. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle Marketing ...
CVE-2026-83114	7.5	HIGH		0.003		Vulnerability in the Oracle Quality product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Quality. Successful attacks of this vulnerability can result in takeover of Oracle Quality. CVSS 3.1 Base Score 7.5 (Confidentiality, Int...
CVE-2026-83115	7.5	HIGH		0.003		Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Command Line - RapidClone). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result in unauthorized access to critical data or c...
CVE-2026-83128	7.5	HIGH		0.004		Vulnerability in the Oracle Sales Offline product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Sales Offline. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to al...
CVE-2026-83133	7.5	HIGH		0.003		Vulnerability in the Oracle iStore product of Oracle E-Business Suite (component: Shopping Cart). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle iStore. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle iStore acce...
CVE-2026-83156	7.5	HIGH		0.003		Vulnerability in the Oracle XML Developers Kit component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Difficult to exploit vulnerability allows low privileged attacker having XDKC privilege with network access via Oracle Net to compromise Oracle XML Developers Kit. Successful attacks of this vulnerability can result in takeover of Oracle XML Deve...
CVE-2026-83167	7.5	HIGH		0.003		Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete a...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83182	7.5	HIGH		0.004		Vulnerability in the Siebel CRM Development product of Oracle Siebel CRM (component: Configuration Tools). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via SQL to compromise Siebel CRM Development. Successful attacks of this vulnerability can result in takeover of Siebel CRM Development. CVSS 3.1 Base Score 7.5 (Confiden...
CVE-2026-83183	7.5	HIGH		0.005		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (...)
CVE-2026-83204	7.5	HIGH		0.004		Vulnerability in the Oracle Sourcing product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sourcing. Successful attacks of this vulnerability can result in takeover of Oracle Sourcing. CVSS 3.1 Base Score 7.5 (Confidentiality, ...)
CVE-2026-83213	7.5	HIGH		0.003		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Reports). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel CRM End User acc...
CVE-2026-83222	7.5	HIGH		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via multiple protocols to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repe...
CVE-2026-83223	7.5	HIGH		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Siebel Remote). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 7.5 (Confidentiality,...
CVE-2026-83225	7.5	HIGH		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (c...
CVE-2026-83226	7.5	HIGH		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 7.5 (Confiden...
CVE-2026-83227	7.5	HIGH		0.003		Vulnerability in the Siebel CRM Integration product of Oracle Siebel CRM (component: EAI). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Integration. Successful attacks of this vulnerability can result in takeover of Siebel CRM Integration. CVSS 3.1 Base Score 7.5 (Confidentiality, Integr...
CVE-2026-83228	7.5	HIGH		0.005		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (c...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83235	7.5	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability...
CVE-2026-83241	7.5	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks require human interaction from a...
CVE-2026-83257	7.5	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result ...
CVE-2026-83262	7.5	HIGH		0.004		Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Installation Issues). The supported version that is affected is 3.6.1. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Lifecycle Analytics. Successful attacks of this vulnerability can result in takeover of Oracle Product Lifecycle Analyti...
CVE-2026-83263	7.5	HIGH		0.003		Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Installation Issues). The supported version that is affected is 3.6.1. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Lifecycle Analytics. Successful attacks of this vulnerability can result in takeover of Oracle Product Lifecycle Analyti...
CVE-2026-83270	7.5	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in u...
CVE-2026-83276	7.5	HIGH		0.003		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-webclient-http2). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP/2 to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) o...
CVE-2026-83280	7.5	HIGH		0.005		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-webserver-http2). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP/2 to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) o...
CVE-2026-83281	7.5	HIGH		0.005		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-webserver). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of Helidon...
CVE-2026-83289	7.5	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Web General). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability ca...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83292	7.5	HIGH		0.003		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in take...
CVE-2026-83295	7.5	HIGH		0.004		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Presentation Services). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability ca...
CVE-2026-83296	7.5	HIGH		0.003		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Search). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in ...
CVE-2026-83318	7.5	HIGH		0.004		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Administration). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeover of Oracle BI Publisher. CVSS 3.1 Base Scor...
CVE-2026-83323	7.5	HIGH		0.001		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Edition. Succe...
CVE-2026-83326	7.5	HIGH		0.004		Vulnerability in the Siebel CRM Integration product of Oracle Siebel CRM (component: Open Integration). Supported versions that are affected are 25.12-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Integration. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel ...
CVE-2026-83330	7.5	HIGH		0.005		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: WebSocket). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of Helidon. CVSS ...
CVE-2026-83333	7.5	HIGH		0.005		Vulnerability in the Oracle Net Services component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via Oracle Net to compromise Oracle Net Services. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of Orac...
CVE-2026-83341	7.5	HIGH		0.004		Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Command Line - RapidClone). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result in unauthorized access to critical data or c...
CVE-2026-83349	7.5	HIGH		0.005		Vulnerability in the Oracle Net Services component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via Oracle Net to compromise Oracle Net Services. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83350	7.5	HIGH		0.005		Vulnerability in the Oracle Net Services component of Oracle Database Server. Supported versions that are affected are 21.3-21.23 and 23.4.0-23.26.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via Oracle Net to compromise Oracle Net Services. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (compl...
CVE-2026-83415	7.5	HIGH		0.003		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Coherence. Successful attacks of this vulnerability can result in takeover of Oracle Coherence. CVSS 3.1 Base Sco...
CVE-2026-83424	7.5	HIGH		0.003		Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: Oracle JDeveloper). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access ...
CVE-2026-83463	7.5	HIGH		0.003		Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Mobile Application Server executes to compromise Oracle Mobile Application Se...
CVE-2026-83489	7.5	HIGH		0.004		Vulnerability in the Oracle Banking Origination product of Oracle Financial Services Applications (component: Onboarding Batch Processes). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Banking Origination. Successful attacks of this vulnerability can result in takeover of Oracle B...
CVE-2026-84469	7.5	HIGH		0.003	fastify:fastify	fastify versions before 5.12.2 decide whether to compile a request schema based on JavaScript truthiness, but JSON Schema Draft 7 defines the boolean false as a valid schema that rejects every instance. When an application assigns false to a route's body, querystring, params, or headers schema to deny all input, fastify treats it as a missing schema, compiles no validator, and runs the route handler on any request...
CVE-2026-85014	7.5	HIGH		0.004	nodejs:undici	undici's experimental WebSocketStream client crashes the whole Node.js process when a remote peer closes the TCP connection without a WebSocket close handshake. On an unclean close the internal socket-close handler calls abort on the writable stream unconditionally and discards the returned promise, but per the WHATWG Streams standard aborting a locked writable returns a promise that rejects with a TypeError. Beca...
CVE-2026-87136	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized access ...
CVE-2026-87138	7.5	HIGH		0.005		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized ability ...
CVE-2026-87139	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in takeover of Oracle H...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87140	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in takeover of Oracle H...
CVE-2026-87148	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized ability ...
CVE-2026-87190	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Managemen...
CVE-2026-87193	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87194	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87199	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequent...
CVE-2026-87203	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Managemen...
CVE-2026-87205	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87211	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87215	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequentl...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87221	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87222	7.5	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequent...
CVE-2026-87237	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Managemen...
CVE-2026-87247	7.5	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Managemen...
CVE-2026-87254	7.5	HIGH		0.003		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Folders, Files & Attachments). The supported version that is affected is 9.3.6. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Agile PLM. Successful attacks of this vulnerability can result in takeover of Oracle Agile PLM. CVSS 3.1 Base Score 7.5 (Confidentiality,...
CVE-2026-87276	7.5	HIGH		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person other than the attacker and while the vu...
CVE-2026-87277	7.5	HIGH		0.005		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows unauthenticated attacker with network access via RDP to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of ...
CVE-2026-87289	7.5	HIGH		0.005		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-webserver-static-content). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete...
CVE-2026-18489	7.4	HIGH		0.003	ibm:contextforge	IBM ContextForge MCP Gateway - Translate utility <= 1.0.8 MCP Context Forge could allow a remote attacker to obtain sensitive information from other sessions due to exposure of data elements to the wrong session.
CVE-2026-53714	7.4	HIGH		0.003		Envoy Gateway is an open source project for managing Envoy Proxy as a standalone or Kubernetes-based application gateway. Prior to 1.7.4 and 1.8.1, the xDS gRPC server in GatewayNamespaceMode, configured through provider.kubernetes.deploy.type=GatewayNamespace, installs a JWT StreamInterceptor but no UnaryInterceptor, leaving every unary Fetch RPC unauthenticated. The streaming interceptor also authenticates only ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83102	7.4	HIGH		0.003		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification acc...
CVE-2026-83162	7.4	HIGH		0.003		Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTPS to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification...
CVE-2026-83184	7.4	HIGH		0.003		Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-83218	7.4	HIGH		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical...
CVE-2026-83334	7.4	HIGH		0.003		Vulnerability in the Oracle Web Services Manager product of Oracle Fusion Middleware (component: Web Services Security). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Web Services Manager. Successful attacks of this vulnerability can result in unauthorized access to critica...
CVE-2026-87130	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via SMTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized creat...
CVE-2026-87143	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized creati...
CVE-2026-87195	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TLS to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-87198	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificati...
CVE-2026-87206	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificati...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87212	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-87213	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificati...
CVE-2026-87235	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via SSH to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-87242	7.4	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TLS to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-91734	7.4	HIGH		0.001		Incorrect authorization in Core in Google Chrome on on Windows prior to 153.0.8010.47 allowed a local attacker to execute arbitrary code outside the sandbox via a local program. (Chromium security severity: High)
CVE-2026-28613	7.3	HIGH		0.001	google:android	In initAppLinkTypeAndIntent of ChannelImpl.java, there is a possible launch an arbitrary intent due to improper input validation. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is needed for exploitation.
CVE-2026-28626	7.3	HIGH		0.001	google:android	In onCreate of SetupPassthroughActivity.java, there is a possible way to launch arbitrary activity due to Intent redirection . This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is needed for exploitation.
CVE-2026-28656	7.3	HIGH		0.001	google:android	In multiple functions of DeviceAdminAdd.java, there is a possible way to an overlay due to a tapjacking/overlay attack. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is needed for exploitation.
CVE-2026-73955	7.3	HIGH		0.002		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Charting). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks require human interaction from a person other than the attacker. Successful attacks of this vul...
CVE-2026-75092	7.3	HIGH		0.001		A privilege escalation flaw was found in the scan_mysql actor of leapp-upgrade-el9toel10 (provided by leapp-repository). During RHEL 9 to RHEL 10 upgrades, the actor runs: mysqld --validate-config --log-error-verbosity=2 directly as root in the Leapp actor context, bypassing the packaged MySQL systemd unit that normally starts the daemon as User=mysql. A process compromised as the mysql OS identity can write a ve...
CVE-2026-83155	7.3	HIGH		0.002		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerabili...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83185	7.3	HIGH		0.003		Vulnerability in the Oracle Common Applications product of Oracle E-Business Suite (component: CRM User Management Framework). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Common Applications. Successful attacks require human interaction from a person other than the attacker. Successful a...
CVE-2026-83190	7.3	HIGH		0.002		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks require human interaction from a person other than the attacker. ...
CVE-2026-83193	7.3	HIGH		0.002		Vulnerability in the Siebel Apps - Life Sciences product of Oracle Siebel CRM (component: Life Sciences). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel Apps - Life Sciences executes to compromise Siebel Apps - Life Sciences. Successful attacks require human interaction from a person other than the ...
CVE-2026-83242	7.3	HIGH		0.002		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability...
CVE-2026-83277	7.3	HIGH		0.002		Vulnerability in the Oracle Agile PLM MCAD Connector product of Oracle Supply Chain (component: CAX Client). The supported version that is affected is 3.6. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile PLM MCAD Connector executes to compromise Oracle Agile PLM MCAD Connector. While the vulnerability is in Oracle Agile PLM MCAD Connector, atta...
CVE-2026-87145	7.3	HIGH		0.002		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized update,...
CVE-2026-87260	7.3	HIGH		0.003		Vulnerability in the Oracle Agile Engineering Data Management product of Oracle Supply Chain (component: Engineering Communication Interface). The supported version that is affected is 6.2.1. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Oracle Agile Engineering Data Management executes to compromise Oracle Agi...
CVE-2026-87261	7.3	HIGH		0.001		Vulnerability in the Oracle Agile Engineering Data Management product of Oracle Supply Chain (component: Engineering Communication Interface). The supported version that is affected is 6.2.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile Engineering Data Management executes to compromise Oracle Agile Engineering Data Management. While the vul...
CVE-2026-11934	7.2	HIGH		0.003		IBM Verify Identity Access could allow an administrator to execute additional commands they are not entitled to due to improper validation of user supplied input.
CVE-2026-73966	7.2	HIGH		0.004		Vulnerability in the Siebel Apps - Marketing product of Oracle Siebel CRM (component: Marketing). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Siebel Apps - Marketing. Successful attacks of this vulnerability can result in takeover of Siebel Apps - Marketing. CVSS 3.1 Base Score 7.2 (Confidentiality...
CVE-2026-81901	7.2	HIGH		0.003		In Concrete CMS 9.2.0 through 9.5.2, the REST API page update endpoint (PUT /ccm/api/1.0/pages/{cid}) did not enforce page-property, page-template, or page-type authorization. A user granted only content-editing rights on a page could therefore alter its properties, template, and type through the API, and could set the header_extra_content attribute, which is rendered unescaped into the head element of every page,...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83004	7.2	HIGH		0.001		Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle WebCenter Enterprise Capture executes to compromise Oracle WebCenter Enterprise Capture. Successful attacks requi...
CVE-2026-83016	7.2	HIGH		0.001		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: SQR). Supported versions that are affected are 8.61-8.63. Difficult to exploit vulnerability allows high privileged attacker with logon to the infrastructure where PeopleSoft Enterprise PeopleTools executes to compromise PeopleSoft Enterprise PeopleTools. Successful attacks require human interaction from a person othe...
CVE-2026-83063	7.2	HIGH		0.004		Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in takeover of Oracle Internet Directory. CVSS...
CVE-2026-83082	7.2	HIGH		0.005		Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Marketing. Successful attacks of this vulnerability can result in takeover of Oracle Marketing. CVSS 3.1 Base Score 7.2 (Confidentiality, Integrity...
CVE-2026-83112	7.2	HIGH		0.005		Vulnerability in the Oracle Lease and Finance Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.7-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Lease and Finance Management. Successful attacks of this vulnerability can result in takeover of Oracle Lease and Fin...
CVE-2026-83117	7.2	HIGH		0.005		Vulnerability in the Applications DBA product of Oracle E-Business Suite (component: AD Utilities). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Applications DBA. Successful attacks of this vulnerability can result in takeover of Applications DBA. CVSS 3.1 Base Score 7.2 (Confidentiality, Integ...
CVE-2026-83176	7.2	HIGH		0.005		Vulnerability in the Oracle Common Applications product of Oracle E-Business Suite (component: CRM User Management Framework). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Common Applications. Successful attacks of this vulnerability can result in takeover of Oracle Common Applications. ...
CVE-2026-83188	7.2	HIGH		0.005		Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in takeover of Oracle Depot Repair. CVSS 3.1 Base Score 7.2 (Confid...
CVE-2026-83195	7.2	HIGH		0.005		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via TCP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 7.2 (Confidenti...
CVE-2026-83273	7.2	HIGH		0.005		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeover of Oracle...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83298	7.2	HIGH		0.005		Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeover of Oracle BI Publisher. CVSS 3.1 Base Score 7.2 (Confidentialit...
CVE-2026-83322	7.2	HIGH		0.005		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeo...
CVE-2026-83325	7.2	HIGH		0.005		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeo...
CVE-2026-83328	7.2	HIGH		0.005		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover of Oracle Applications Framework. CVSS ...
CVE-2026-83344	7.2	HIGH		0.005		Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Database Application Table). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Identity Manager Connector. Successful attacks of this vulnerability can result in takeover of Orac...
CVE-2026-83440	7.2	HIGH		0.005		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in takeover of Oracle Product Hub. CVSS 3.1 Base Score 7.2 (Confident...
CVE-2026-83442	7.2	HIGH		0.005		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in takeover of Oracle Product Hub. CVSS 3.1 Base Score 7.2 (Confident...
CVE-2026-83453	7.2	HIGH		0.004		Vulnerability in the Oracle Document Management and Collaboration product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Document Management and Collaboration. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-83481	7.2	HIGH		0.004		Vulnerability in the Oracle Contracts product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.14-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Contracts. Successful attacks of this vulnerability can result in takeover of Oracle Contracts. CVSS 3.1 Base Score 7.2 (Confidentialit...
CVE-2026-83482	7.2	HIGH		0.004		Vulnerability in the Oracle Contracts product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.14-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Contracts. Successful attacks of this vulnerability can result in takeover of Oracle Contracts. CVSS 3.1 Base Score 7.2 (Confidentialit...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87207	7.2	HIGH		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87239	7.2	HIGH		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management...
CVE-2026-87244	7.2	HIGH		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management...
CVE-2026-87246	7.2	HIGH		0.005		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management...
CVE-2026-12667	7.1	HIGH		0.004		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker to read files from a vulnerable .NET client or cause limited denial of service due to improper handling of XML external entities in RFH2 folder parsing.
CVE-2026-12752	7.1	HIGH		0.005		IBM Business Automation Workflow containers and traditional is vulnerable to an XML external entity injection (XXE) attack when processing XML data. A remote attacker could exploit this vulnerability to expose sensitive information or consume memory resource.
CVE-2026-19816	7.1	HIGH		0.001		A flaw was found in PackageKit. PackageKit skips the polkit authorization check for transactions carrying the SIMULATE (dry-run) flag. In the dnf5 backend, the RepoRemove handler ignores that contract and always executes the real transaction because its guard is written as (role == REPO_REMOVE !SIMULATE), which is always true for RepoRemove. An unprivileged local user can therefore perform a genuine package uni...
CVE-2026-21586	7.1	HIGH		0.003		This High severity Improper Authorization vulnerability was introduced in versions 7.4.0, 7.13.0, 8.5.0, 8.9.0, 9.0.1, 9.1.0, 9.2.0, 9.3.1, 9.4.0, 9.5.1, 10.0.2, 10.1.0, and 10.2.0 of Confluence Data Center. This Improper Authorization vulnerability, with a CVSS Score of 7.1, allows an authenticated attacker to gain unintended access and can lead to the exposure of resources or functionality, possibly providing...
CVE-2026-21587	7.1	HIGH		0.003		This High severity Improper Authorization vulnerability was introduced in version 11.3.0 of Jira Service Management Data Center. This Improper Authorization vulnerability, with a CVSS Score of 7.1, allows an authenticated attacker to gain unintended access and can lead to the exposure of resources or functionality, possibly providing attackers with sensitive information or even execute arbitrary code. Atla...
CVE-2026-21588	7.1	HIGH		0.003		This High severity DoS (Denial of Service) vulnerability was introduced in versions 8.9.0, 9.0.1, 9.1.0, 9.2.0, 9.3.1, 9.4.0, 9.5.1, 10.0.2, 10.1.0, and 10.2.0 of Confluence Data Center. This DoS (Denial of Service) vulnerability, with a CVSS Score of 7.1, allows an authenticated attacker to cause a resource to be unavailable for its intended users by temporarily or indefinitely disrupting services of a host co...
CVE-2026-53966	7.1	HIGH		0.003		XWiki Platform is a generic wiki platform. From 13.4-rc-1 until 16.10.17, 17.4.10, 17.10.4, and 18.1.0-rc-1, the Live Data edit REST API allows a user who can edit a page to change that page's rights without executing the normal document-saving authorization checks. The user can grant script right and then execute potentially dangerous Velocity scripts or send unfiltered HTML and JavaScript to clients. The same mi...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-54077	7.1	HIGH		0.004		ArcadeDB is a Multi-Model DBMS. Prior to 26.6.1, the IMPORT DATABASE statement in engine/src/main/java/com/arcadedb/query/sql/parser/ImportDatabaseStatement.java did not require administrative privileges and passed its source to integration/src/main/java/com/arcadedb/integration/importer/SourceDiscovery.java without validation. An authenticated user with SQL command access through /api/v1/command or /api/v1/query ...
CVE-2026-54085	7.1	HIGH		0.002	wazuh:wazuh	Wazuh is an open-source security platform providing unified XDR and SIEM protection for endpoints and cloud workloads. In versions 4.2.0 through 4.14.6, multiple active response scripts pass attacker-influenced alert fields to privileged system commands without validating their format, allowing argument injection into tools that run as root. Five of the eight scripts that handle the srcip field, route-null.c, nets...
CVE-2026-76821	7.1	HIGH		0.005		OpenCTI is an open source platform for managing cyber threat intelligence knowledge and observables. Prior to 7.260706.0, the JSON ingestion mapper's extractWithRegexp formula function compiled a user-supplied regular expression with the JavaScript RegExp engine in opencti-platform/opencti-graphql/src/parser/json-mapper.ts without validating its complexity. An authenticated user with JSON mapper creation permissio...
CVE-2026-83044	7.1	HIGH		0.004		Vulnerability in the Oracle XML Gateway product of Oracle E-Business Suite (component: Install). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle XML Gateway. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle XML Gate...
CVE-2026-83046	7.1	HIGH		0.004		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete ...
CVE-2026-83050	7.1	HIGH		0.002		Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete ...
CVE-2026-83080	7.1	HIGH		0.003		Vulnerability in the Oracle Banking Branch product of Oracle Financial Services Applications (component: Reports). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Banking Branch. Successful attacks require human interaction from a person other than the attacker. Successful attacks o...
CVE-2026-83092	7.1	HIGH		0.003		Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to cr...
CVE-2026-83111	7.1	HIGH		0.002		Vulnerability in the Oracle Partner Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Partner Management. While the vulnerability is in Oracle Partner Management, attacks may significantly impact additional produ...
CVE-2026-83113	7.1	HIGH		0.003		Vulnerability in the Oracle Quality product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Quality. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle Qual...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83123	7.1	HIGH		0.004		Vulnerability in the Oracle Report Manager product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Report Manager. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to ...
CVE-2026-83130	7.1	HIGH		0.003		Vulnerability in the Oracle Site Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Site Hub. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data ...
CVE-2026-83158	7.1	HIGH		0.001		Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Command Line - RapidClone). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Applications Manager executes to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result...
CVE-2026-83161	7.1	HIGH		0.003		Vulnerability in the Oracle Project Intelligence product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Project Intelligence. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-83171	7.1	HIGH		0.003		Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Documents). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle One-to-One Fulfillment. While the vulnerability is in Oracle One-to-One Fulfillment, attacks may significantly impact additional pro...
CVE-2026-83173	7.1	HIGH		0.004		Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Documents). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle One-to-One Fulfillment. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete acces...
CVE-2026-83179	7.1	HIGH		0.003		Vulnerability in the Oracle Common Applications Calendar product of Oracle E-Business Suite (component: Applications Calendar). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Common Applications Calendar. Successful attacks of this vulnerability can result in unauthorized creation, delet...
CVE-2026-83186	7.1	HIGH		0.004		Vulnerability in the Oracle Common Applications Calendar product of Oracle E-Business Suite (component: Applications Calendar). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Common Applications Calendar. Successful attacks of this vulnerability can result in unauthorized creation, deletio...
CVE-2026-83187	7.1	HIGH		0.003		Vulnerability in the Oracle Common Applications Calendar product of Oracle E-Business Suite (component: Applications Calendar). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Common Applications Calendar. Successful attacks of this vulnerability can result in unauthorized creation, deletio...
CVE-2026-83206	7.1	HIGH		0.003		Vulnerability in the Oracle Banking Corporate Lending Process Management product of Oracle Financial Services Applications (component: Base). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Banking Corporate Lending Process Management. Successful attacks require human interaction fr...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83217	7.1	HIGH		0.002		Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel CRM End User acce...
CVE-2026-83219	7.1	HIGH		0.001		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, delet...
CVE-2026-83221	7.1	HIGH		0.002		Vulnerability in the Siebel CRM Integration product of Oracle Siebel CRM (component: EAI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Siebel CRM Integration. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel CRM Integration...
CVE-2026-83224	7.1	HIGH		0.004		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel...
CVE-2026-83230	7.1	HIGH		0.002		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Siebel Management Console). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Si...
CVE-2026-83237	7.1	HIGH		0.004		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result in...
CVE-2026-83238	7.1	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result in...
CVE-2026-83240	7.1	HIGH		0.001		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to compromise Oracle Commerce Guided Search / Oracl...
CVE-2026-83244	7.1	HIGH		0.002		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to...
CVE-2026-83259	7.1	HIGH		0.004		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result in...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83300	7.1	HIGH		0.004		Vulnerability in the Oracle XML Gateway product of Oracle E-Business Suite (component: Install). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle XML Gateway. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle XML Gate...
CVE-2026-83324	7.1	HIGH		0.003		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerability is in Oracle Business Intelligen...
CVE-2026-83332	7.1	HIGH		0.003		Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.9-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-83345	7.1	HIGH		0.004		Vulnerability in the Oracle XML Gateway product of Oracle E-Business Suite (component: Install). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle XML Gateway. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle XML Gate...
CVE-2026-83352	7.1	HIGH		0.004		Vulnerability in the Oracle XML Gateway product of Oracle E-Business Suite (component: Install). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle XML Gateway. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle XML Gate...
CVE-2026-83417	7.1	HIGH		0.003		Vulnerability in the Oracle Communications Cloud Native Core Security Edge Protection Proxy product of Oracle Communications (component: SEPP). Supported versions that are affected are 26.1.200 and 25.2.201. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Communications Cloud Native Core Security Edge Pro...
CVE-2026-83436	7.1	HIGH		0.003		Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Recall Management). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Ora...
CVE-2026-83484	7.1	HIGH		0.003		Vulnerability in the Oracle US Federal Human Resources product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle US Federal Human Resources. Successful attacks of this vulnerability can result in unauthorized creation, deletion or m...
CVE-2026-87126	7.1	HIGH		0.004		Vulnerability in the Oracle Report Manager product of Oracle E-Business Suite (component: Reports Security). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Report Manager. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all ...
CVE-2026-87135	7.1	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized access t...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87142	7.1	HIGH		0.003		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTPS to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human interaction from a person other than the a...
CVE-2026-87146	7.1	HIGH		0.002		Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized access t...
CVE-2026-87149	7.1	HIGH		0.002		Vulnerability in the Oracle Contract Lifecycle Management for Public Sector product of Oracle E-Business Suite (component: Award/PO). Supported versions that are affected are 12.2.8-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Contract Lifecycle Management for Public Sector. Successful attacks of this vulnerability can result in unaut...
CVE-2026-87156	7.1	HIGH		0.003		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Ora...
CVE-2026-87158	7.1	HIGH		0.003		Vulnerability in the Oracle Order Management product of Oracle E-Business Suite (component: Enterprise Command Center). The supported version that is affected is V16. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Order Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to ...
CVE-2026-87160	7.1	HIGH		0.002		Vulnerability in the Oracle HRMS (India) product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle HRMS (India). Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all ...
CVE-2026-87191	7.1	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87192	7.1	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87208	7.1	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87209	7.1	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87220	7.1	HIGH		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. S...
CVE-2026-87225	7.1	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87236	7.1	HIGH		0.004		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87249	7.1	HIGH		0.003		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks require human interaction from a person other than the attacker. Successful attacks ...
CVE-2026-87262	7.1	HIGH		0.003		Vulnerability in the Oracle Agile Engineering Data Management product of Oracle Supply Chain (component: Engineering Communication Interface). The supported version that is affected is 6.2.1. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Agile Engineering Data Management executes to compromise Oracle Ag...
CVE-2026-91145	7.1	HIGH		0.002		Activiti through 7.1.0.M6 fails to validate hash-brace deferred expressions in process variables, allowing attackers to bypass expression filtering. Attackers can inject expressions beginning with #{ that are stored and later evaluated in the full Spring context when a mail task uses variable-backed body fields, enabling method invocation on application beans.
CVE-2026-9176	7.1	HIGH		0.001	ibm:websphere_application_server	IBM WebSphere Application Server 9.0, and 8.5 is vulnerable to a security bypass due to improper authentication controls. A local attacker could exploit this vulnerability to escalate privileges and gain unauthorized access to protected resources.
CVE-2026-12150	7.0	HIGH		0.002		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow a remote attacker with a trusted TLS client certificate to cause a denial of service and potentially affect memory contents due to improper validation of deeply nested certificate data during TLS certificate p...
CVE-2026-71340	7.0	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Use after free in Windows File History Service allows an authorized attacker to elevate privileges locally.
CVE-2026-71342	7.0	HIGH		0.002	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Use after free in Windows Remote Access Connection Manager allows an authorized attacker to elevate privileges locally.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-76159	7.0	HIGH		0.001		Incorrect Permission Assignment for Critical Resource in the configuration loader of Duplicati for Windows versions before v2.4.0.0 allows a local low-privileged attacker to escalate privileges to NT AUTHORITY\SYSTEM via an attacker-controlled preload.json file.
CVE-2026-77485	7.0	HIGH		0.002	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Use after free in SQL Server allows an authorized attacker to elevate privileges locally.
CVE-2026-83015	7.0	HIGH		0.001		Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Cube Manager). Supported versions that are affected are 8.61-8.63. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where PeopleSoft Enterprise PeopleTools executes to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in ...
CVE-2026-83150	7.0	HIGH		0.001		Vulnerability in Oracle Application Testing Suite. The supported version that is affected is 13.3.0.1. Difficult to exploit vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle Application Testing Suite executes to compromise Oracle Application Testing Suite. Successful attacks require human interaction from a person other than the attacker. Successful attacks of this vuln...
CVE-2026-83231	7.0	HIGH		0.002		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-dbclient-mongodb). Supported versions that are affected are 3.0.0-3.2.20 and 4.0.0-4.5.4. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all He...
CVE-2026-83239	7.0	HIGH		0.001		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Endeca Application Controller). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to compromise Oracle Comm...
CVE-2026-83252	7.0	HIGH		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result...
CVE-2026-83316	7.0	HIGH		0.001		Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Edition. Succe...
CVE-2026-83368	7.0	HIGH		0.002		Vulnerability in the Oracle GraalVM for JDK, Oracle GraalVM Enterprise Edition, Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM for JDK 17: 23.0.13.1; Oracle GraalVM for JDK 21: 23.1.12.1; Oracle GraalVM Enterprise Edition: 21.3.19.1; Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network a...
CVE-2026-87240	7.0	HIGH		0.001		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can r...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-53941	6.9	MEDI		0.004		Inspektor Gadget is a set of tools and framework for data collection and system inspection on Kubernetes clusters and Linux hosts using eBPF. From 0.27.0 until 0.53.1, the uprobe library resolver can allow an unprivileged container to consume excessive CPU and block other containers from starting by supplying a crafted /etc/ld.so.cache file while an uprobe-based gadget is active. The parser in pkg/uprotracer/ldc...
CVE-2026-89263	6.9	MEDI		0.003		MoguBlog through 6.2 fails to authenticate requests to the /web/comment/closeEmailNotification endpoint, allowing unauthenticated attackers to disable email notifications for arbitrary users. Remote callers can modify the startEmailNotification flag in Redis cache for any user identifier to suppress reply notifications without authorization.
CVE-2026-90439	6.9	MEDI		0.003		NGINX Plus and NGINX Open Source have a vulnerability in the ngx_http_v3_module module. When using HTTP/3 with OpenSSL versions <= OpenSSL 3.5.0 under certain configurations, a limited heap buffer overflow could happen while processing a TLS handshake. This can happen in a non-deterministic manner that is beyond the attacker's control. This may cause a heap buffer overflow in the NGINX worker process leading to a ...
CVE-2026-90809	6.9	MEDI		0.003		A vulnerability was identified in HKUDS nanobot up to 0.2.1. The affected element is the function ExecTool._guard_command/ExecTool._spawn of the file nanobot/agent/tools/shell.py of the component ExecTool. Such manipulation leads to argument injection. It is possible to launch the attack remotely. The name of the patch is af582246f141311d574551b7571a517bcc3df750. It is best practice to apply a patch to resolve thi...
CVE-2026-90819	6.9	MEDI		0.004		A weakness has been identified in a2aproject a2a-java 1.2.0. The affected element is the function BasePushNotificationSender.dispatchNotification of the file server-common/src/main/java/org/a2aproject/sdk/server/tasks/BasePushNotificationSender.java of the component Authorization Header Construction. This manipulation causes http response splitting. The attack can be initiated remotely. Upgrading to version 1.3.0 ...
CVE-2026-91997	6.9	MEDI		0.003		evolution-api through 2.3.7 contains an incorrect array comparison in the metricsIPWhitelist middleware that always evaluates to false, allowing unauthenticated access to the /metrics endpoint. Attackers can bypass IP whitelist restrictions to access sensitive metrics disclosing server version, database client name, configured server URL, and WhatsApp instance details.
CVE-2026-55770	6.8	MEDI		0.004		OpenBao is an open source identity-based secrets management system. Prior to 2.5.5, OpenBao used EscapeLDAPValue, an RFC 4514 distinguished-name escaping function, where RFC 4515 LDAP search-filter escaping was required in sdk/helper/ldaputil/client.go GetUserDN. With the LDAP authentication backend configured for an Active Directory UPNDomain path or UserDN and UserAttr binding, an attacker-controlled username co...
CVE-2026-65812	6.8	MEDI		0.005		Insertion of sensitive information into sent data in Microsoft Teams for Android allows an authorized attacker to disclose information over a network.
CVE-2026-71329	6.8	MEDI		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows NTFS allows an unauthorized attacker to execute code with a physical attack.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-71348	6.8	MEDI		0.004	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Spaceport.sys allows an unauthorized attacker to execute code with a physical attack.
CVE-2026-73965	6.8	MEDI		0.003		Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Cloud Gateway). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or ...
CVE-2026-83076	6.8	MEDI		0.003		Vulnerability in the Oracle HR Intelligence product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle HR Intelligence. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access t...
CVE-2026-83278	6.8	MEDI		0.002		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-integrations-neo4j). Supported versions that are affected are 3.0.0-3.2.20 and 4.0.0-4.5.4. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Helidon executes to compromise Helidon. Successful attacks of this vulnerability can r...
CVE-2026-83441	6.8	MEDI		0.003		Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critic...
CVE-2026-83491	6.8	MEDI		0.002		Vulnerability in the Oracle iRecruitment product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle iRecruitment executes to compromise Oracle iRecruitment. Successful attacks of this vulne...
CVE-2026-87252	6.8	MEDI		0.002		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Application Server). The supported version that is affected is 9.3.6. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Agile PLM executes to compromise Oracle Agile PLM. Successful attacks of this vulnerability can result i...
CVE-2026-71339	6.7	MEDI		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Installer allows an authorized attacker to elevate privileges locally.
CVE-2026-87248	6.7	MEDI		0.002		Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can re...
CVE-2026-11864	6.5	MEDI		0.004		IBM Cloud Pak for Business Automation 26.0.0 through 26.0.0 Interim Fix 001, 25.0.0 through 25.0.0 Interim Fix 005, 24.0.1 through 24.0.1 Interim Fix 008, and 24.0.0 through 24.0.0 Interim Fix 009 is vulnerable to an XPath injection vulnerability, which could allow an authenticated attacker to exfiltrate sensitive application data and/or determine the structure of the XML document.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-48987	6.5	MEDI		0.003		pyLoad is a free and open-source download manager written in Python. Prior to 0.5.0b3.dev101, EventManager in src/pyload/core/managers/event_manager.py appends a Client object to the clients list for each unique uuid submitted to the authenticated getEvents API endpoint, but get_events does not invoke the available clean method to remove inactive clients. An authenticated user can repeatedly submit unique UUID val...
CVE-2026-53717	6.5	MEDI		0.007		Envoy Gateway is an open source project for managing Envoy Proxy as a standalone or Kubernetes-based application gateway. Prior to 1.7.4 and 1.8.1, internal/wasm/imagefetcher.go follows tenant-controlled EnvoyExtensionPolicy spec.wasm[].code.image.url values to Docker or OCI Wasm layers, and extractWasmPluginBinary uses the untrusted tar-header h.Size value to allocate memory before validating the entry name or de...
CVE-2026-62597	6.5	MEDI		0.002		Vulnerability in the Oracle Enterprise Manager Base Platform product of Oracle Enterprise Manager (component: Event Management). Supported versions that are affected are 13.5 and 24.1. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle Enterprise Manager Base Platform. Successful attacks of this vulnerability can result in unauthorized creation, de...
CVE-2026-67389	6.5	MEDI		0.007	microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-67390	6.5	MEDI		0.01	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Buffer over-read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-67393	6.5	MEDI		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Buffer over-read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-67641	6.5	MEDI		0.006	microsoft:sql_server_2022, microsoft:sql_server_2025	Integer overflow or wraparound in SQL Server allows an authorized attacker to deny service over a network.
CVE-2026-67645	6.5	MEDI		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-67648	6.5	MEDI		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Use of uninitialized resource in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68776	6.5	MEDI		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Use of uninitialized resource in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68777	6.5	MEDI		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-68778	6.5	MEDI		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68779	6.5	MEDI		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68780	6.5	MEDI		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68781	6.5	MEDI		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68784	6.5	MEDI		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-70755	6.5	MEDI		0.003		Vulnerability in the Oracle Web Applications Desktop Integrator product of Oracle E-Business Suite (component: File download). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Web Applications Desktop Integrator. Successful attacks of this vulnerability can result in unauthorized access to c...
CVE-2026-73029	6.5	MEDI		0.007	microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Buffer over-read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-73497	6.5	MEDI		0.002		MCP Atlassian is a Model Context Protocol (MCP) server for Atlassian products (Confluence and Jira). From 0.17.0 until 0.22.0, validate_url_for_ssrf resolves the attacker-controlled X-Atlassian-Jira-Url and X-Atlassian-Confluence-Url header host once at middleware time, but the outbound request is built with the raw hostname and resolves it again at connection time with no IP pinning. An attacker-controlled DNS-re...
CVE-2026-83097	6.5	MEDI		0.005		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification acces...
CVE-2026-83140	6.5	MEDI		0.004		Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all...
CVE-2026-83175	6.5	MEDI		0.004		Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete ac...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83200	6.5	MEDI		0.004		Vulnerability in the Oracle Process Manufacturing Intelligence product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via Oracle Net to compromise Oracle Process Manufacturing Intelligence. Successful attacks of this vulnerability can result in unauthorized a...
CVE-2026-83250	6.5	MEDI		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result...
CVE-2026-83251	6.5	MEDI		0.003		Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TLS to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result ...
CVE-2026-83347	6.5	MEDI		0.004		Vulnerability in the Oracle Net Services component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCPS to compromise Oracle Net Services. Successful attacks require human interaction from a person other than the attacker. Successful attacks of this vulnerability can result in unauthorized...
CVE-2026-83433	6.5	MEDI		0.003		Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Depot Repair Diagnostics). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to ...
CVE-2026-83443	6.5	MEDI		0.004		Vulnerability in the Oracle Assets product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Assets. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle Assets...
CVE-2026-83460	6.5	MEDI		0.003		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: LRA). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized update, insert or delete access to some of Helidon accessible data as well as unauthorized ...
CVE-2026-92237	6.5	MEDI		0.001		Insertion of sensitive information into log file in the slow query logging feature in Devolutions PowerShell Universal 2026.2.5 and earlier allows an authenticated user with log read permission to obtain application tokens, data protection key material and other stored credentials via SQL parameter values written to the system log on instances backed by Microsoft SQL Server.
CVE-2026-9225	6.5	MEDI		0.002	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 Langflow could allow an authenticated attacker to access sensitive files belonging to other users due to improper access control in the File/Read File component. When executing flows through the /api/v1/run/advanced/{flow_id} endpoint, the application allows component inputs to reference storage paths using arbitrary user or flow identifiers without verifying ownership. An att...
CVE-2026-12749	6.4	MEDI		0.003		IBM Cloud Pak for Business Automation is vulnerable to stored cross-site scripting. This vulnerability allows an authenticated user to embed arbitrary JavaScript code in the Web UI thus altering the intended functionality potentially leading to credentials disclosure within a trusted session.
CVE-2026-12750	6.4	MEDI		0.003		IBM Cloud Pak for Business Automation is vulnerable to stored cross-site scripting. This vulnerability allows an authenticated user to embed arbitrary JavaScript code in the Web UI thus altering the intended functionality potentially leading to credentials disclosure within a trusted session.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-53718	6.4	MEDI		0.003		Envoy Gateway is an open source project for managing Envoy Proxy as a standalone or Kubernetes-based application gateway. Prior to 1.7.4 and 1.8.1, an HTTPRoute can use an extension-managed custom backendRef to reference a backend resource in another namespace without a matching Gateway API ReferenceGrant in the target namespace. The custom-backend branch in internal/gatewayapi/route.go omits validateBackendNamesp...
CVE-2026-71338	6.4	MEDI		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_server_2012, microsoft:windows_server_2016, micr	Double free in Windows Failover Cluster allows an authorized attacker to elevate privileges locally.
CVE-2026-83077	6.4	MEDI		0.003		Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. While the vulnerability is in Siebel CRM Cloud Applications, attacks may significantly impact additional produ...
CVE-2026-83354	6.3	MEDI		0.002		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). The supported version that is affected is 15.1.1.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Coherence. While the vulnerability is in Oracle Coherence, attacks may significantly impact additional products (scope change). Successful attacks of ...
CVE-2026-84048	6.3	MEDI		0.003		Joomla Extension - joomgalleryfriends.net - Unauthenticated arbitrary file upload via the TUS endpoint in JoomGallery < 4.4.1 - The TUS endpoint allows arbitrary file uploads, however neither file name nor file extension are under attacker control. Code execution requires non-standard server configuration.
CVE-2026-62280	6.1	MEDI		0.002		Open Access Management (OpenAM) is an access management solution. From 13.0.0 until 16.1.2, the OAuth2 authorize endpoint's display=wap consent page reflects request-derived values through ConsentRequiredResource and wap/authorize.ftl without HTML escaping. An attacker can induce a user with an active OpenAM session to follow a crafted authorization link and execute JavaScript in the OpenAM origin, enabling sessio...
CVE-2026-79035	6.1	MEDI		0.002		A reflected cross-site scripting (XSS) vulnerability in the p.rfihub.com component of Zeta Marketing Platform (ZMP) v1.0 allows attackers to execute arbitrary Javascript in the context of the victim's browser via injecting a crafted URL into the ca parameter.
CVE-2026-87169	6.1	MEDI		0.003		Vulnerability in the Oracle Contract Lifecycle Management for Public Sector product of Oracle E-Business Suite (component: Wage Determination Online). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Contract Lifecycle Management for Public Sector. Successful attacks require human interactio...
CVE-2026-87253	6.1	MEDI		0.002		Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Web Client). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Agile PLM. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in Oracle Agile PLM, attacks ma...
CVE-2026-87278	6.1	MEDI		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person other than the attacker. Successful attac...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87279	6.1	MEDI		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or freque...
CVE-2026-90534	6.1	MEDI		0.002	flowiseai:flowise	Flowise is a low-code platform for building LLM applications. In versions up to and including 3.1.3, the POST /api/v1/node-load-method/:name endpoint is mounted without any route-level permission check and invokes component loadMethods with an attacker-controlled nodeName, loadMethod, inputs, and credential value. The selected credential is resolved by raw Credential.id via getCredentialData() and decrypted withou...
CVE-2026-87282	6.0	MEDI		0.002		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks may significantly impact additional prod...
CVE-2026-87283	6.0	MEDI		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks may significantly impact additional prod...
CVE-2026-87285	6.0	MEDI		0.002		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks may significantly impact additional prod...
CVE-2026-17495	5.9	MEDI		0.004		moment is a JavaScript date library for parsing, validating, manipulating, and formatting dates. In versions 2.29.2 through 2.30.1, a specially crafted non-string object passed to moment.locale() can bypass the locale-name path-traversal guard. The guard assumes the input is a string, so an object whose match() method satisfies the check while its toString() returns a traversal path reaches an internal require() c...
CVE-2026-78123	5.9	MEDI		0.004	strongswan:strongswan	strongSwan 5.0.2 through 6.0.7 has an Expired Pointer Dereference in PKCS#7 parsing in the openssl plugin.
CVE-2026-52724	5.8	MEDI		0.002		Kuma is a modern Envoy-based service mesh that can run on every cloud across both Kubernetes and VMs. Prior to 2.7.26, 2.9.16, 2.11.14, 2.12.11, and 2.13.7, Universal mode kuma-dp connections to an HTTPS control plane disable TLS peer verification when --ca-cert-file is not supplied and KUMA_CONTROL_PLANE_CA_CERT is unset. The dataplane authentication token is sent over the unverified connection, allowing an on-pa...
CVE-2026-69559	5.8	MEDI		0.003		Origin validation error in Microsoft Teams for Android allows an authorized attacker to disclose information over a network.
CVE-2026-81911	5.8	MEDI		0.003		Concrete CMS versions 9.0.0 to 9.5.2 is vulnerable to Stored XSS in Board Custom Slot dialog. The custom_slot save_template endpoint authorizes the request only against the target board instance (canEditBoardContents()) and then persists the client-supplied selectedTemplateOption[collection] verbatim, rather than rebuilding the content object collection server-side and verifying that each item belongs to the autho...
CVE-2026-55636	5.7	MEDI		0.003		Capsule is a multi-tenancy and policy-based framework for Kubernetes. From 0.13.0 until 0.13.6, charts/capsule/templates/configuration.yaml configures the validating webhook with namespace/finalize instead of the Kubernetes resource name namespaces/finalize. A user with namespaces/finalize RBAC can send a PUT request to /api/v1/namespaces/{namespace}/finalize, and the singular rule never matches the plural resourc...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-69723	5.7	MEDI		0.01	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Exposure of sensitive system information to an unauthorized control sphere in Windows Kernel allows an authorized attacker to disclose information over a network.
CVE-2026-28584	5.5	MEDI		0.001	google:android	In createSessionInternal of PackageInstallerService.java, there is a possible way to permanently DoS the device due to a logic error in the code. This could lead to local denial of service with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28596	5.5	MEDI		0.001	google:android	In parseInterventionFromXml of GameManagerService.java, there is a possible permanent denial of service due to resource exhaustion. This could lead to local denial of service with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28617	5.5	MEDI		0.001	google:android	In add of WifiNetworkSuggestionsManager.java, there is a possible persistent DOS due to resource exhaustion. This could lead to local denial of service with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28633	5.5	MEDI		0.001	google:android	In initForUserNoTracing of VoiceInteractionManagerService.java, there is a possible persistent denial of service due to resource exhaustion. This could lead to local denial of service with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-50166	5.5	MEDI		0.002		Kuma is a modern Envoy-based service mesh that can run on every cloud across both Kubernetes and VMs. Prior to 2.7.26, 2.9.16, 2.11.14, 2.12.11, and 2.13.7, a kumactl profile manually configured for an HTTPS control plane without --ca-cert-file disables TLS peer verification and sends API tokens over the unverified connection. An attacker on the network path can intercept user or administrator API tokens and act a...
CVE-2026-69616	5.5	MEDI		0.004	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Out-of-bounds read in Windows Remote Desktop Services allows an authorized attacker to disclose information locally.
CVE-2026-69627	5.5	MEDI		0.004	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Out-of-bounds read in Windows Remote Desktop Licensing Service allows an authorized attacker to disclose information locally.
CVE-2026-70290	5.5	MEDI		0.004	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Use of uninitialized resource in Windows Win32 Kernel Subsystem allows an authorized attacker to disclose information locally.
CVE-2026-71341	5.5	MEDI		0.004	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Out-of-bounds read in Windows Partition Management Driver allows an authorized attacker to disclose information locally.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-77488	5.5	MEDI		0.003	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Integer underflow (wrap or wraparound) in SQL Server allows an authorized attacker to disclose information locally.
CVE-2026-83274	5.5	MEDI		0.001		Vulnerability in the Oracle Agile PLM MCAD Connector product of Oracle Supply Chain (component: CAX Client). The supported version that is affected is 3.6. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile PLM MCAD Connector executes to compromise Oracle Agile PLM MCAD Connector. Successful attacks of this vulnerability can result in unauthorize...
CVE-2026-83279	5.5	MEDI		0.002		Vulnerability in the Oracle Agile PLM MCAD Connector product of Oracle Supply Chain (component: CAX Client). The supported version that is affected is 3.6. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile PLM MCAD Connector executes to compromise Oracle Agile PLM MCAD Connector. Successful attacks of this vulnerability can result in unauthorize...
CVE-2026-90786	5.5	MEDI		0.004		A vulnerability was determined in Dvidelabs flatcc up to 0.6.3. This impacts the function align_order_members of the file src/compiler/semantics.c of the component Duplicate Symbol Handler. This manipulation causes reachable assertion. The attack can be initiated remotely. The exploit has been publicly disclosed and may be utilized. Patch name: 8b19ba4e992ebcad7f5970704d1afc5507fa5205. To fix this issue, it is rec...
CVE-2026-90852	5.5	MEDI		0.003		A vulnerability has been found in luben zstd-jni up to 1.5.7-13. This vulnerability affects the function ZstdCompressCtx.loadDict of the file ZstdCompressCtx.java of the component Dictionary Sharing. Such manipulation leads to use after free. The attack can be executed remotely. The exploit has been disclosed to the public and may be used. Upgrading to version 1.5.7-14 is able to resolve this issue. The name of th...
CVE-2026-11918	5.4	MEDI		0.003		IBM ContextForge MCP Gateway <= v1.0.4 IBM mcp-context-forge could allow an authenticated user to bypass protection mechanisms due to incomplete recursive inspection of nested payload content.
CVE-2026-12742	5.4	MEDI		0.002		IBM Business Automation Workflow containers and traditional could allow an authenticated attacker to trigger restricted import actions due to missing authorization controls.
CVE-2026-12751	5.4	MEDI		0.003		IBM Cloud Pak for Business Automation is vulnerable to HTML injection. A remote attacker could inject malicious HTML code, which when viewed, would be executed in the victim's Web browser within the security context of the hosting site.
CVE-2026-12910	5.4	MEDI		0.003		GitLab has remediated an issue in GitLab CE/EE affecting all versions from 18.6 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed an authenticated user to bypass SAML SSO sign-in restrictions and authenticate without SSO due to missing authentication enforcement checks.
CVE-2026-55226	5.4	MEDI		0.002		Strimzi provides a way to run an Apache Kafka cluster on Kubernetes or OpenShift in various deployment configurations. In Strimzi 1.0.0 and earlier, deploying only the Topic Operator or only the User Operator through the Kafka custom resource leaves the Entity Operator ServiceAccount with RBAC permissions for both components. The excess permissions can allow access to KafkaUser custom resources and Secrets when th...
CVE-2026-83198	5.4	MEDI		0.002		Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in O...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83346	5.4	MEDI		0.002		Vulnerability in the Oracle Fusion Middleware Control product of Oracle Fusion Middleware (component: Framework). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Fusion Middleware Control. Successful attacks require human interaction from a person other than the attacker and whil...
CVE-2026-83419	5.4	MEDI		0.003		Vulnerability in the Oracle Communications Cloud Native Core Security Edge Protection Proxy product of Oracle Communications (component: SEPP). Supported versions that are affected are 26.1.200 and 25.2.201. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Communications Cloud Native Core Security Edge Protection Proxy. Successful attacks of this ...
CVE-2026-83431	5.4	MEDI		0.002		Vulnerability in the Oracle Product Workbench product of Oracle E-Business Suite (component: WebUI). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Workbench. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in Oracle ...
CVE-2026-83488	5.4	MEDI		0.003		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-microprofile-security). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized update, insert or delete access to some of Helidon accessible data ...
CVE-2026-3783	5.3	MEDI		0.005	haxx:curl	When an OAuth2 bearer token is used for an HTTP(S) transfer, and that transfer performs a redirect to a second URL, curl could leak that token to the second hostname under some circumstances. If the hostname that the first request is redirected to has information in the used .netrc file, with either of the `machine` or `default` keywords, curl would pass on the bearer token set for the first host also to the seco...
CVE-2026-49392	5.3	MEDI		0.003	wazuh:wazuh	Wazuh is a free and open source platform used for threat prevention, detection, and response. From 4.6.0 until 4.14.6 and 5.0.0-beta3, DB::getFile() and DB::searchFile() in src/syscheckd/src/db/src/file.cpp concatenate a monitored file path into SQLite row filters. On non-Windows systems, FIMDBCreator::encodeString() does not escape the value. A local user who can create a filename in a File Integrity Monitoring d...
CVE-2026-50024	5.3	MEDI		0.004		GitHacker is a tool that restores Git repositories from exposed .git directories. In 1.1.7 and earlier, add_head_file_tasks parses an attacker-controlled ref path from .git/HEAD and joins unvalidated path segments onto temp_dst/.git/logs/, allowing a malicious server to make GitHacker read an arbitrary local file when a victim runs the tool against the server's URL. add_hashes_parsed then scans the file for 40-cha...
CVE-2026-53715	5.3	MEDI		0.004		Envoy Gateway is an open source project for managing Envoy Proxy as a standalone or Kubernetes-based application gateway. Prior to 1.7.4 and 1.8.1, HTTPServer.ServeHTTP in internal/wasm/httpserver.go reads the plain mappingPath2Cache map without synchronization while HTTPServer.Get writes the same map during EnvoyExtensionPolicy translation. An attacker with pod-network access to unauthenticated port 18002 and ten...
CVE-2026-6429	5.3	MEDI		0.005	haxx:curl	When asked to both use a `.netrc` file for credentials and to follow HTTP redirects, libcurl could leak the password used for the first host to the followed-to host under certain circumstances.
CVE-2026-82837	5.3	MEDI		0.004		GitLab has remediated an issue in GitLab CE/EE affecting all versions from 10.1.0 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that certain conditions could have allowed an authenticated user to access sensitive credentials and tokens without transiting the expected proxy due to improper authorization checks on internal data emission endpoints.
CVE-2026-83109	5.3	MEDI		0.003		Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorized read access to a subset of Oracle Forms ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83458	5.3	MEDI		0.004		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: JSON). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denial of service (partial DOS) of Helidon. CVSS 3.1 Base Score 5...
CVE-2026-83459	5.3	MEDI		0.004		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-media-multipart). Supported versions that are affected are 3.0.0-3.2.20. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denial of service (partial DOS) of Helidon. C...
CVE-2026-83480	5.3	MEDI		0.003		Vulnerability in the Helidon product of Oracle Fusion Middleware (component: WebSocket). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denial of service (partial DOS) of Helidon. CVSS 3.1 Base Sc...
CVE-2026-87267	5.3	MEDI		0.003		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Difficult to exploit vulnerability allows low privileged attacker with network access via RDP to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of...
CVE-2026-88011	5.3	MEDI		0.002	traefik:traefik	Traefik is an open source HTTP reverse proxy and load balancer. Prior to 2.11.56, and from 3.0.0 until 3.7.12, a client-supplied dot-form header such as X.Authenticated.User survives ForwardAuth replacement and underscoreHeadersStrategy because Go treats it as distinct from X-Authenticated-User while normalization-prone CGI, WSGI, PHP, and NGINX backends collapse both names. A backend can consequently consume the ...
CVE-2026-88046	5.3	MEDI		0.003		rlclone is a command-line program to sync files and directories to and from different cloud storage providers. Prior to 1.75.1, rclone core does not reject parent-directory segments in source Object.Remote() values before fs/list, fs/walk, fs/sync, and fs/operations pass those values to destination backends. A flat-keyspace source object store populated with native non-rclone tooling can contain a raw .. key segmen...
CVE-2026-90583	5.3	MEDI		0.003		A security flaw has been discovered in kagisearch smallweb up to 0ecb9c48edbf98dc7e934b54fbac43869e64b4cf. The affected element is the function index of the file app/sw.py of the component Query String Rendering. Performing a manipulation of the argument qs results in cross site scripting. The attack is possible to be carried out remotely. This product adopts a rolling release strategy to maintain continuous deliv...
CVE-2026-90790	5.3	MEDI		0.002		A security vulnerability has been detected in a2aproject a2a-python up to 1.1.3. This affects the function _dispatch_notification of the file src/a2a/server/tasks/base_push_notification_sender.py of the component Push Notification Sender. The manipulation of the argument push_info.url leads to server-side request forgery. Remote exploitation of the attack is possible. Upgrading to version 1.1.4 is able to mitigate...
CVE-2026-90820	5.3	MEDI		0.002		A security vulnerability has been detected in a2aproject a2a-java 1.2.0. The impacted element is the function AuthorizationRequestHandlerDecorator.onListTasks of the file server-common/src/main/java/org/a2aproject/sd k/server/requesthandlers/AuthorizationRequestHandlerDecorator.java. Such manipulation leads to missing authorization. The attack can be launched remotely. Upgrading to version 1.3.0 is sufficient to re...
CVE-2026-90848	5.3	MEDI		0.003		A weakness has been identified in Governikus AusweisApp up to 2.5.4. Affected is an unknown function of the component StartPAOSResponse Handler. Executing a manipulation of the argument ResultMessage can lead to cross site scripting. The attack can be launched remotely. Upgrading to version 2.5.5 is able to address this issue. It is recommended to upgrade the affected component. This CVE was requested by the vendor.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-91851	5.3	MEDI		0.003		Affected versions of MISP incorrectly filter dashboard templates that are restricted to a specific permission flag. DashboardsController::listTemplates() allowed a template when either: - its restrict_to_permission_flag matched one of the current user's permission flags, or - restrict_to_permission_flag equaled integer 0 However, restrict_to_permission_flag is a varchar. MySQL therefore performed num...
CVE-2026-91857	5.3	MEDI		0.002		Affected versions of MISP expose several state-changing controller actions without restricting them to POST. The affected actions are: - EventReportsController::purgeUnusedPictures() - NoticelistsController::enableNoticelist() - ServersController::removeOrphanedCorrelations() - WorkflowsController::rebuildRedis() The patch adds allowMethod(['post']) to each action, preventing them from being trig...
CVE-2026-91922	5.3	MEDI		0.003		Steedos Platform through 3.0.15-beta.47 contains a reflected cross-site scripting vulnerability in the anonymous /api/page/render endpoint that fails to properly escape query parameters in inline script elements. Attackers can craft malicious links with script-terminating sequences in the schemaApi or data parameters to execute arbitrary JavaScript in victim sessions and steal X-Auth-Token credentials.
CVE-2026-91967	5.3	MEDI		0.003		AVideo through 29.0 contains a blind server-side request forgery vulnerability in the getHeaderContentTypeFromURL function that issues get_headers() calls guarded only by format validation. Authenticated users with canUpload permission can store attacker-chosen URLs as video links, triggering vulnerable function execution on every video watch page render to probe internal hosts using content-type oracles and timin...
CVE-2026-9667	5.3	MEDI		0.003	ibm:websphere_application_server	IBM WebSphere Application Server 9.0, and 8.5 is vulnerable to server-side request forgery (SSRF) that could allow a remote, unauthenticated attacker to cause the server to send outbound requests to arbitrary endpoints.
CVE-2026-87793	5.1	MEDI		0.004		The "Design Scuole Italia" WordPress theme is affected by a Reflected XSS vulnerability in the filters-scheda-didattica.php file, allowing an unauthenticated attacker to execute arbitrary JavaScript in a victim's browser via a crafted URL containing a malicious archive parameter.
CVE-2026-91942	5.1	MEDI		0.002		crawl4ai before 0.9.3 contains a DOM-based cross-site scripting vulnerability in the Docker Playground UI that assigns untrusted crawl results to element.innerHTML. Attackers can craft malicious PDFs with event-handler markup to execute JavaScript in the Playground origin and steal API tokens from sessionStorage for authenticated API abuse.
CVE-2026-92002	5.1	MEDI		0.004		Affected versions of MISP use Redis to throttle repeated authentication-failure log entries. The intent is to avoid excessive duplicate logs while still recording failed authentication activity. However, User->setupRedis() returns false when Redis cannot be reached. The vulnerable _shouldLog() logic only returned true when a Redis instance existed and no throttle key was present. Therefore, when Redis was unavail...
CVE-2026-92234	5.1	MEDI		0.002		QloApps through 1.7.0 reflects unescaped child feature names into back-office validation error messages in the Hotel Reservation System feature management page. Authenticated back-office users who follow a crafted link can execute injected JavaScript in their administrative session via the child_features parameter.
CVE-2026-48737	4.9	MEDI		0.002		pyLoad is a free and open-source download manager written in Python. Prior to 0.5.0b3.dev101, is_global_address in src/pyload/core/utlis/web/check.py relies on Python's global-address classification without examining IPv4 destinations embedded in 6to4 or NAT64 IPv6 addresses. A low-privileged user can submit an IPv6 literal through parse_urls to the pre-resolution is_global_host guard. Because host_to_ip is pinned...
CVE-2026-68785	4.9	MEDI		0.008	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-86472	4.8	MEDI		0.002		fast-uri is a dependency-free RFC 3986 URI parser for Node.js, used by Fastify and ajv. In versions before 2.4.7, from 3.0.0 through 3.1.7, and from 4.0.0 through 4.1.4, fast-uri folds the host to lowercase before it percent-decodes the host, so a percent-encoded uppercase octet such as %41 decodes to a literal A that is never folded. For a scheme-relative reference such as //host there is no scheme, so the host c...
CVE-2026-86818	4.8	MEDI		0.002		fast-uri is a dependency-free RFC 3986 URI parser for Node.js, used by Fastify and ajv, that added a mailto scheme parser in version 4.1.3. In versions 4.1.3 and 4.1.4, the mailto parser compares each query field name to the reserved names to, subject, and body while the name is still percent-encoded, and decodes it only when storing it as a generic header, so a percent-encoded spelling of a reserved field name is...
CVE-2026-58196	4.7	MEDI		0.004		ToolHive is a utility designed to simplify the deployment and management of Model Context Protocol (MCP) servers. Prior to 0.31.0, remote.Handler.Authenticate in pkg/auth/remote/handler.go invokes discovery.DetectAuthenticationFromServer in pkg/auth/discovery/discovery.go, whose host-side HTTP clients trust remote-server-controlled authentication discovery destinations, follow redirects without host or scheme rest...
CVE-2026-87275	4.6	MEDI		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks may significantly impact additional prod...
CVE-2026-55650	4.4	MEDI		0.001		Outerbase Studio is a lightweight browser-based database GUI supporting PostgreSQL, MySQL, and SQLite. In version 0.10.2 and earlier, TextComponent in src/components/chart/index.tsx renders unsanitized Text Widget content through dangerouslySetInnerHTML, allowing injected markup with script-capable event handlers to execute when the widget is displayed. Outerbase Cloud and its backend services were discontinued in...
CVE-2026-87274	4.4	MEDI		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person other than the attacker. Successful atta...
CVE-2026-54503	4.3	MEDI		0.002		plone.app.textfield provides a zope.schema-style field type called RichText for storing a value with a related MIME type. Prior to 2.0.2, 3.0.2, and 4.0.1, depending on the release line, RichTextValue.output returns an unsanitized stored RichText value when mimeType equals outputMimeType, including values that claim the text/x-html-safe output type. This equality shortcut bypasses the safe_html transform even thou...
CVE-2026-83416	4.3	MEDI		0.004		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Coherence. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denial of...
CVE-2026-84655	4.3	MEDI		0.002	jenkins:jenkins	Jenkins 2.579 and earlier, LTS 2.568.2 and earlier does not escape map keys when serializing objects as JSON and Python through its REST API, allowing attackers able to control map property names to inject arbitrary fields into JSON and Python API responses.
CVE-2026-84656	4.3	MEDI		0.002	jenkins:jenkins	A missing permission check in Jenkins 2.579 and earlier, LTS 2.568.2 and earlier allows attackers with Item/Read permission on at least one job to read build parameter names and values of jobs they have no access to.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-59341	4.2	MEDI		0.003		A security vulnerability exists in the Sealed Secrets controller's unauthenticated POST endpoints. By submitting a modified payload containing custom Go template logic in spec.template.data, an attacker with internal network access can abuse the handler as a decryption oracle to recover the full plaintext of any sealed secret. The POST /v1/verify and /v1/rotate handlers call Unseal() to decrypt target secrets, ...
CVE-2026-84657	4.2	MEDI		0.002	jenkins:jenkins	In Jenkins 2.579 and earlier, LTS 2.568.2 and earlier, the build CLI command does not check the Item/Cancel permission when using the -s flag to cancel a build triggered to wait for completion, allowing attackers with Item/Build permission to cancel builds started by other users.
CVE-2026-87280	4.2	MEDI		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person other than the attacker. Successful attac...
CVE-2026-84653	3.5	LOW		0.002	jenkins:jenkins	Jenkins 2.421 through 2.579 (both inclusive), LTS 2.426.1 through 2.568.2 (both inclusive) does not correctly perform permission checks in the Appearance configuration page, allowing attackers with Overall/Manage permission to modify Appearance configuration options they should not have access to.
CVE-2026-28582	3.3	LOW		0.001	google:android	In onCreate of ConfirmDeviceCredentialActivity.java, there is a possible unauthorized access to and modification of device credentials due to a missing permission check. This could lead to local information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28622	3.3	LOW		0.001	google:android	In getQueryBuilderInternal of MediaProvider.java, there is a possible way to retrieve location metadata due to a permissions bypass. This could lead to local information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28623	3.3	LOW		0.001	google:android	In writeToParcel of BleRssiRangingCapabilities.java, there is a possible way to obtain the Bluetooth MAC address due to a missing permission check. This could lead to local information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28638	3.3	LOW		0.001	google:android	In multiple functions of XmpDataParser.java, there is a possible improper data sanitization due to a logic error in the code. This could lead to local information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-87281	3.2	LOW		0.002		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks may significantly impact additional prod...
CVE-2026-87284	3.2	LOW		0.001		Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks may significantly impact additional prod...
CVE-2026-28652	3.1	LOW		0.002	google:android	In multiple functions of RangingServiceImpl.java, there is a possible MITM due to a missing permission check. This could lead to remote information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-83369	3.1	LOW		0.002		Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Access SDK). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denial of servi...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-44778	2.9	LOW		0.005		Inspektor Gadget is a set of tools and framework for data collection and system inspection on Kubernetes clusters and Linux hosts using eBPF. From 0.28.0 until 0.53.1, the USDT note parser in pkg/uprobtetracer/usdt.go can allow an unprivileged container to crash or exhaust the memory of the privileged Inspektor Gadget process when a custom gadget containing a SEC("usdt/...") eBPF section attaches to a crafted ELF b...
CVE-2026-54450	2.9	LOW		0.003		ToolHive is a utility designed to simplify the deployment and management of Model Context Protocol (MCP) servers. Prior to 0.29.1, networking.IsPrivateIP in pkg/networking/utilities.go omits the IPv6 NAT64 prefixes 64:ff9b::/96 and 64:ff9b:1::/48, so NAT64 addresses embedding private, loopback, or link-local IPv4 targets are classified as public and allowed. The most direct attacker-controlled path begins when an ...
CVE-2026-83414	2.5	LOW		0.001		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). The supported version that is affected is 15.1.1.0.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Coherence executes to compromise Oracle Coherence. Successful attacks of this vulnerability can result in unauthorized read access to a subset of Oracle C...
CVE-2026-63020	2.3	LOW		0.002	f5:big-ip_access_policy_manager, f5:big-ip_advanced_firewall_manage r, f5:big-ip_advanced_web_applicati on_firewall, f5:bi	A vulnerability exists in an undisclosed BIG-IP Configuration utility page that may allow an attacker to spoof error messages Impact: An attacker may trick authenticated BIG-IP users into accessing malicious links and reflect a spoofed error message in the victim's BIG-IP Configuration utility web browser session. This is a control plane issue; there is no data plane exposure. Note: Software versio...
CVE-2026-81925	2.1	LOW		0.004		Concrete CMS before 9.5.3 improperly neutralized a user-supplied custom date format when rendering conversation messages, resulting in reflected cross-site scripting. An attacker could execute arbitrary JavaScript in the browser of a user who was tricked into submitting a crafted POST request to the conversation view endpoint. Exploitation was aided by the absence of a CSRF token on the endpoint, which allowed the...
CVE-2026-90488	2.1	LOW		0.002		A vulnerability was determined in Xuxueli xxl-job up to 3.4.2. This affects the function GroovyClassLoader.parseClass of the file xxl-job-core/src/main/java/com/xxl/job/core/glue/GlueFactory.java. This manipulation causes code injection. Remote exploitation of the attack is possible. The exploit has been publicly disclosed and may be utilized. The vendor was contacted early about this disclosure but did not respon...
CVE-2026-90595	2.1	LOW		0.002		A security flaw has been discovered in wxiaoqi Spring-Cloud-Platform 1.0/2.2/3.0. This issue affects the function OnlineController.getOnlineInfo of the file aceModules/ace-admin/auth/controller/OnlineController.java. The manipulation results in missing authorization. The attack can be executed remotely. The exploit has been released to the public and may be used for attacks. The project was informed of the problem...
CVE-2026-81926	2.0	LOW		0.003		Concrete CMS 9.4.0 through 9.5.2 did not escape colliding page paths before rendering them in the location panel's duplicate-path confirmation dialog. The panel's check endpoint returned the submitted path unmodified in its JSON response, and client-side JavaScript inserted each value into the dialog as raw HTML, so a crafted page path executed script in the editor's authenticated browser session. The Concrete CMS...
CVE-2026-90835	2.0	LOW		0.002		A flaw has been found in michaeliao itranswarp up to 2.19. The impacted element is the function Markdown.toHtml of the file Markdown.java of the component Page Content Rendering. This manipulation causes cross site scripting. The attack may be initiated remotely. The exploit has been published and may be used. The project was informed of the problem early through an issue report but has not responded yet. This vu...
CVE-2026-83413	1.9	LOW		0.001		Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Difficult to exploit vulnerability allows high privileged attacker with logon to the infrastructure where Oracle Coherence executes to compromise Oracle Coherence. Successful attacks of this vulnerability can result in unauthori...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-90622	1.9	LOW		0.002		A security flaw has been discovered in GNU libredwg 0.13.4. This impacts the function DWG_TABLE of the file src/dwg.spec of the component Layer Encoding. Performing a manipulation results in null pointer dereference. The attack needs to be approached locally. The exploit has been released to the public and may be used for attacks. Upgrading to version 0.14 will fix this issue. The patch is named f5b548c4c1697d66c3...
CVE-2026-81927	1.8	LOW		0.003		Concrete CMS before 9.5.3 contained a stored cross-site scripting vulnerability in SVG file handling. When SVG processing was set to the non-default "Reject files containing potentially harmful elements" mode (concrete.file_manager.images.svg_sanitization.action = reject), uploaded SVGs were checked only against a small built-in blocklist covering the script element and on* event-handler attributes; the broader en...
CVE-2026-91842	1.2	LOW		0.004		A vulnerability has been found in OpenBankProject OBP-API up to 1.10.1. This impacts the function Kryolnjection.invert of the file obp-api/src/main/scala/code/api/cache/Redis.scala of the component Kryoln Handler. Such manipulation leads to deserialization. The attack can be launched remotely. A high complexity level is associated with this attack. The exploitability is said to be difficult. The exploit has been dis...
CVE-2026-91835	0.9	LOW		0.001		A vulnerability was detected in OpenClaw ClawScan up to 0.1.6. The impacted element is the function IsBinaryFile of the file internal/runner/static_scanner.go of the component File Classifier. The manipulation results in interpretation conflict. Attacking locally is a requirement. The exploit is now public and may be used. Upgrading to version 0.1.7 is sufficient to resolve this issue. The patch is identified as 0...
CVE-2026-91836	0.9	LOW		0.003		A flaw has been found in OpenClaw ClawScan up to 0.1.6. This affects an unknown function of the file internal/runner/static_scanner.go of the component Static Scanner. This manipulation causes incomplete comparison with missing factors. It is possible to launch the attack on the local host. The exploit has been published and may be used. Upgrading to version 0.1.7 mitigates this issue. Patch name: 9f6a6fbb9f113734...
CVE-2026-11921				0.001		IBM Verify Identity Access containers may not apply management password change operations correctly.
CVE-2026-11927				0.002		IBM Security Verify Identity Access reverse proxy may allow parameters to be injected in requests to third party services.
CVE-2026-11928				0.001		IBM Verify Identity Access is vulnerable to a buffer overflow attack.
CVE-2026-12101				0.001		IBM Verify Identity Access could allow an administrator to execute additional commands they are not entitled to due to improper validation of user supplied requests.
CVE-2026-13327				0.001		Improper certificate validation on LDAPS connections to Active Directory in Devolutions Server 2026.2.16 and earlier allows a network-positioned attacker to intercept privileged directory service credentials via a spoofed domain controller certificate.
CVE-2026-39039				0.002		In BharatMLStack up to and including v1.3.0, Trufflebox UI stores the JWT authentication token, full user object, and session ID in the browser's localStorage, which is fully accessible to any JavaScript running on the page.
CVE-2026-55630	0.0	NONE		0.003		Kiwi TCMS is an open source test management system. Prior to 16.1, TestCase.extra_link and TestPlan.extra_link accepted unsanitized user input and rendered stored values verbatim, creating an opportunity for cross-site scripting. Official Docker images and unmodified Kiwi TCMS middleware send a Content-Security-Policy header that blocks inline JavaScript, making exploitation difficult in default deployments, while...
CVE-2026-88620				0.002		SmartAdmin API Java17 SpringBoot3 version 3.30.0 contains an improper authorization vulnerability in the /employee/queryAll endpoint. The endpoint does not enforce the required function-level permission or data-scope authorization, allowing an authenticated low-privileged employee to retrieve employee records belonging to other departments and users

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-90971				0.001		Server-Side Request Forgery (SSRF) in the VMware synchronization feature in Devolutions Server 2026.2.16 and earlier allows a low-privileged authenticated user to obtain other users' credentials and reach internal or cloud-metadata network endpoints via a crafted connection definition submitted for datacenter discovery.
CVE-2026-92021				0.002		Use-after-free in the JavaScript Engine: JIT component. This vulnerability was fixed in Firefox ESR 140.16 and Thunderbird 140.16.
CVE-2026-92040				0.002		Use-after-free in the JavaScript: WebAssembly component. This vulnerability was fixed in Firefox 156 and Thunderbird 156.

P3/P4 items (1776) are in the Excel report. Unscored CVEs are newly published and awaiting NVD analysis; re-check tomorrow's report.