

# Daily Vulnerability Report - 2026-09-07

Window (UTC): 2026-09-07T00:00 to 2026-09-08T00:00 | Sources: NVD, CISA KEV, EPSS, Vulnrichment, GHSA, OSV | Generated 2026-09-17 09:44:53 UTC

| Total | New | Updated | KEV | Critical | High | Medium | Unscored | Watchlist | Packages |
|-------|-----|---------|-----|----------|------|--------|----------|-----------|----------|
| 318   | 286 | 32      | 18  | 20       | 84   | 125    | 46       | 11        | 1        |

## P1 - Act now (KEV / high EPSS)

| ID                                                            | CVSS | Sev  | KEV | EPSS  | Vendor / Product / Package                                                                         | Description                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------------------------------------------------|------|------|-----|-------|----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">CVE-2026-75650</a><br><small>New</small>          | 10.0 | CRIT | Yes | 0.021 | adobe:commerce,<br>adobe:commerce_b2b,<br>adobe:magento                                            | Adobe Commerce is affected by an Improper Neutralization of Special Elements Used in a Template Engine vulnerability that could result in arbitrary code execution in the context of the current user. An attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue does not require user interaction. Scope is changed.                             |
| <a href="#">CVE-2026-58704</a><br><small>Added to KEV</small> | 8.8  | HIGH | Yes | 0.001 | google:pixel                                                                                       | Google Pixel devices contain an improper authorization vulnerability in the cellular modem. A logic error may allow an attacker to bypass permission checks and escalate privileges.                                                                                                                                                                                                       |
| <a href="#">CVE-2026-87491</a><br><small>Added to KEV</small> | 8.8  | HIGH | Yes | 0.01  | google:chromium v8                                                                                 | Google Chromium V8 contains an out of bounds write vulnerability that allows a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. This vulnerability could affect multiple web browsers that utilize Chromium, including, but not limited to, Google Chrome, Microsoft Edge, and Opera.                                                                 |
| <a href="#">CVE-2025-25249</a><br><small>Added to KEV</small> |      |      | Yes | 0.024 | fortinet:multiple products                                                                         | Fortinet FortiOS, FortiSwitchManager, and FortiSASE contain a heap-based buffer overflow vulnerability that allows an attacker to execute unauthorized code or commands via specially crafted packets.                                                                                                                                                                                     |
| <a href="#">CVE-2026-19490</a><br><small>Added to KEV</small> |      |      | Yes | 0.056 | citrix:netscaler                                                                                   | Citrix NetScaler ADC and NetScaler Gateway contain an authentication-bypass vulnerability involving an alternate path or channel. When the NetScaler appliance is configured as an AAA virtual server or as a Gateway (SSL VPN, ICA Proxy, CVPN, or RDP Proxy), an unauthenticated remote threat actor may be able to bypass authentication.                                               |
| <a href="#">CVE-2026-20079</a><br><small>Added to KEV</small> |      |      | Yes | 0.758 | cisco:secure firewall management center (fmc) and security cloud control (scc) firewall management | Cisco Secure Firewall Management Center (FMC) Software and Cisco Security Cloud Control (SCC) Firewall Management contain an authentication Bypass using an alternate path or channel vulnerability that could allow an unauthenticated, remote attacker to bypass authentication and execute script files on an affected device to obtain root access to the underlying operating system. |
| <a href="#">CVE-2026-42016</a><br><small>Added to KEV</small> |      |      | Yes | 0.009 | jfrog:artifactory                                                                                  | JFrog Artifactory contains an incorrect authorization vulnerability that leads to a privilege escalation attack due to a validation check of the token signature/issuer and not the token's scope.                                                                                                                                                                                         |
| <a href="#">CVE-2026-42018</a><br><small>Added to KEV</small> |      |      | Yes | 0.009 | jfrog:artifactory                                                                                  | JFrog Artifactory contains an improper authentication vulnerability that could return an internal anonymous-user token to an unauthenticated caller when anonymous access is disabled, potentially exposing sensitive resources.                                                                                                                                                           |
| <a href="#">CVE-2026-67277</a><br><small>Added to KEV</small> |      |      | Yes | 0.009 | mikrotik:routeros                                                                                  | MikroTik RouterOS contains a missing authentication for critical function vulnerability which allows kernel memory disclosure and denial of service in the btest service.                                                                                                                                                                                                                  |
| <a href="#">CVE-2026-76460</a><br><small>Added to KEV</small> |      |      | Yes |       | cisco:identity services engine                                                                     | Cisco Identity Services Engine (ISE) and Cisco ISE Passive Identity Connector (ISE-PIC) contain an incorrect use of privileged APIs vulnerability that could allow an unauthenticated, remote attacker to gain unauthorized access to the affected device by bypassing the web-based management interface.                                                                                 |

| ID                                             | CVSS | Sev | KEV | EPSS  | Vendor / Product / Package                      | Description                                                                                                                                                                                                                                                   |
|------------------------------------------------|------|-----|-----|-------|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">CVE-2026-76461</a><br>Added to KEV |      |     | Yes | 0.02  | cisco:secure email gateway                      | Cisco AsyncOS software for Cisco Secure Email Gateway (SEG) contains a SQL injection vulnerability that could allow an unauthenticated, remote attacker to execute arbitrary commands with root privileges on the underlying operating system.                |
| <a href="#">CVE-2026-81963</a><br>Added to KEV |      |     | Yes | 0.006 | microsoft:windows                               | Microsoft Windows Update Stack contains a link following vulnerability that allows a local attacker to escalate privileges locally up to SYSTEM.                                                                                                              |
| <a href="#">CVE-2026-84869</a><br>Added to KEV |      |     | Yes | 0.007 | connectwise:screenconnect                       | ConnectWise ScreenConnect contains both an improper privilege management and missing authorization vulnerability that may allow an attacker to transfer and execute files through an active remote session without authorization or host confirmation.        |
| <a href="#">CVE-2026-85706</a><br>Added to KEV |      |     | Yes | 0.12  | gitlab:community edition and enterprise edition | GitLab Community Edition and Enterprise Edition contains a path traversal vulnerability that allows an unauthenticated user to read arbitrary files due to an improper path confinement and missing authentication enforcement in the repository commits API. |
| <a href="#">CVE-2026-85880</a><br>Added to KEV |      |     | Yes | 0.006 | microsoft:windows                               | Microsoft Windows Advanced Local Procedure Call contains a heap-based buffer overflow vulnerability that allows an attacker to elevate privileges locally.                                                                                                    |
| <a href="#">CVE-2026-86060</a><br>Added to KEV |      |     | Yes | 0.011 | mikrotik:routeros                               | MikroTik RouterOS contains an improper neutralization of argument delimiters in a command vulnerability which allows an attacker to change the trusted RouterOS policy mask, leading to privilege escalation.                                                 |
| <a href="#">CVE-2026-86218</a><br>Added to KEV |      |     | Yes | 0.007 | n-able:n-central                                | N-able N-central contains a static code injection vulnerability that could allow for pre-authentication remote code execution.                                                                                                                                |
| <a href="#">CVE-2026-87886</a><br>Added to KEV |      |     | Yes |       | acronis:backup                                  | Acronis Backup plugin for cPanel & WHM and extension for Plesk contains an incorrect default permissions vulnerability that could allow for privilege escalation.                                                                                             |

## P2 - High (CVSS >= 9.0 or 7.0+ with EPSS >= 0.10)

| ID                                             | CVSS | Sev  | KEV | EPSS  | Vendor / Product / Package | Description                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------|------|------|-----|-------|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">CVE-2026-11613</a><br>Newly scored | 9.8  | CRIT |     | 0.005 |                            | The Divi Ajax Filter plugin for WordPress is vulnerable to Local File Inclusion in all versions up to, and including, 5.1.2 via the 'custom_loop_template' parameter parameter. This makes it possible for unauthenticated attackers to include and execute arbitrary .php files on the server, allowing the execution of any PHP code in those files. This can be used to bypass access controls, obtain sensitive data, or achi... |
| <a href="#">CVE-2026-18922</a><br>New          | 9.8  | CRIT |     | 0.006 |                            | A flaw was found in 389 Directory Server. During SASL PLAIN authentication, a stale identity carried in a Cyrus SASL auxiliary property from a prior failed bind attempt can be installed on a connection following a subsequent, unrelated successful bind, regardless of which SASL mechanism completes that second bind. An attacker can send a SASL PLAIN bind as cn=Directory Manager with an incorrect password, then compl... |
| <a href="#">CVE-2026-76578</a><br>New          | 9.8  | CRIT |     | 0.005 |                            | A flaw was found in FreeIPA. The self-managed OTP token ACI does not require authentication and does not restrict which attributes may be added alongside the token entry. An unauthenticated LDAP client can exploit this, combined with a related flaw in the underlying directory server's ACI evaluation (tracked separately), to create an arbitrary attacker-controlled Kerberos principal and have it added to the adminis... |
| <a href="#">CVE-2026-7861</a><br>New           | 9.8  | CRIT |     | 0.003 |                            | Deserialization of untrusted data vulnerability in Next4Biz Information Technologies Inc. CSM (Customer Service Management) allows Code Injection. This issue affects CSM (Customer Service Management): before 8.0.3.                                                                                                                                                                                                               |

| ID                                             | CVSS | Sev  | KEV | EPSS  | Vendor / Product / Package  | Description                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------|------|------|-----|-------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">CVE-2026-80129</a><br>New          | 9.8  | CRIT |     | 0.004 | dell:secure_connect_gateway | Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal') vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to remote execution.                                                                                   |
| <a href="#">CVE-2026-80131</a><br>New          | 9.8  | CRIT |     | 0.005 | dell:secure_connect_gateway | Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal') vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to remote execution.                                                                                   |
| <a href="#">CVE-2026-84238</a><br>Newly scored | 9.8  | CRIT |     | 0.003 |                             | Unauthenticated Broken Access Control in YITH Request a Quote for WooCommerce Premium < 4.46.0 versions.                                                                                                                                                                                                                                                                                                                             |
| <a href="#">CVE-2026-84834</a><br>Newly scored | 9.8  | CRIT |     | 0.003 |                             | Unauthenticated PHP Object Injection in JobSearch <= 3.2.0 versions.                                                                                                                                                                                                                                                                                                                                                                 |
| <a href="#">CVE-2026-86478</a><br>New          | 9.8  | CRIT |     | 0.004 |                             | In JetBrains YouTrack before 2025.3.161254, 2026.1.14042 improper authentication in YouTrack Helpdesk allowed unauthenticated account takeover via a self-asserted email address                                                                                                                                                                                                                                                     |
| <a href="#">CVE-2026-86480</a><br>New          | 9.8  | CRIT |     | 0.003 |                             | In JetBrains Hub before 2026.2.52442 an unauthenticated attacker could register a trusted service and gain superuser privileges                                                                                                                                                                                                                                                                                                      |
| <a href="#">CVE-2026-61410</a><br>New          | 9.4  | CRIT |     | 0.013 | dell:secure_connect_gateway | Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains a Missing Authorization vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to remote execution. This vulnerability is considered critical because it allows an attacker to execute commands remotely on a target system by sending a spe... |
| <a href="#">CVE-2026-6223</a><br>New           | 9.4  | CRIT |     | 0.004 |                             | Improper restriction of excessive authentication attempts vulnerability in Bahçelievler Municipality BiHayat App allows Authentication Bypass. This issue affects BiHayat App: from 2.1.7 through 07092026. NOTE: The vendor was contacted early about this disclosure but did not respond in any way.                                                                                                                               |
| <a href="#">CVE-2026-16876</a><br>New          | 9.3  | CRIT |     | 0.003 |                             | An authentication bypass vulnerability exists in the WebGUI of Series UNIVERGE IX-R/IX-V. A user could bypass authentication and execute arbitrary CLI commands by tampering with WebGUI messages and sending them to the device via internet.                                                                                                                                                                                       |
| <a href="#">CVE-2026-80238</a><br>New          | 9.3  | CRIT |     | 0.001 | dell:secure_connect_gateway | Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Execution with Unnecessary Privileges vulnerability. An unauthenticated attacker with local access could potentially exploit this vulnerability, leading to Protection mechanism bypass. This vulnerability is considered critical because a low-privileged operator with SSH access to the SCG host c... |
| <a href="#">CVE-2026-86296</a><br>New          | 9.3  | CRIT |     | 0.013 |                             | A vulnerability was determined in D-Link DIR-822A A_101. This vulnerability affects the function strcpy of the file udhcpd/serverpacket.c of the component udhcpd. This manipulation causes stack-based buffer overflow. The attack is possible to be carried out remotely. The exploit has been publicly disclosed and may be utilized.                                                                                             |
| <a href="#">CVE-2026-86543</a><br>New          | 9.3  | CRIT |     | 0.004 |                             | knowns versions before 0.30.0 serve the management API without authentication on all network interfaces by default, with no password required on fresh installations. Attackers can access the unauthenticated /api/tunnel/start endpoint to provision a public tunnel and republish the API at a publicly accessible address.                                                                                                       |
| <a href="#">CVE-2026-86426</a><br>New          | 9.2  | CRIT |     | 0.014 |                             | LibreNMS before 26.8.0 contains an authentication bypass vulnerability in the REST API that allows unauthenticated attackers to access protected endpoints by sending numeric values instead of string tokens. Attackers can exploit MySQL type coercion by sending small integers like 0 through 9 to match token hashes, gaining access to API functionality including device credentials and administrative features that enab... |

| ID                                    | CVSS | Sev  | KEV | EPSS  | Vendor / Product / Package  | Description                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------|------|------|-----|-------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">CVE-2026-80164</a><br>New | 9.1  | CRIT |     | 0.002 | dell:secure_connect_gateway | Dell SCG 5.0 Appliance versions prior to 5.36.00.16 and Dell SCG 5.0 Application versions prior to 5.36.00.00, contains an Improper Certificate Validation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to unauthorized access.                                                                                                                             |
| <a href="#">CVE-2026-86419</a><br>New | 9.1  | CRIT |     | 0.002 | misp-project:misp           | Affected versions of MISP contain insufficient validation of server-side outbound HTTP destinations in feed retrieval and TAXII discovery functionality. In feed processing, redirects were followed without validating the redirect scheme or destination. The original request headers were reused across redirect hops, meaning authentication headers or API credentials configured for a feed could be forwarded to a diff... |

## Watchlist matches (other priorities)

| ID                                         | CVSS | Sev  | KEV | EPSS  | Vendor / Product / Package | Description                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------|------|------|-----|-------|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">CVE-2026-86332</a><br>New      | 6.5  | MEDI |     | 0.002 |                            | A flaw was found in odh-dashboard in Red Hat OpenShift AI. The backend-for-frontend route GET /api/nim-serving/:nimResource reads Kubernetes Secrets using the dashboard service account and returns the full Secret object, including .data, without an authorization check. Any authenticated dashboard user can retrieve the cluster NVIDIA NGC API key Secret (apiKeySecret) and the NIM image pull secret (nimPullSecret). C... |
| <a href="#">CVE-2026-86503</a><br>New      | 3.3  | LOW  |     | 0.001 |                            | In JetBrains IntelliJ IDEA before 2026.2.2 opening an untrusted project could trigger SSRF via Kubernetes spec-source URL fetching                                                                                                                                                                                                                                                                                                   |
| <a href="#">GHSA-c6m6-wr2f-6f63</a><br>New |      |      |     |       | npm:oscar-redis            | --- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (4c988ef2dab3264cefcab98e4aae196d6c45b5555b22641e5862d89bde83815b) The package was found to contain malicious code or consuming dependency that contains malicious code ## Source: ghsa-malware (3f49e49ca1c452b8174beb6fde58222d8eeff2d24b020f2d9291c46848f72fd6) Any computer that has this package installed or running should be c...    |
| <a href="#">GHSA-v9rh-vg7p-gwqm</a><br>New |      |      |     |       | npm:redis-type-intel       | --- _-= Per source details. Do not edit below this line.=-_ ## Source: amazon-inspector (0b6f84d412afce72584ec95c5e2595987bf307b67540da51870c8a3a22b05952) The package was found to contain malicious code or consuming dependency that contains malicious code ## Source: ghsa-malware (ed65988a4ac24440d372ee9ed85040bfa2f110284ec4730a384028f4f8919774) Any computer that has this package installed or running should be c...    |

P3/P4 items (281) are in the Excel report. Unscored CVEs are newly published and awaiting NVD analysis; re-check tomorrow's report.