

Daily Vulnerability Report - 2026-09-16

Window (UTC): 2026-09-15T11:01 to 2026-09-16T11:01 | Sources: NVD, CISA KEV, FIRST EPSS | Generated 2026-09-16 11:02:38 UTC

Total	KEV (exploited)	Critical	High	Medium	Low	Unscored	Watchlist
2390	2	228	1103	571	129	358	1072

P1 - Act now (KEV / high EPSS)

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-65400	9.8	CRIT	Yes	0.105	apple:macos	An authentication issue was addressed with improved state management. This issue is fixed in macOS Golden Gate 27, macOS Sequoia 15.7.9, macOS Sonoma 14.8.9, macOS Tahoe 26.6.1, macOS Tahoe 26.7. An attacker on the network may be able to authenticate to Screen Sharing without valid credentials.
CVE-2026-76461	9.8	CRIT	Yes	0.022	cisco:asyncos, cisco:secure_email_gateway_c195, cisco:secure_email_gateway_c395, cisco:secure_email_gateway_c695, cisco:	A vulnerability in the email parsing of Cisco AsyncOS Software for Cisco Secure Email Gateway could allow an unauthenticated, remote attacker to execute arbitrary commands with root privileges on the underlying operating system. This vulnerability is due to insufficient validation in the email parsing logic. An attacker could exploit this vulnerability by sending a crafted email message that contains malicious ...

P2 - High (CVSS >= 9.0 or 7.0+ with EPSS >= 0.10)

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-53710	10.0	CRIT				MCP Context Forge is an AI gateway, registry, and proxy for MCP, A2A, REST, and gRPC APIs. Prior to 1.0.2, the python_sandbox_server in mcp-servers/python/python_sandbox_server/src/python_sandbox_server/server_fastmcp.py exposes raw getattr through safe_builtins, omits a required _getattr_guard, and relies on validate_code checks for literal dangerous dunder strings. An attacker can construct dunder names at runt...
CVE-2026-59971	10.0	CRIT				MySQL MCP Server is a Model Context Protocol server that enables secure interaction with MySQL databases. Prior to 0.4.2, setting MCP_TRANSPORT=sse causes src/mysql_mcp_server/server.py to construct SseServerTransport without security_settings or enable_dns_rebinding_protection, while the Starlette routes /, /sse, and /messages/ have no authentication and the service binds to 0.0.0.0 by default. A network attacker...
CVE-2026-71133	10.0	CRIT				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pro...
CVE-2026-83020	10.0	CRIT				Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Platform Security for Java. While the vulnerability is in Oracle Platform Security for Java, attac...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83021	10.0	CRIT				Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Web Container). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebLogic Server. While the vulnerability is in Oracle WebLogic Server, attacks may significantly impact additio...
CVE-2026-83059	10.0	CRIT				Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, attacks may significantly impact addition...
CVE-2026-83099	10.0	CRIT				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly impact additional products (scope chang...
CVE-2026-87230	10.0	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact ad...
CVE-2026-45579	9.9	CRIT				DIRAC is an interware, meaning a software framework for distributed computing. Prior to versions 8.0.79, 9.0.22, and 9.1.10, the RequestManagementSystem/Service/ReqManagerHandler.py export_getRequestCountersWeb function passes an authenticated caller-controlled groupingAttribute to RequestManagementSystem/DB/RequestDB.py getRequestCountersWeb. An unrecognized value is resolved against the Request object and evalua...
CVE-2026-57138	9.9	CRIT		0.007		PraisonAI is a multi-agent teams system. From 1.4.0 until 1.7.2, codeMode in src/praisonai-ts/src/tools/builtins/code-mode.ts executes untrusted JavaScript with new Function() inside with(sandbox) and relies on a small source-code blacklist plus shadowed process and require properties. Code can use ({}).constructor.constructor to recover the real Function constructor, obtain process and process.mainModule.require,...
CVE-2026-61667	9.9	CRIT				DIRAC is an interware, meaning a software framework for distributed computing. Prior to versions 8.0.79, 9.0.22, and 9.1.10, DataManagementSystem/Service/FileCatalogHandler.py checkDataset forwards an authenticated caller-controlled datasets value to DatasetManager.py __checkDataset, where datasetName is interpolated into an FC_MetaDatasets SQL query without parameterization. The injected query can control the ret...
CVE-2026-71163	9.9	CRIT				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional prod...
CVE-2026-73945	9.9	CRIT				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional prod...
CVE-2026-73948	9.9	CRIT				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional products (s...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-76669	9.9	CRIT				Privilege escalation vulnerabilities exist in the API of HPE Networking EdgeConnect SD-WAN Orchestrator. Successful exploitation could allow a remote low-privileged authenticated user to escalate their privileges to those of an administrative user, leading to complete system compromise.
CVE-2026-76670	9.9	CRIT				Privilege escalation vulnerabilities exist in the API of HPE Networking EdgeConnect SD-WAN Orchestrator. Successful exploitation could allow a remote low-privileged authenticated user to escalate their privileges to those of an administrative user, leading to complete system compromise.
CVE-2026-76672	9.9	CRIT				A vulnerability exists in the SD-WAN Orchestrator that may lead to the exposure of sensitive configuration information. An authenticated remote attacker with read-only privileges could exploit this vulnerability by sending a specially crafted request to the cache synchronization endpoint. Successful exploitation could result in the disclosure of sensitive third-party API tokens and credentials, potentially enablin...
CVE-2026-82997	9.9	CRIT				Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Service Delivery Platform. While the vulnerability is in Service Delivery Platform, attacks may significantly impact add...
CVE-2026-82998	9.9	CRIT				Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Service Delivery Platform. While the vulnerability is in Service Delivery Platform, attacks may significantly impact add...
CVE-2026-82999	9.9	CRIT				Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Service Delivery Platform. While the vulnerability is in Service Delivery Platform, attacks may significantly impact additio...
CVE-2026-83031	9.9	CRIT				Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Sites. While the vulnerability is in Oracle WebCenter Sites, attacks may significantly impact additional product...
CVE-2026-83038	9.9	CRIT				Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: TopLink Integration). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebLogic Server. While the vulnerability is in Oracle WebLogic Server, attacks may significant...
CVE-2026-83039	9.9	CRIT				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional products (s...
CVE-2026-83055	9.9	CRIT				Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, attacks may significantly impact additiona...
CVE-2026-83056	9.9	CRIT				Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, attacks may significantly impact additiona...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83057	9.9	CRIT				Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, attacks may significantly impact additiona...
CVE-2026-83058	9.9	CRIT				Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle Internet Directory. While the vulnerability is in Oracle Internet Directory, attacks may significantly impact additiona...
CVE-2026-83282	9.9	CRIT				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerability is in Oracle Business Intelligence Enterprise Editi...
CVE-2026-87172	9.9	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact add...
CVE-2019-7105	9.8	CRIT		0.083	adobe:xd, apple:macos	Adobe XD versions 16.0 and earlier have a path traversal vulnerability. Successful exploitation could lead to arbitrary code execution.
CVE-2019-7106	9.8	CRIT		0.083	adobe:xd, apple:macos	Adobe XD versions 16.0 and earlier have a path traversal vulnerability. Successful exploitation could lead to arbitrary code execution.
CVE-2026-12351	9.8	CRIT				IBM MQ 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 LTS, and 10.0.0.0 could allow a remote attacker to execute arbitrary code due to unsafe JNDI lookup processing when the IVT application is deployed.
CVE-2026-12793	9.8	CRIT				The JetFormBuilder — Dynamic Blocks Form Builder plugin for WordPress is vulnerable to Privilege Escalation in all versions up to, and including, 3.6.2. This is due to the plugin not validating that a submitted form ID belongs to a JetFormBuilder form before parsing the referenced post's content as form schema and executing an Advanced Validation server-side callback. This makes it possible for unauthenticated att...
CVE-2026-14349	9.8	CRIT				The TrueBooker – Appointment Booking and Scheduler System plugin for WordPress is vulnerable to authorization bypass in all versions up to, and including, 1.2.3. This is due to the plugin not properly verifying that a user is authorized to perform an action. This makes it possible for unauthenticated attackers to modify the email address of arbitrary user accounts, including administrators, which can be leveraged ...
CVE-2026-19773	9.8	CRIT				libwebsockets HTTP/2 HPACK Path Header Parsing Out-Of-Bounds Write Remote Code Execution Vulnerability. This vulnerability allows remote attackers to execute arbitrary code on affected installations of libwebsockets. Authentication is not required to exploit this vulnerability. The specific flaw exists within the parsing of HTTP/2 HPACK path header. The issue results from the lack of proper validation of user-sup...
CVE-2026-20274	9.8	CRIT		0.007		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20274 are related to improper resource control issues that are grouped under th...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-20279	9.8	CRIT		0.003		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20279 are related to improper access control issues that are grouped under the ...
CVE-2026-20353	9.8	CRIT		0.004		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco Secure Email Gateway and Cisco Secure Email and Web Manager engineering team has conducted a comprehensive internal security review. This review resulted in software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20353 are related to issues with impr...
CVE-2026-27546	9.8	CRIT				An unauthenticated remote attacker can exploit an authentication bypass in the _account_log function to log in as an admin, even when accounts are properly configured.
CVE-2026-27565	9.8	CRIT				An unauthenticated remote attacker can upload a malicious IODD file that places and executes a shell script with root privileges. The shell script remains active even after a reboot.
CVE-2026-28606	9.8	CRIT		0.003	google:android	In handleBondStateChanged of AdapterService.java, there is a possible way to skip pairing due to a logic error in the code. This could lead to remote escalation of privilege without user consent with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-42010	9.8	CRIT		0.011	gnu:gnutls, redhat:enterprise_linux, redhat:hardened_images, redhat:openshift_container_platform	A flaw was found in gnutls. Servers configured with RSA-PSK (Rivest–Shamir–Adleman – Pre-Shared Key) wrongfully matched usernames containing a NUL character with truncated usernames. A remote attacker could exploit this by sending a specially crafted username, leading to an authentication bypass. This vulnerability allows an attacker to gain unauthorized access by circumventing the authentication process.
CVE-2026-52098	9.8	CRIT		0.008	flowiseai:flowise	An issue in Flowise 3.1.2 allows a remote attacker to execute arbitrary code via the /api/v1/prediction/<flowId> endpoint
CVE-2026-52924	9.8	CRIT		0.004	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: sctp: purge outqueue on stale COOKIE-ECHO handling sctp_stream_update() is only invoked when the association is moved into COOKIE_WAIT during association setup/reconfiguration. In this path, the outbound stream scheduler state (stream->out_curr) is expected to be clean, since no user data should have been transmitted yet unless the state machine...
CVE-2026-54333	9.8	CRIT		0.004		UEFI Firmware Parser parses BIOS, Intel ME, and UEFI firmware structures including volumes, file systems, and files. Prior to 1.14, MakeTable() in uefi_firmware/compression/Tiano/Decompress.c does not validate that bit-length values read from a crafted Tiano or EFI compressed firmware bitstream remain within the expected range from 0 through 16. The normal CompressedSection.process() to efi_compressor.TianoDecompr...
CVE-2026-54337	9.8	CRIT				Fireshare facilitates self-hosted media and link sharing. Prior to version 1.6.14, an argument Injection in the video upload function allows unauthenticated attacker to write/overwrite system files. Version 1.6.14 fixes the issue.
CVE-2026-55211	9.8	CRIT				Surfio is a library for reading and writing surface files. Prior to 0.0.19, surfio does not correctly validate size fields in IRAP files, leading to a buffer overflow when untrusted files are parsed. The severity assumes surfio is used to parse untrusted files in a networking context such as a web service. This issue is fixed in version 0.0.19.
CVE-2026-57123	9.8	CRIT		0.005		PraisonAI is a multi-agent teams system. Prior to praisonaiagents 1.6.59, ToolsMCPServer.run_sse and launch_tools_mcp_server bind to 0.0.0.0 and create /sse and /messages/ routes without invoking the available SecurityConfig authentication, origin-validation, or DNS-rebinding controls. Any reachable client can list and invoke registered tools, and a browser can target a local instance through DNS rebinding, with i...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-57124	9.8	CRIT		0.006		PraisonAI is a multi-agent teams system. Prior to 4.6.59, the default UI host applications expose POST /api/mcp/connect without mandatory authentication and accept caller-controlled command and args values that PraisonAIUI passes to StdioMCPClient to start a local process. Because the UI commands bind to 0.0.0.0 by default, a reachable unauthenticated client can execute commands as the UI service account even when...
CVE-2026-57125	9.8	CRIT		0.004		PraisonAI is a multi-agent teams system. Prior to praisonai 4.6.59 and praisonaiagents 1.6.59, the unauthenticated POST /api/v1/runs Jobs API accepts attacker-controlled agent_yaml, and the approve field can mark execute_command as YAML-approved before @require_approval checks critical tools. This chain allows a remote caller to cause a configured language model agent to invoke arbitrary operating-system commands ...
CVE-2026-57139	9.8	CRIT		0.006		PraisonAI is a multi-agent teams system. From 1.5.0 until 1.7.2, MCPServer.startHttp() in src/praisonai-ts/src/mcp/server.ts binds without a host restriction and forwards every HTTP POST request to handleRequest() without authentication or authorization. Any network client that can reach the port can call tools/list, tools/call, resources/read, or prompts/get, causing registered handlers to run with server-side cr...
CVE-2026-57141	9.8	CRIT		0.008		PraisonAI is a multi-agent teams system. Prior to 1.7.2, the codeMode tool in src/praisonai-ts/src/tools/builtins/code-mode.ts executes model-generated JavaScript with new Function() and with(sandbox), while a regular-expression blocklist can be bypassed with Function('return this')() to recover the global object and by constructing the child_process module name dynamically. An attacker who can influence the code ...
CVE-2026-57147	9.8	CRIT		0.005		PraisonAI is a multi-agent teams system. Prior to 0.1.6, praisonai_platform/services/auth_service.py assigns the public dev-secret-change-me value to JWT_SECRET when PLATFORM_JWT_SECRET is unset, and its production guard does not run when PLATFORM_ENV is also unset because that setting defaults to dev. A remote unauthenticated attacker can mint an HS256 token with an arbitrary sub and email, and the platform's Aut...
CVE-2026-57148	9.8	CRIT		0.005		PraisonAI is a multi-agent teams system. Prior to 0.1.6, praisonai_platform/services/auth_service.py falls back to the public dev-secret-change-me HS256 signing key when PLATFORM_JWT_SECRET is unset, while the startup and token-issuance guards are disabled because PLATFORM_ENV also defaults to dev. An unauthenticated attacker can sign a JWT containing an attacker-chosen sub value, and AuthService._verify_token() a...
CVE-2026-57967	9.8	CRIT		0.006	apache:artemis	An unauthenticated remote attacker can craft a CORE protocol SESSION_REATTACH packet to steal an existing session and assume ongoing execution of the previously authenticated session. This issue affects Apache Artemis: from 2.50.0 through 2.56.0; Apache ActiveMQ Artemis: from 1.0.0 through 2.44.0. Users are recommended to upgrade to version 2.57.0, which fixes the issue.
CVE-2026-61560	9.8	CRIT				`@zereight/mcp-gitlab` is a Model Context Protocol server for GitLab. Prior to version 2.1.27, the SSE transport mode (`SSE=true`) exposes all MCP tools without any authentication. The `upload_markdown` tool reads arbitrary files from the server's local filesystem via an unsanitized `file_path` parameter and uploads them to a GitLab project. Combined, any unauthenticated network-reachable attacker can read `/proc/...
CVE-2026-62379	9.8	CRIT		0.011		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.2, the pre-authentication /authservice PLL endpoint accepts a CustomCallback XML element whose className value selects an arbitrary Java class for AuthXMLUtils to load and instantiate without verifying that it implements DSAMECallbackInterface. Default configurations expose the endpoint without authentication, allowing attacker-control...
CVE-2026-63695	9.8	CRIT				Dell SmartFabric OS10 Software, versions prior to 10.6.1.3, contains a Session Fixation vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to Session theft.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-65414	9.8	CRIT		0.01	apple:ipados, apple:iphone_os, apple:macos, apple:visionos, apple:watchos	An out-of-bounds write issue was addressed with improved bounds checking. This issue is fixed in iOS 26.7 and iPadOS 26.7, iOS 27 and iPadOS 27, macOS Golden Gate 27, macOS Sequoia 15.8, macOS Tahoe 26.7, tvOS 27, visionOS 27, watchOS 27. A remote attacker may be able to cause unexpected app termination or arbitrary code execution.
CVE-2026-70748	9.8	CRIT				Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle WebLogic Server. Successful attacks of this vulnerability can result in takeover of Oracle WebLogic Serv...
CVE-2026-70756	9.8	CRIT				Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle WebLogic Server. Successful attacks of this vulnerability can result in takeover of Oracle WebLogic Serv...
CVE-2026-70757	9.8	CRIT				Vulnerability in the Oracle WebLogic Server product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle WebLogic Server. Successful attacks of this vulnerability can result in takeover of Oracle WebLogic Serv...
CVE-2026-70913	9.8	CRIT				Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle Identity Manager. CVSS 3.1 Base Score 9...
CVE-2026-73940	9.8	CRIT				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in takeover of Oracle Access Manager. CVSS 3...
CVE-2026-73947	9.8	CRIT				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in takeover of Oracle Access Manager. CVSS 3.1 B...
CVE-2026-73950	9.8	CRIT				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in takeover of Oracle Access Manager. CVSS 3.1 B...
CVE-2026-73953	9.8	CRIT				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3.1 ...
CVE-2026-73956	9.8	CRIT				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3.1 Base Sco...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-73961	9.8	CRIT				Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: ADF Faces). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in takeover of Oracle JDeveloper. CVSS 3.1 Base Score 9.8 (Confident...
CVE-2026-73963	9.8	CRIT				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3.1 ...
CVE-2026-76440	9.8	CRIT		0.004		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco Secure Email Gateway and Cisco Secure Email and Web Manager engineering team has conducted a comprehensive internal security review. This review resulted in software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-76440 are related to path traversal i...
CVE-2026-76441	9.8	CRIT		0.005		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco Secure Email Gateway and Cisco Secure Email and Web Manager engineering team has conducted a comprehensive internal security review. This review resulted in software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-76441 are related to issues with impr...
CVE-2026-76443	9.8	CRIT		0.004		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco Secure Email Gateway and Cisco Secure Email and Web Manager engineering team has conducted a comprehensive internal security review. This review resulted in software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-76443 are related to issues with impr...
CVE-2026-76673	9.8	CRIT				Vulnerabilities have been identified in the API of EdgeConnect SD-WAN Orchestrator that could potentially allow an unauthenticated remote actor to circumvent existing authentication controls. Successful exploitation could allow an attacker to gain administrative privileges leading to complete compromise of the EdgeConnect SD-WAN Orchestrator host.
CVE-2026-76674	9.8	CRIT				Buffer overflow vulnerabilities exist in the underlying operating system of HPE Networking EdgeConnect SD-WAN Gateways that could allow an unauthenticated remote attacker to execute arbitrary code. Successful exploitation could allow an attacker to execute arbitrary commands on the underlying operating system leading to complete system compromise.
CVE-2026-78573	9.8	CRIT		0.004	ibm:contextforge	IBM ContextForge MCP Gateway 1.0.0 through 1.0.7 could allow a remote attacker to gain administrative access due to the use of default credentials.
CVE-2026-79724	9.8	CRIT		0.005	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 could allow a remote attacker to execute arbitrary OS commands due to improper neutralization of special elements used in an OS command.
CVE-2026-81204	9.8	CRIT		0.006	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 could allow a remote attacker to execute arbitrary code due to code injection during graph construction.
CVE-2026-82994	9.8	CRIT				Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Platform Security for Java. Successful attacks of this vulnerability can result in takeover of Ora...
CVE-2026-82995	9.8	CRIT				Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Platform Security for Java. Successful attacks of this vulnerability can result in takeover of Ora...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83000	9.8	CRIT				Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Service Delivery Platform. Successful attacks of this vulnerability can result in takeover of Service Delivery Platform. CV...
CVE-2026-83035	9.8	CRIT				Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Sites. CVSS 3.1 Base...
CVE-2026-83036	9.8	CRIT				Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Sites. CVSS 3.1 Base...
CVE-2026-83037	9.8	CRIT				Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Sites. CVSS 3.1 Base...
CVE-2026-83042	9.8	CRIT				Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle Identity Manager. CVSS 3.1 Bas...
CVE-2026-83054	9.8	CRIT				Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in takeover of Oracle Internet Directory. CVSS...
CVE-2026-83060	9.8	CRIT				Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in takeover of Oracle Internet Directory. CVSS...
CVE-2026-83061	9.8	CRIT				Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in takeover of Oracle Internet Directory. CVSS...
CVE-2026-83062	9.8	CRIT				Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in takeover of Oracle Internet Directory. CVSS...
CVE-2026-83066	9.8	CRIT				Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via T3, IIOP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in takeover of Oracle Internet Directory. ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83094	9.8	CRIT				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 9.8 (Con...
CVE-2026-83095	9.8	CRIT				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 9.8 (Con...
CVE-2026-83098	9.8	CRIT				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 9.8 (Con...
CVE-2026-83100	9.8	CRIT				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 9.8 (Con...
CVE-2026-83108	9.8	CRIT				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 9.8 (Con...
CVE-2026-83151	9.8	CRIT				Vulnerability in the Service Delivery Platform product of Oracle Fusion Middleware (component: Messaging Enabler). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Service Delivery Platform. Successful attacks of this vulnerability can result in takeover of Service Delivery Platform. CV...
CVE-2026-83232	9.8	CRIT				Vulnerability in the Oracle Data Integrator product of Oracle Fusion Middleware (component: Console / Repository Explorer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Data Integrator. Successful attacks of this vulnerability can result in takeover of Oracle Data Integrator....
CVE-2026-83261	9.8	CRIT				Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Core). The supported version that is affected is 3.6.1. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Product Lifecycle Analytics. Successful attacks of this vulnerability can result in takeover of Oracle Product Lifecycle Analytics. CVSS 3.1 Bas...
CVE-2026-83269	9.8	CRIT				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeover of Oracle BI Publisher. CVSS 3.1 Base...
CVE-2026-83283	9.8	CRIT				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeover of Oracle ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83327	9.8	CRIT				Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover of Oracle Applications Framework. CVSS ...
CVE-2026-83339	9.8	CRIT				Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability can result in takeover of Oracle WebCen...
CVE-2026-83355	9.8	CRIT				Vulnerability in the Oracle Enterprise Manager for Fusion Middleware product of Oracle Enterprise Manager (component: Metrics). Supported versions that are affected are 13.5 and 24.1. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Enterprise Manager for Fusion Middleware. Successful attacks of this vulnerability can result in takeover of Oracle...
CVE-2026-83452	9.8	CRIT				Vulnerability in the Oracle Document Management and Collaboration product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Document Management and Collaboration. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-83462	9.8	CRIT				Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Mobile Application Server. Successful attacks of this vulnerability can result in takeover of Oracle Mobile Application S...
CVE-2026-85025	9.8	CRIT		0.004	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 Langflow could allow an unauthenticated attacker to execute arbitrary code and access or modify chat sessions through publicly shared MCP project endpoints due to improper enforcement of public-flow security restrictions and session isolation controls.
CVE-2026-87184	9.8	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87188	9.8	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management...
CVE-2026-12944	9.6	CRIT		0.002		IBM Langflow OSS 1.0.0 through 1.10.0 can allow attackers to execute arbitrary Python code with root privileges (UID=0) on the Langflow server by submitting components containing socket or urllib imports. This enables: (1) AWS credential theft via IMDSv1 SSRF with full IAM role permissions, (2) arbitrary file exfiltration from the container filesystem, and (3) lateral movement to internal services (PostgreSQL, Red...
CVE-2026-39821	9.6	CRIT		0.007	golang:net	The ToASCII and ToUnicode functions incorrectly accept Punycode-encoded labels that decode to an ASCII-only label. For example, ToUnicode("xn--example-.com") incorrectly returns the name "example.com" rather than an error. This behavior can lead to privilege escalation in programs using the idna package. For example, a program which performs privilege checks on the ASCII hostname may reject "example.com" but permi...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-61559	9.6	CRIT				`@zereight/mcp-gitlab` is a Model Context Protocol server for GitLab. Starting in version 0.0.1 and prior to version 2.1.27, when the environment variable `ENABLE_DYNAMIC_API_URL=true` is set, the server reads the `X-GitLab-API-URL` HTTP request header and uses it as the base URL for all outbound GitLab API calls made within that request. The server validates that the value is a well-formed URL (`new URL(dynamicAp...
CVE-2026-61568	9.6	CRIT				`@zereight/mcp-gitlab` is a Model Context Protocol server for GitLab. Versions prior to 2.1.30 expose the Streamable HTTP MCP endpoint without an effective Host or Origin allowlist. A malicious web page can use DNS rebinding to route browser requests to a victim's local MCP listener while preserving an attacker-controlled `Host` and `Origin`. The server accepts those headers and reaches the MCP initialization path...
CVE-2026-73962	9.6	CRIT				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pro...
CVE-2026-77822	9.6	CRIT		0.002	ibm:contextforge	IBM ContextForge MCP Gateway could allow a remote authenticated attacker to obtain sensitive information due to server-side request forgery via DNS rebinding.
CVE-2026-82107	9.6	CRIT		0.004	ibm:datastage_on_cloud_pak_for_data	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to obtain sensitive information and bypass security restrictions due to improper authentication.
CVE-2026-83029	9.6	CRIT				Vulnerability in the Oracle Managed File Transfer product of Oracle Fusion Middleware (component: MFT Runtime Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Managed File Transfer. While the vulnerability is in Oracle Managed File Transfer, attacks may significantly impa...
CVE-2026-83040	9.6	CRIT				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle WebCenter Portal. Successful attacks require human interaction from a person other than the attacker and while the vuln...
CVE-2026-83043	9.6	CRIT				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks require human interaction from a person other than the attacker and while the vulnerabilit...
CVE-2026-87186	9.6	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. W...
CVE-2026-91710	9.6	CRIT				Use after free in WebAppInstalls in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91718	9.6	CRIT				Use after free in Core in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91728	9.6	CRIT				Integer overflow in V8 in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. (Chromium security severity: High)
CVE-2026-91749	9.6	CRIT				Use after free in Workers in Google Chrome prior to 153.0.8010.47 allowed a remote attacker to potentially execute arbitrary code outside the sandbox via a crafted HTML page. (Chromium security severity: Critical)
CVE-2026-15640	9.5	CRIT				Under certain conditions a valid SAML IdP response may be used to impersonate another Secret Server user.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-73453	9.5	CRIT				An unauthenticated P4Runtime (Programming Protocol-Independent Packet Processors Runtime) client can achieve arbitrary code execution under certain conditions on affected platforms running Arista EOS configured with P4Runtime. P4Runtime is disabled by default in Arista EOS. By crafting a malicious packet during the initiation of a P4Runtime session, an attacker can obtain complete administrative control over the c...
CVE-2026-78225	9.5	CRIT				A hardcoded cryptographic server key vulnerability exists in the deployer-ng Update Controller component of Wärsilä FOS-Onboard.
CVE-2026-43114	9.4	CRIT		0.004	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: netfilter: nft_set_pipapo_avx2: don't return non-matching entry on expiry New test case fails unexpectedly when avx2 matching functions are used. The test first loads a ranomly generated pipapo set with 'ipv4 . port' key, i.e. nft -f foo. This works. Then, it reloads the set after a flush: (echo flush set t s; cat foo) nft -f - This is ex...
CVE-2026-57140	9.4	CRIT		0.006		PraisonAI is a multi-agent teams system. From 1.6.0 until 1.7.2, AgentOS in src/praisonai-ts/src/os/agentos.ts uses the 0.0.0.0 default from src/praisonai-ts/src/os/config.ts and registers GET /api/agents and POST /api/chat without authentication middleware. A remote caller who can reach the service can obtain agent names, roles, and instruction prefixes and can invoke a selected agent, potentially reaching its to...
CVE-2026-66887	9.4	CRIT				The affected products are missing authorization on state-changing CGIs and session checks are not performed.
CVE-2026-66890	9.4	CRIT				The affected products use hard-coded credentials, which could allow remote access to files with root privileges where FTP is reachable.
CVE-2026-68491	9.4	CRIT				An insufficient check allowed for the overwrite of arbitrary files via a symlink.
CVE-2026-73447	9.4	CRIT				A privileged attacker can exploit certain operation to execute arbitrary commands with root privileges, leading to full device compromise. An authenticated user can exploit gRPC Network Security Interface (gNSI) Certz service on Arista EOS-based products to escalate privileges and execute arbitrary OS commands via a crafted Certz Rotate request. The Bootz service is also affected.
CVE-2026-73461	9.4	CRIT				On affected EOS platforms with AAA-based gRPC authorization enabled for OpenConfig, gRPC requests of an authenticated user to OpenConfig may use the wrong privilege level, resulting in an authorization using the wrong AAA method list. This does not impact non-gRPC OpenConfig requests such as NETCONF.
CVE-2026-77179	9.4	CRIT				On macOS, the virtio-fs host server used by Docker Sandboxes improperly follows symlinks when reopening an unlinked file from a stored path. A malicious guest can replace a parent directory with a symlink, escape the shared workspace, and read or modify arbitrary host files as the VMM user, potentially achieving host code execution.
CVE-2026-90692	9.4	CRIT		0.005		A vulnerability was detected in D-Link DIR-878 120B05. This affects the function SetDynamicDNSIPv6Settings of the component Dynamic DNS IPv6 Settings. The manipulation of the argument IPv6Address/Hostname results in stack-based buffer overflow. The attack may be launched remotely.
CVE-2026-90693	9.4	CRIT		0.005		A flaw has been found in D-Link DIR-878 120B05. This impacts the function SetWan3Settings of the component WAN Settings. This manipulation of the argument Primary/Secondary causes stack-based buffer overflow. Remote exploitation of the attack is possible.
CVE-2026-91998	9.4	CRIT				Casdoor through 4.4.0 contains an authorization bypass vulnerability in the /api/mcp endpoint that allows attackers with any application's clientId and clientSecret to gain unrestricted access to user administration across all organizations. Attackers can enumerate user records including password salts and email addresses, create administrator accounts, modify existing users, and delete them in any organization by...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2023-54398	9.3	CRIT				Yonyou U8 Cloud contains an unauthenticated Java deserialization vulnerability in the nc.impl.pub.filesystem.FileManageServlet component that allows remote unauthenticated attackers to execute arbitrary OS commands by sending a serialized payload via POST request. Attackers can exploit the doAction method, which passes raw HTTP request body data directly to ObjectInputStream.readObject() without filtering, to achi...
CVE-2024-58385	9.3	CRIT				Yonyou U8 CRM contains an unauthenticated SQL injection vulnerability in the fillbacksettingedit.php configuration endpoint where the DontCheckLogin=1 parameter bypasses authentication and the id parameter is incorporated into SQL queries without sanitization. Attackers can exploit this flaw to execute arbitrary SQL commands and, on Microsoft SQL Server deployments with xp_cmdshell enabled, write backdoor files an...
CVE-2026-15639	9.3	CRIT				An attacker can craft a malicious link that, if used by a legitimate user, may cause the user's browser to run JavaScript supplied by the attacker.
CVE-2026-39919	9.3	CRIT				Ghostsript before 10.08.0 contains a heap-based buffer overflow vulnerability in the JPEG 2000 output adapter (base/sjpx_openjpeg.c) that allows attackers to cause memory corruption by supplying a crafted PDF containing a JPEG 2000 image with mismatched component subsampling factors. When image components declare different subsampling values, the non-samescale sub-byte-depth output path allocates a row buffer siz...
CVE-2026-46619	9.3	CRIT		0.01		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, MSISDNValidation in the MSISDN authentication module concatenates the request-supplied MSISDN value into an LDAP search filter without escaping, while the default empty trusted-gateway list allows all traffic. In a realm where an MSISDN module is enabled in a reachable authentication chain, an unauthenticated remote attacker can inj...
CVE-2026-53459	9.3	CRIT				Bambuddy is a self-hosted print archive and management system for Bambu Lab 3D printers. Starting in version 0.1.6 and prior to version 0.2.4.4, a fail-open in the authentication code allows any attacker to bypass authentication by flooding a public endpoint to exhaust resources causing database access to fail, granting unauthenticated access to all protected endpoints. Version 0.2.4.4 patches the issue.
CVE-2026-54072	9.3	CRIT		0.003		Authorizer is an open-source, self-hostable authentication and authorization server. Prior to version 2.2.1, the `/authorize` endpoint accepts any `redirect_uri` without validating it against `AllowedOrigins`. When `response_type=token` or `response_type=id_token`, the server appends `access_token`, `id_token`, and `refresh_token` as query parameters and issues a 302 redirect to the attacker-supplied URL. An unaut...
CVE-2026-67399	9.3	CRIT		0.007		Deserialization of untrusted data in WHMCS 9.0.0 before 9.0.8 and 8.0.0 before 8.13.7 allows remote attackers to execute arbitrary code.
CVE-2026-73807	9.3	CRIT				The mySCADA myPRO Manager command API does not properly enforce authentication for privileged functions. An unauthenticated attacker with network access to the affected API could exploit this vulnerability to access privileged management functions.
CVE-2026-73957	9.3	CRIT				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks require human interaction from a person other than the attacker and while the vuln...
CVE-2026-81855	9.3	CRIT				A hardcoded cryptographic client authentication key vulnerability exists in the robot testing framework component of Wärtsilä FOS-Onboard.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83027	9.3	CRIT				Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Identity Manager Connector executes to compromise Oracle Identity Manager Connec...
CVE-2026-88866	9.3	CRIT		0.003		WWBN AVideo through commit c3edcc274c389816d434acdac07ee78eaf330c1 contains a stored cross-site scripting vulnerability in the LoginControl plugin that fails to encode the User-Agent header before storing it in login history. Attackers with any valid login account can inject malicious scripts in the User-Agent header that execute in administrator browsers when viewing the Login History page, allowing script execu...
CVE-2026-89026	9.3	CRIT				The Issabel Framework, the web framework supporting Issabel PBX software, before commit b97dbaf contains a hard-coded HS256 JWT signing key in the pbxapi index.php file that is identical across every installation, allowing unauthenticated remote attackers to forge valid bearer tokens. Attackers can use the forged token to call the manager originate endpoint with the System application parameter, causing Asterisk t...
CVE-2026-89040	9.3	CRIT				Tencent Mass Service Engine in Cluster (MSEC) allows a remote, unauthenticated attacker to send a crafted POST request including ../ and gain root access on the target device. An attacker who uploads a webshell can execute arbitrary code as root.
CVE-2026-89308	9.3	CRIT				An unauthenticated OS command injection vulnerability exists in the ping.php endpoint, allowing remote attackers to execute arbitrary commands on the underlying operating system and achieve remote code execution.
CVE-2026-91939	9.3	CRIT				Cotonti 1.0.0 Comments plugin passes the ci GET parameter to unserialize() without allowed_classes restriction, allowing unauthenticated attackers to instantiate arbitrary PHP classes with attacker-controlled properties. Attackers can exploit PHP object injection through crafted serialized payloads to trigger gadget chains and achieve database manipulation or code execution.
CVE-2026-91995	9.3	CRIT				pig before 4.1.0 contains an authentication bypass vulnerability in the /register/password endpoint where password verification results are discarded, allowing any value as the current password. Remote attackers can submit a username with an incorrect current password to overwrite any account credential including the admin account and gain full administrative control.
CVE-2026-45051	9.2	CRIT		0.007		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, WebAuthnAuthentication loads a serialized AuthenticatorImpl object graph from the configured userAttribute through loadAuthenticators without an ObjectInputFilter. Exploitation requires the WebAuthn flow to be reachable and an attacker to have previously written controlled data to that attribute through delegated administration, pro...
CVE-2026-46495	9.2	CRIT				OpenDJ is an LDAPv3 compliant directory service. Prior to 5.1.1, the JMX RMI connector in opendj-server-legacy/src/main/java/org/opens/server/protocols/jmx/RmiConnector.java processes attacker-controlled credential objects before authentication without a restrictive jmx.remote.rmi.server.credentials.filter.pattern, and RmiAuthenticator.authenticate in opendj-server-legacy/src/main/java/org/opens/server/protocols...
CVE-2026-62263	9.2	CRIT		0.009		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.2, WebAuthnAuthentication.deserialize applies an ObjectInputFilter that allows every serialized object at depth greater than 1 and therefore constrains only an AuthenticatorImpl root object. A pre-authentication attacker can supply a userHandle whose serialized graph has a valid AuthenticatorImpl root and a nested gadget class, causing...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-69204	9.2	CRIT				Http4s is a Scala interface for HTTP services. Prior to 0.23.35 and 1.0.0-M47, Ember HTTP/1.1 does not reject messages containing both Transfer-Encoding and Content-Length, so an intermediary and Ember can select different body framing rules. When ember-server is behind a keep-alive intermediary that forwards both headers and frames by Content-Length, an unauthenticated attacker can smuggle a second request, bypas...
CVE-2026-73458	9.2	CRIT				On affected platforms running Arista EOS with authenticated Bidirectional Forwarding Detection (BFD) sessions configured, a specially crafted packet can cause the BFD session(s) to go down. This may result in undesirable network changes because various routing protocols monitor status on BFD session(s).
CVE-2026-88881	9.2	CRIT		0.003		Renovate, a dependency update tool, follows pagination links supplied by the GitHub server in the HTTP `Link` header when interacting with GitHub.com, GitHub Enterprise Cloud, or GitHub Enterprise Server, and sends the credentials configured for that host to the URL given as the `next` page. Because the pagination URL is not validated against the host originally contacted, a malicious or compromised GitHub server ...
CVE-2026-91949	9.2	CRIT				FreeRDP server versions before 3.31.0 contain a protocol negotiation bypass vulnerability that allows unauthenticated attackers to establish RDSTLS connections despite server policy disabling them. Attackers can send incompatible protocol requests, receive negotiation failures, then complete TLS handshake and enter RDSTLS to bypass pre-authentication transport restrictions.
CVE-2026-91988	9.2	CRIT				atomic-agents-stack before 1.1.0 accepts cleartext HTTP schemes in the HTTP MCP server-registry backend factory, allowing network man-in-the-middle attackers to rewrite catalog responses. Attackers can inject arbitrary command and argument values that are spawned as local subprocesses by MCPClientPool to achieve code execution on the agent host.
CVE-2026-15638	9.1	CRIT				An unauthenticated user with access to Secret Server could leverage a padding oracle to decrypt or encrypt data using one of the server's cryptographic keys. The key itself is not exposed.
CVE-2026-39830	9.1	CRIT		0.006	golang:crypto	A malicious SSH peer could send unsolicited global request responses to fill an internal buffer, blocking the connection's read loop. The blocked goroutine could not be released by calling Close(), resulting in a resource leak per connection. Unsolicited global responses are now discarded.
CVE-2026-39832	9.1	CRIT		0.006	golang:crypto	When adding a key to a remote agent constraint extensions such as restrict-destination-v00@openssh.com were not serialized in the request. Destination restrictions were silently stripped when forwarding keys, allowing unrestricted use of the key on the remote host. The client now serializes all constraint extensions. Additionally, the in-memory keyring returned by NewKeyring() now rejects keys with unsupported con...
CVE-2026-42508	9.1	CRIT		0.073	golang:crypto	Previously, a revoked 'SignatureKey' belonging to a CA was not correctly checked for revocation. Now, both the 'key' and 'key.SignatureKey' are checked for @revoked.
CVE-2026-46488	9.1	CRIT				motionEye (mEye) is an online interface for a piece of software called "motion," which is a video surveillance program with motion detection. Prior to 0.44.0, motionEye accepts the client-controlled meye_username and meye_password_hash cookies as authentication material without server-side session validation. An unauthenticated attacker who knows a target username and corresponding hash can set the cookies manuall...
CVE-2026-48024	9.1	CRIT		0.008	wazuh:wazuh	Wazuh is a free and open source platform used for threat prevention, detection, and response. From 4.0.0 until 4.14.6 and 5.0.0-beta3, cluster.unmerge_info() in framework/wazuh/core/cluster/cluster.py constructs paths from peer-controlled merge_type and name values in a merged synchronization archive. process_files_from_worker() in framework/wazuh/core/cluster/master.py does not adequately confine the resulting pa...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-48162	9.1	CRIT		0.006	wazuh:wazuh	Wazuh is a free and open source platform used for threat prevention, detection, and response. From 4.0.0 until 4.14.6 and 5.0.0-beta3, DistributedAPI.send_tmp_file() in framework/wazuh/core/cluster/dapi/dapi.py joins an attacker-controlled tmp_file value to WAZUH_PATH without canonicalization or confinement. A cluster peer holding the shared Fernet key can use traversal or an absolute path to make the master retur...
CVE-2026-48717	9.1	CRIT		0.005		Open Access Management (OpenAM) is an access management solution. Prior to 16.1.1, AuthorizationCodeGrantTypeHandler requires a code_verifier only when the realm-wide codeVerifierEnforced setting is enabled, even when an authorization code stores a code_challenge. Because that setting is disabled by default, an attacker who intercepts a PKCE-protected authorization code can omit code_verifier and redeem the code, ...
CVE-2026-49364	9.1	CRIT		0.003	apache:artemis	An unauthenticated network-adjacent attacker can leverage discovery to capture cluster administrative credentials during the initial cluster connection handshake. This issue affects Apache Artemis: from 2.50.0 through 2.56.0; Apache ActiveMQ Artemis: from 1.0.0 through 2.44.0. Users are recommended to upgrade to version 2.57.0, which fixes the issue.
CVE-2026-49441	9.1	CRIT		0.005	wazuh:wazuh	Wazuh is a free and open source platform used for threat prevention, detection, and response. From 4.3.0 until 4.14.6 and 5.0.0-beta3, the non-merged branch of process_files_from_worker() in framework/wazuh/core/cluster/master.py trusts a peer-controlled file_path key from files_metadata.json. The destination is joined to WAZUH_PATH without proving that it remains inside the directory selected by cluster_item_key....
CVE-2026-50006	9.1	CRIT		0.01		Anyquery is an SQL query engine built on top of SQLite. Prior to 0.4.5, anyquery server forwards unauthenticated SQL from its MySQL-compatible server port to SQLite without restricting ATTACH DATABASE filesystem targets. A remote attacker can select any path writable by the Anyquery server process, cause SQLite to create a database file there, and place attacker-controlled table content in that file. This permits ...
CVE-2026-52824	9.1	CRIT		0.004		Kimai is an open-source time tracking application. Prior to 2.58.0, the official Docker image sets APP_SECRET to the public value change_this_to_something_unique in Dockerfile, and .docker/entrypoint.sh neither replaces nor rejects that value before Symfony uses it as kernel.secret. An unauthenticated attacker who reaches a deployment that did not override APP_SECRET, knows a username, correctly guesses the accoun...
CVE-2026-55158	9.1	CRIT				Conflibot warns in advance when merging a pull request will cause conflicts in other open pull requests. Prior to 1.2.1, src/index.ts builds git checkout, git merge, and git format-patch commands by interpolating the attacker-controlled pull request head.ref value into strings passed to exec. In the documented pull_request_target configuration, an attacker can open a pull request, including from a fork, whose bran...
CVE-2026-57145	9.1	CRIT		0.004		PraisonAI is a multi-agent teams system. Prior to 4.6.62, src/praisonai/praisonai/tools/multiedit.py passes the LLM-controlled filepath parameter directly to open for reading and writing without traversal rejection, symlink resolution, a workspace boundary, or protected-path checks. Prompt-influenced agents can read files through edit and diff behavior or overwrite files accessible to the process, exposing secrets...
CVE-2026-61800	9.1	CRIT		0.006	wazuh:wazuh	Wazuh is an open-source security platform providing unified XDR and SIEM protection for endpoints and cloud workloads. In versions 4.4.0 through 4.14.6, a party holding the cluster key can write, overwrite, or delete arbitrary files under /var/ossec on worker nodes, leading to remote code execution as root. During cluster file synchronization, the non-merged branch of update_master_files_in_worker() moves each sta...
CVE-2026-63696	9.1	CRIT				Dell SmartFabric OS10 Software, versions prior to 10.6.1.3, contains a Download of Code Without Integrity Check vulnerability. A high privileged attacker with remote access could potentially exploit this vulnerability, leading to Code execution.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-67593	9.1	CRIT		0.005	apache:artemis	A remote attacker can craft an Openwire RemoveSubscriptionInfo command to cause the deletion of a queue on the Artemis broker before the connection authentication and authorization stage or at any time thereafter. This issue affects Apache Artemis: from 2.50.0 through 2.56.0; Apache ActiveMQ Artemis: from 1.0.0 through 2.44.0. Users are recommended to upgrade to version 2.57.0, which fixes the issue.
CVE-2026-71362	9.1	CRIT		0.251	adobe:commerce, adobe:commerce_b2b, adobe:magento	Adobe Commerce is affected by an Incorrect Authorization vulnerability that could result in privilege escalation. An attacker could leverage this vulnerability to gain elevated access to sensitive resources. Exploitation of this issue does not require user interaction.
CVE-2026-73944	9.1	CRIT				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificat...
CVE-2026-73946	9.1	CRIT				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pro...
CVE-2026-73952	9.1	CRIT				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificati...
CVE-2026-75045	9.1	CRIT		0.003	jetbrains:youtrack	In JetBrains YouTrack before 2025.3.156085, 2026.1.13913, 2026.2.18112 an unauthenticated attacker could download database backups via shared draft signature
CVE-2026-76675	9.1	CRIT				A command injection vulnerability exists in the command line interface of EdgeConnect SD-WAN Gateways. Successful exploitation could allow an authenticated remote attacker with high privileges to execute arbitrary commands on the underlying operating system leading to complete system compromise.
CVE-2026-80424	9.1	CRIT		0.004	ibm:datastage_on_cloud_pak_for_data	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to create arbitrary files due to path traversal during archive extraction.
CVE-2026-81642	9.1	CRIT				In NLnet Labs Unbound up to and including 1.26.0, a vulnerability was found in the DNSSEC validator that enables denial of service and possible remote code execution as a result of digesting DNSKEYs. A DNSKEY with an owner compression pointer to its own RDATA can overflow the digest buffer. Remote code execution is possible through attacker controlled data. An adversary can exploit the vulnerability by controlling...
CVE-2026-83001	9.1	CRIT				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pro...
CVE-2026-83006	9.1	CRIT				Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle WebCenter Enterprise Capture, attacks may s...
CVE-2026-83064	9.1	CRIT				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional produ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83103	9.1	CRIT				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly impact additional products (scope chang...
CVE-2026-83104	9.1	CRIT				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83107	9.1	CRIT				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly impact additional products (scope chang...
CVE-2026-83149	9.1	CRIT				Vulnerability in Oracle Application Testing Suite. The supported version that is affected is 13.3.0.1. Easily exploitable vulnerability allows low privileged attacker having Test Manager for Web Apps privilege with network access via HTTP to compromise Oracle Application Testing Suite. While the vulnerability is in Oracle Application Testing Suite, attacks may significantly impact additional products (scope cha...
CVE-2026-83154	9.1	CRIT				Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or all Siebel ...
CVE-2026-83196	9.1	CRIT				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. While the vulnerability is in Siebel CRM Deployment, attacks may significantly impact additional products (scope change). S...
CVE-2026-83197	9.1	CRIT				Vulnerability in the Siebel Apps - Financial Services product of Oracle Siebel CRM (component: Financial Accounts). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel Apps - Financial Services. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete ...
CVE-2026-83201	9.1	CRIT				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical d...
CVE-2026-83202	9.1	CRIT				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical d...
CVE-2026-83229	9.1	CRIT				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Siebel Management Console). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. While the vulnerability is in Siebel CRM Deployment, attacks may significantly impact additional products (scope change)...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83260	9.1	CRIT				Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Event Java PX). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows high privileged attacker with network access via T3, IIOP to compromise Oracle Agile PLM. While the vulnerability is in Oracle Agile PLM, attacks may significantly impact additional products (scope change). Successful attacks o...
CVE-2026-83268	9.1	CRIT				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional produc...
CVE-2026-84961	9.1	CRIT		0.001	nodejs:undici	undici's BalancedPool constructor passes its entire options object through an internal deep-clone that serializes and reparses the value as JSON. Because JSON cannot represent functions, any function-valued TLS option, such as a caller-supplied checkServerIdentity callback or a custom connector inside the connect option, is silently discarded before it reaches the TLS layer. As a result a peer whose certificate th...
CVE-2026-85184	9.1	CRIT		0.003	fastify:fastifyV/middie	@fastify/middie versions >= 9.1.0 and before 9.3.4 decide whether to run path-scoped middleware by matching against the raw request target, while the Fastify router resolves an absolute-form request target to its path before dispatching. Because the two layers evaluate different strings, a request using an absolute-form target reaches the route handler while the path-scoped middleware, such as authentication or au...
CVE-2026-87128	9.1	CRIT				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized creatio...
CVE-2026-87129	9.1	CRIT				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized creatio...
CVE-2026-87170	9.1	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification...
CVE-2026-87173	9.1	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-87175	9.1	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-87176	9.1	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87189	9.1	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via Oracle Net to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly imp...
CVE-2026-87214	9.1	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact ad...
CVE-2026-87217	9.1	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification...
CVE-2026-87223	9.1	CRIT				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification...
CVE-2026-89022	9.1	CRIT				BookStack before 26.05.5 contains an authentication bypass vulnerability in its social login implementation that allows unauthenticated attackers to sign in as arbitrary users by authenticating through a different social provider sharing the same driver_id namespace. Attackers can authenticate at one enabled social provider using a user ID that matches an account linked to a different social provider, bypassing cr...
CVE-2026-90647	9.1	CRIT		0.001		ASE/Kalkitech ASE2000 V2 Communication Test Set 2.35 through 2.37 on Windows contains an improper certificate validation vulnerability in the IEC 60870-5-104 TLS client (Task Mode). This allows a network-positioned attacker to bypass certificate validation via a certificate with multiple simultaneous faults, enabling a Man-in-the-Middle attack on protected communications.
CVE-2026-90711	9.1	CRIT		0.002		proxy-addr is a Node.js module that determines a request's client address behind trusted reverse proxies, and it backs Express req.ip and req.ips. In versions 1.1.0 through 2.0.7, a trust subnet written in IPv4-mapped IPv6 notation with an IPv4-sized prefix, such as ::ffff:10.0.0.0/8 instead of the correct ::ffff:10.0.0.0/104, is accepted without error but trusts every IPv4 address on the internet rather than the ...
CVE-2023-54397	9.0	CRIT				Tornado before 6.3.3 contains an HTTP request smuggling vulnerability due to improper parsing of Content-Length headers accepting non-standard characters. Attackers can send crafted HTTP requests with these characters to bypass proxy validation and smuggle requests when deployed behind certain proxies.
CVE-2024-14029	9.0	CRIT				Tornado before 6.4.1 ignores duplicate Transfer-Encoding: chunked headers, treating requests as having no message body and parsing the chunked body as a subsequent request. Attackers can exploit this inconsistency when Tornado is deployed behind proxies to perform HTTP request smuggling, enabling access control bypass, cache poisoning, or connection desynchronization.
CVE-2026-61549	9.0	CRIT				Woodpecker is a CI/CD engine. From 1.0.0 until 3.16.0, pipeline/backend/kubernetes/backend_options.go defines backend_options.kubernetes.serviceAccountName, and the Kubernetes backend in pipeline/backend/kubernetes/pod.go copies that pipeline-step value directly into the pod specification without administrator authorization. Any user with Push permission on a connected repository can therefore run pipeline pods un...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-77866	9.0	CRIT				Server-Side Request Forgery (SSRF) vulnerability in Slab safeurl allows an attacker who controls a validated URL to reach internal network destinations the library is configured to block. Only IPv4 addresses are matched against the reserved ranges and the blocklist. Every other address is treated as matching nothing, so a destination that is rejected in its IPv4 form is accepted when written as an IPv6 address, I...
CVE-2026-77972	9.0	CRIT				Time-of-check Time-of-use (TOCTOU) Race Condition in Slab safeurl allows an attacker who controls a hostname's DNS responses to reach internal network destinations that validation rejected. Validation returns a verdict and not the address it approved, so the HTTP clients the library ships receive the original hostname and resolve it a second time when the request is made. An attacker who controls the authoritativ...
CVE-2026-83105	9.0	CRIT				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly impact additional products (scope cha...
CVE-2026-91931	9.0	CRIT				Flowise before 3.1.4 contains a remote code execution vulnerability in the Custom MCP node that allows authenticated attackers to execute arbitrary code by supplying npx package names in the mcpServerConfig parameter. Attackers can invoke npx with attacker-controlled npm packages to execute code on the Flowise server.
CVE-2026-91932	9.0	CRIT				Flowise before 3.1.4 contains a validation bypass vulnerability in MCP server configuration allowing authenticated attackers remote code execution through an unvalidated cwd parameter. Attackers can bypass path validation using clean filenames in the args array while controlling the working directory to execute malicious code.

Watchlist matches (other priorities)

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-21441	8.9	HIGH		0.03	python:urllib3	urllib3 is an HTTP client library for Python. urllib3's streaming API is designed for the efficient handling of large HTTP responses by reading the content in chunks, rather than loading the entire response body into memory at once. urllib3 can perform decoding or decompression based on the HTTP `Content-Encoding` header (e.g., `gzip`, `deflate`, `br`, or `zstd`). When using the streaming API, the library decompre...
CVE-2026-83304	8.9	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Web General). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerability is in Oracle Busin...
CVE-2026-12728	8.8	HIGH				IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker to execute arbitrary code due to a deserialization of untrusted data.
CVE-2026-13293	8.8	HIGH		0.006		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow a remote authenticated attacker to execute arbitrary code on the system due to the deserialization of untrusted data.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-14805	8.8	HIGH				The Consulting theme for WordPress is vulnerable to Privilege Escalation in versions up to, and including, 6.7.16. This is due to a combination of two flaws: (1) the masterstudy_ms_stm_set_discard_transient AJAX endpoint in admin/admin-notices/classes/STMHandler.php accepts an arbitrary transient key without capability checks or nonce validation, and (2) the developer access login mechanism in admin/classes/stm-th...
CVE-2026-16673	8.8	HIGH		0.004		IBM DataStage on Cloud Pak for Data 5.4.0.0 IBM DataStage could allow a remote authenticated attacker to execute arbitrary OS commands due to improper neutralization of special characters in the PxPeek name property.
CVE-2026-18486	8.8	HIGH		0.003	ibm:contextforge	IBM ContextForge MCP Gateway <= v1.0.7 MCP Context Forge could allow a remote authenticated attacker to obtain sensitive credentials and escalate privileges due to improper validation of jq filters.
CVE-2026-20275	8.8	HIGH		0.002		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20275 are related to incorrect calculation issues that are grouped under the Co...
CVE-2026-20278	8.8	HIGH		0.003		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20278 are related to improper neutralization issues that are grouped under the ...
CVE-2026-20280	8.8	HIGH		0.003		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20280 are related to improper checking or handling of exceptional conditio...
CVE-2026-40058	8.8	HIGH				CrowdStrike released a security update to address a vulnerability in the Falcon sensor for Windows. The vulnerability only exists when the Microsoft Office File Malicious Macro Removal Windows policy setting is enabled and customers remain protected through the Cloud Anti-malware for Microsoft Office Files settings. An update is available immediately for versions 7.34 and above, 7.32 LTS, and 7.16 for Windows ...
CVE-2026-43112	8.8	HIGH		0.004	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: fs/smb/client: fix out-of-bounds read in cifs_sanitize_prepath When cifs_sanitize_prepath is called with an empty string or a string containing only delimiters (e.g., "/"), the current logic attempts to check *(cursor2 - 1) before cursor2 has advanced. This results in an out-of-bounds read. This patch adds an early exit check after stripping pr...
CVE-2026-44300	8.8	HIGH				OpenCost provides cost monitoring for Kubernetes workloads and cloud costs. Prior to 1.121.0, the POST /serviceKey endpoint in pkg/costmodel/router.go allows a network client to invoke AddServiceKey without mandatory authentication and submit an arbitrary key form value that is written to the GCP service-account key.json file returned by GetGCPAuthSecretFilePath in core/pkg/env/core.go. The attacker controls the f...
CVE-2026-67368	8.8	HIGH		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Improper link resolution before file access ('link following') in SQL Server allows an authorized attacker to elevate privileges over a network.
CVE-2026-67631	8.8	HIGH		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-67638	8.8	HIGH		0.007	microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-67639	8.8	HIGH		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-67642	8.8	HIGH		0.005	microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-67643	8.8	HIGH		0.008	microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-68775	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-68786	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-69486	8.8	HIGH				Heap-based buffer overflow in Microsoft Edge (Chromium-based) allows an unauthorized attacker to execute code over a network.
CVE-2026-69669	8.8	HIGH		0.008	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Kernel allows an unauthorized attacker to execute code over a network.
CVE-2026-70915	8.8	HIGH				Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle Identity Manager. CVSS 3.1 Base Scor...
CVE-2026-71047	8.8	HIGH				Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle Identity Manager. CVSS 3.1 Base Score 8....
CVE-2026-73028	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Improper access control in SQL Server allows an authorized attacker to elevate privileges over a network.
CVE-2026-73942	8.8	HIGH				Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle Identity Manager. CVSS 3.1 Base...
CVE-2026-73949	8.8	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3.1 B...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-73959	8.8	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Composer). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3.1 Base Scor...
CVE-2026-76059	8.8	HIGH		0.005	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 An attacker who could submit custom component source code could bypass the static security scanner by crafting an annotated class-body assignment that resolved to a dangerous callable through alias tracking; the resolved value was never checked against the dangerous callable blocklist due to the logic error. If the crafted component reached the runtime execution path, the atta...
CVE-2026-77480	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Insufficient granularity of access control in SQL Server allows an authorized attacker to elevate privileges over a network.
CVE-2026-77481	8.8	HIGH		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-77482	8.8	HIGH		0.008	microsoft:sql_server_2017, microsoft:sql_server_2019	Heap-based buffer overflow in SQL Server allows an unauthorized attacker to execute code over a network.
CVE-2026-77483	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Weak authentication in SQL Server allows an authorized attacker to elevate privileges over a network.
CVE-2026-77484	8.8	HIGH		0.011	microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Deserialization of untrusted data in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-77486	8.8	HIGH		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019	Integer overflow or wraparound in SQL Server allows an unauthorized attacker to execute code over a network.
CVE-2026-77487	8.8	HIGH		0.005	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Improper access control in SQL Server allows an authorized attacker to elevate privileges over a network.
CVE-2026-78456	8.8	HIGH		0.009	microsoft:sql_server_2022	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-78569	8.8	HIGH		0.004	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 could allow an authenticated attacker to execute arbitrary code due to an incomplete denylist in the security scanner.
CVE-2026-78571	8.8	HIGH		0.005	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 could allow a remote authenticated attacker to execute arbitrary code due to an unguarded eval() call on attacker-controlled input.
CVE-2026-78575	8.8	HIGH		0.005	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 could allow a remote authenticated attacker to execute arbitrary commands due to improper validation of command-line arguments in the MCP stdio server configuration.
CVE-2026-79742	8.8	HIGH		0.005	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 could allow a remote authenticated attacker to execute arbitrary code due to an incomplete environment variable blocklist.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-81211	8.8	HIGH		0.003	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 could allow a remote authenticated attacker to execute arbitrary Python code due to improper authorization of custom components in stored flows.
CVE-2026-81550	8.8	HIGH		0.005	ibm:datastage_on_cloud_pak_for_data	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to execute arbitrary code due to improper neutralization of special elements used in an OS command.
CVE-2026-81940	8.8	HIGH		0.005	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 could allow a remote authenticated attacker to execute arbitrary code due to improper neutralization of special characters in flow display names.
CVE-2026-81941	8.8	HIGH		0.008	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 allows an authenticated non-administrative user could execute arbitrary operating system commands on the server at the privilege level of the application process by constructing a flow with an MCP Tools component configured to use a local stdio subprocess transport. This bypasses both the LANGFLOW_CUSTOM_COMPONENT_ADMIN_ONLY and LANGFLOW_BLOCK_CODE_INTERPRETER_COMPONENTS serve...
CVE-2026-82095	8.8	HIGH		0.005	ibm:datastage_on_cloud_pak_for_data	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to execute arbitrary code due to improper neutralization of special elements used in an OS command.
CVE-2026-82097	8.8	HIGH		0.004	ibm:datastage_on_cloud_pak_for_data	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to execute arbitrary code due to a Server-Side Request Forgery (SSRF) vulnerability.
CVE-2026-82098	8.8	HIGH		0.008	ibm:datastage_on_cloud_pak_for_data	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to execute arbitrary commands due to improper neutralization of special elements used in an OS command.
CVE-2026-82099	8.8	HIGH		0.004	ibm:datastage_on_cloud_pak_for_data	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to execute arbitrary code due to improper neutralization of special elements used in an OS command.
CVE-2026-83005	8.8	HIGH				Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability can result in takeover of Oracle WebCent...
CVE-2026-83008	8.8	HIGH				Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability can result in takeover of Oracle Web...
CVE-2026-83009	8.8	HIGH				Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability can result in takeover of Oracle WebCent...
CVE-2026-83013	8.8	HIGH				Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks of this vulnerability can result in takeover of Oracle WebCent...
CVE-2026-83017	8.8	HIGH				Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Report Distribution). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in takeover of PeopleSoft Enterprise PeopleTools. C...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83032	8.8	HIGH				Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Sites. CVSS 3.1 Base ...
CVE-2026-83033	8.8	HIGH				Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Sites. CVSS 3.1 Base ...
CVE-2026-83053	8.8	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3.1 Base...
CVE-2026-83069	8.8	HIGH				Vulnerability in the Oracle Fusion Middleware Control product of Oracle Fusion Middleware (component: Framework). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Fusion Middleware Control. Successful attacks of this vulnerability can result in takeover of Oracle Fusion Middleware...
CVE-2026-83086	8.8	HIGH				Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. Successful attacks of this vulnerability can result in takeover of Siebel CRM Cloud Applications. CVSS 3.1 Bas...
CVE-2026-83090	8.8	HIGH				Vulnerability in the Oracle Spares Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Spares Management. Successful attacks of this vulnerability can result in takeover of Oracle Spares Management. CVSS 3.1 Base Sco...
CVE-2026-83119	8.8	HIGH				Vulnerability in the Oracle User Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.6-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle User Management. Successful attacks of this vulnerability can result in takeover of Oracle User Management. CVSS 3.1 Base Score 8.8...
CVE-2026-83120	8.8	HIGH				Vulnerability in the Oracle Alert product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Alert. Successful attacks of this vulnerability can result in takeover of Oracle Alert. CVSS 3.1 Base Score 8.8 (Confidentiality, Integrity a...
CVE-2026-83121	8.8	HIGH				Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Marketing. Successful attacks of this vulnerability can result in takeover of Oracle Marketing. CVSS 3.1 Base Score 8.8 (Confidentiality, Integrity ...
CVE-2026-83122	8.8	HIGH				Vulnerability in the Oracle Report Manager product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Report Manager. Successful attacks of this vulnerability can result in takeover of Oracle Report Manager. CVSS 3.1 Base Score 8.8 (...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83124	8.8	HIGH				Vulnerability in the Oracle Sales Online product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales Online. Successful attacks of this vulnerability can result in takeover of Oracle Sales Online. CVSS 3.1 Base Score 8.8 (Confide...
CVE-2026-83125	8.8	HIGH				Vulnerability in the Oracle Report Manager product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Report Manager. Successful attacks of this vulnerability can result in takeover of Oracle Report Manager. CVSS 3.1 Base Score 8.8 (C...
CVE-2026-83136	8.8	HIGH				Vulnerability in the Oracle Spares Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Spares Management. Successful attacks of this vulnerability can result in takeover of Oracle Spares Management. CVSS 3.1 Base Sco...
CVE-2026-83137	8.8	HIGH				Vulnerability in the Oracle Spares Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Spares Management. Successful attacks of this vulnerability can result in takeover of Oracle Spares Management. CVSS 3.1 Base Sco...
CVE-2026-83148	8.8	HIGH				Vulnerability in Oracle Application Testing Suite. The supported version that is affected is 13.3.0.1. Easily exploitable vulnerability allows low privileged attacker having Test Manager for Web Apps privilege with network access via HTTP to compromise Oracle Application Testing Suite. Successful attacks of this vulnerability can result in takeover of Oracle Application Testing Suite. CVSS 3.1 Base Score 8.8 (C...
CVE-2026-83153	8.8	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 8.8 (Confident...
CVE-2026-83160	8.8	HIGH				Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Easily exploitable vulnerability allows low privileged attacker having Create Table privilege with network access via Oracle Net to compromise RDBMS. Successful attacks of this vulnerability can result in takeover of RDBMS. CVSS 3.1 Base Score 8.8 (Confidentiality, Integrity and Availability i...
CVE-2026-83163	8.8	HIGH				Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Attachments / File Upload). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in takeover of Oracle Application ...
CVE-2026-83164	8.8	HIGH				Vulnerability in the Oracle Customer Interaction History product of Oracle E-Business Suite (component: Outcome-Result). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Customer Interaction History. Successful attacks of this vulnerability can result in takeover of Oracle Customer Interactio...
CVE-2026-83165	8.8	HIGH				Vulnerability in the Oracle Customer Interaction History product of Oracle E-Business Suite (component: User Interface). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Customer Interaction History. Successful attacks of this vulnerability can result in takeover of Oracle Customer Interacti...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83168	8.8	HIGH				Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Oracle Diagnostics Interfaces). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result in takeover of Oracle Applications Manage...
CVE-2026-83180	8.8	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 8.8 (Confidenti...
CVE-2026-83189	8.8	HIGH				Vulnerability in the Oracle User Management product of Oracle E-Business Suite (component: Proxy User Delegation). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle User Management. Successful attacks of this vulnerability can result in takeover of Oracle User Management. CVSS 3.1 Base Score 8...
CVE-2026-83194	8.8	HIGH				Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.10-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in takeover of Oracle Depot Repair. CVSS 3.1 Base Score 8.8 (Confid...
CVE-2026-83199	8.8	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 8.8 (Confidenti...
CVE-2026-83205	8.8	HIGH				Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover of Oracle Applications Framework. CVSS 3...
CVE-2026-83208	8.8	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Migration). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via SQL to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 8.8 (Confidentiality, Integr...
CVE-2026-83209	8.8	HIGH				Vulnerability in the Siebel CRM Development product of Oracle Siebel CRM (component: Workflow). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Development. Successful attacks of this vulnerability can result in takeover of Siebel CRM Development. CVSS 3.1 Base Score 8.8 (Confidentiality, Int...
CVE-2026-83210	8.8	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via SQL to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 8.8 (Confidentia...
CVE-2026-83212	8.8	HIGH				Vulnerability in the Siebel Apps - Self Service product of Oracle Siebel CRM (component: Helpdesk/Training). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel Apps - Self Service. Successful attacks of this vulnerability can result in takeover of Siebel Apps - Self Service. CVSS 3.1 Base Score 8.8 ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83271	8.8	HIGH				Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Easily exploitable vulnerability allows low privileged attacker having Execute on DBMS_REDEFINITION privilege with network access via Oracle Net to compromise RDBMS. Successful attacks of this vulnerability can result in takeover of RDBMS. CVSS 3.1 Base Score 8.8 (C...
CVE-2026-83301	8.8	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Service Administration UI). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeover of ...
CVE-2026-83306	8.8	HIGH				Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: Resource Catalog Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in takeover of Oracle JDeveloper. CVSS 3.1 Base Score...
CVE-2026-83315	8.8	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeover of Oracle BI Publisher. CVSS 3.1 Base ...
CVE-2026-83329	8.8	HIGH				Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.9-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover of Oracle Applications Framework. CVSS 3...
CVE-2026-83331	8.8	HIGH				Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.9-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover of Oracle Applications Framework. CVSS 3...
CVE-2026-83335	8.8	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Server). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeove...
CVE-2026-83338	8.8	HIGH				Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Oracle Diagnostics Interfaces). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result in takeover of Oracle Applications Manager...
CVE-2026-83340	8.8	HIGH				Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: Security). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks of this vulnerability can result in takeover of Oracle Identity Manager. CVSS 3.1 Base Scor...
CVE-2026-83348	8.8	HIGH				Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Easily exploitable vulnerability allows low privileged attacker having Create DB Link privilege with network access via Oracle Net to compromise RDBMS. Successful attacks of this vulnerability can result in takeover of RDBMS. CVSS 3.1 Base Score 8.8 (Confidentiality...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83410	8.8	HIGH				Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via multiple protocols to compromise Oracle Coherence. Successful attacks of this vulnerability can result in takeover of Oracle Coherence. CVSS ...
CVE-2026-83411	8.8	HIGH				Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Coherence. Successful attacks of this vulnerability can result in takeover of Oracle Coherence. CVSS 3.1 Base Score 8.8 (Confid...
CVE-2026-83423	8.8	HIGH				Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: Security Framework). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in takeover of Oracle JDeveloper. CVSS 3.1 Base Score 8.8 (C...
CVE-2026-83444	8.8	HIGH				Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in takeover of Oracle Product Hub. CVSS 3.1 Base Score 8.8 (Confidenti...
CVE-2026-83445	8.8	HIGH				Vulnerability in the Oracle Complex Maintenance, Repair and Overhaul product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Complex Maintenance, Repair and Overhaul. Successful attacks of this vulnerability can result in takeover...
CVE-2026-83454	8.8	HIGH				Vulnerability in the Oracle Document Management and Collaboration product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Document Management and Collaboration. Successful attacks of this vulnerability can result in takeover of Ora...
CVE-2026-83456	8.8	HIGH				Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in takeover of Oracle Demand Signal Reposito...
CVE-2026-83479	8.8	HIGH				Vulnerability in the Oracle Contracts product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.14-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Contracts. Successful attacks of this vulnerability can result in takeover of Oracle Contracts. CVSS 3.1 Base Score 8.8 (Confidentiality...
CVE-2026-85893	8.8	HIGH				Use after free in Microsoft Edge (Chromium-based) allows an unauthorized attacker to elevate privileges over a network.
CVE-2026-87150	8.8	HIGH				Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Setup Workbench). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. Successful attacks of this vulnerability can result in takeover of Oracle Bills of Material. CVSS 3.1 Base Score 8...
CVE-2026-87155	8.8	HIGH				Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in takeover of Oracle Product Hub. CVSS 3.1 Base Score 8.8 (Confidenti...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87162	8.8	HIGH				Vulnerability in the Oracle Contract Lifecycle Management for Public Sector product of Oracle E-Business Suite (component: Award/PO). Supported versions that are affected are 12.2.13-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Contract Lifecycle Management for Public Sector. Successful attacks of this vulnerability can result in takeo...
CVE-2026-87163	8.8	HIGH				Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: Other issue). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in takeover of Oracle Purchasing. CVSS 3.1 Base Score 8.8 (Confidentiality, Inte...
CVE-2026-87165	8.8	HIGH				Vulnerability in the Oracle Contract Lifecycle Management for Public Sector product of Oracle E-Business Suite (component: ECC For Award and IDV). The supported version that is affected is V16. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Contract Lifecycle Management for Public Sector. Successful attacks of this vulnerability can result in ta...
CVE-2026-87179	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87180	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87181	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87182	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Fi...
CVE-2026-87185	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87187	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. S...
CVE-2026-87201	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87202	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management. ...
CVE-2026-87204	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87224	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87226	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87227	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....
CVE-2026-87238	8.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management. ...
CVE-2026-88616	8.8	HIGH				An issue in RuoYi-Vue-Plus 6.0.0 allows a remote attacker to execute arbitrary code via the FlwTaskController.java component, and the FlwTaskServiceImpl.completeTask, CompleteExecuteComponent.process, Warm-Flow TaskService.skip, POST /workflow/task/completeTask components
CVE-2026-54251	8.7	HIGH				netty-incubator-codec-ohttp implements Oblivious HTTP (OHTTP) gateway and client functionality using Netty. Prior to 0.0.23.Final, the OHTTP gateway decryption path in codec-ohttp/src/main/java/io/netty/incubator/codecs/ohttp/OHttpRequestResponseContext.java allocates a pooled direct ByteBuf for decrypted plaintext before the AEAD tag is verified. When an invalid tag causes decryptChunk() to throw CryptoException, ...
CVE-2026-55887	8.7	HIGH				MCP Gateway allows easy and secure running and deployment of MCP servers. From 0.21.0 until 0.42.2, Docker MCP Gateway YAML-unmarshalled the attacker-controlled io.docker.server.metadata OCI image label into the broad catalog.Server structure for direct docker:// references and catalog snapshot imports in pkg/oci/self_contained.go and pkg/workingset/workingset.go. Runtime-shaping fields including Volumes, User, an...
CVE-2026-58201	8.7	HIGH				Lokka is a Model Context Protocol server for Microsoft 365, including Microsoft Graph and other services. Prior to 2.1.2, the Lokka-Microsoft tool in src/mcp/src/main.ts uses direct URL string concatenation to append the user-controlled path value to the management.azure.com base URL. A specially crafted path can alter URL authority parsing and cause an Azure Resource Manager bearer token to be sent to an unattend...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-68489	8.7	HIGH		0.004		Static Code Injection in Plesk extensions "Ruby" before 1.6.6 and "Node.js Toolkit" before 2.5.0 allows remote authenticated users to execute arbitrary code as root via custom environment variables.
CVE-2026-72708	8.7	HIGH		0.003		SPIP before 4.4.18 contains an unauthenticated blind SQL injection vulnerability in the SQL escaping layer that allows unauthenticated attackers to inject arbitrary SQL by supplying a crafted annee parameter value matching a word character followed by an open parenthesis, which bypasses escaping for date-type columns across MySQL, SQLite, and PostgreSQL backends. Attackers can exploit the always-present sitemap.xml...
CVE-2026-73926	8.7	HIGH				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pro...
CVE-2026-79418	8.7	HIGH		0.002		EMX Tecnologia Gestao X version <= 8.4 contains a Stored Cross-Site Scripting (XSS) vulnerability in the Help Chat functionality. Improper neutralization of user-controlled input during web page generation allows authenticated attackers to execute arbitrary JavaScript in the context of other authenticated users, potentially resulting in session hijacking, account takeover, and unauthorized actions.
CVE-2026-79994	8.7	HIGH				The guest-to-host Unix-domain socket relay in Docker Sandboxes validates that a socket path is inside an authorized workspace, but later reconnects using the pathname. A malicious guest can replace an intermediate directory with a symlink between validation and connection, causing the host to connect to an arbitrary AF_UNIX socket outside the shared workspace. This can expose data or host-side capabilities provide...
CVE-2026-83025	8.7	HIGH				Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Identity Manager Connector. While the vulnerability is in Oracle Identity Manager Connector, attacks may significantly i...
CVE-2026-83135	8.7	HIGH				Vulnerability in the Oracle iStore product of Oracle E-Business Suite (component: Shopping Cart). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iStore. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in Oracle iStore, attack...
CVE-2026-83144	8.7	HIGH				Vulnerability in the Siebel Apps - Customer Order Management product of Oracle Siebel CRM (component: Order Management). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel Apps - Customer Order Management. Successful attacks require human interaction from a person other than the attacker and while t...
CVE-2026-83145	8.7	HIGH				Vulnerability in the Siebel Apps - Customer Order Management product of Oracle Siebel CRM (component: Order Management). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel Apps - Customer Order Management. Successful attacks require human interaction from a person other than the attacker and while t...
CVE-2026-83310	8.7	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks require human interaction from a person other than the attacker and while the vulne...
CVE-2026-84408	8.7	HIGH				QND contains an improper access control vulnerability in a named pipe, which may allow a local attacker who is logged in to a Windows PC where the affected product's client is installed to execute arbitrary commands with SYSTEM privileges.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87171	8.7	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTPS to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact...
CVE-2026-87178	8.7	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via SQL to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact add...
CVE-2026-91937	8.7	HIGH				Flowise before 3.1.4 fails to sanitize the overrideConfig.sessionId parameter before using it in MongoDB queries within the MongoDBMemory node. Unauthenticated attackers can submit MongoDB operator objects through the prediction API to read chat history records belonging to other users from the shared collection.
CVE-2026-20276	8.6	HIGH		0.003		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20276 are related to insufficient control flow management issues that are group...
CVE-2026-55691	8.6	HIGH				The EmbedVideo Extension is a MediaWiki extension which adds a parser function called #ev and various parser tags for embedding video clips from various video sharing services. Prior to 4.1.0, EmbedHtmlFormatter::toHtml in includes/EmbedService/EmbedHtmlFormatter.php passes the user-supplied class value directly to sprintf while constructing a figure element. A quote in the class value can terminate the class attr...
CVE-2026-57122	8.6	HIGH		0.001		PraisonAI is a multi-agent teams system. Prior to 4.6.59, the WhatsApp and Linear bot webhook handlers verify HMAC signatures only when WHATSAPP_APP_SECRET or LINEAR_WEBHOOK_SECRET is configured and otherwise parse and dispatch unsigned request bodies. A remote unauthenticated client that reaches the webhook route can forge messages, comments, or agent-session events, impersonate platform users, influence agent pr...
CVE-2026-73941	8.6	HIGH				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pro...
CVE-2026-80097	8.6	HIGH		0.004		Improper authentication in Microsoft Authenticator allows an unauthorized attacker to elevate privileges locally.
CVE-2026-81213	8.6	HIGH		0.004	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 could allow a remote attacker to obtain sensitive information from internal network resources due to improper validation of user-supplied URLs.
CVE-2026-83023	8.6	HIGH				Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager Connector. While the vulnerability is in Oracle Identity Manager Connector, attacks may significantly im...
CVE-2026-83074	8.6	HIGH				Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via SSH to compromise Siebel CRM Cloud Applications. While the vulnerability is in Siebel CRM Cloud Applications, attacks may significantly impact additional produ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83093	8.6	HIGH				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. While the vulnerability is in Oracle Forms, attacks may significantly impact additional products (scope chang...
CVE-2026-83203	8.6	HIGH				Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel CRM End User acc...
CVE-2026-83284	8.6	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or freque...
CVE-2026-83305	8.6	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorized access to critical data or compl...
CVE-2026-87273	8.6	HIGH				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person other than the attacker and while the vul...
CVE-2026-88056	8.6	HIGH		0.004		Angular is a development platform for building mobile and desktop web applications using TypeScript/JavaScript and other languages. Prior to 20.3.30, 21.2.22, and 22.1.4, Angular Server-Side Rendering in @angular/platform-server processes user-controlled resource or request URLs through HttpClient after application code validates them with WHATWG URL parsing. The resolveUrl and parseUrl utilities called String.pro...
CVE-2026-11729	8.5	HIGH				IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker to execute arbitrary code in client applications due to unsafe deserialization that enables JNDI injection attacks.
CVE-2026-18111	8.5	HIGH				Concrete CMS 9 before 9.5.3 was vulnerable to stored cross-site scripting (XSS) in the Feature, Feature Link, Hero Image, and Image blocks and before Concrete 8.5.21 in the feature and Image blocks because the external link URL was insufficiently validated by the link filter and was rendered without output escaping. A user with page-editing permissions (such as Add Block combined with Edit Contents on a single pag...
CVE-2026-67636	8.5	HIGH		0.005	microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-79708	8.5	HIGH				GitLab has remediated an issue in GitLab EE affecting all versions from 19.0 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that, under certain conditions could have allowed an authenticated user with developer permissions to execute a policy test pipeline on projects within their group and access protected CI/CD variables restricted to higher-privileged roles, due to insufficient scope validation.
CVE-2026-80436	8.5	HIGH		0.003	ibm:datastage_on_cloud_pak_for_d ata	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to cause a denial of service by deleting arbitrary RabbitMQ queues or exchanges due to improper authorization.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-81207	8.5	HIGH		0.002	ibm:datastage_on_cloud_pak_for_d ata	IBM DataStage on Cloud Pak for Data 5.4.0.0 allows any authenticated tenant — with no project membership or role — fully controls scheme/host/port/path of an outbound fetch originating from a shared-infrastructure pod, and the WSDL body is reflected verbatim to the caller. The ds-canvas pod sits on the OpenShift overlay with reach to co-tenant services, in-cluster CP4D APIs, and link-local addresses. Scope is Chan...
CVE-2026-81540	8.5	HIGH		0.004	ibm:datastage_on_cloud_pak_for_d ata	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to overwrite ruleset files belonging to other tenants due to a path traversal vulnerability.
CVE-2026-82993	8.5	HIGH				Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Business Interlink). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. While the vulnerability is in PeopleSoft Enterprise PeopleTools, attacks may significantly impact additi...
CVE-2026-83002	8.5	HIGH				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. While the vulnerability is in Oracle Access Manager, attacks may significantly impact additional pr...
CVE-2026-83003	8.5	HIGH				Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle WebCenter Enterprise Capture, attacks may si...
CVE-2026-83007	8.5	HIGH				Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle WebCenter Enterprise Capture, attacks may si...
CVE-2026-83045	8.5	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional produc...
CVE-2026-83049	8.5	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Security Framework). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional p...
CVE-2026-83083	8.5	HIGH				Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Marketing. While the vulnerability is in Oracle Marketing, attacks may significantly impact additional products (scope change). Successful attacks ...
CVE-2026-83172	8.5	HIGH				Vulnerability in the Oracle Sales Online product of Oracle E-Business Suite (component: OSO Other). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales Online. While the vulnerability is in Oracle Sales Online, attacks may significantly impact additional products (scope change). Successfu...
CVE-2026-83267	8.5	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Publisher Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional produc...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83272	8.5	HIGH				Vulnerability in the Oracle Text component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Difficult to exploit vulnerability allows low privileged attacker having Create Index privilege with network access via Oracle Net to compromise Oracle Text. While the vulnerability is in Oracle Text, attacks may significantly impact additional products (scope...
CVE-2026-83302	8.5	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Publisher Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional products (scope change). Succes...
CVE-2026-83303	8.5	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional product...
CVE-2026-83309	8.5	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Web Server). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional products (scope c...
CVE-2026-83311	8.5	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional product...
CVE-2026-83321	8.5	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Actions). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerability is in Oracle Business Intelligence En...
CVE-2026-83425	8.5	HIGH				Vulnerability in the Oracle Complex Maintenance, Repair and Overhaul product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.12-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Complex Maintenance, Repair and Overhaul. While the vulnerability is in Oracle Complex Maintenance, Repai...
CVE-2026-83449	8.5	HIGH				Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. While the vulnerability is in Oracle Bills of Material, attacks may significantly impact additional products (...
CVE-2026-83451	8.5	HIGH				Vulnerability in the Oracle Product Workbench product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Workbench. While the vulnerability is in Oracle Product Workbench, attacks may significantly impact additional products...
CVE-2026-83490	8.5	HIGH				Vulnerability in the Oracle iRecruitment product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iRecruitment. While the vulnerability is in Oracle iRecruitment, attacks may significantly impact additional products (scope change). ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87161	8.5	HIGH				Vulnerability in the Oracle HRMS (India) product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle HRMS (India). While the vulnerability is in Oracle HRMS (India), attacks may significantly impact additional products (scope change). ...
CVE-2026-87177	8.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact add...
CVE-2026-88765	8.5	HIGH				GitLab has remediated an issue in GitLab EE affecting all versions from 12.3 to 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 under certain conditions could allow an authenticated user to achieve remote code execution by importing a specially crafted Git project export to overflow the Unicode conversion buffer used in Advanced Search indexing.
CVE-2026-88886	8.5	HIGH		0.002		Renovate is a dependency update automation tool. In versions before 44.14.7 (and in Mend Renovate CE/EE distributions before 15.4.0, and the mend-renovate-enterprise-edition Helm chart before 10.4.0), the manager/gradle-wrapper module does not escape the distributionUrl value read from a repository's gradle/wrapper/gradle-wrapper.properties file before invoking the Gradle Wrapper CLI. In self-hosted deployments co...
CVE-2026-90493	8.5	HIGH		0.001		A vulnerability was detected in Tonec Internet Download Manager up to 6.42 Build 63 on Windows. The impacted element is an unknown function of the file idmwfp.sys of the component Kernel Driver. The manipulation results in improper access controls. Attacking locally is a requirement. Internet Download Manager for Windows up to and including 6.42 Build 63 installs idmwfp.sys, a Windows kernel driver that exposes th...
CVE-2026-44901	8.4	HIGH		0.007	wazuh:wazuh	Wazuh is a free and open source platform used for threat prevention, detection, and response. From 4.0.0 until 4.14.6 and 5.0.0-beta2, AffectedItemsWazuhResult.merge() in framework/wazuh/core/results.py trusts the sort_casting field in a cluster worker's JSON response. During a distributed API merge, attacker-controlled type names are resolved through Python builtins without an allowlist. A compromised worker can ...
CVE-2026-57441	8.4	HIGH				MCPVault is a lightweight Model Context Protocol server for safe access to files in an Obsidian vault. Prior to 0.11.4, PathFilter in src/pathfilter.ts compiles restricted-directory patterns case-sensitively and compares paths without canonicalizing filesystem-equivalent segment names. On case-insensitive macOS and Windows filesystems, case variants of .git, .obsidian, or node_modules pass both isAllowed() and isA...
CVE-2026-69638	8.4	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows NTFS allows an unauthorized attacker to execute code locally.
CVE-2026-82049	8.4	HIGH		0.002		In CPython 3.13 and earlier, the tarfile module's data and tar extraction filters are vulnerable to crafted archives containing a hard link to a symbolic link. Such archives may cause extraction to modify the permissions or modification time of a file outside the destination directory, or expose the contents of that file within the extracted tree.
CVE-2026-83264	8.4	HIGH				Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Installation Issues). The supported version that is affected is 3.6.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Product Lifecycle Analytics executes to compromise Oracle Product Lifecycle Analytics. While the vulnerability is in Oracle Product Li...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87219	8.4	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Fi...
CVE-2026-87259	8.4	HIGH				Vulnerability in the Oracle Agile Engineering Data Management product of Oracle Supply Chain (component: Engineering Communication Interface). The supported version that is affected is 6.2.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile Engineering Data Management executes to compromise Oracle Agile Engineering Data Management. While the vul...
CVE-2026-83026	8.3	HIGH				Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Identity Manager Connector executes to compromise Oracle Identity Manager Conn...
CVE-2026-83030	8.3	HIGH				Vulnerability in the Oracle Managed File Transfer product of Oracle Fusion Middleware (component: MFT Runtime Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via T3, IIOP to compromise Oracle Managed File Transfer. Successful attacks of this vulnerability can result in unauthorized creation, deletio...
CVE-2026-83285	8.3	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Search). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in unauthorized creation, dele...
CVE-2026-83307	8.3	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-87125	8.3	HIGH				Vulnerability in the Oracle Financials for Asia/Pacific product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.8-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Financials for Asia/Pacific. Successful attacks of this vulnerability can result in unauthorized creation, deletion or...
CVE-2026-87210	8.3	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. S...
CVE-2026-91936	8.3	HIGH				Flowise versions before 3.1.4 contain a script injection vulnerability in Docker image build workflows where workflow_dispatch inputs are directly interpolated into shell run blocks. Attackers with repository write access can inject shell metacharacters through inputs like tag_version and node_version to execute arbitrary commands and steal AWS credentials and Docker Hub tokens.
CVE-2026-91943	8.3	HIGH				Crawl4AI before 0.9.3 contains a server-side request forgery vulnerability in PDFContentScrapingStrategy where _get_pdf_path() re-downloads targets with Python requests without egress validation. Authenticated attackers can supply URLs that redirect to internal addresses or use DNS rebinding to access internal services, exfiltrating responses through PDF text extraction in crawl results.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-20277	8.2	HIGH		0.002		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco IOS XR Software engineering team has conducted a comprehensive internal security review. This review resulted in a software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-20277 are related to protection mechanism failure issues that are grouped under...
CVE-2026-69846	8.2	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Integer overflow or wraparound in Windows Secure Kernel Mode allows an authorized attacker to elevate privileges locally.
CVE-2026-69906	8.2	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Secure Kernel Mode allows an authorized attacker to elevate privileges locally.
CVE-2026-76191	8.2	HIGH		0.003	adobe:animate, apple:macos, microsoft:windows	Animate is affected by an Improper Control of Generation of Code ('Code Injection') vulnerability that could result in arbitrary code execution in the context of the current user. A low-privileged attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue requires user interaction in that a victim must open a malicious file. Scope is changed.
CVE-2026-78252	8.2	HIGH				GitLab has remediated an issue in GitLab CE/EE affecting all versions from 15.3 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that, under certain conditions, an authenticated user could have induced a targeted user to perform unintended state-changing HTTP requests due to improper sanitization of user-controlled data in the Markdown JSON table renderer.
CVE-2026-83047	8.2	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-83078	8.2	HIGH				Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete acce...
CVE-2026-83085	8.2	HIGH				Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Siebel CRM Cloud Applications executes to compromise Siebel CRM Cloud Applications. While the vulne...
CVE-2026-83087	8.2	HIGH				Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. While the vulnerability is in Siebel CRM Cloud Applications, attacks may significantly impact additional pro...
CVE-2026-83181	8.2	HIGH				Vulnerability in the Siebel CRM Development product of Oracle Siebel CRM (component: Workspaces). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Development. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel CRM Dev...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83215	8.2	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebe...
CVE-2026-83234	8.2	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability...
CVE-2026-83236	8.2	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks require human interac...
CVE-2026-83248	8.2	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result i...
CVE-2026-83265	8.2	HIGH				Vulnerability in the Oracle Web Services Manager product of Oracle Fusion Middleware (component: Web Services Agent). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Web Services Manager. Successful attacks of this vulnerability can result in unauthorized access to critical dat...
CVE-2026-83266	8.2	HIGH				Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: Resource Catalog Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-83343	8.2	HIGH				Vulnerability in the Oracle Utilities Network Management System product of Oracle Utilities Applications (component: System Wide). Supported versions that are affected are 2.5.0.2.0-2.5.0.2.13, 2.6.0.1.0-2.6.0.12B, 2.6.0.2.0-2.6.0.2.10A and 25.12.0.0.0-25.12.0.0.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Utilities Network Management Syste...
CVE-2026-83418	8.2	HIGH				Vulnerability in the Oracle Communications Cloud Native Core Security Edge Protection Proxy product of Oracle Communications (component: SEPP). Supported versions that are affected are 26.1.200 and 25.2.201. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Communications Cloud Native Core Security Edge Protection Proxy. While the vulnerability i...
CVE-2026-83435	8.2	HIGH				Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.13-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. While the vulnerability is in Oracle Bills of Material, attacks may significantly impact additional product...
CVE-2026-83438	8.2	HIGH				Vulnerability in the Oracle Engineering product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Engineering. While the vulnerability is in Oracle Engineering, attacks may significantly impact additional products (scope change). ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83461	8.2	HIGH				Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Mobile Application Server. Successful attacks of this vulnerability can result in unauthorized access to critical data o...
CVE-2026-83465	8.2	HIGH				Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Mobile Application Server. Successful attacks require human interaction from a person other than the attacker and while ...
CVE-2026-87174	8.2	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87196	8.2	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87197	8.2	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87200	8.2	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification...
CVE-2026-87228	8.2	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87229	8.2	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification...
CVE-2026-87266	8.2	HIGH				Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Application Server). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Agile PLM. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle Agile PLM a...
CVE-2026-11728	8.1	HIGH				IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow a remote attacker to cause a denial of service or potentially execute arbitrary code in the client due to a heap buffer overflow when receiving messages from a malicious queue manager or through a man-in-the-m...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-12355	8.1	HIGH				IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an attacker to perform JNDI injection attacks due to insufficient input validation, potentially leading to information disclosure or remote code execution.
CVE-2026-12666	8.1	HIGH				IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 Classes for Java could allow an authenticated attacker to obtain sensitive information or cause a denial of service due to XML external entity injection in MQRFH2 header processing.
CVE-2026-54076	8.1	HIGH				ArcadeDB is a Multi-Model DBMS. Prior to 26.6.1, the fix for CVE-2026-44221 added an UPDATE_SCHEMA authorization check only to LocalDocumentType.createProperty, while the remaining public schema mutators in engine/src/main/java/com/arcadedb/schema/LocalDocumentType.java and engine/src/main/java/com/arcadedb/schema/LocalProperty.java remained unchecked. An authenticated identity, including a read-only API token wit...
CVE-2026-73951	8.1	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in takeover of Oracle WebCenter Portal. CVSS 3....
CVE-2026-73954	8.1	HIGH				Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Business Interlink). Supported versions that are affected are 8.61-8.63. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in takeover of PeopleSoft Enterprise PeopleTools....
CVE-2026-73958	8.1	HIGH				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Authentication Engine). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in takeover of Oracle Access Manager. CVSS 3.1...
CVE-2026-81268	8.1	HIGH		0.003	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 could allow a remote authenticated attacker to execute flows and obtain sensitive information due to insufficient session expiration of API keys after user deactivation.
CVE-2026-81551	8.1	HIGH		0.005	ibm:datastage_on_cloud_pak_for_data	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to arbitrarily write to or delete files on shared storage due to a path traversal vulnerability.
CVE-2026-83010	8.1	HIGH				Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. Successful attacks require human interaction from a person other than the attack...
CVE-2026-83011	8.1	HIGH				Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Platform Security for Java. Successful attacks of this vulnerability can result in takeover of O...
CVE-2026-83014	8.1	HIGH				Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Cube Manager). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83019	8.1	HIGH				Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: SQR). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all ...
CVE-2026-83067	8.1	HIGH				Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: ADF Shared Components). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification acces...
CVE-2026-83072	8.1	HIGH				Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Search Bean [Incl. Advanced]). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in unauthorized creation, deletion or...
CVE-2026-83073	8.1	HIGH				Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Siebel CRM Cloud Applications executes to compromise Siebel CRM Cloud Applications. Successful att...
CVE-2026-83089	8.1	HIGH				Vulnerability in the Oracle Alert product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Alert. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or all...
CVE-2026-83101	8.1	HIGH				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 8.1 (C...
CVE-2026-83132	8.1	HIGH				Vulnerability in the Oracle iStore product of Oracle E-Business Suite (component: Shopping Cart). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iStore. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or all Ora...
CVE-2026-83143	8.1	HIGH				Vulnerability in the Siebel Apps - Life Sciences product of Oracle Siebel CRM (component: eDetailing). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel Apps - Life Sciences. Successful attacks require human interaction from a person other than the attacker. Successful attacks of this vulnerabilit...
CVE-2026-83152	8.1	HIGH				Vulnerability in the Oracle Project Intelligence product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Project Intelligence. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-83169	8.1	HIGH				Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Java Server Issues). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle One-to-One Fulfillment. Successful attacks of this vulnerability can result in takeover of Oracle One-to-One Fulfillment. ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83174	8.1	HIGH				Vulnerability in the Oracle CRM Technical Foundation product of Oracle E-Business Suite (component: Application Framework). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle CRM Technical Foundation. Successful attacks of this vulnerability can result in unauthorized creation, deletion or mod...
CVE-2026-83177	8.1	HIGH				Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Documents). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle One-to-One Fulfillment. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83191	8.1	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 8.1 (Confiden...
CVE-2026-83192	8.1	HIGH				Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in takeover of Siebel CRM End User. CVSS 3.1 Base Score 8.1 (Confidentiality, Integrity ...
CVE-2026-83220	8.1	HIGH				Vulnerability in the Siebel CRM Integration product of Oracle Siebel CRM (component: Event Publish and Subscribe). Supported versions that are affected are 23.6-26.7. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Siebel CRM Integration executes to compromise Siebel CRM Integration. Successful attacks of this v...
CVE-2026-83245	8.1	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result...
CVE-2026-83246	8.1	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result...
CVE-2026-83254	8.1	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result ...
CVE-2026-83255	8.1	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result ...
CVE-2026-83256	8.1	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83258	8.1	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result...
CVE-2026-83286	8.1	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can r...
CVE-2026-83297	8.1	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via LDAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-83299	8.1	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Web General). The supported version that is affected is 12.2.1.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeover of O...
CVE-2026-83308	8.1	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-83314	8.1	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Web Service API). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification acc...
CVE-2026-83351	8.1	HIGH				Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Difficult to exploit vulnerability allows unauthenticated attacker with network access via Oracle Net to compromise RDBMS. Successful attacks of this vulnerability can result in takeover of RDBMS. CVSS 3.1 Base Score 8.1 (Confidentiality, Integrity and Availability impacts). CVSS Vector: (CVS...
CVE-2026-83357	8.1	HIGH				Vulnerability in the Oracle GraalVM for JDK, Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM for JDK 17: 23.0.13.1; Oracle GraalVM for JDK 21: 23.1.12.1; Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM for JDK, Oracle GraalVM. Successful...
CVE-2026-83408	8.1	HIGH				Vulnerability in the Oracle GraalVM for JDK, Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM for JDK 17: 23.0.13.1; Oracle GraalVM for JDK 21: 23.1.12.1; Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM for JDK, Oracle GraalVM. Successful...
CVE-2026-83412	8.1	HIGH				Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via TCP to compromise Oracle Coherence. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification a...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83422	8.1	HIGH				Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Identity Manager. Successful attacks require human interaction from a person other than the attacker. Successful attacks o...
CVE-2026-83428	8.1	HIGH				Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modif...
CVE-2026-83429	8.1	HIGH				Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modif...
CVE-2026-83430	8.1	HIGH				Vulnerability in the Oracle Product Workbench product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Workbench. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83432	8.1	HIGH				Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Estimate and Actual Charges). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access t...
CVE-2026-83434	8.1	HIGH				Vulnerability in the Oracle Product Workbench product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Workbench. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83439	8.1	HIGH				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-security-providers-idcs-mapper). Supported versions that are affected are 3.0.0-3.2.20 and 4.0.0-4.5.4. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83446	8.1	HIGH				Vulnerability in the Oracle Financials Common Modules product of Oracle E-Business Suite (component: Common Components). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Financials Common Modules. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modif...
CVE-2026-83447	8.1	HIGH				Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...
CVE-2026-83448	8.1	HIGH				Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83455	8.1	HIGH				Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modif...
CVE-2026-83457	8.1	HIGH				Vulnerability in the Oracle Demand Signal Repository product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Demand Signal Repository. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modif...
CVE-2026-83464	8.1	HIGH				Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Mobile Application Server. Successful attacks of this vulnerability can result in takeover of Oracle Mobile Application...
CVE-2026-83477	8.1	HIGH				Vulnerability in the Oracle Work in Process product of Oracle E-Business Suite (component: Workbenches). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Work in Process executes to compromise Oracle Work in Process. Successful attacks of this vulner...
CVE-2026-87016	8.1	HIGH		0.003	openwebui:open_webui	Open WebUI is an extensible, feature-rich, and user-friendly self-hosted AI platform. From 0.6.41 until 0.11.1, get_user_by_oauth_sub and get_user_by_scim_external_id in backend/open_webui/models/users.py used JSON contains matching that compiled to SQL LIKE substring matching on SQLite. An OAuth subject containing percent or underscore wildcard characters could resolve to a different stored identity, potentially ...
CVE-2026-87152	8.1	HIGH				Vulnerability in the Oracle Installed Base product of Oracle E-Business Suite (component: Create Item Instance). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Installed Base. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to c...
CVE-2026-87153	8.1	HIGH				Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical...
CVE-2026-87154	8.1	HIGH				Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical...
CVE-2026-87157	8.1	HIGH				Vulnerability in the Oracle Order Management product of Oracle E-Business Suite (component: Product Diagnostic Tools). Supported versions that are affected are 12.2.4-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Order Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification acc...
CVE-2026-87159	8.1	HIGH				Vulnerability in the Oracle HRMS (India) product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle HRMS (India). Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critic...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87166	8.1	HIGH				Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: Other issue). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or a...
CVE-2026-87167	8.1	HIGH				Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: G-Invoicing). Supported versions that are affected are 12.2.11-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or ...
CVE-2026-87168	8.1	HIGH				Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: G-Invoicing). Supported versions that are affected are 12.2.10-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or ...
CVE-2026-87218	8.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. S...
CVE-2026-87231	8.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Manageme...
CVE-2026-87232	8.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. S...
CVE-2026-87234	8.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-87241	8.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. S...
CVE-2026-87265	8.1	HIGH				Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: Other issue). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or a...
CVE-2026-87286	8.1	HIGH				Vulnerability in the Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM. Successful attacks of this vulnerability can result in takeover of Oracle GraalVM. CVSS 3.1 Base Score 8.1 (Confidentiality, Integrity ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87287	8.1	HIGH				Vulnerability in the Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM. Successful attacks of this vulnerability can result in takeover of Oracle GraalVM. CVSS 3.1 Base Score 8.1 (Confidentiality, Integrity ...
CVE-2026-87288	8.1	HIGH				Vulnerability in the Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle GraalVM. Successful attacks of this vulnerability can result in takeover of Oracle GraalVM. CVSS 3.1 Base Score 8.1 (Confidentiality, Integrity ...
CVE-2026-9327	8.1	HIGH		0.002	ibm:websphere_application_server	IBM WebSphere Application Server 9.0, and 8.5 could allow an authenticated user with a low-privilege administrative role to modify security configuration. This could result in information disclosure or denial of service.
CVE-2026-55225	8.0	HIGH				Strimzi provides a way to run an Apache Kafka cluster on Kubernetes or OpenShift in various deployment configurations. In Strimzi 1.0.0 and earlier, an attacker who can create a Kafka custom resource can set Kafka.spec.entityOperator watchedNamespace to a target namespace, causing the Cluster Operator to create a Role with full Secret CRUD permissions there and bind it to the Entity Operator ServiceAccount in the ...
CVE-2026-69875	8.0	HIGH		0.008	microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:windows_11_23h2, microsoft:wi	Heap-based buffer overflow in Windows NTFS allows an authorized attacker to elevate privileges over a network.
CVE-2026-83081	8.0	HIGH				Vulnerability in the Oracle Banking Corporate Lending product of Oracle Financial Services Applications (component: Core). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Banking Corporate Lending executes to compromise Oracle Banking Corpor...
CVE-2026-83138	8.0	HIGH				Vulnerability in the Oracle Spares Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Spares Management. While the vulnerability is in Oracle Spares Management, attacks may significantly impact additional product...
CVE-2026-83157	8.0	HIGH				Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Command Line - RapidClone). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Applications Manager. While the vulnerability is in Oracle Applications Manager, attacks may significantly impact add...
CVE-2026-83170	8.0	HIGH				Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Documents). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Oracle One-to-One Fulfillment executes to compromise Oracle One-to-One Fulfillment. Successful atta...
CVE-2026-83178	8.0	HIGH				Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Application Object Library. While the vulnerability is in Oracle Application Object Library, attacks may significantly impact additi...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83450	8.0	HIGH				Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Setup Workbench). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Bills of Material. While the vulnerability is in Oracle Bills of Material, attacks may significantly impact additional products (s...
CVE-2026-83483	8.0	HIGH				Vulnerability in the Oracle Advanced Benefits product of Oracle E-Business Suite (component: Self-serv What-if Analysis). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Advanced Benefits. While the vulnerability is in Oracle Advanced Benefits, attacks may significantly impact additional ...
CVE-2026-87164	8.0	HIGH				Vulnerability in the Oracle Banking Branch product of Oracle Financial Services Applications (component: Reports). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Banking Branch. Successful attacks require human interaction from a person other than the attacker and while the vulnera...
CVE-2026-87243	8.0	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. ...
CVE-2026-87245	8.0	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Su...
CVE-2026-43133	7.9	HIGH		0.001	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: KVM: nSVM: Always use vmcb01 in VMLOAD/VMSAVE emulation Commit cc3ed80ae69f ("KVM: nSVM: always use vmcb01 to for vmsave/vmload of guest state") made KVM always use vmcb01 for the fields controlled by VMSAVE/VMLOAD, but it missed updating the VMLOAD/VMSAVE emulation code to always use vmcb01. As a result, if VMSAVE/VMLOAD is executed by an L2 g...
CVE-2026-83022	7.9	HIGH				Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle WebCenter Enterprise Capture executes to compromise Oracle WebCente...
CVE-2026-83079	7.9	HIGH				Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Siebel CRM Cloud Applications executes to compromise Siebel CRM Cloud Applications. While the vulnerability is in Siebel CRM Cloud Applications,...
CVE-2026-83096	7.9	HIGH				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Forms. Successful attacks require human interaction from a person other than the attacker and while the vulnerabili...
CVE-2026-0065	7.8	HIGH		0.001	google:android	In areBackgroundActivityStartsAllowed of BackgroundLaunchProcessController.java, there is a possible unintended way to launch activities in the background due to a logic error in the code. This could lead to local escalation of privilege with User execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-0084	7.8	HIGH		0.001	google:android	In multiple functions of HostEmulationManager.java, there is a possible background activity launch due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-17133	7.8	HIGH		0.001		IBM App Connect Enterprise 13.0.1.0 through 13.0.8.0, and 12.0.1.0 through 12.0.12.27 could allow a local attacker to execute arbitrary code due to improper neutralization of special elements used in an OS command.
CVE-2026-17416	7.8	HIGH		0.001		IBM App Connect Enterprise 13.0.1.0 through 13.0.8.0, and 12.0.1.0 through 12.0.12.27 could allow a local attacker to execute arbitrary code due to insecure deserialization.
CVE-2026-28593	7.8	HIGH		0.001	google:android	In getItemList of SettingsFragment.java, there is a possible user interaction bypass due to misleading or insufficient UI. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28599	7.8	HIGH		0.001	google:android	In addCreatorToken of ActivityManagerService.java, there is a possible Intent Redirection Bypass due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28600	7.8	HIGH		0.001	google:android	In onCreate of PaymentDefaultDialog.java, there is a possible way to change default payment app due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28602	7.8	HIGH		0.001	google:android	In setClipboardAccessNotificationsEnabledForUser of ClipboardService.java, there is a possible multi-iuser isolation due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28603	7.8	HIGH		0.001	google:android	In assertSafeToStartCustomActivity of AppRestrictionsFragment.java, there is a possible read/write access to private files due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28611	7.8	HIGH		0.001	google:android	In multiple functions of NfcService.java, there is a possible silent payment session hijacking enablement due to a missing permission check. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28612	7.8	HIGH		0.001	google:android	In resolveActivity of ActivityStarter.java, there is a possible way to perform Intent Redirection attacks due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28614	7.8	HIGH		0.001	google:android	In onCreate of SlicePermissionActivity.java, there is a possible permission bypass due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28631	7.8	HIGH		0.001	google:android	In buildMiniResolver of IntentForwarderActivity.java, there is a possible consent bypass due to a tapjacking/overlay attack. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28634	7.8	HIGH		0.001	google:android	In handleUssdRequest of PhoneInterfaceManager.java, there is a possible way to send a USSD request without permission due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28636	7.8	HIGH		0.001	google:android	In setupLayout of PickActivity.java, there is a possible bypass of the "Install unknown apps" security restriction due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28642	7.8	HIGH		0.001	google:android	In executeRequest of ActivityStarter.java, there is a possible background activity launch due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-28644	7.8	HIGH		0.001	google:android	In startNextMatchingActivity of ActivityTaskManagerService.java, there is a possible permission bypass due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28650	7.8	HIGH		0.001	google:android	In setHiddenWhileSuspended of WindowState.java, there is a possible overlay bypass due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28655	7.8	HIGH		0.001	google:android	In multiple functions of RemoteViews.java, there is a possible background activity launch bypass due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28657	7.8	HIGH		0.001	google:android	In onActivityResult of AppWidgetConfigActivityProxy.java, there is a possible unauthorized URI permission grant due to a confused deputy. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28658	7.8	HIGH		0.001	google:android	In findMetaAuthUid of AccountsDb.java, there is a possible frp bypass due to a logic error in the code. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-31663	7.8	HIGH		0.001	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: xfrm: hold dev ref until after transport_finish NF_HOOK After async crypto completes, xfrm_input_resume() calls dev_put() immediately on re-entry before the skb reaches transport_finish. The skb->dev pointer is then used inside NF_HOOK and its okfn, which can race with device teardown. Remove the dev_put from the async resumption entry and inst...
CVE-2026-43329	7.8	HIGH		0.001	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: netfilter: flowtable: strictly check for maximum number of actions The maximum number of flowtable hardware offload actions in IPv6 is: * ethernet mangling (4 payload actions, 2 for each ethernet address) * SNAT (4 payload actions) * DNAT (4 payload actions) * Double VLAN (4 vlan actions, 2 for popping vlan, and 2 for pushing) for QinQ. * Red...
CVE-2026-46116	7.8	HIGH		0.001	linux:linux_kernel	In the Linux kernel, the following vulnerability has been resolved: xfrm: defensively unhash xfrm_state lists in __xfrm_state_delete KASAN reproduces a slab-use-after-free in __xfrm_state_delete()'s hlist_del_rcu calls under syzkaller load on linux-6.12.y stable (reproduced on 6.12.47, also reachable via the same code path on torvalds/master and on the ipsec tree). Nine unique signatures cluster in the xfrm_stat...
CVE-2026-68787	7.8	HIGH		0.002	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code locally.
CVE-2026-69709	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows NTFS allows an authorized attacker to execute code locally.
CVE-2026-70289	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Win32 Kernel Subsystem allows an authorized attacker to elevate privileges locally.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-71337	7.8	HIGH		0.003	microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:windows_11_23h2, microsoft:windows_11_24h2, microsoft:wi	Stack-based buffer overflow in Windows Storage Management Provider allows an authorized attacker to elevate privileges locally.
CVE-2026-71343	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Remote Access Connection Manager allows an authorized attacker to execute code locally.
CVE-2026-71399	7.8	HIGH		0.002	adobe:xd, apple:macos, microsoft:windows	Adobe XD is affected by a Buffer Overflow vulnerability that could result in arbitrary code execution in the context of the current user. An attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue requires user interaction in that a victim must open a malicious file.
CVE-2026-82992	7.8	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Installation). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVS...
CVE-2026-82996	7.8	HIGH				Vulnerability in the Oracle Platform Security for Java product of Oracle Fusion Middleware (component: Centralized Thirdparty Jars). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Platform Security for Java executes to compromise Oracle Platform Security for Java. Successful attacks...
CVE-2026-83018	7.8	HIGH				Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: SQR). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where PeopleSoft Enterprise PeopleTools executes to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in takeover of...
CVE-2026-83024	7.8	HIGH				Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Identity Manager Connector executes to compromise Oracle Identity Manager Connector. Successful attacks of this vulnerability ...
CVE-2026-83071	7.8	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Machine Learning). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Editi...
CVE-2026-83118	7.8	HIGH				Vulnerability in the Applications DBA product of Oracle E-Business Suite (component: AD Utilities). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Applications DBA executes to compromise Applications DBA. Successful attacks of this vulnerability can result in takeover of Applications DBA. CVSS 3.1 Bas...
CVE-2026-83147	7.8	HIGH				Vulnerability in the PeopleSoft Enterprise FIN Inventory Brazil product of Oracle PeopleSoft (component: Inventory). The supported version that is affected is 9.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where PeopleSoft Enterprise FIN Inventory Brazil executes to compromise PeopleSoft Enterprise FIN Inventory Brazil. Successful attacks of this vulnerabil...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83159	7.8	HIGH				Vulnerability in the Applications DBA product of Oracle E-Business Suite (component: ADPatch). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Applications DBA executes to compromise Applications DBA. Successful attacks require human interaction from a person other than the attacker. Successful attack...
CVE-2026-83211	7.8	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deploy...
CVE-2026-83214	7.8	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deploy...
CVE-2026-83216	7.8	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deploy...
CVE-2026-83247	7.8	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to compromise Oracle Commerce Guided Search / Orac...
CVE-2026-83249	7.8	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to compromise Oracle Commerce Guided Search / Ora...
CVE-2026-83253	7.8	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Endeca Application Controller). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to compromise Oracle Comme...
CVE-2026-83288	7.8	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Search). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise ...
CVE-2026-83290	7.8	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Edit...
CVE-2026-83291	7.8	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Edit...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83293	7.8	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: FNDN). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of...
CVE-2026-83294	7.8	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence En...
CVE-2026-83317	7.8	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Installation). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterpri...
CVE-2026-83336	7.8	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Server). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Editi...
CVE-2026-83337	7.8	HIGH				Vulnerability in the Oracle Middleware Common Libraries and Tools product of Oracle Fusion Middleware (component: Remote Diagnostic Agent). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Middleware Common Libraries and Tools executes to compromise Oracle Middl...
CVE-2026-83342	7.8	HIGH				Vulnerability in the Oracle Utilities Network Management System product of Oracle Utilities Applications (component: System Wide). Supported versions that are affected are 2.4.0.1.0-2.4.0.1.33, 2.5.0.1.0-2.5.0.1.19, 2.5.0.2.0-2.5.0.2.13, 2.6.0.1.0-2.6.0.12B, 2.6.0.2.0-2.6.0.2.10A and 25.12.0.0.0-25.12.0.0.3. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Or...
CVE-2026-83353	7.8	HIGH				Vulnerability in the Oracle WebCenter Content product of Oracle Fusion Middleware (component: Content Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle WebCenter Content executes to compromise Oracle WebCenter Content. Successful attacks of this vulnerability can result in tak...
CVE-2026-83420	7.8	HIGH				Vulnerability in the PeopleSoft Enterprise FIN Engineering Brazil product of Oracle PeopleSoft (component: Engineering). The supported version that is affected is 9.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where PeopleSoft Enterprise FIN Engineering Brazil executes to compromise PeopleSoft Enterprise FIN Engineering Brazil. Successful attacks of this vu...
CVE-2026-83978	7.8	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Biometric Service allows an authorized attacker to elevate privileges locally.
CVE-2026-87216	7.8	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can res...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87268	7.8	HIGH				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeover of Oracle VM VirtualBox. Note: This v...
CVE-2026-87269	7.8	HIGH				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeover of Oracle VM VirtualBox. Note: This v...
CVE-2026-87270	7.8	HIGH				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeover of Oracle VM VirtualBox. Note: This v...
CVE-2026-87271	7.8	HIGH				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeover of Oracle VM VirtualBox. Note: This v...
CVE-2026-87272	7.8	HIGH				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in takeover of Oracle VM VirtualBox. CVSS 3.1 Bas...
CVE-2026-13210	7.7	HIGH				GitLab has remediated an issue in GitLab CE/EE affecting all versions from 15.7 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed an authenticated user to access CI/CD variables outside their intended environment scope due to improper input validation in the environment scope pattern matcher.
CVE-2026-18905	7.7	HIGH		0.003	ibm:contextforge	IBM ContextForge MCP Gateway (`mcp-contextforge-gateway`) <= v1.0.6 MCP Context Forge could allow a remote authenticated attacker to obtain sensitive information due to a DNS rebinding vulnerability during tool invocation.
CVE-2026-19407	7.7	HIGH				Bucket Squatting in Google Cloud Gemini Enterprise Agent Platform SDK for Python versions prior to 1.166.1 allows an attacker to achieve Remote Code Execution (RCE) and tenant-project token theft.
CVE-2026-81210	7.7	HIGH		0.002	ibm:datastage_on_cloud_pak_for_data	IBM DataStage on Cloud Pak for Data 5.4.0.0 concatenates three caller-supplied strings into a String.format path on the shared /ds-storage RWX PVC and returns the file with no project ACL — pure IDOR plus traversal. Read is constrained to files named job.log/error.log, but DataStage job logs routinely carry connection strings, {dsnextenc} ciphertexts (decryptable via d2-f023), and customer-data row samples. This i...
CVE-2026-81897	7.7	HIGH				In Concrete CMS below CMS 9.5.3, the save_control action in the Express entities forms dashboard controller did not validate the anti-CSRF token. By causing an authenticated administrator to submit a forged cross-site request, a remote attacker without credentials could write attacker-controlled headline and body values to an existing Express form Text control. Those values were emitted without output encoding by ...
CVE-2026-83012	7.7	HIGH				Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Enterprise Capture. While the vulnerability is in Oracle WebCenter Enterprise Capture, attacks may si...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83041	7.7	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Portlet Services). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional pro...
CVE-2026-83048	7.7	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional produc...
CVE-2026-83068	7.7	HIGH				Vulnerability in the Oracle Enterprise Manager for Oracle Database product of Oracle Enterprise Manager (component: Core). The supported version that is affected is 24.1. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Enterprise Manager for Oracle Database. While the vulnerability is in Oracle Enterprise Manager for Oracle Database, attacks may ...
CVE-2026-83070	7.7	HIGH				Vulnerability in the PeopleSoft Enterprise PRTL Interaction Hub product of Oracle PeopleSoft (component: Enterprise Portal). The supported version that is affected is 9.1. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PRTL Interaction Hub. While the vulnerability is in PeopleSoft Enterprise PRTL Interaction Hub, attacks may signi...
CVE-2026-83084	7.7	HIGH				Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Marketing. While the vulnerability is in Oracle Marketing, attacks may significantly impact additional products (scope change). Successful attacks ...
CVE-2026-83088	7.7	HIGH				Vulnerability in the RDBMS component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Easily exploitable vulnerability allows low privileged attacker having Authenticated User privilege with network access via Oracle Net to compromise RDBMS. While the vulnerability is in RDBMS, attacks may significantly impact additional products (scope change). Successful attacks of this vuln...
CVE-2026-83116	7.7	HIGH				Vulnerability in the Oracle Order Management product of Oracle E-Business Suite (component: Product Diagnostic Tools). Supported versions that are affected are 12.2.5-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Order Management. While the vulnerability is in Oracle Order Management, attacks may significantly impact additional products...
CVE-2026-83127	7.7	HIGH				Vulnerability in the Oracle Sales Offline product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales Offline. While the vulnerability is in Oracle Sales Offline, attacks may significantly impact additional products (scope change)...
CVE-2026-83129	7.7	HIGH				Vulnerability in the Oracle Sales product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales. While the vulnerability is in Oracle Sales, attacks may significantly impact additional products (scope change). Successful attacks o...
CVE-2026-83131	7.7	HIGH				Vulnerability in the Oracle Web Applications Desktop Integrator product of Oracle E-Business Suite (component: File download). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Web Applications Desktop Integrator. While the vulnerability is in Oracle Web Applications Desktop Integrator, attac...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83134	7.7	HIGH				Vulnerability in the Oracle iStore product of Oracle E-Business Suite (component: Shopping Cart). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iStore. While the vulnerability is in Oracle iStore, attacks may significantly impact additional products (scope change). Successful attacks of t...
CVE-2026-83141	7.7	HIGH				Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. While the vulnerability is in Oracle Field Service, attacks may significantly impact additional products (scope change)...
CVE-2026-83142	7.7	HIGH				Vulnerability in the Oracle Proposals product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Proposals. While the vulnerability is in Oracle Proposals, attacks may significantly impact additional products (scope change). Successf...
CVE-2026-83146	7.7	HIGH				Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in Siebel CRM End User, att...
CVE-2026-83166	7.7	HIGH				Vulnerability in the Oracle Customer Interaction History product of Oracle E-Business Suite (component: Outcome-Result). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Customer Interaction History. While the vulnerability is in Oracle Customer Interaction History, attacks may significantly ...
CVE-2026-83233	7.7	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. While the vulnerability is in Oracle Comm...
CVE-2026-83243	7.7	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. While the vulnerability is in Oracle Comm...
CVE-2026-83287	7.7	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Presentation Services). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerability is in Oracle Business...
CVE-2026-83312	7.7	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: E-Business Suite - XDO). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional produ...
CVE-2026-83313	7.7	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional product...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83319	7.7	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Web Service API). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle BI Publisher. While the vulnerability is in Oracle BI Publisher, attacks may significantly impact additional products (scope change). Successful a...
CVE-2026-83356	7.7	HIGH				Vulnerability in the Enterprise Command Center Framework product of Oracle E-Business Suite (component: Security). The supported version that is affected is V16. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Enterprise Command Center Framework. While the vulnerability is in Enterprise Command Center Framework, attacks may significantly impact addition...
CVE-2026-83437	7.7	HIGH				Vulnerability in the Oracle Engineering product of Oracle E-Business Suite (component: Change Management). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Engineering. While the vulnerability is in Oracle Engineering, attacks may significantly impact additional products (scope change). Succ...
CVE-2026-83485	7.7	HIGH				Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Item Catalog). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. While the vulnerability is in Oracle Product Hub, attacks may significantly impact additional products (scope change). Successfu...
CVE-2026-83486	7.7	HIGH				Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Item Catalog). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. While the vulnerability is in Oracle Product Hub, attacks may significantly impact additional products (scope change). Successfu...
CVE-2026-83487	7.7	HIGH				Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Item Catalog). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. While the vulnerability is in Oracle Product Hub, attacks may significantly impact additional products (scope change). Successfu...
CVE-2026-87124	7.7	HIGH				Vulnerability in the Oracle iRecruitment product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle iRecruitment. While the vulnerability is in Oracle iRecruitment, attacks may significantly impact additional products (scope change). ...
CVE-2026-87127	7.7	HIGH				Vulnerability in the Oracle Purchasing product of Oracle E-Business Suite (component: G-Invoicing). Supported versions that are affected are 12.2.10-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Purchasing. While the vulnerability is in Oracle Purchasing, attacks may significantly impact additional products (scope change). Successful a...
CVE-2026-87134	7.7	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via TCP to compromise Oracle Hyperion Data Relationship Management. While the vulnerability is in Oracle Hyperion Data Relationship Management, at...
CVE-2026-87141	7.7	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. While the vulnerability is in Oracle Hyperion Data Relationship Management, a...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87147	7.7	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. While the vulnerability is in Oracle Hyperion Data Relationship Management...
CVE-2026-87151	7.7	HIGH				Vulnerability in the Oracle Bills of Material product of Oracle E-Business Suite (component: Setup Workbench). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Bills of Material. While the vulnerability is in Oracle Bills of Material, attacks may significantly impact additional products (scop...
CVE-2026-87183	7.7	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Successful attacks require human interaction fr...
CVE-2026-87256	7.7	HIGH				Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Application Server). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Agile PLM. While the vulnerability is in Oracle Agile PLM, attacks may significantly impact additional products (scope change). Successful attacks o...
CVE-2026-87257	7.7	HIGH				Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: SDK). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Agile PLM. While the vulnerability is in Oracle Agile PLM, attacks may significantly impact additional products (scope change). Successful attacks of this vulnerab...
CVE-2026-87264	7.7	HIGH				Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Integration Broker). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. While the vulnerability is in PeopleSoft Enterprise PeopleTools, attacks may significantly impact additi...
CVE-2026-73943	7.6	HIGH				Vulnerability in the Oracle Identity Manager product of Oracle Fusion Middleware (component: OIM Legacy UI). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Identity Manager. While the vulnerability is in Oracle Identity Manager, attacks may significantly impact additional produ...
CVE-2026-83052	7.6	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. While the vulnerability is in Oracle WebCenter Portal, attacks may significantly impact additional produ...
CVE-2026-83091	7.6	HIGH				Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all...
CVE-2026-83126	7.6	HIGH				Vulnerability in the Oracle Sales Online product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sales Online. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in Ora...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83207	7.6	HIGH				Vulnerability in the Siebel CRM Development product of Oracle Siebel CRM (component: Integration - Scripting). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Development. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable cras...
CVE-2026-83320	7.6	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Administration). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks require human interaction from a person other than the attacker and while the vulnerabili...
CVE-2026-87131	7.6	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human interaction from a person other than the att...
CVE-2026-87132	7.6	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human interaction from a person other than the att...
CVE-2026-87133	7.6	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. While the vulnerability is in Oracle Hyperion Data Relationship Management, ...
CVE-2026-87137	7.6	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human interaction from a person other than the att...
CVE-2026-87144	7.6	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human interaction from a person other than the att...
CVE-2026-87233	7.6	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. While the vulnerability is in Oracle Hyperion Financial Management, attacks may significantly impact ad...
CVE-2026-87250	7.6	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks require human interaction from a person other than the attacker and while the vulnera...
CVE-2026-87258	7.6	HIGH				Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Folders, Files & Attachments). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Agile PLM. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in Oracle Agil...
CVE-2025-14871	7.5	HIGH				GitLab has remediated an issue in GitLab CE/EE affecting all versions from 18.4.6 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed an unauthenticated user to cause denial of service due to improper resource allocation limits in the GraphQL complexity calculation logic.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-1168	7.5	HIGH				GitLab has remediated an issue in GitLab CE/EE affecting all versions from 18.4.6 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed an unauthenticated user to cause denial of service due to improper resource allocation limits in the GraphQL complexity calculation logic.
CVE-2026-11926	7.5	HIGH				IBM Verify Identity Access could allow a remote attacker to cause a denial of service due to insufficient validation of incoming request resources.
CVE-2026-11929	7.5	HIGH				IBM Security Verify Identity Access Reverse Proxy in certain configurations may provide weaker than expected cryptographic validation of user supplied data.
CVE-2026-12354	7.5	HIGH				IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker to execute arbitrary code on the application server due to improper validation of JNDI names in the Resource Adapter Installation Verification Test application.
CVE-2026-12358	7.5	HIGH				IBM Verify Identity Access could allow a remote attacker to cause a denial of service due to insufficient validation of incoming request resources.
CVE-2026-13260	7.5	HIGH		0.002		IBM Verify Identity Access could allow a remote attacker to cause a denial of service due to insufficient validation of incoming request resources.
CVE-2026-15955	7.5	HIGH		0.004		IBM Db2 11.5.0 through 11.5.9, and 12.1.0 through 12.1.5 could allow a remote attacker to perform an arbitrary file write due to improper validation of file paths.
CVE-2026-19290	7.5	HIGH		0.004		IBM Sterling File Gateway 6.2.0.0 through 6.2.0.6_1, 6.2.1.0 - 6.2.1.2, 6.2.2.0 - 6.2.2.1 could allow a remote attacker to obtain sensitive information due to improper access control.
CVE-2026-49362	7.5	HIGH		0.004	apache:artemis	An unauthenticated remote attacker can create arbitrary durable queues via the CORE protocol, leading to unauthorized broker state manipulation and potential denial of service. This issue affects Apache Artemis: from 2.50.0 through 2.56.0; Apache ActiveMQ Artemis: from 1.0.0 through 2.44.0. Users are recommended to upgrade to version 2.57.0, which fixes the issue.
CVE-2026-49363	7.5	HIGH		0.004	apache:artemis	An unauthenticated remote attacker connecting with the CORE protocol can discover cluster node details by sending a SUBSCRIBE_TOPOLOGY request prior to authentication. This issue affects Apache Artemis: from 2.50.0 through 2.56.0; Apache ActiveMQ Artemis: from 1.0.0 through 2.44.0. Users are recommended to upgrade to version 2.57.0, which fixes the issue.
CVE-2026-54629	7.5	HIGH		0.01		Anyquery is an SQL query engine built on top of SQLite. Prior to 0.4.5, anyquery server exposes file-backed SQLite virtual table modules such as csv_reader and log_reader through its MySQL-compatible server port without authentication, authorization, or directory restrictions. A remote attacker can use SQLite CREATE VIRTUAL TABLE statements to provide a local path to these modules, which use hashicorp/go-getter un...
CVE-2026-54632	7.5	HIGH		0.005		SIPSorcery is a WebRTC, SIP, and VoIP library for C# and .NET. Prior to 10.0.9, RTPChannel.OnRTPPacketReceived and the STUNAttribute.ParseMessageAttributes, STUNXORAddressAttribute, and STUNAddressAttribute parsing path index untrusted bytes without sufficient length checks, while UdpReceiver.EndReceiveFrom closes the channel when those operations raise a non-socket exception. A remote party can send a single shor...
CVE-2026-55149	7.5	HIGH				Vouch Proxy is an SSO and OAuth/OIDC login solution for Nginx using the auth_request module. Prior to 0.48.0, Cookie in pkg/cookie/cookie.go parses the total part count from an attacker-controlled multipart cookie name and passes the value to make([]string, numParts) without checking that the value is positive or reasonably bounded. Requests to /validate and /_external-auth:id reach JWTCacheHandler in pkg/jwtmana...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-55690	7.5	HIGH				The EmbedVideo Extension is a MediaWiki extension which adds a parser function called #ev and various parser tags for embedding video clips from various video sharing services. Prior to 4.1.0, EmbedServiceFactory::newFromName in includes/EmbedService/EmbedServiceFactory.php interpolates an attacker-controlled unknown service name into exception text, and includes/EmbedVideo.php returns that text as HTML through th...
CVE-2026-55692	7.5	HIGH				The EmbedVideo Extension is a MediaWiki extension which adds a parser function called #ev and various parser tags for embedding video clips from various video sharing services. Prior to 4.1.0, with the default \$wgEmbedVideoRequireConsent configuration enabled, includes/EmbedService/EmbedHtmlFormatter.php places JSON returned through includes/EmbedService/AbstractEmbedService.php into the data-mw-iframeconfig attri...
CVE-2026-70587	7.5	HIGH		0.008	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Improper null termination in Windows Remote Desktop Protocol allows an unauthorized attacker to disclose information over a network.
CVE-2026-73960	7.5	HIGH				Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Ren Server). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repea...
CVE-2026-76442	7.5	HIGH		0.003		As part of Cisco's ongoing commitment to proactive security and product quality, the Cisco Secure Email Gateway and Cisco Secure Email and Web Manager engineering team has conducted a comprehensive internal security review. This review resulted in software hardening releases that address multiple internally discovered vulnerabilities. The vulnerabilities tracked by CVE-2026-76442 are related to issues with impr...
CVE-2026-81265	7.5	HIGH		0.002	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5.
CVE-2026-81381	7.5	HIGH		0.006	microsoft:visual_studio_code	Insufficiently protected credentials in GitHub Copilot and Visual Studio Code allows an unauthorized attacker to disclose information over a network.
CVE-2026-83028	7.5	HIGH				Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Identity Manager Connector executes to compromise Oracle Identity Manager Conn...
CVE-2026-83034	7.5	HIGH				Vulnerability in the Oracle WebCenter Sites product of Oracle Fusion Middleware (component: WebCenter Sites). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Sites. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-83051	7.5	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-83065	7.5	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). The supported version that is affected is 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle WebCenter Portal executes to compromise Oracle WebCenter Portal. Successful attacks of this ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83075	7.5	HIGH				Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete acce...
CVE-2026-83106	7.5	HIGH				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in takeover of Oracle Forms. CVSS 3.1 Base Score 7.5 (Co...
CVE-2026-83110	7.5	HIGH				Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Marketing. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle Marketing ...
CVE-2026-83114	7.5	HIGH				Vulnerability in the Oracle Quality product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Quality. Successful attacks of this vulnerability can result in takeover of Oracle Quality. CVSS 3.1 Base Score 7.5 (Confidentiality, Int...
CVE-2026-83115	7.5	HIGH				Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Command Line - RapidClone). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result in unauthorized access to critical data or c...
CVE-2026-83128	7.5	HIGH				Vulnerability in the Oracle Sales Offline product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Sales Offline. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to al...
CVE-2026-83133	7.5	HIGH				Vulnerability in the Oracle iStore product of Oracle E-Business Suite (component: Shopping Cart). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle iStore. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle iStore acce...
CVE-2026-83156	7.5	HIGH				Vulnerability in the Oracle XML Developers Kit component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Difficult to exploit vulnerability allows low privileged attacker having XDKC privilege with network access via Oracle Net to compromise Oracle XML Developers Kit. Successful attacks of this vulnerability can result in takeover of Oracle XML Deve...
CVE-2026-83167	7.5	HIGH				Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete a...
CVE-2026-83182	7.5	HIGH				Vulnerability in the Siebel CRM Development product of Oracle Siebel CRM (component: Configuration Tools). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via SQL to compromise Siebel CRM Development. Successful attacks of this vulnerability can result in takeover of Siebel CRM Development. CVSS 3.1 Base Score 7.5 (Confiden...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83183	7.5	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (...)
CVE-2026-83204	7.5	HIGH				Vulnerability in the Oracle Sourcing product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Sourcing. Successful attacks of this vulnerability can result in takeover of Oracle Sourcing. CVSS 3.1 Base Score 7.5 (Confidentiality, ...)
CVE-2026-83213	7.5	HIGH				Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Reports). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel CRM End User acc...
CVE-2026-83222	7.5	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via multiple protocols to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repe...
CVE-2026-83223	7.5	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Siebel Remote). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 7.5 (Confidentiality,...
CVE-2026-83225	7.5	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (c...
CVE-2026-83226	7.5	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 7.5 (Confiden...
CVE-2026-83227	7.5	HIGH				Vulnerability in the Siebel CRM Integration product of Oracle Siebel CRM (component: EAI). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Integration. Successful attacks of this vulnerability can result in takeover of Siebel CRM Integration. CVSS 3.1 Base Score 7.5 (Confidentiality, Integr...
CVE-2026-83228	7.5	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (c...
CVE-2026-83235	7.5	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83241	7.5	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks require human interaction from a...
CVE-2026-83257	7.5	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result ...
CVE-2026-83262	7.5	HIGH				Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Installation Issues). The supported version that is affected is 3.6.1. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Lifecycle Analytics. Successful attacks of this vulnerability can result in takeover of Oracle Product Lifecycle Analyti...
CVE-2026-83263	7.5	HIGH				Vulnerability in the Oracle Product Lifecycle Analytics product of Oracle Supply Chain (component: Installation Issues). The supported version that is affected is 3.6.1. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Lifecycle Analytics. Successful attacks of this vulnerability can result in takeover of Oracle Product Lifecycle Analyti...
CVE-2026-83270	7.5	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in u...
CVE-2026-83276	7.5	HIGH				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-webclient-http2). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP/2 to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) o...
CVE-2026-83280	7.5	HIGH				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-webserver-http2). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP/2 to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) o...
CVE-2026-83281	7.5	HIGH				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-webserver). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of Helidon...
CVE-2026-83289	7.5	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Analytics Web General). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability ca...
CVE-2026-83292	7.5	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in take...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83295	7.5	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Presentation Services). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability ca...
CVE-2026-83296	7.5	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Search). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in ...
CVE-2026-83318	7.5	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: Administration). Supported versions that are affected are 8.2.0.0.0, 12.2.1.4.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeover of Oracle BI Publisher. CVSS 3.1 Base Scor...
CVE-2026-83323	7.5	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Edition. Succe...
CVE-2026-83326	7.5	HIGH				Vulnerability in the Siebel CRM Integration product of Oracle Siebel CRM (component: Open Integration). Supported versions that are affected are 25.12-26.7. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Integration. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel ...
CVE-2026-83330	7.5	HIGH				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: WebSocket). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of Helidon. CVSS ...
CVE-2026-83333	7.5	HIGH				Vulnerability in the Oracle Net Services component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via Oracle Net to compromise Oracle Net Services. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of Orac...
CVE-2026-83341	7.5	HIGH				Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Command Line - RapidClone). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result in unauthorized access to critical data or c...
CVE-2026-83349	7.5	HIGH				Vulnerability in the Oracle Net Services component of Oracle Database Server. Supported versions that are affected are 19.3-19.32, 21.3-21.23 and 23.4.0-23.26.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via Oracle Net to compromise Oracle Net Services. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable ...
CVE-2026-83350	7.5	HIGH				Vulnerability in the Oracle Net Services component of Oracle Database Server. Supported versions that are affected are 21.3-21.23 and 23.4.0-23.26.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via Oracle Net to compromise Oracle Net Services. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (compl...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83415	7.5	HIGH				Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Coherence. Successful attacks of this vulnerability can result in takeover of Oracle Coherence. CVSS 3.1 Base Sco...
CVE-2026-83424	7.5	HIGH				Vulnerability in the Oracle JDeveloper product of Oracle Fusion Middleware (component: Oracle JDeveloper). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle JDeveloper. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access ...
CVE-2026-83463	7.5	HIGH				Vulnerability in the Oracle Mobile Application Server product of Oracle E-Business Suite (component: MWA Terminal Server). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Mobile Application Server executes to compromise Oracle Mobile Application Se...
CVE-2026-83489	7.5	HIGH				Vulnerability in the Oracle Banking Origination product of Oracle Financial Services Applications (component: Onboarding Batch Processes). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Banking Origination. Successful attacks of this vulnerability can result in takeover of Oracle B...
CVE-2026-84469	7.5	HIGH		0.003	fastify:fastify	fastify versions before 5.12.2 decide whether to compile a request schema based on JavaScript truthiness, but JSON Schema Draft 7 defines the boolean false as a valid schema that rejects every instance. When an application assigns false to a route's body, querystring, params, or headers schema to deny all input, fastify treats it as a missing schema, compiles no validator, and runs the route handler on any request...
CVE-2026-85014	7.5	HIGH		0.004	nodejs:undici	undici's experimental WebSocketStream client crashes the whole Node.js process when a remote peer closes the TCP connection without a WebSocket close handshake. On an unclear close the internal socket-close handler calls abort on the writable stream unconditionally and discards the returned promise, but per the WHATWG Streams standard aborting a locked writable returns a promise that rejects with a TypeError. Beca...
CVE-2026-87136	7.5	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized access ...
CVE-2026-87138	7.5	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized ability ...
CVE-2026-87139	7.5	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in takeover of Oracle H...
CVE-2026-87140	7.5	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in takeover of Oracle H...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87148	7.5	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized ability ...
CVE-2026-87190	7.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Managemen...
CVE-2026-87193	7.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87194	7.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87199	7.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequent...
CVE-2026-87203	7.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Managemen...
CVE-2026-87205	7.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87211	7.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...
CVE-2026-87215	7.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequentl...
CVE-2026-87221	7.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complet...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87222	7.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequent...
CVE-2026-87237	7.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Managemen...
CVE-2026-87247	7.5	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Managemen...
CVE-2026-87254	7.5	HIGH				Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Folders, Files & Attachments). The supported version that is affected is 9.3.6. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Agile PLM. Successful attacks of this vulnerability can result in takeover of Oracle Agile PLM. CVSS 3.1 Base Score 7.5 (Confidentiality,...
CVE-2026-87276	7.5	HIGH				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person other than the attacker and while the vu...
CVE-2026-87277	7.5	HIGH				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows unauthenticated attacker with network access via RDP to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of ...
CVE-2026-87289	7.5	HIGH				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-webserver-static-content). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete...
CVE-2026-18489	7.4	HIGH		0.003	ibm:contextforge	IBM ContextForge MCP Gateway - Translate utility <= 1.0.8 MCP Context Forge could allow a remote attacker to obtain sensitive information from other sessions due to exposure of data elements to the wrong session.
CVE-2026-53714	7.4	HIGH		0.003		Envoy Gateway is an open source project for managing Envoy Proxy as a standalone or Kubernetes-based application gateway. Prior to 1.7.4 and 1.8.1, the xDS gRPC server in GatewayNamespaceMode, configured through provider.kubernetes.deploy.type=GatewayNamespace, installs a JWT StreamInterceptor but no UnaryInterceptor, leaving every unary Fetch RPC unauthenticated. The streaming interceptor also authenticates only ...
CVE-2026-83102	7.4	HIGH				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification acc...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83162	7.4	HIGH				Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTPS to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification...
CVE-2026-83184	7.4	HIGH				Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-83218	7.4	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical...
CVE-2026-83334	7.4	HIGH				Vulnerability in the Oracle Web Services Manager product of Oracle Fusion Middleware (component: Web Services Security). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via SOAP to compromise Oracle Web Services Manager. Successful attacks of this vulnerability can result in unauthorized access to critica...
CVE-2026-87130	7.4	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via SMTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized creat...
CVE-2026-87143	7.4	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TCP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized creati...
CVE-2026-87195	7.4	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TLS to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-87198	7.4	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificati...
CVE-2026-87206	7.4	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificati...
CVE-2026-87212	7.4	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87213	7.4	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificati...
CVE-2026-87235	7.4	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via SSH to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-87242	7.4	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TLS to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modificatio...
CVE-2026-91734	7.4	HIGH				Incorrect authorization in Core in Google Chrome on on Windows prior to 153.0.8010.47 allowed a local attacker to execute arbitrary code outside the sandbox via a local program. (Chromium security severity: High)
CVE-2026-28613	7.3	HIGH		0.001	google:android	In initAppLinkTypeAndIntent of ChannelImpl.java, there is a possible launch an arbitrary intent due to improper input validation. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is needed for exploitation.
CVE-2026-28626	7.3	HIGH		0.001	google:android	In onCreate of SetupPassthroughActivity.java, there is a possible way to launch arbitrary activity due to Intent redirection . This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is needed for exploitation.
CVE-2026-28656	7.3	HIGH		0.001	google:android	In multiple functions of DeviceAdminAdd.java, there is a possible way to an overlay due to a tapjacking/overlay attack. This could lead to local escalation of privilege with no additional execution privileges needed. User interaction is needed for exploitation.
CVE-2026-73955	7.3	HIGH				Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Charting). Supported versions that are affected are 8.61-8.63. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise PeopleSoft Enterprise PeopleTools. Successful attacks require human interaction from a person other than the attacker. Successful attacks of this vul...
CVE-2026-75092	7.3	HIGH		0.001		A privilege escalation flaw was found in the scan_mysql actor of leapp-upgrade-el9toel10 (provided by leapp-repository). During RHEL 9 to RHEL 10 upgrades, the actor runs: mysqld --validate-config --log-error-verbosity=2 directly as root in the Leapp actor context, bypassing the packaged MySQL systemd unit that normally starts the daemon as User=mysql. A process compromised as the mysql OS identity can write a ve...
CVE-2026-83155	7.3	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerabili...
CVE-2026-83185	7.3	HIGH				Vulnerability in the Oracle Common Applications product of Oracle E-Business Suite (component: CRM User Management Framework). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Common Applications. Successful attacks require human interaction from a person other than the attacker. Successful a...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83190	7.3	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks require human interaction from a person other than the attacker. ...
CVE-2026-83193	7.3	HIGH				Vulnerability in the Siebel Apps - Life Sciences product of Oracle Siebel CRM (component: Life Sciences). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel Apps - Life Sciences executes to compromise Siebel Apps - Life Sciences. Successful attacks require human interaction from a person other than the ...
CVE-2026-83242	7.3	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Experience Manager). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability...
CVE-2026-83277	7.3	HIGH				Vulnerability in the Oracle Agile PLM MCAD Connector product of Oracle Supply Chain (component: CAX Client). The supported version that is affected is 3.6. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile PLM MCAD Connector executes to compromise Oracle Agile PLM MCAD Connector. While the vulnerability is in Oracle Agile PLM MCAD Connector, atta...
CVE-2026-87145	7.3	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized update,...
CVE-2026-87260	7.3	HIGH				Vulnerability in the Oracle Agile Engineering Data Management product of Oracle Supply Chain (component: Engineering Communication Interface). The supported version that is affected is 6.2.1. Easily exploitable vulnerability allows low privileged attacker with access to the physical communication segment attached to the hardware where the Oracle Agile Engineering Data Management executes to compromise Oracle Agi...
CVE-2026-87261	7.3	HIGH				Vulnerability in the Oracle Agile Engineering Data Management product of Oracle Supply Chain (component: Engineering Communication Interface). The supported version that is affected is 6.2.1. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile Engineering Data Management executes to compromise Oracle Agile Engineering Data Management. While the vul...
CVE-2026-11934	7.2	HIGH				IBM Verify Identity Access could allow an administrator to execute additional commands they are not entitled to due to improper validation of user supplied input.
CVE-2026-73966	7.2	HIGH				Vulnerability in the Siebel Apps - Marketing product of Oracle Siebel CRM (component: Marketing). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Siebel Apps - Marketing. Successful attacks of this vulnerability can result in takeover of Siebel Apps - Marketing. CVSS 3.1 Base Score 7.2 (Confidentiality...
CVE-2026-81901	7.2	HIGH		0.003		In Concrete CMS 9.2.0 through 9.5.2, the REST API page update endpoint (PUT /ccm/api/1.0/pages/{cID}) did not enforce page-property, page-template, or page-type authorization. A user granted only content-editing rights on a page could therefore alter its properties, template, and type through the API, and could set the header_extra_content attribute, which is rendered unescaped into the head element of every page,...
CVE-2026-83004	7.2	HIGH				Vulnerability in the Oracle WebCenter Enterprise Capture product of Oracle Fusion Middleware (component: Client Bundle). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle WebCenter Enterprise Capture executes to compromise Oracle WebCenter Enterprise Capture. Successful attacks requi...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83016	7.2	HIGH				Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: SQR). Supported versions that are affected are 8.61-8.63. Difficult to exploit vulnerability allows high privileged attacker with logon to the infrastructure where PeopleSoft Enterprise PeopleTools executes to compromise PeopleSoft Enterprise PeopleTools. Successful attacks require human interaction from a person othe...
CVE-2026-83063	7.2	HIGH				Vulnerability in the Oracle Internet Directory product of Oracle Fusion Middleware (component: OID LDAP Server). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via LDAP to compromise Oracle Internet Directory. Successful attacks of this vulnerability can result in takeover of Oracle Internet Directory. CVSS...
CVE-2026-83082	7.2	HIGH				Vulnerability in the Oracle Marketing product of Oracle E-Business Suite (component: Audience). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Marketing. Successful attacks of this vulnerability can result in takeover of Oracle Marketing. CVSS 3.1 Base Score 7.2 (Confidentiality, Integrity...
CVE-2026-83112	7.2	HIGH				Vulnerability in the Oracle Lease and Finance Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.7-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Lease and Finance Management. Successful attacks of this vulnerability can result in takeover of Oracle Lease and Fin...
CVE-2026-83117	7.2	HIGH				Vulnerability in the Applications DBA product of Oracle E-Business Suite (component: AD Utilities). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Applications DBA. Successful attacks of this vulnerability can result in takeover of Applications DBA. CVSS 3.1 Base Score 7.2 (Confidentiality, Integ...
CVE-2026-83176	7.2	HIGH				Vulnerability in the Oracle Common Applications product of Oracle E-Business Suite (component: CRM User Management Framework). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Common Applications. Successful attacks of this vulnerability can result in takeover of Oracle Common Applications. ...
CVE-2026-83188	7.2	HIGH				Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in takeover of Oracle Depot Repair. CVSS 3.1 Base Score 7.2 (Confid...
CVE-2026-83195	7.2	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows high privileged attacker with network access via TCP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in takeover of Siebel CRM Deployment. CVSS 3.1 Base Score 7.2 (Confidenti...
CVE-2026-83273	7.2	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeover of Oracle...
CVE-2026-83298	7.2	HIGH				Vulnerability in the Oracle BI Publisher product of Oracle Analytics (component: BI Platform Security). The supported version that is affected is 12.2.1.4.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle BI Publisher. Successful attacks of this vulnerability can result in takeover of Oracle BI Publisher. CVSS 3.1 Base Score 7.2 (Confidentialit...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83322	7.2	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeo...
CVE-2026-83325	7.2	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. Successful attacks of this vulnerability can result in takeo...
CVE-2026-83328	7.2	HIGH				Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in takeover of Oracle Applications Framework. CVSS ...
CVE-2026-83344	7.2	HIGH				Vulnerability in the Oracle Identity Manager Connector product of Oracle Fusion Middleware (component: Database Application Table). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Identity Manager Connector. Successful attacks of this vulnerability can result in takeover of Orac...
CVE-2026-83440	7.2	HIGH				Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in takeover of Oracle Product Hub. CVSS 3.1 Base Score 7.2 (Confident...
CVE-2026-83442	7.2	HIGH				Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in takeover of Oracle Product Hub. CVSS 3.1 Base Score 7.2 (Confident...
CVE-2026-83453	7.2	HIGH				Vulnerability in the Oracle Document Management and Collaboration product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Document Management and Collaboration. Successful attacks of this vulnerability can result in takeover of Or...
CVE-2026-83481	7.2	HIGH				Vulnerability in the Oracle Contracts product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.14-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Contracts. Successful attacks of this vulnerability can result in takeover of Oracle Contracts. CVSS 3.1 Base Score 7.2 (Confidentialit...
CVE-2026-83482	7.2	HIGH				Vulnerability in the Oracle Contracts product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.14-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Contracts. Successful attacks of this vulnerability can result in takeover of Oracle Contracts. CVSS 3.1 Base Score 7.2 (Confidentialit...
CVE-2026-87207	7.2	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via SQL to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management....

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87239	7.2	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management...
CVE-2026-87244	7.2	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management...
CVE-2026-87246	7.2	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in takeover of Oracle Hyperion Financial Management...
CVE-2026-12667	7.1	HIGH				IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker to read files from a vulnerable .NET client or cause limited denial of service due to improper handling of XML external entities in RFH2 folder parsing.
CVE-2026-12752	7.1	HIGH				IBM Business Automation Workflow containers and traditional is vulnerable to an XML external entity injection (XXE) attack when processing XML data. A remote attacker could exploit this vulnerability to expose sensitive information or consume memory resource.
CVE-2026-12756	7.1	HIGH		0.005		IBM Business Automation Workflow containers and traditional is vulnerable to an XML external entity injection (XXE) attack when processing XML data. A remote attacker could exploit this vulnerability to expose sensitive information or consume memory resources.
CVE-2026-13107	7.1	HIGH		0.004		IBM Business Automation Workflow containers and traditional may use programming model artifacts that are vulnerable to XML Entity Injection attacks by default.
CVE-2026-13275	7.1	HIGH		0.003		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 Managed File Transfer could allow an authenticated attacker to read arbitrary files or perform server-side request forgery due to XML external entity injection in reply message processing.
CVE-2026-13285	7.1	HIGH		0.004		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 is vulnerable to an XML external entity injection (XXE) attack when processing XML data. A remote attacker could exploit this vulnerability to expose sensitive information or consume memory resources.
CVE-2026-13287	7.1	HIGH		0.004		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 is vulnerable to an XML external entity injection (XXE) attack when processing XML data. A remote attacker could exploit this vulnerability to expose sensitive information or consume memory resources.
CVE-2026-19816	7.1	HIGH		0.001		A flaw was found in PackageKit. PackageKit skips the polkit authorization check for transactions carrying the SIMULATE (dry-run) flag. In the dnf5 backend, the RepoRemove handler ignores that contract and always executes the real transaction because its guard is written as (role == REPO_REMOVE !SIMULATE), which is always true for RepoRemove. An unprivileged local user can therefore perform a genuine package uni...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-21586	7.1	HIGH				This High severity Improper Authorization vulnerability was introduced in versions 7.4.0, 7.13.0, 8.5.0, 8.9.0, 9.0.1, 9.1.0, 9.2.0, 9.3.1, 9.4.0, 9.5.1, 10.0.2, 10.1.0, and 10.2.0 of Confluence Data Center. This Improper Authorization vulnerability, with a CVSS Score of 7.1, allows an authenticated attacker to gain unintended access and can lead to the exposure of resources or functionality, possibly providing...
CVE-2026-21587	7.1	HIGH				This High severity Improper Authorization vulnerability was introduced in version 11.3.0 of Jira Service Management Data Center. This Improper Authorization vulnerability, with a CVSS Score of 7.1, allows an authenticated attacker to gain unintended access and can lead to the exposure of resources or functionality, possibly providing attackers with sensitive information or even execute arbitrary code. Atla...
CVE-2026-21588	7.1	HIGH				This High severity DoS (Denial of Service) vulnerability was introduced in versions 8.9.0, 9.0.1, 9.1.0, 9.2.0, 9.3.1, 9.4.0, 9.5.1, 10.0.2, 10.1.0, and 10.2.0 of Confluence Data Center. This DoS (Denial of Service) vulnerability, with a CVSS Score of 7.1, allows an authenticated attacker to cause a resource to be unavailable for its intended users by temporarily or indefinitely disrupting services of a host co...
CVE-2026-53966	7.1	HIGH				XWiki Platform is a generic wiki platform. From 13.4-rc-1 until 16.10.17, 17.4.10, 17.10.4, and 18.1.0-rc-1, the Live Data edit REST API allows a user who can edit a page to change that page's rights without executing the normal document-saving authorization checks. The user can grant script right and then execute potentially dangerous Velocity scripts or send unfiltered HTML and JavaScript to clients. The same mi...
CVE-2026-54077	7.1	HIGH				ArcadeDB is a Multi-Model DBMS. Prior to 26.6.1, the IMPORT DATABASE statement in engine/src/main/java/com/arcadedb/query/sql/parser/ImportDatabaseStatement.java did not require administrative privileges and passed its source to integration/src/main/java/com/arcadedb/integration/importer/SourceDiscovery.java without validation. An authenticated user with SQL command access through /api/v1/command or /api/v1/query ...
CVE-2026-54085	7.1	HIGH		0.002	wazuh:wazuh	Wazuh is an open-source security platform providing unified XDR and SIEM protection for endpoints and cloud workloads. In versions 4.2.0 through 4.14.6, multiple active response scripts pass attacker-influenced alert fields to privileged system commands without validating their format, allowing argument injection into tools that run as root. Five of the eight scripts that handle the srcip field, route-null.c, nets...
CVE-2026-76821	7.1	HIGH				OpenCTI is an open source platform for managing cyber threat intelligence knowledge and observables. Prior to 7.260706.0, the JSON ingestion mapper's extractWithRegexp formula function compiled a user-supplied regular expression with the JavaScript RegExp engine in opencti-platform/opencti-graphql/src/parser/json-mapper.ts without validating its complexity. An authenticated user with JSON mapper creation permissio...
CVE-2026-80380	7.1	HIGH		0.001	ibm:datastage_on_cloud_pak_for_data	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote attacker to perform unauthorized actions due to cross-site request forgery.
CVE-2026-83044	7.1	HIGH				Vulnerability in the Oracle XML Gateway product of Oracle E-Business Suite (component: Install). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle XML Gateway. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle XML Gate...
CVE-2026-83046	7.1	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83050	7.1	HIGH				Vulnerability in the Oracle WebCenter Portal product of Oracle Fusion Middleware (component: Runtime Tools). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle WebCenter Portal. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete ...
CVE-2026-83080	7.1	HIGH				Vulnerability in the Oracle Banking Branch product of Oracle Financial Services Applications (component: Reports). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Banking Branch. Successful attacks require human interaction from a person other than the attacker. Successful attacks o...
CVE-2026-83092	7.1	HIGH				Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to cr...
CVE-2026-83111	7.1	HIGH				Vulnerability in the Oracle Partner Management product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Partner Management. While the vulnerability is in Oracle Partner Management, attacks may significantly impact additional produ...
CVE-2026-83113	7.1	HIGH				Vulnerability in the Oracle Quality product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Quality. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle Qual...
CVE-2026-83123	7.1	HIGH				Vulnerability in the Oracle Report Manager product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle Report Manager. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to ...
CVE-2026-83130	7.1	HIGH				Vulnerability in the Oracle Site Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Site Hub. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data ...
CVE-2026-83158	7.1	HIGH				Vulnerability in the Oracle Applications Manager product of Oracle E-Business Suite (component: Command Line - RapidClone). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Applications Manager executes to compromise Oracle Applications Manager. Successful attacks of this vulnerability can result...
CVE-2026-83161	7.1	HIGH				Vulnerability in the Oracle Project Intelligence product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Project Intelligence. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification ...
CVE-2026-83171	7.1	HIGH				Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Documents). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle One-to-One Fulfillment. While the vulnerability is in Oracle One-to-One Fulfillment, attacks may significantly impact additional pro...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83173	7.1	HIGH				Vulnerability in the Oracle One-to-One Fulfillment product of Oracle E-Business Suite (component: Documents). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle One-to-One Fulfillment. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete acces...
CVE-2026-83179	7.1	HIGH				Vulnerability in the Oracle Common Applications Calendar product of Oracle E-Business Suite (component: Applications Calendar). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Common Applications Calendar. Successful attacks of this vulnerability can result in unauthorized creation, delet...
CVE-2026-83186	7.1	HIGH				Vulnerability in the Oracle Common Applications Calendar product of Oracle E-Business Suite (component: Applications Calendar). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Common Applications Calendar. Successful attacks of this vulnerability can result in unauthorized creation, deletio...
CVE-2026-83187	7.1	HIGH				Vulnerability in the Oracle Common Applications Calendar product of Oracle E-Business Suite (component: Applications Calendar). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Common Applications Calendar. Successful attacks of this vulnerability can result in unauthorized creation, deletio...
CVE-2026-83206	7.1	HIGH				Vulnerability in the Oracle Banking Corporate Lending Process Management product of Oracle Financial Services Applications (component: Base). Supported versions that are affected are 14.5.0.0.0-14.9.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Banking Corporate Lending Process Management. Successful attacks require human interaction fr...
CVE-2026-83217	7.1	HIGH				Vulnerability in the Siebel CRM End User product of Oracle Siebel CRM (component: Open UI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM End User. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel CRM End User acce...
CVE-2026-83219	7.1	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Siebel CRM Deployment executes to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, delet...
CVE-2026-83221	7.1	HIGH				Vulnerability in the Siebel CRM Integration product of Oracle Siebel CRM (component: EAI). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Siebel CRM Integration. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel CRM Integration...
CVE-2026-83224	7.1	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Server Infrastructure). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Siebel...
CVE-2026-83230	7.1	HIGH				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Siebel Management Console). Supported versions that are affected are 17.0-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Si...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83237	7.1	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result in...
CVE-2026-83238	7.1	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result in...
CVE-2026-83240	7.1	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to compromise Oracle Commerce Guided Search / Oracl...
CVE-2026-83244	7.1	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to...
CVE-2026-83259	7.1	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result in...
CVE-2026-83300	7.1	HIGH				Vulnerability in the Oracle XML Gateway product of Oracle E-Business Suite (component: Install). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle XML Gateway. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle XML Gate...
CVE-2026-83324	7.1	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: BI Platform Security). Supported versions that are affected are 8.2.0.0.0 and 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Business Intelligence Enterprise Edition. While the vulnerability is in Oracle Business Intelligen...
CVE-2026-83332	7.1	HIGH				Vulnerability in the Oracle Applications Framework product of Oracle E-Business Suite (component: Personalization). Supported versions that are affected are 12.2.9-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Applications Framework. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-83345	7.1	HIGH				Vulnerability in the Oracle XML Gateway product of Oracle E-Business Suite (component: Install). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle XML Gateway. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle XML Gate...
CVE-2026-83352	7.1	HIGH				Vulnerability in the Oracle XML Gateway product of Oracle E-Business Suite (component: Install). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle XML Gateway. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle XML Gate...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83417	7.1	HIGH				Vulnerability in the Oracle Communications Cloud Native Core Security Edge Protection Proxy product of Oracle Communications (component: SEPP). Supported versions that are affected are 26.1.200 and 25.2.201. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Communications Cloud Native Core Security Edge Pro...
CVE-2026-83436	7.1	HIGH				Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Recall Management). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Ora...
CVE-2026-83484	7.1	HIGH				Vulnerability in the Oracle US Federal Human Resources product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle US Federal Human Resources. Successful attacks of this vulnerability can result in unauthorized creation, deletion or m...
CVE-2026-87126	7.1	HIGH				Vulnerability in the Oracle Report Manager product of Oracle E-Business Suite (component: Reports Security). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Report Manager. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all ...
CVE-2026-87135	7.1	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized access t...
CVE-2026-87142	7.1	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTPS to compromise Oracle Hyperion Data Relationship Management. Successful attacks require human interaction from a person other than the a...
CVE-2026-87146	7.1	HIGH				Vulnerability in the Oracle Hyperion Data Relationship Management product of Oracle Hyperion (component: Access and security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Data Relationship Management. Successful attacks of this vulnerability can result in unauthorized access t...
CVE-2026-87149	7.1	HIGH				Vulnerability in the Oracle Contract Lifecycle Management for Public Sector product of Oracle E-Business Suite (component: Award/PO). Supported versions that are affected are 12.2.8-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Contract Lifecycle Management for Public Sector. Successful attacks of this vulnerability can result in unaut...
CVE-2026-87156	7.1	HIGH				Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Ora...
CVE-2026-87158	7.1	HIGH				Vulnerability in the Oracle Order Management product of Oracle E-Business Suite (component: Enterprise Command Center). The supported version that is affected is V16. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Order Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-87160	7.1	HIGH				Vulnerability in the Oracle HRMS (India) product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTPS to compromise Oracle HRMS (India). Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all ...
CVE-2026-87191	7.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87192	7.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87208	7.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87209	7.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87220	7.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. S...
CVE-2026-87225	7.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87236	7.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete...
CVE-2026-87249	7.1	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Hyperion Financial Management. Successful attacks require human interaction from a person other than the attacker. Successful attacks ...
CVE-2026-87262	7.1	HIGH				Vulnerability in the Oracle Agile Engineering Data Management product of Oracle Supply Chain (component: Engineering Communication Interface). The supported version that is affected is 6.2.1. Easily exploitable vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Agile Engineering Data Management executes to compromise Oracle Ag...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-91145	7.1	HIGH		0.002		Activiti through 7.1.0.M6 fails to validate hash-brace deferred expressions in process variables, allowing attackers to bypass expression filtering. Attackers can inject expressions beginning with #{ that are stored and later evaluated in the full Spring context when a mail task uses variable-backed body fields, enabling method invocation on application beans.
CVE-2026-9176	7.1	HIGH		0.001	ibm:websphere_application_server	IBM WebSphere Application Server 9.0, and 8.5 is vulnerable to a security bypass due to improper authentication controls. A local attacker could exploit this vulnerability to escalate privileges and gain unauthorized access to protected resources.
CVE-2026-92299	7.1	HIGH				@jitsi/electron-sdk before 10.0.5 exposes getDesktopSources() via contextBridge without requiring an active getDisplayMedia() picker, allowing any script in the meeting page to enumerate screens and windows. Attackers can call the jitsi-screen-sharing-get-sources IPC route to retrieve desktop thumbnails at arbitrary resolution without user consent or operating system permission prompts.
CVE-2026-12150	7.0	HIGH				IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow a remote attacker with a trusted TLS client certificate to cause a denial of service and potentially affect memory contents due to improper validation of deeply nested certificate data during TLS certificate p...
CVE-2026-71340	7.0	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Use after free in Windows File History Service allows an authorized attacker to elevate privileges locally.
CVE-2026-71342	7.0	HIGH		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Use after free in Windows Remote Access Connection Manager allows an authorized attacker to elevate privileges locally.
CVE-2026-76159	7.0	HIGH		0.001		Incorrect Permission Assignment for Critical Resource in the configuration loader of Duplicati for Windows versions before v2.4.0.0 allows a local low-privileged attacker to escalate privileges to NT AUTHORITY\SYSTEM via an attacker-controlled preload.json file.
CVE-2026-77485	7.0	HIGH		0.002	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Use after free in SQL Server allows an authorized attacker to elevate privileges locally.
CVE-2026-83015	7.0	HIGH				Vulnerability in the PeopleSoft Enterprise PeopleTools product of Oracle PeopleSoft (component: Cube Manager). Supported versions that are affected are 8.61-8.63. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where PeopleSoft Enterprise PeopleTools executes to compromise PeopleSoft Enterprise PeopleTools. Successful attacks of this vulnerability can result in ...
CVE-2026-83150	7.0	HIGH				Vulnerability in Oracle Application Testing Suite. The supported version that is affected is 13.3.0.1. Difficult to exploit vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle Application Testing Suite executes to compromise Oracle Application Testing Suite. Successful attacks require human interaction from a person other than the attacker. Successful attacks of this vuln...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83231	7.0	HIGH				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-dbclient-mongodb). Supported versions that are affected are 3.0.0-3.2.20 and 4.0.0-4.5.4. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all He...
CVE-2026-83239	7.0	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Endeca Application Controller). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Commerce Guided Search / Oracle Commerce Experience Manager executes to compromise Oracle Comm...
CVE-2026-83252	7.0	HIGH				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result...
CVE-2026-83316	7.0	HIGH				Vulnerability in the Oracle Business Intelligence Enterprise Edition product of Oracle Analytics (component: Platform Security). The supported version that is affected is 26.01.0.0.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Business Intelligence Enterprise Edition executes to compromise Oracle Business Intelligence Enterprise Edition. Succe...
CVE-2026-83368	7.0	HIGH				Vulnerability in the Oracle GraalVM for JDK, Oracle GraalVM Enterprise Edition, Oracle GraalVM product of Oracle Java SE (component: Compiler). The supported version that is affected is Oracle GraalVM for JDK 17: 23.0.13.1; Oracle GraalVM for JDK 21: 23.1.12.1; Oracle GraalVM Enterprise Edition: 21.3.19.1; Oracle GraalVM: 25.0.4.1. Difficult to exploit vulnerability allows unauthenticated attacker with network a...
CVE-2026-87240	7.0	HIGH				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can r...
CVE-2026-53941	6.9	MEDI				Inspektor Gadget is a set of tools and framework for data collection and system inspection on Kubernetes clusters and Linux hosts using eBPF. From 0.27.0 until 0.53.1, the uprobe library resolver can allow an unprivileged container to consume excessive CPU and block other containers from starting by supplying a crafted /etc/ld.so.cache file while an uprobe-based gadget is active. The parser in pkg/uprobracer/ldc...
CVE-2026-89263	6.9	MEDI		0.003		MoguBlog through 6.2 fails to authenticate requests to the /web/comment/closeEmailNotification endpoint, allowing unauthenticated attackers to disable email notifications for arbitrary users. Remote callers can modify the startEmailNotification flag in Redis cache for any user identifier to suppress reply notifications without authorization.
CVE-2026-90439	6.9	MEDI				NGINX Plus and NGINX Open Source have a vulnerability in the ngx_http_v3_module module. When using HTTP/3 with OpenSSL versions <= OpenSSL 3.5.0 under certain configurations, a limited heap buffer overflow could happen while processing a TLS handshake. This can happen in a non-deterministic manner that is beyond the attacker's control. This may cause a heap buffer overflow in the NGINX worker process leading to a ...
CVE-2026-90809	6.9	MEDI		0.003		A vulnerability was identified in HKUDS nanobot up to 0.2.1. The affected element is the function ExecTool._guard_command/ExecTool._spawn of the file nanobot/agent/tools/shell.py of the component ExecTool. Such manipulation leads to argument injection. It is possible to launch the attack remotely. The name of the patch is af582246f141311d574551b7571a517bcc3df750. It is best practice to apply a patch to resolve thi...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-90819	6.9	MEDI		0.004		A weakness has been identified in a2aproject a2a-java 1.2.0. The affected element is the function BasePushNotificationSender.dispatchNotification of the file server-common/src/main/java/org/a2aproject/sdk/server/tasks/BasePushNotificationSender.java of the component Authorization Header Construction. This manipulation causes http response splitting. The attack can be initiated remotely. Upgrading to version 1.3.0 ...
CVE-2026-91997	6.9	MEDI				evolution-api through 2.3.7 contains an incorrect array comparison in the metricsIPWhitelist middleware that always evaluates to false, allowing unauthenticated access to the /metrics endpoint. Attackers can bypass IP whitelist restrictions to access sensitive metrics disclosing server version, database client name, configured server URL, and WhatsApp instance details.
CVE-2026-92215	6.9	MEDI				A vulnerability has been found in a2ui-project a2ui up to 0.10.7. Affected by this vulnerability is the function httpx.get of the file agent_sdks/python/a2ui_agent/src/a2ui/extensions/file_resolve/file_resolver.py of the component FileResolver. The manipulation leads to server-side request forgery. It is possible to initiate the attack remotely. The identifier of the patch is 2bb8423060308bbdea8ba468dabed4fc256d18...
CVE-2026-13265	6.8	MEDI		0.002		IBM MQ 9.1.0.0 through 9.1.0.37 LTS, 9.2.0.0 through 9.2.0.43 LTS, 9.3.0.0 through 9.3.0.41 LTS, 9.3.0.0 through 9.3.5.1 CD, 9.4.0.0 through 9.4.0.25 LTS, 9.4.0.0 through 9.4.5.1 CD, and 10.0.0.0 could allow an authenticated attacker with MFT publish authority to obtain sensitive information or cause a denial of service due to XML external entity injection in the mqweb MFT REST API.
CVE-2026-55770	6.8	MEDI				OpenBao is an open source identity-based secrets management system. Prior to 2.5.5, OpenBao used EscapeLDAPValue, an RFC 4514 distinguished-name escaping function, where RFC 4515 LDAP search-filter escaping was required in sdk/helper/ldaputil/client.go GetUserDN. With the LDAP authentication backend configured for an Active Directory UPNDomain path or UserDN and UserAttr binding, an attacker-controlled username co...
CVE-2026-65812	6.8	MEDI		0.005		Insertion of sensitive information into sent data in Microsoft Teams for Android allows an authorized attacker to disclose information over a network.
CVE-2026-71329	6.8	MEDI		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows NTFS allows an unauthorized attacker to execute code with a physical attack.
CVE-2026-71348	6.8	MEDI		0.004	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Spaceport.sys allows an unauthorized attacker to execute code with a physical attack.
CVE-2026-73965	6.8	MEDI				Vulnerability in the Siebel CRM Deployment product of Oracle Siebel CRM (component: Cloud Gateway). Supported versions that are affected are 17.0-26.7. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Deployment. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critical data or ...
CVE-2026-81326	6.8	MEDI				QND uses a hard-coded cryptographic key, which may allow a local attacker who is logged in to a Windows PC where the affected product's client is installed to obtain administrator credentials, including an ID and password.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83076	6.8	MEDI				Vulnerability in the Oracle HR Intelligence product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle HR Intelligence. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access t...
CVE-2026-83278	6.8	MEDI				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-integrations-neo4j). Supported versions that are affected are 3.0.0-3.2.20 and 4.0.0-4.5.4. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Helidon executes to compromise Helidon. Successful attacks of this vulnerability can r...
CVE-2026-83441	6.8	MEDI				Vulnerability in the Oracle Product Hub product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Hub. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to critic...
CVE-2026-83491	6.8	MEDI				Vulnerability in the Oracle iRecruitment product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle iRecruitment executes to compromise Oracle iRecruitment. Successful attacks of this vulne...
CVE-2026-87252	6.8	MEDI				Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Application Server). The supported version that is affected is 9.3.6. Difficult to exploit vulnerability allows unauthenticated attacker with access to the physical communication segment attached to the hardware where the Oracle Agile PLM executes to compromise Oracle Agile PLM. Successful attacks of this vulnerability can result i...
CVE-2026-71339	6.7	MEDI		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Heap-based buffer overflow in Windows Installer allows an authorized attacker to elevate privileges locally.
CVE-2026-87248	6.7	MEDI				Vulnerability in the Oracle Hyperion Financial Management product of Oracle Hyperion (component: Security). The supported version that is affected is 11.2.26.0.000. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle Hyperion Financial Management executes to compromise Oracle Hyperion Financial Management. Successful attacks of this vulnerability can re...
CVE-2026-11864	6.5	MEDI				IBM Cloud Pak for Business Automation 26.0.0 through 26.0.0 Interim Fix 001, 25.0.0 through 25.0.0 Interim Fix 005, 24.0.1 through 24.0.1 Interim Fix 008, and 24.0.0 through 24.0.0 Interim Fix 009 is vulnerable to an XPath injection vulnerability, which could allow an authenticated attacker to exfiltrate sensitive application data and/or determine the structure of the XML document.
CVE-2026-12759	6.5	MEDI		0.004		IBM Cloud Pak for Business Automation could allow an authenticated user to cause a denial of service due to uncontrolled resource consumption.
CVE-2026-12765	6.5	MEDI		0.002		IBM Langflow OSS 1.0.0 through 1.10.2 is vulnerable to server-side request forgery (SSRF). This may allow an unauthenticated attacker to send unauthorized requests from the system, potentially leading to network enumeration or facilitating other attacks.
CVE-2026-12767	6.5	MEDI		0.002		IBM Langflow OSS 1.0.0 through 1.11.5 is vulnerable to server-side request forgery (SSRF). This may allow an unauthenticated attacker to send unauthorized requests from the system, potentially leading to network enumeration or facilitating other attacks.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-15396	6.5	MEDI		0.003		IBM WebSphere Application Server 9.0, and 8.5 and IBM WebSphere Application Server - Liberty are vulnerable to HTTP request smuggling, caused by improper parsing of the HTTP transfer-encoding request header. By sending a specially crafted HTTP transfer-encoding request header, an attacker could exploit this vulnerability to poison the web cache, bypass web application firewall protection, and conduct XSS attacks.
CVE-2026-15412	6.5	MEDI		0.002		IBM WebSphere Application Server 9.0, and 8.5 and IBM WebSphere Application Server - Liberty could allow a remote attacker to conduct phishing attacks, using an open redirect attack. By persuading a victim to visit a specially crafted Web site, a remote attacker could exploit this vulnerability to spoof the URL displayed to redirect a user to a malicious Web site that would appear to be trusted. This could allow t...
CVE-2026-15634	6.5	MEDI		0.003		IBM WebSphere Application Server 9.0, and 8.5 and IBM WebSphere Application Server - Liberty are vulnerable to HTTP request smuggling, caused by improper parsing of the HTTP transfer-encoding request header. By sending a specially crafted HTTP transfer-encoding request header, an attacker could exploit this vulnerability to poison the web cache, bypass web application firewall protection, and conduct XSS attacks.
CVE-2026-20288	6.5	MEDI		0.004	cisco:unified_computing_system, cisco:unified_computing_system_e-series_software	A vulnerability in the web-based management interface of Cisco IMC could allow an authenticated, remote attacker with Admin privileges to execute arbitrary commands on the underlying operating system of an affected system and elevate privileges to root. This vulnerability is due to improper validation of user-supplied input. An attacker could exploit this vulnerability by entering crafted inputs to t...
CVE-2026-48987	6.5	MEDI				pyLoad is a free and open-source download manager written in Python. Prior to 0.5.0b3.dev101, EventManager in src/pyload/core/managers/event_manager.py appends a Client object to the clients list for each unique uuid submitted to the authenticated getEvents API endpoint, but get_events does not invoke the available clean method to remove inactive clients. An authenticated user can repeatedly submit unique UUID val...
CVE-2026-53717	6.5	MEDI		0.007		Envoy Gateway is an open source project for managing Envoy Proxy as a standalone or Kubernetes-based application gateway. Prior to 1.7.4 and 1.8.1, internal/wasm/imagefetcher.go follows tenant-controlled EnvoyExtensionPolicy spec.wasm[].code.image.url values to Docker or OCI Wasm layers, and extractWasmPluginBinary uses the untrusted tar-header h.Size value to allocate memory before validating the entry name or de...
CVE-2026-57822	6.5	MEDI		0.003	apache:artemis	When the broker is processing message-based management requests, sent by an authenticated messaging client that is authorized with MANAGE permission to perform management-via-messaging, the parameter processing can trigger Java deserialization of certain method parameters that the broker will not utilise. The permitted types allow to craft a payload causing excessive computation and pinning the processing thread, ...
CVE-2026-62597	6.5	MEDI				Vulnerability in the Oracle Enterprise Manager Base Platform product of Oracle Enterprise Manager (component: Event Management). Supported versions that are affected are 13.5 and 24.1. Easily exploitable vulnerability allows low privileged attacker with network access via SOAP to compromise Oracle Enterprise Manager Base Platform. Successful attacks of this vulnerability can result in unauthorized creation, de...
CVE-2026-67389	6.5	MEDI		0.007	microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-67390	6.5	MEDI		0.01	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Buffer over-read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-67393	6.5	MEDI		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Buffer over-read in SQL Server allows an authorized attacker to disclose information over a network.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-67641	6.5	MEDI		0.006	microsoft:sql_server_2022, microsoft:sql_server_2025	Integer overflow or wraparound in SQL Server allows an authorized attacker to deny service over a network.
CVE-2026-67645	6.5	MEDI		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-67648	6.5	MEDI		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Use of uninitialized resource in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68776	6.5	MEDI		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Use of uninitialized resource in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68777	6.5	MEDI		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68778	6.5	MEDI		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68779	6.5	MEDI		0.006	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68780	6.5	MEDI		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68781	6.5	MEDI		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-68784	6.5	MEDI		0.007	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Out-of-bounds read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-70755	6.5	MEDI				Vulnerability in the Oracle Web Applications Desktop Integrator product of Oracle E-Business Suite (component: File download). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Web Applications Desktop Integrator. Successful attacks of this vulnerability can result in unauthorized access to c...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-73029	6.5	MEDI		0.007	microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Buffer over-read in SQL Server allows an authorized attacker to disclose information over a network.
CVE-2026-73497	6.5	MEDI		0.002		MCP Atlassian is a Model Context Protocol (MCP) server for Atlassian products (Confluence and Jira). From 0.17.0 until 0.22.0, validate_url_for_ssrf resolves the attacker-controlled X-Atlassian-Jira-Url and X-Atlassian-Confluence-Url header host once at middleware time, but the outbound request is built with the raw hostname and resolves it again at connection time with no IP pinning. An attacker-controlled DNS-re...
CVE-2026-75880	6.5	MEDI		0.003	apache:artemis	An authenticated client could attach a consumer with a selector containing crafted wildcard usage that results in excessive evaluation during message delivery attempts, occupying a shared broker thread and leading to denial of service. This issue affects Apache Artemis: from 2.50.0 through 2.56.0; Apache ActiveMQ Artemis: from 1.0.0 through 2.44.0. Users are recommended to upgrade to version 2.57.0, which fixes...
CVE-2026-79725	6.5	MEDI		0.003	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 could allow a remote authenticated attacker to read arbitrary files due to improper access control.
CVE-2026-80378	6.5	MEDI		0.003	ibm:datastage_on_cloud_pak_for_d ata	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to cause a denial of service due to improper authorization.
CVE-2026-81554	6.5	MEDI		0.005	ibm:datastage_on_cloud_pak_for_d ata	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to obtain sensitive information due to an absolute-path traversal vulnerability.
CVE-2026-82092	6.5	MEDI		0.005	ibm:datastage_on_cloud_pak_for_d ata	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to obtain sensitive information due to an absolute-path traversal vulnerability.
CVE-2026-82100	6.5	MEDI		0.004	ibm:datastage_on_cloud_pak_for_d ata	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to cause a denial of service due to a path traversal vulnerability.
CVE-2026-83097	6.5	MEDI				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification acces...
CVE-2026-83140	6.5	MEDI				Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all...
CVE-2026-83175	6.5	MEDI				Vulnerability in the Oracle Application Object Library product of Oracle E-Business Suite (component: Core). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Application Object Library. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete ac...
CVE-2026-83200	6.5	MEDI				Vulnerability in the Oracle Process Manufacturing Intelligence product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via Oracle Net to compromise Oracle Process Manufacturing Intelligence. Successful attacks of this vulnerability can result in unauthorized a...
CVE-2026-83250	6.5	MEDI				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83251	6.5	MEDI				Vulnerability in the Oracle Commerce Guided Search / Oracle Commerce Experience Manager product of Oracle Commerce (component: Forge). The supported version that is affected is 11.4.0. Difficult to exploit vulnerability allows unauthenticated attacker with network access via TLS to compromise Oracle Commerce Guided Search / Oracle Commerce Experience Manager. Successful attacks of this vulnerability can result ...
CVE-2026-83347	6.5	MEDI				Vulnerability in the Oracle Net Services component of Oracle Database Server. Supported versions that are affected are 23.4.0-23.26.3. Easily exploitable vulnerability allows unauthenticated attacker with network access via TCPS to compromise Oracle Net Services. Successful attacks require human interaction from a person other than the attacker. Successful attacks of this vulnerability can result in unauthorized...
CVE-2026-83433	6.5	MEDI				Vulnerability in the Oracle Depot Repair product of Oracle E-Business Suite (component: Depot Repair Diagnostics). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows high privileged attacker with network access via HTTP to compromise Oracle Depot Repair. Successful attacks of this vulnerability can result in unauthorized creation, deletion or modification access to ...
CVE-2026-83443	6.5	MEDI				Vulnerability in the Oracle Assets product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Assets. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all Oracle Assets...
CVE-2026-83460	6.5	MEDI				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: LRA). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized update, insert or delete access to some of Helidon accessible data as well as unauthorized ...
CVE-2026-9225	6.5	MEDI		0.002	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 Langflow could allow an authenticated attacker to access sensitive files belonging to other users due to improper access control in the File/Read File component. When executing flows through the /api/v1/run/advanced/{flow_id} endpoint, the application allows component inputs to reference storage paths using arbitrary user or flow identifiers without verifying ownership. An att...
CVE-2024-11222	6.4	MEDI				GitLab has remediated an issue in GitLab CE/EE affecting all versions from 13.0 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed a developer user to perform actions in the context of another user's merge request commit due to a race condition issue in pipeline creation.
CVE-2026-12749	6.4	MEDI				IBM Cloud Pak for Business Automation is vulnerable to stored cross-site scripting. This vulnerability allows an authenticated user to embed arbitrary JavaScript code in the Web UI thus altering the intended functionality potentially leading to credentials disclosure within a trusted session.
CVE-2026-12750	6.4	MEDI				IBM Cloud Pak for Business Automation is vulnerable to stored cross-site scripting. This vulnerability allows an authenticated user to embed arbitrary JavaScript code in the Web UI thus altering the intended functionality potentially leading to credentials disclosure within a trusted session.
CVE-2026-53718	6.4	MEDI		0.003		Envoy Gateway is an open source project for managing Envoy Proxy as a standalone or Kubernetes-based application gateway. Prior to 1.7.4 and 1.8.1, an HTTPRoute can use an extension-managed custom backendRef to reference a backend resource in another namespace without a matching Gateway API ReferenceGrant in the target namespace. The custom-backend branch in internal/gatewayapi/route.go omits validateBackendNamesp...
CVE-2026-71338	6.4	MEDI		0.003	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_server_2012, microsoft:windows_server_2016, micr	Double free in Windows Failover Cluster allows an authorized attacker to elevate privileges locally.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83077	6.4	MEDI				Vulnerability in the Siebel CRM Cloud Applications product of Oracle Siebel CRM (component: Siebel Cloud Manager). Supported versions that are affected are 22.3-26.7. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Siebel CRM Cloud Applications. While the vulnerability is in Siebel CRM Cloud Applications, attacks may significantly impact additional produ...
CVE-2026-14275	6.3	MEDI		0.003		IBM i Access Family 1.1.2.0 through 1.1.9.15 IBM i Access Client Solutions could allow an authenticated user to execute arbitrary commands with normal user privileges on the system due to improper validation of user supplied input in a STRPCCMD CL command.
CVE-2026-14276	6.3	MEDI		0.003		IBM i Access Family 1.1.2.0 through 1.1.9.15 IBM i Access Client Solutions could allow an authenticated user to execute arbitrary commands with normal user privileges on the system due to improper validation of user supplied input in a malicious emulator macro RunProgram action.
CVE-2026-14277	6.3	MEDI		0.005		IBM i Access Family 1.1.2.0 through 1.1.9.15 could allow an authenticated user to execute arbitrary commands with normal user privileges on the system due to improper validation of user supplied input in a session file.
CVE-2026-83354	6.3	MEDI				Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). The supported version that is affected is 15.1.1.0.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Coherence. While the vulnerability is in Oracle Coherence, attacks may significantly impact additional products (scope change). Successful attacks of ...
CVE-2026-84048	6.3	MEDI				Joomla Extension - joomgalleryfriends.net - Unauthenticated arbitrary file upload via the TUS endpoint in JoomGallery < 4.4.1 - The TUS endpoint allows arbitrary file uploads, however neither file name nor file extension are under attacker control. Code execution requires non-standard server configuration.
CVE-2026-13276	6.1	MEDI		0.002		IBM Verify Identity Access 11.0.0 through 11.0.3 Interim Fix 001 and IBM Security Verify Access 10.0.0 through 10.0.9.2 Interim Fix 001 and IBM Verify Identity Access Container 11.0.0 through 11.0.3 Interim Fix 001 and IBM Security Verify Access Container 10.0.0 through 10.0.9.2 Interim Fix 001.
CVE-2026-79035	6.1	MEDI		0.002		A reflected cross-site scripting (XSS) vulnerability in the p.rfihub.com component of Zeta Marketing Platform (ZMP) v1.0 allows attackers to execute arbitrary Javascript in the context of the victim's browser via injecting a crafted URL into the ca parameter.
CVE-2026-87169	6.1	MEDI				Vulnerability in the Oracle Contract Lifecycle Management for Public Sector product of Oracle E-Business Suite (component: Wage Determination Online). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Contract Lifecycle Management for Public Sector. Successful attacks require human interactio...
CVE-2026-87253	6.1	MEDI				Vulnerability in the Oracle Agile PLM product of Oracle Supply Chain (component: Web Client). The supported version that is affected is 9.3.6. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Agile PLM. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in Oracle Agile PLM, attacks ma...
CVE-2026-87278	6.1	MEDI				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person other than the attacker. Successful attac...
CVE-2026-87279	6.1	MEDI				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or freque...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-90534	6.1	MEDI		0.002	flowiseai:flowise	Flowise is a low-code platform for building LLM applications. In versions up to and including 3.1.3, the POST /api/v1/node-load-method/:name endpoint is mounted without any route-level permission check and invokes component loadMethods with an attacker-controlled nodeName, loadMethod, inputs, and credential value. The selected credential is resolved by raw Credential.id via getCredentialData() and decrypted withou...
CVE-2026-18069	6.0	MEDI		0.001		IBM i 7.6, 7.5, 7.4, and 7.3 could allow a local attacker to obtain ownership of arbitrary file system objects due to a time-of-check to time-of-use (TOCTOU) race condition.
CVE-2026-86338	6.0	MEDI				Ash field_policies are documented to protect against filter-based information disclosure: when a field the actor may not see is referenced in a filter, it is replaced with an expression that evaluates to nil, so a filter cannot be used as a yes/no oracle to read a value the actor cannot see. This nilling was applied to attributes but not to calculations or aggregates. A user-supplied filter reference to a calcula...
CVE-2026-87282	6.0	MEDI				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks may significantly impact additional prod...
CVE-2026-87283	6.0	MEDI				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks may significantly impact additional prod...
CVE-2026-87285	6.0	MEDI				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks may significantly impact additional prod...
CVE-2026-16435	5.9	MEDI		0.003		IBM WebSphere Application Server 9.0, and 8.5 is affected by an authentication bypass vulnerability when using XD or Intelligent-Management features.
CVE-2026-17495	5.9	MEDI		0.004		moment is a JavaScript date library for parsing, validating, manipulating, and formatting dates. In versions 2.29.2 through 2.30.1, a specially crafted non-string object passed to moment.locale() can bypass the locale-name path-traversal guard. The guard assumes the input is a string, so an object whose match() method satisfies the check while its toString() returns a traversal path reaches an internal require() c...
CVE-2026-78123	5.9	MEDI		0.004	strongswan:strongswan	strongSwan 5.0.2 through 6.0.7 has an Expired Pointer Dereference in PKCS#7 parsing in the openssl plugin.
CVE-2026-92081	5.9	MEDI				fastify is a fast and low-overhead web framework for Node.js. In versions before 5.12.5, when a route registers a response trailer via reply.trailer() and is served over HTTP/2, fastify unconditionally sets the Transfer-Encoding: chunked header, which is forbidden on HTTP/2, so Node.js throws while serializing the response headers. The exception is not caught and becomes an uncaughtException, so a single unauthent...
CVE-2026-52724	5.8	MEDI				Kuma is a modern Envoy-based service mesh that can run on every cloud across both Kubernetes and VMs. Prior to 2.7.26, 2.9.16, 2.11.14, 2.12.11, and 2.13.7, Universal mode kuma-dp connections to an HTTPS control plane disable TLS peer verification when --ca-cert-file is not supplied and KUMA_CONTROL_PLANE_CA_CERT is unset. The dataplane authentication token is sent over the unverified connection, allowing an on-pa...
CVE-2026-69559	5.8	MEDI		0.003		Origin validation error in Microsoft Teams for Android allows an authorized attacker to disclose information over a network.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-81911	5.8	MEDI		0.003		Concrete CMS versions 9.0.0 to 9.5.2 is vulnerable to Stored XSS in Board Custom Slot dialog. The custom_slot save_template endpoint authorizes the request only against the target board instance (canEditBoardContents()) and then persists the client-supplied selectedTemplateOption[collection] verbatim, rather than rebuilding the content object collection server-side and verifying that each item belongs to the autho...
CVE-2026-54246	5.7	MEDI		0.003		Skipper is an HTTP router and reverse proxy for service composition. Prior to 0.27.13, the routesrv component serves cluster-wide control-plane data without application-layer authentication through /routes, /routes/{zone}, /swarm/redis/shards, and /swarm/valkey/shards. The handlers registered in routesrv/routesrv.go, eskipBytes.ServeHTTP in routesrv/eskipbytes.go, RedisHandler.ServeHTTP in routesrv/redishandler.go...
CVE-2026-55636	5.7	MEDI				Capsule is a multi-tenancy and policy-based framework for Kubernetes. From 0.13.0 until 0.13.6, charts/capsule/templates/configuration.yaml configures the validating webhook with namespace/finalize instead of the Kubernetes resource name namespaces/finalize. A user with namespaces/finalize RBAC can send a PUT request to /api/v1/namespaces/{namespace}/finalize, and the singular rule never matches the plural resourc...
CVE-2026-69723	5.7	MEDI		0.01	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Exposure of sensitive system information to an unauthorized control sphere in Windows Kernel allows an authorized attacker to disclose information over a network.
CVE-2026-28584	5.5	MEDI		0.001	google:android	In createSessionInternal of PackageInstallerService.java, there is a possible way to permanently DoS the device due to a logic error in the code. This could lead to local denial of service with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28596	5.5	MEDI		0.001	google:android	In parseInterventionFromXml of GameManagerService.java, there is a possible permanent denial of service due to resource exhaustion. This could lead to local denial of service with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28617	5.5	MEDI		0.001	google:android	In add of WifiNetworkSuggestionsManager.java, there is a possible persistent DOS due to resource exhaustion. This could lead to local denial of service with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28633	5.5	MEDI		0.001	google:android	In initForUserNoTracing of VoiceInteractionManagerService.java, there is a possible persistent denial of service due to resource exhaustion. This could lead to local denial of service with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-50166	5.5	MEDI				Kuma is a modern Envoy-based service mesh that can run on every cloud across both Kubernetes and VMs. Prior to 2.7.26, 2.9.16, 2.11.14, 2.12.11, and 2.13.7, a kumactl profile manually configured for an HTTPS control plane without --ca-cert-file disables TLS peer verification and sends API tokens over the unverified connection. An attacker on the network path can intercept user or administrator API tokens and act a...
CVE-2026-69616	5.5	MEDI		0.004	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Out-of-bounds read in Windows Remote Desktop Services allows an authorized attacker to disclose information locally.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-69627	5.5	MEDI		0.004	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Out-of-bounds read in Windows Remote Desktop Licensing Service allows an authorized attacker to disclose information locally.
CVE-2026-70290	5.5	MEDI		0.004	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Use of uninitialized resource in Windows Win32 Kernel Subsystem allows an authorized attacker to disclose information locally.
CVE-2026-71341	5.5	MEDI		0.004	microsoft:windows_10_1607, microsoft:windows_10_1809, microsoft:windows_10_21h2, microsoft:windows_10_22h2, microsoft:wi	Out-of-bounds read in Windows Partition Management Driver allows an authorized attacker to disclose information locally.
CVE-2026-77488	5.5	MEDI		0.003	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Integer underflow (wrap or wraparound) in SQL Server allows an authorized attacker to disclose information locally.
CVE-2026-83274	5.5	MEDI				Vulnerability in the Oracle Agile PLM MCAD Connector product of Oracle Supply Chain (component: CAX Client). The supported version that is affected is 3.6. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile PLM MCAD Connector executes to compromise Oracle Agile PLM MCAD Connector. Successful attacks of this vulnerability can result in unauthorize...
CVE-2026-83279	5.5	MEDI				Vulnerability in the Oracle Agile PLM MCAD Connector product of Oracle Supply Chain (component: CAX Client). The supported version that is affected is 3.6. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Agile PLM MCAD Connector executes to compromise Oracle Agile PLM MCAD Connector. Successful attacks of this vulnerability can result in unauthorize...
CVE-2026-90786	5.5	MEDI		0.004		A vulnerability was determined in Dvidelabs flatcc up to 0.6.3. This impacts the function align_order_members of the file src/compiler/semantics.c of the component Duplicate Symbol Handler. This manipulation causes reachable assertion. The attack can be initiated remotely. The exploit has been publicly disclosed and may be utilized. Patch name: 8b19ba4e992ebcad7f5970704d1afc5507fa5205. To fix this issue, it is rec...
CVE-2026-90852	5.5	MEDI		0.003		A vulnerability has been found in luben zstd-jni up to 1.5.7-13. This vulnerability affects the function ZstdCompressCtx.loadDict of the file ZstdCompressCtx.java of the component Dictionary Sharing. Such manipulation leads to use after free. The attack can be executed remotely. The exploit has been disclosed to the public and may be used. Upgrading to version 1.5.7-14 is able to resolve this issue. The name of th...
CVE-2026-11918	5.4	MEDI				IBM ContextForge MCP Gateway <= v1.0.4 IBM mcp-context-forge could allow an authenticated user to bypass protection mechanisms due to incomplete recursive inspection of nested payload content.
CVE-2026-12742	5.4	MEDI				IBM Business Automation Workflow containers and traditional could allow an authenticated attacker to trigger restricted import actions due to missing authorization controls.
CVE-2026-12751	5.4	MEDI				IBM Cloud Pak for Business Automation is vulnerable to HTML injection. A remote attacker could inject malicious HTML code, which when viewed, would be executed in the victim's Web browser within the security context of the hosting site.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-12758	5.4	MEDI		0.003		IBM Cloud Pak for Business Automation could allow a remote attacker to bypass authorization and invoke restricted endpoints due to improper validation of HTTP headers.
CVE-2026-12766	5.4	MEDI		0.002		IBM Langflow OSS 1.0.0 through 1.11.2 is vulnerable to server-side request forgery (SSRF). This may allow an authenticated attacker to send unauthorized requests from the system, potentially leading to network enumeration or facilitating other attacks.
CVE-2026-12910	5.4	MEDI				GitLab has remediated an issue in GitLab CE/EE affecting all versions from 18.6 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed an authenticated user to bypass SAML SSO sign-in restrictions and authenticate without SSO due to missing authentication enforcement checks.
CVE-2026-15887	5.4	MEDI		0.002		IBM WebSphere Application Server 9.0, and 8.5 is affected by blind server-side request forgery when processing SOAP requests.
CVE-2026-16186	5.4	MEDI		0.002		IBM WebSphere Application Server 9.0, and 8.5 is affected by a reflected cross-site scripting vulnerability.
CVE-2026-19273	5.4	MEDI		0.003		IBM Sterling B2B Integrator 6.2.0.0 through 6.2.0.6_2, 6.2.1.0 - 6.2.1.2, 6.2.2.0 - 6.2.2.1 and IBM Sterling File Gateway 6.2.0.0 through 6.2.0.6_2, 6.2.1.0 - 6.2.1.2, 6.2.2.0 - 6.2.2.1 Standard Edition could allow a remote authenticated attacker to bypass security restrictions due to improper authentication.
CVE-2026-55226	5.4	MEDI				Strimzi provides a way to run an Apache Kafka cluster on Kubernetes or OpenShift in various deployment configurations. In Strimzi 1.0.0 and earlier, deploying only the Topic Operator or only the User Operator through the Kafka custom resource leaves the Entity Operator ServiceAccount with RBAC permissions for both components. The excess permissions can allow access to KafkaUser custom resources and Secrets when th...
CVE-2026-78415	5.4	MEDI		0.002		IBM Sterling Secure Proxy 6.2.0.0 through 6.2.1.2 could allow a remote authenticated attacker to perform UI spoofing and phishing attacks due to improper neutralization of user-supplied HTML markup.
CVE-2026-7884	5.4	MEDI		0.002		IBM Cognos Analytics 12.1.0 through 12.1.3 FP1, and 12.0.4 through 12.0.4 FP2 allows a non-privileged user to edit their given name and surname to include malicious JavaScript code. When an administrator later accesses the user account management panel and views that user's permissions, the malicious JavaScript code is executed. This could result in the cookies from the administrator being compromised.
CVE-2026-83198	5.4	MEDI				Vulnerability in the Oracle Field Service product of Oracle E-Business Suite (component: Internal Operations). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Field Service. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in O...
CVE-2026-83346	5.4	MEDI				Vulnerability in the Oracle Fusion Middleware Control product of Oracle Fusion Middleware (component: Framework). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Fusion Middleware Control. Successful attacks require human interaction from a person other than the attacker and whil...
CVE-2026-83419	5.4	MEDI				Vulnerability in the Oracle Communications Cloud Native Core Security Edge Protection Proxy product of Oracle Communications (component: SEPP). Supported versions that are affected are 26.1.200 and 25.2.201. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Communications Cloud Native Core Security Edge Protection Proxy. Successful attacks of this ...
CVE-2026-83431	5.4	MEDI				Vulnerability in the Oracle Product Workbench product of Oracle E-Business Suite (component: WebUI). Supported versions that are affected are 12.2.3-12.2.15. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Product Workbench. Successful attacks require human interaction from a person other than the attacker and while the vulnerability is in Oracle ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-83488	5.4	MEDI				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-microprofile-security). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized update, insert or delete access to some of Helidon accessible data ...
CVE-2026-18065	5.3	MEDI		0.003		IBM i 7.6, 7.5, 7.4, and 7.3 could allow a remote unauthenticated attacker to gain access to sensitive information through session IP binding bypass in Navigator for i.
CVE-2026-49392	5.3	MEDI		0.003	wazuh:wazuh	Wazuh is a free and open source platform used for threat prevention, detection, and response. From 4.6.0 until 4.14.6 and 5.0.0-beta3, DB::getFile() and DB::searchFile() in src/syscheckd/src/db/src/file.cpp concatenate a monitored file path into SQLite row filters. On non-Windows systems, FIMDBCreator::encodeString() does not escape the value. A local user who can create a filename in a File Integrity Monitoring d...
CVE-2026-50024	5.3	MEDI				GitHacker is a tool that restores Git repositories from exposed .git directories. In 1.1.7 and earlier, add_head_file_tasks parses an attacker-controlled ref path from .git/HEAD and joins unvalidated path segments onto temp_dst/.git/logs/, allowing a malicious server to make GitHacker read an arbitrary local file when a victim runs the tool against the server's URL. add_hashes_parsed then scans the file for 40-cha...
CVE-2026-53715	5.3	MEDI		0.004		Envoy Gateway is an open source project for managing Envoy Proxy as a standalone or Kubernetes-based application gateway. Prior to 1.7.4 and 1.8.1, HTTPServer.ServeHTTP in internal/wasm/httpserver.go reads the plain mappingPath2Cache map without synchronization while HTTPServer.Get writes the same map during EnvoyExtensionPolicy translation. An attacker with pod-network access to unauthenticated port 18002 and ten...
CVE-2026-82837	5.3	MEDI				GitLab has remediated an issue in GitLab CE/EE affecting all versions from 10.1.0 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that certain conditions could have allowed an authenticated user to access sensitive credentials and tokens without transiting the expected proxy due to improper authorization checks on internal data emission endpoints.
CVE-2026-83109	5.3	MEDI				Vulnerability in the Oracle Forms product of Oracle Fusion Middleware (component: Forms Services, C/S, Charmode). Supported versions that are affected are 12.2.1.19.0 and 14.1.2.0.0. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Oracle Forms. Successful attacks of this vulnerability can result in unauthorized read access to a subset of Oracle Forms ...
CVE-2026-83458	5.3	MEDI				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: JSON). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denial of service (partial DOS) of Helidon. CVSS 3.1 Base Score 5...
CVE-2026-83459	5.3	MEDI				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: helidon-media-multipart). Supported versions that are affected are 3.0.0-3.2.20. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denial of service (partial DOS) of Helidon. C...
CVE-2026-83480	5.3	MEDI				Vulnerability in the Helidon product of Oracle Fusion Middleware (component: WebSocket). Supported versions that are affected are 4.0.0-4.5.4. Easily exploitable vulnerability allows unauthenticated attacker with network access via HTTP to compromise Helidon. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denial of service (partial DOS) of Helidon. CVSS 3.1 Base Sc...
CVE-2026-87267	5.3	MEDI				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Difficult to exploit vulnerability allows low privileged attacker with network access via RDP to compromise Oracle VM VirtualBox. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-88011	5.3	MEDI		0.002	traefik:traefik	Traefik is an open source HTTP reverse proxy and load balancer. Prior to 2.11.56, and from 3.0.0 until 3.7.12, a client-supplied dot-form header such as X.Authenticated.User survives ForwardAuth replacement and underscoreHeadersStrategy because Go treats it as distinct from X-Authenticated-User while normalization-prone CGI, WSGI, PHP, and NGINX backends collapse both names. A backend can consequently consume the ...
CVE-2026-88046	5.3	MEDI		0.003		rclone is a command-line program to sync files and directories to and from different cloud storage providers. Prior to 1.75.1, rclone core does not reject parent-directory segments in source Object.Remote() values before fs/list, fs/walk, fs/sync, and fs/operations pass those values to destination backends. A flat-keyspace source object store populated with native non-rclone tooling can contain a raw .. key segmen...
CVE-2026-90583	5.3	MEDI		0.003		A security flaw has been discovered in kagisearch smallweb up to 0ecb9c48edbf98dc7e934b54fbac43869e64b4cf. The affected element is the function index of the file app/sw.py of the component Query String Rendering. Performing a manipulation of the argument qs results in cross site scripting. The attack is possible to be carried out remotely. This product adopts a rolling release strategy to maintain continuous deliv...
CVE-2026-90790	5.3	MEDI		0.002		A security vulnerability has been detected in a2aproject a2a-python up to 1.1.3. This affects the function _dispatch_notification of the file src/a2a/server/tasks/base_push_notification_sender.py of the component Push Notification Sender. The manipulation of the argument push_info.url leads to server-side request forgery. Remote exploitation of the attack is possible. Upgrading to version 1.1.4 is able to mitigate...
CVE-2026-90820	5.3	MEDI		0.002		A security vulnerability has been detected in a2aproject a2a-java 1.2.0. The impacted element is the function AuthorizationRequestHandlerDecorator.onListTasks of the file server-common/src/main/java/org/a2aproject/sd k/server/requesthandlers/AuthorizationRequestHandlerDecorator.java. Such manipulation leads to missing authorization. The attack can be launched remotely. Upgrading to version 1.3.0 is sufficient to re...
CVE-2026-90848	5.3	MEDI		0.003		A weakness has been identified in Governikus AusweisApp up to 2.5.4. Affected is an unknown function of the component StartPAOSResponse Handler. Executing a manipulation of the argument ResultMessage can lead to cross site scripting. The attack can be launched remotely. Upgrading to version 2.5.5 is able to address this issue. It is recommended to upgrade the affected component. This CVE was requested by the vendor.
CVE-2026-91851	5.3	MEDI		0.003		Affected versions of MISP incorrectly filter dashboard templates that are restricted to a specific permission flag. DashboardsController::listTemplates() allowed a template when either: - its restrict_to_permission_flag matched one of the current user's permission flags, or - restrict_to_permission_flag equaled integer 0 However, restrict_to_permission_flag is a varchar. MySQL therefore performed num...
CVE-2026-91857	5.3	MEDI		0.002		Affected versions of MISP expose several state-changing controller actions without restricting them to POST. The affected actions are: - EventReportsController::purgeUnusedPictures() - NoticelistsController::enableNoticelist() - ServersController::removeOrphanedCorrelations() - WorkflowsController::rebuildRedis() The patch adds allowMethod(['post']) to each action, preventing them from being trig...
CVE-2026-91922	5.3	MEDI				Steedos Platform through 3.0.15-beta.47 contains a reflected cross-site scripting vulnerability in the anonymous /api/page/render endpoint that fails to properly escape query parameters in inline script elements. Attackers can craft malicious links with script-terminating sequences in the schemaApi or data parameters to execute arbitrary JavaScript in victim sessions and steal X-Auth-Token credentials.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-91967	5.3	MEDI				AVideo through 29.0 contains a blind server-side request forgery vulnerability in the getHeaderContentTypeFromURL function that issues get_headers() calls guarded only by format validation. Authenticated users with canUpload permission can store attacker-chosen URLs as video links, triggering vulnerable function execution on every video watch page render to probe internal hosts using content-type oracles and timin...
CVE-2026-92184	5.3	MEDI				A security flaw has been discovered in ag-ui-protocol ag-ui 0.3.0. Affected is the function urllib.request.urlopen of the file integrations/aws-strands/python/src/ag_ui_strands/utlils.py of the component Multimodal Content. The manipulation of the argument Value results in server-side request forgery. The attack can be executed remotely. The patch is identified as bf0c34df34cbb4b1992bc37c9bffe6dd54bb189. It is adv...
CVE-2026-9667	5.3	MEDI		0.003	ibm:websphere_application_server	IBM WebSphere Application Server 9.0, and 8.5 is vulnerable to server-side request forgery (SSRF) that could allow a remote, unauthenticated attacker to cause the server to send outbound requests to arbitrary endpoints.
CVE-2026-19280	5.2	MEDI		0.001		IBM i 7.6, 7.5, 7.4, and 7.3 could allow a denial of service as a result of a buffer overflow in a PASE process. An authenticated attacker could leverage this to terminate their own process.
CVE-2026-87793	5.1	MEDI				The "Design Scuole Italia" WordPress theme is affected by a Reflected XSS vulnerability in the filters-scheda-didattica.php file, allowing an unauthenticated attacker to execute arbitrary JavaScript in a victim's browser via a crafted URL containing a malicious archive parameter.
CVE-2026-91942	5.1	MEDI				crawl4ai before 0.9.3 contains a DOM-based cross-site scripting vulnerability in the Docker Playground UI that assigns untrusted crawl results to element.innerHTML. Attackers can craft malicious PDFs with event-handler markup to execute JavaScript in the Playground origin and steal API tokens from sessionStorage for authenticated API abuse.
CVE-2026-92002	5.1	MEDI				Affected versions of MISP use Redis to throttle repeated authentication-failure log entries. The intent is to avoid excessive duplicate logs while still recording failed authentication activity. However, User->setupRedis() returns false when Redis cannot be reached. The vulnerable _shouldLog() logic only returned true when a Redis instance existed and no throttle key was present. Therefore, when Redis was unavai...
CVE-2026-92234	5.1	MEDI				QloApps through 1.7.0 reflects unescaped child feature names into back-office validation error messages in the Hotel Reservation System feature management page. Authenticated back-office users who follow a crafted link can execute injected JavaScript in their administrative session via the child_features parameter.
CVE-2026-79723	5.0	MEDI		0.002	langflow:langflow	IBM Langflow OSS 1.0.0 through 1.11.5 could allow a remote authenticated attacker to obtain sensitive information due to improper validation of user-controlled API endpoints.
CVE-2026-80434	5.0	MEDI		0.002	ibm:datastage_on_cloud_pak_for_data	IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to manipulate runtime caches and cause a denial of service due to an insecure direct object reference.
CVE-2026-48737	4.9	MEDI				pyLoad is a free and open-source download manager written in Python. Prior to 0.5.0b3.dev101, is_global_address in src/pyload/core/utlils/web/check.py relies on Python's global-address classification without examining IPv4 destinations embedded in 6to4 or NAT64 IPv6 addresses. A low-privileged user can submit an IPv6 literal through parse_urls to the pre-resolution is_global_host guard. Because host_to_ip is pinned...
CVE-2026-68785	4.9	MEDI		0.008	microsoft:sql_server_2017, microsoft:sql_server_2019, microsoft:sql_server_2022, microsoft:sql_server_2025	Heap-based buffer overflow in SQL Server allows an authorized attacker to execute code over a network.
CVE-2026-16189	4.8	MEDI		0.002		IBM WebSphere Application Server 9.0, and 8.5 could allow a remote attacker to inject forged log entries into the server's administrative log.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-86472	4.8	MEDI				fast-uri is a dependency-free RFC 3986 URI parser for Node.js, used by Fastify and ajv. In versions before 2.4.7, from 3.0.0 through 3.1.7, and from 4.0.0 through 4.1.4, fast-uri folds the host to lowercase before it percent-decodes the host, so a percent-encoded uppercase octet such as %41 decodes to a literal A that is never folded. For a scheme-relative reference such as //host there is no scheme, so the host c...
CVE-2026-86818	4.8	MEDI				fast-uri is a dependency-free RFC 3986 URI parser for Node.js, used by Fastify and ajv, that added a mailto scheme parser in version 4.1.3. In versions 4.1.3 and 4.1.4, the mailto parser compares each query field name to the reserved names to, subject, and body while the name is still percent-encoded, and decodes it only when storing it as a generic header, so a percent-encoded spelling of a reserved field name is...
CVE-2026-13277	4.7	MEDI		0.002		IBM Verify Identity Access could allow a remote attacker to conduct phishing attacks, using an open redirect attack. By persuading a victim to visit a specially crafted Web site, a remote attacker could exploit this vulnerability to spoof the URL displayed to redirect a user to a malicious Web site that would appear to be trusted. This could allow the attacker to obtain highly sensitive information or conduct furt...
CVE-2026-19619	4.7	MEDI				GitLab has remediated an issue in GitLab CE/EE affecting all versions from 19.0 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed an unauthenticated user to execute arbitrary JavaScript in the context of a targeted user's session due to improper sanitization of pasted HTML content in the Content Editor.
CVE-2026-58196	4.7	MEDI				ToolHive is a utility designed to simplify the deployment and management of Model Context Protocol (MCP) servers. Prior to 0.31.0, remote.Handler.Authenticate in pkg/auth/remote/handler.go invokes discovery.DetectAuthenticationFromServer in pkg/auth/discovery/discovery.go, whose host-side HTTP clients trust remote-server-controlled authentication discovery destinations, follow redirects without host or scheme rest...
CVE-2026-87275	4.6	MEDI				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks may significantly impact additional prod...
CVE-2026-55650	4.4	MEDI				Outerbase Studio is a lightweight browser-based database GUI supporting PostgreSQL, MySQL, and SQLite. In version 0.10.2 and earlier, TextComponent in src/components/chart/index.tsx renders unsanitized Text Widget content through dangerouslySetInnerHTML, allowing injected markup with script-capable event handlers to execute when the widget is displayed. Outerbase Cloud and its backend services were discontinued in...
CVE-2026-86341	4.4	MEDI				GitLab has remediated an issue in GitLab EE affecting all versions from 17.1 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that, under certain conditions, an authenticated user with Owner or Maintainer permissions could have silently disabled protected environment deployment approval requirements, allowing unapproved deployments to reach production, due to improper access control checks performed after...
CVE-2026-87274	4.4	MEDI				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person other than the attacker. Successful atta...
CVE-2026-16794	4.3	MEDI				GitLab has remediated an issue in GitLab EE affecting all versions from 18.11 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed an authenticated user with the Security Manager role to execute arbitrary CI/CD jobs and access protected variables within group projects due to improper authorization controls on compliance framework management.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-54503	4.3	MEDI				plone.app.textfield provides a zope.schema-style field type called RichText for storing a value with a related MIME type. Prior to 2.0.2, 3.0.2, and 4.0.1, depending on the release line, RichTextValue.output returns an unsanitized stored RichText value when mimeType equals outputMimeType, including values that claim the text/x-html-safe output type. This equality shortcut bypasses the safe_html transform even thou...
CVE-2026-7514	4.3	MEDI				GitLab has remediated an issue in GitLab CE/EE affecting all versions from 13.9 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that an authenticated user with developer-role permissions could substitute package file content and hide packages from their owners due to improper authorization checks in the Generic Package Registry.
CVE-2026-75792	4.3	MEDI		0.003		IBM Sterling Secure Proxy 6.2.0.0 through 6.2.1.2 could allow a remote authenticated attacker to view administrative user interface components due to client-side authorization bypass.
CVE-2026-8030	4.3	MEDI				GitLab has remediated an issue in GitLab CE/EE affecting all versions from 13.0 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed an authenticated user to prevent another user from modifying their group settings due to improper validation of group URL slugs during namespace transfers.
CVE-2026-83416	4.3	MEDI				Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Easily exploitable vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Coherence. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denial of...
CVE-2026-84655	4.3	MEDI		0.002	jenkins:jenkins	Jenkins 2.579 and earlier, LTS 2.568.2 and earlier does not escape map keys when serializing objects as JSON and Python through its REST API, allowing attackers able to control map property names to inject arbitrary fields into JSON and Python API responses.
CVE-2026-84656	4.3	MEDI		0.002	jenkins:jenkins	A missing permission check in Jenkins 2.579 and earlier, LTS 2.568.2 and earlier allows attackers with Item/Read permission on at least one job to read build parameter names and values of jobs they have no access to.
CVE-2026-12763	4.2	MEDI		0.001		IBM Langflow OSS 1.0.0 through 1.11.5 could allow an authenticated attacker to access another user's MCP server context due to improper cache key isolation in the MCP Tools component.
CVE-2026-59341	4.2	MEDI		0.004		A security vulnerability exists in the Sealed Secrets controller's unauthenticated POST endpoints. By submitting a modified payload containing custom Go template logic in spec.template.data, an attacker with internal network access can abuse the handler as a decryption oracle to recover the full plaintext of any sealed secret. The POST /v1/verify and /v1/rotate handlers call Unseal() to decrypt target secrets, ...
CVE-2026-84657	4.2	MEDI		0.002	jenkins:jenkins	In Jenkins 2.579 and earlier, LTS 2.568.2 and earlier, the build CLI command does not check the Item/Cancel permission when using the -s flag to cancel a build triggered to wait for completion, allowing attackers with Item/Build permission to cancel builds started by other users.
CVE-2026-87280	4.2	MEDI				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. Successful attacks require human interaction from a person other than the attacker. Successful attac...
CVE-2026-84653	3.5	LOW		0.002	jenkins:jenkins	Jenkins 2.421 through 2.579 (both inclusive), LTS 2.426.1 through 2.568.2 (both inclusive) does not correctly perform permission checks in the Appearance configuration page, allowing attackers with Overall/Manage permission to modify Appearance configuration options they should not have access to.

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-19086	3.3	LOW		0.001		IBM i 7.6, 7.5, 7.4, and 7.3 could allow a denial of service as a result of a buffer overflow in a PASE process. An authenticated attacker could leverage this to terminate their own process.
CVE-2026-28582	3.3	LOW		0.001	google:android	In onCreate of ConfirmDeviceCredentialActivity.java, there is a possible unauthorized access to and modification of device credentials due to a missing permission check. This could lead to local information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28622	3.3	LOW		0.001	google:android	In getQueryBuilderInternal of MediaProvider.java, there is a possible way to retrieve location metadata due to a permissions bypass. This could lead to local information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28623	3.3	LOW		0.001	google:android	In writeToParcel of BleRssiRangingCapabilities.java, there is a possible way to obtain the Bluetooth MAC address due to a missing permission check. This could lead to local information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-28638	3.3	LOW		0.001	google:android	In multiple functions of XmpDataParser.java, there is a possible improper data sanitization due to a logic error in the code. This could lead to local information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-87281	3.2	LOW				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks may significantly impact additional prod...
CVE-2026-87284	3.2	LOW				Vulnerability in the Oracle VM VirtualBox product of Oracle Virtualization (component: Core). The supported version that is affected is 7.2.16. Easily exploitable vulnerability allows high privileged attacker with logon to the infrastructure where Oracle VM VirtualBox executes to compromise Oracle VM VirtualBox. While the vulnerability is in Oracle VM VirtualBox, attacks may significantly impact additional prod...
CVE-2026-16190	3.1	LOW		0.002		IBM WebSphere Application Server 9.0, and 8.5 is affected by an authorization bypass vulnerability.
CVE-2026-28652	3.1	LOW		0.002	google:android	In multiple functions of RangingServiceImpl.java, there is a possible MITM due to a missing permission check. This could lead to remote information disclosure with no additional execution privileges needed. User interaction is not needed for exploitation.
CVE-2026-3855	3.1	LOW				GitLab has remediated an issue in GitLab CE/EE affecting all versions from 18.2.7 before 19.1.8, 19.2 before 19.2.6, and 19.3 before 19.3.2 that under certain conditions could have allowed an authenticated user with project-level permissions to access restricted file contents on the server or cause denial of service due to improper validation of parameters in the Terraform state upload functionality.
CVE-2026-83369	3.1	LOW				Vulnerability in the Oracle Access Manager product of Oracle Fusion Middleware (component: Access SDK). Supported versions that are affected are 12.2.1.4.0 and 14.1.2.1.0. Difficult to exploit vulnerability allows low privileged attacker with network access via HTTP to compromise Oracle Access Manager. Successful attacks of this vulnerability can result in unauthorized ability to cause a partial denial of servi...
CVE-2026-44778	2.9	LOW				Inspektor Gadget is a set of tools and framework for data collection and system inspection on Kubernetes clusters and Linux hosts using eBPF. From 0.28.0 until 0.53.1, the USDT note parser in pkg/uprotracer/usdt.go can allow an unprivileged container to crash or exhaust the memory of the privileged Inspektor Gadget process when a custom gadget containing a SEC("usdt/...") eBPF section attaches to a crafted ELF b...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-54450	2.9	LOW				ToolHive is a utility designed to simplify the deployment and management of Model Context Protocol (MCP) servers. Prior to 0.29.1, networking.IsPrivateIP in pkg/networking/utilities.go omits the IPv6 NAT64 prefixes 64:ff9b::/96 and 64:ff9b:1::/48, so NAT64 addresses embedding private, loopback, or link-local IPv4 targets are classified as public and allowed. The most direct attacker-controlled path begins when an ...
CVE-2026-83414	2.5	LOW				Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). The supported version that is affected is 15.1.1.0.0. Difficult to exploit vulnerability allows low privileged attacker with logon to the infrastructure where Oracle Coherence executes to compromise Oracle Coherence. Successful attacks of this vulnerability can result in unauthorized read access to a subset of Oracle C...
CVE-2026-63020	2.3	LOW		0.002	f5:big-ip_access_policy_manager, f5:big-ip_advanced_firewall_manager, f5:big-ip_advanced_web_application_firewall, f5:bi	A vulnerability exists in an undisclosed BIG-IP Configuration utility page that may allow an attacker to spoof error messages Impact: An attacker may trick authenticated BIG-IP users into accessing malicious links and reflect a spoofed error message in the victim's BIG-IP Configuration utility web browser session. This is a control plane issue; there is no data plane exposure. Note: Software versio...
CVE-2026-15310	2.1	LOW		0.003		When decompressing crafted zip files using the bzip/LZMA/Zstandard compressions, Python could use an attacker-controlled size to pre-allocate memory, possibly resulting in memory exhaustion.
CVE-2026-81925	2.1	LOW				Concrete CMS before 9.5.3 improperly neutralized a user-supplied custom date format when rendering conversation messages, resulting in reflected cross-site scripting. An attacker could execute arbitrary JavaScript in the browser of a user who was tricked into submitting a crafted POST request to the conversation view endpoint. Exploitation was aided by the absence of a CSRF token on the endpoint, which allowed the...
CVE-2026-90488	2.1	LOW		0.002		A vulnerability was determined in Xuxueli xxl-job up to 3.4.2. This affects the function GroovyClassLoader.parseClass of the file xxl-job-core/src/main/java/com/xxl/job/core/glue/GlueFactory.java. This manipulation causes code injection. Remote exploitation of the attack is possible. The exploit has been publicly disclosed and may be utilized. The vendor was contacted early about this disclosure but did not respon...
CVE-2026-90595	2.1	LOW		0.002		A security flaw has been discovered in wxiaoqi Spring-Cloud-Platform 1.0/2.2/3.0. This issue affects the function OnlineController.getOnlineInfo of the file aceModules/ace-admin/auth/controller/OnlineController.java. The manipulation results in missing authorization. The attack can be executed remotely. The exploit has been released to the public and may be used for attacks. The project was informed of the problem...
CVE-2026-81926	2.0	LOW				Concrete CMS 9.4.0 through 9.5.2 did not escape colliding page paths before rendering them in the location panel's duplicate-path confirmation dialog. The panel's check endpoint returned the submitted path unmodified in its JSON response, and client-side JavaScript inserted each value into the dialog as raw HTML, so a crafted page path executed script in the editor's authenticated browser session. The Concrete CMS...
CVE-2026-90835	2.0	LOW		0.002		A flaw has been found in michaeliaio itranswarp up to 2.19. The impacted element is the function Markdown.toHtml of the file Markdown.java of the component Page Content Rendering. This manipulation causes cross site scripting. The attack may be initiated remotely. The exploit has been published and may be used. The project was informed of the problem early through an issue report but has not responded yet. This vu...
CVE-2026-83413	1.9	LOW				Vulnerability in the Oracle Coherence product of Oracle Fusion Middleware (component: Core). Supported versions that are affected are 12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0 and 15.1.1.0.0. Difficult to exploit vulnerability allows high privileged attacker with logon to the infrastructure where Oracle Coherence executes to compromise Oracle Coherence. Successful attacks of this vulnerability can result in unauthori...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-90622	1.9	LOW		0.002		A security flaw has been discovered in GNU libredwg 0.13.4. This impacts the function DWG_TABLE of the file src/dwg.spec of the component Layer Encoding. Performing a manipulation results in null pointer dereference. The attack needs to be approached locally. The exploit has been released to the public and may be used for attacks. Upgrading to version 0.14 will fix this issue. The patch is named f5b548c4c1697d66c3...
CVE-2026-81927	1.8	LOW				Concrete CMS before 9.5.3 contained a stored cross-site scripting vulnerability in SVG file handling. When SVG processing was set to the non-default "Reject files containing potentially harmful elements" mode (concrete.file_manager.images.svg_sanitization.action = reject), uploaded SVGs were checked only against a small built-in blocklist covering the script element and on* event-handler attributes; the broader en...
CVE-2026-91842	1.2	LOW				A vulnerability has been found in OpenBankProject OBP-API up to 1.10.1. This impacts the function KryolInjection.invert of the file obp-api/src/main/scala/code/api/cache/Redis.scala of the component Kryol Handler. Such manipulation leads to deserialization. The attack can be launched remotely. A high complexity level is associated with this attack. The exploitability is said to be difficult. The exploit has been dis...
CVE-2026-91835	0.9	LOW				A vulnerability was detected in OpenClaw ClawScan up to 0.1.6. The impacted element is the function IsBinaryFile of the file internal/runner/static_scanner.go of the component File Classifier. The manipulation results in interpretation conflict. Attacking locally is a requirement. The exploit is now public and may be used. Upgrading to version 0.1.7 is sufficient to resolve this issue. The patch is identified as 0...
CVE-2026-91836	0.9	LOW				A flaw has been found in OpenClaw ClawScan up to 0.1.6. This affects an unknown function of the file internal/runner/static_scanner.go of the component Static Scanner. This manipulation causes incomplete comparison with missing factors. It is possible to launch the attack on the local host. The exploit has been published and may be used. Upgrading to version 0.1.7 mitigates this issue. Patch name: 9f6a6fbb9f113734...
CVE-2026-11921						IBM Verify Identity Access containers may not apply management password change operations correctly.
CVE-2026-11927						IBM Security Verify Identity Access reverse proxy may allow parameters to be injected in requests to third party services.
CVE-2026-11928						IBM Verify Identity Access is vulnerable to a buffer overflow attack.
CVE-2026-12101						IBM Verify Identity Access could allow an administrator to execute additional commands they are not entitled to due to improper validation of user supplied requests.
CVE-2026-13327						Improper certificate validation on LDAPS connections to Active Directory in Devolutions Server 2026.2.16 and earlier allows a network-positioned attacker to intercept privileged directory service credentials via a spoofed domain controller certificate.
CVE-2026-39039						In BharatMLStack up to and including v1.3.0, Trufflebox UI stores the JWT authentication token, full user object, and session ID in the browser's localStorage, which is fully accessible to any JavaScript running on the page.
CVE-2026-55630	0.0	NONE				Kiwi TCMS is an open source test management system. Prior to 16.1, TestCase.extra_link and TestPlan.extra_link accepted unsanitized user input and rendered stored values verbatim, creating an opportunity for cross-site scripting. Official Docker images and unmodified Kiwi TCMS middleware send a Content-Security-Policy header that blocks inline JavaScript, making exploitation difficult in default deployments, while...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-59739						Information disclosure via SetWatches reconnect replay in Apache ZooKeeper due to missing ACL check. An attacker can discover ACL-restricted paths by registering exists-watches on non-existent paths, then reconnecting after the paths are created with restricted ACLs. Issue is caused by incomplete fix for CVE-2024-23944 (ZOOKEEPER-4799). The fix added ACL checking to WatchManager.triggerWatch(). However, DataTree.s...
CVE-2026-59969						Apache ZooKeeper quorum TLS fails to enforce peer hostname verification in FIPS-mode deployments. When sslQuorum=true, zookeeper.fips-mode=true, ssl.quorum.hostnameVerification=true, and ssl.quorum.clientHostnameVerification=true are enabled, the Java SSLSocket quorum path accepts a CA-trusted peer certificate whose SAN does not match the connected host. A malicious or misissued peer certificate can therefore join...
CVE-2026-76186						Apache Airflow Keycloak provider: from Airflow 3.3 the Keycloak auth manager takes a user's identity from the signed Airflow session token but takes the Keycloak access and refresh tokens used for every authorization decision from separate, unauthenticated cookies, and never checks that the two describe the same subject. A user who holds any valid Airflow login of their own, together with another subject's Keycloa...
CVE-2026-76187						Apache Airflow Keycloak provider: the unauthenticated token endpoint accepts a client-credentials grant for any confidential client registered in the Keycloak realm, not only the client configured for Airflow. No allowlist restricts which client ids may authenticate, so the credentials of an unrelated application that happens to share the realm are valid Airflow login credentials, and Airflow mints a signed sessio...
CVE-2026-79993						The `deleteContainer` opcode (0x14/20) is processed without verifying the caller's ACL permissions, allowing any authenticated client to delete specific znodes in the data tree regardless of the ACL restrictions on the znode or its parent. This opcode is considered internal-only and the official client doesn't have API for it, but a client that can open a plain TCP session on the ZooKeeper client port (2181 by def...
CVE-2026-82310						Apache Airflow FAB provider: deactivating a user account does not stop tokens issued to that account before deactivation. Password authentication correctly rejects the disabled account, but the Core API continues to accept an existing, unexpired token naming it, and lets that token mint a replacement — so the account keeps its role-scoped access indefinitely after an administrator has disabled it. The user replays...
CVE-2026-82311						Apache Airflow FAB provider: resetting a user's password does not delete that user's existing database-backed sessions, despite documented behaviour that it does. The cleanup compares the string identifier Flask-Login stores in the session against the user's integer database identifier, so the comparison never matches and no session is removed. An attacker who already holds a copy of the victim's session cookie ke...
CVE-2026-84088						The Xpro Addons — 140+ Widgets for Elementor WordPress plugin before 1.7.9 does not validate or sanitize a widget link setting before storing and using it in a JavaScript navigation call, allowing users with the contributor role and above to inject and store JavaScript that executes in the browser of anyone who interacts with the affected widget.
CVE-2026-84439						When audit logging is enabled (zookeeper.audit.enable=true), an unauthenticated attacker can inject arbitrary fields into Apache ZooKeeper's audit log by sending a digest authentication request with tab characters (t) embedded in the username. Because the audit log uses tab-separated key=value format, the injected tabs are parsed as legitimate field separators, allowing the attacker to spoof audit results (e.g., ...
CVE-2026-84501						An unauthenticated attacker can inject arbitrary fake log lines into Apache ZooKeeper's operational log by sending a crafted add_auth("ensemble", ...) request containing newline characters (n). When the ensemble name doesn't match, EnsembleAuthenticationProvider.handleAuthentication() logs the raw, unsanitized name via LOG.warn(). Because SLF4J's {} placeholder preserves embedded newlines, the attacker can forge ...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-86444						The LearnPress WordPress plugin before 4.4.7 does not escape a user supplied value before using it in an HTML attribute on a public page, allowing unauthenticated attackers to execute arbitrary JavaScript in the browser of anyone who opens a crafted link, including a logged in administrator. Only sites running a classic, non-block are affected.
CVE-2026-86462						Apache Airflow FAB provider: changing a user's password through the Admin user-edit PATCH endpoint does not invalidate that user's existing database-backed sessions. An attacker who already holds a copy of the victim's session cookie keeps full access as that user after the password change, so the password reset does not evict them. Affects deployments using the FAB auth manager with database-backed sessions; an a...
CVE-2026-86465						Apache Airflow Akeyless provider: the Akeyless secrets backend's team-scope guard can be bypassed with a user-controlled key. In a multi-team deployment, a Dag author scoped to one team can supply a Variable key containing a path separator that causes the backend to resolve a secret belonging to a different team, because the lookup path is concatenated from an unvalidated key after the team-scoped lookup misses. T...
CVE-2026-86466						Apache Airflow FAB provider: the Authentik OAuth path in the FAB auth manager does not validate the issuer or audience claims of the id_token it accepts. An attacker holding a token that the same Authentik identity provider minted for a different client application can present it to Airflow and be authenticated as the user it names, because the audience claim is never checked. Affects deployments using the FAB aut...
CVE-2026-86784						The Visualizer WordPress plugin before 4.0.8 does not sanitise and escape a chart's JSON data source configuration before outputting it back in the chart editor, allowing users with the Contributor role and above to store JavaScript that executes in the browser of any higher-privileged user, such as an administrator, who reviews the affected chart.
CVE-2026-86792						Apache Airflow Apache Kafka provider versions 1.15.0 before 2.0.0 resolve dotted-path strings found in a Kafka connection's `extra` field into Python callables via `import_string`, with no allowlist, and hand them to the confluent-kafka client which invokes them. Deployments that have enabled the Kafka event producer — `dag_run_events_enabled` or `task_instance_events_enabled`, both disabled by default — build tha...
CVE-2026-88620						SmartAdmin API Java17 SpringBoot3 version 3.30.0 contains an improper authorization vulnerability in the /employee/queryAll endpoint. The endpoint does not enforce the required function-level permission or data-scope authorization, allowing an authenticated low-privileged employee to retrieve employee records belonging to other departments and users
CVE-2026-89774						In the Linux kernel, the following vulnerability has been resolved: Bluetooth: SCO: hold sk properly in sco_conn_ready sk deref in sco_conn_ready must be done either under conn->lock, or holding a refcount, to avoid concurrent close. conn->sk and parent sk is currently accessed without either, and without checking parent->sk_state: [Task 1] [Task 2] sco_sock_release sc...
CVE-2026-89775						In the Linux kernel, the following vulnerability has been resolved: KVM: arm64: Handle negative S1 walk levels in VNCR TLB size evaluation Computing the effects of a TLB invalidation involves looking at the size of the mapping cached by the TLB. For S1 mappings such as VNCR, this is deducted from the combination of the base granule size and the mapping level. However, this implies that the S1 MMU is *on*. When ...
CVE-2026-89776						In the Linux kernel, the following vulnerability has been resolved: vxlan: vnifilter: enforce exact length of GROUP/GROUP6 attributes The VXLAN VNI filter entry policy declares the GROUP/GROUP6 address attributes as NLA_BINARY with only a maximum length, so validate_nla() accepts a payload shorter than the address. The GROUP consumer reads it with nla_get_in_addr(), an unconditional 4-byte load, so a short attri...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-89777						In the Linux kernel, the following vulnerability has been resolved: vfio/pci: clear vdev->msi_perm after freeing it on init failure vfio_msi_cap_len() lazily allocates the per-device MSI permission table: vdev->msi_perm = kmalloc_obj(struct perm_bits, GFP_KERNEL_ACCOUNT); if (!vdev->msi_perm) return -ENOMEM; ret = init_pci_cap_msi_perm(vdev->msi_perm, len, flags); if (ret) { kfree(vdev->msi_perm); re...
CVE-2026-89778						In the Linux kernel, the following vulnerability has been resolved: isofs: fix out-of-bounds page array access on empty zisofs block zisofs_uncompress_block()'s empty-block fast path returns pcount << PAGE_SHIFT, ignoring the incoming poffset, unlike the decompression path which returns bytes produced relative to poffset. zisofs_fill_pages() uses that return to advance its page cursor, so when the zisofs block s...
CVE-2026-89779						In the Linux kernel, the following vulnerability has been resolved: fs/ntfs3: validate ef->size covers the record's name and value When an EA record has a non-zero ef->size, ntfs_read_ea() only checks that the record fits in the remaining buffer (ea_size > bytes), not that ef->size is large enough to hold the record's own name_len + 1 + elength. A crafted image can pass validation with, e.g., ef->size = 24 but ...
CVE-2026-89780						In the Linux kernel, the following vulnerability has been resolved: net: qualcomm: rmnet: restore skb->dev on deaggregated frames rmnet_map_deaggregate() allocates each sub-frame with alloc_skb() and leaves skb->dev NULL. __rmnet_map_ingress_handler() assigns skb->dev = ep->egress_dev only on the data path, but a MAP command frame is dispatched to rmnet_map_command() before that, so rmnet_map_send_ack() runs net...
CVE-2026-89781						In the Linux kernel, the following vulnerability has been resolved: fs/ntfs3: fix out-of-bounds read in read_log_rec_buf() read_log_rec_buf() copies a log record into a caller buffer starting at u32 off = lsn_to_page_off(log, lsn) + log->record_header_len; log->record_header_len (and log->data_off, used for the following pages) comes verbatim from the on-disk restart area and is only checked for 8-byte alignm...
CVE-2026-89782						In the Linux kernel, the following vulnerability has been resolved: fs/ntfs3: reject restart table growth beyond U16_MAX entries During \$LogFile replay, log_replay() indexes the transaction table by the transact_id taken from the log record header. check_log_rec() only verifies that transact_id is non-zero and properly aligned, not its magnitude, so a crafted image can request an arbitrarily large index. alloc...
CVE-2026-89783						In the Linux kernel, the following vulnerability has been resolved: xfrm6: fix out-of-bounds write in xfrm6_input_addr() when secpath is full The depth check in xfrm6_input_addr() is off by one: if (1 + sp->len == XFRM_MAX_DEPTH) goto drop; ... sp->xvec[sp->len++] = x; xfrm_input() can leave sp->len == XFRM_MAX_DEPTH, and the transport-mode receive path re-enters IPv6 input via xfrm_trans_reinj...
CVE-2026-89784						In the Linux kernel, the following vulnerability has been resolved: SUNRPC: check rpc_sockaddr2uaddr() return value in rpcb_register_inet4/6 rpcb_register_inet4() and rpcb_register_inet6() store the result of rpc_sockaddr2uaddr() into map->r_addr without checking it for NULL. rpc_sockaddr2uaddr() returns NULL when its final kstrdup() fails, and the unchecked NULL is then carried into the synchronous RPCBPROC_SET...
CVE-2026-89785						In the Linux kernel, the following vulnerability has been resolved: fs/ntfs3: fix out-of-bounds read of INDEX_ROOT in reparse/objid init ntfs_reparse_init() and ntfs_objid_init() parse the index root of the \$Extend/\$Reparse and \$Extend/\$ObjId metafiles (the INDEX_ROOT attributes named \$R and \$O). They read its type and rule fields through resident_data(), which does not check that the resident attribute is large...
CVE-2026-89786						In the Linux kernel, the following vulnerability has been resolved: ext4: fix out-of-bounds read in ext4_read_inline_dir() ext4_read_inline_dir() can read a dirent header past the end of its inline buffer, triggering a slab-out-of-bounds read during getdents64(): BUG: KASAN: slab-out-of-bounds in __ext4_check_dir_entry Read of size 2 at addr ffff88800f3dd23c by task exploit/148 ... __ext4_check_dir_en...

CVE	CVSS	Sev	KEV	EPSS	Vendor / Product	Description
CVE-2026-89787						In the Linux kernel, the following vulnerability has been resolved: ext4: check dir entry fits before reading the hash trailer in ext4_search_dir() For casefolded encrypted directories ext4 stores an 8-byte hash trailer after the name (EXT4_DIRENT_HASHES()), at an offset derived from de->name_len. On the sb_no_casefold_compat_fallback() path ext4_match() reads that trailer, but ext4_search_dir()'s by-hand pre-c...
CVE-2026-89788						In the Linux kernel, the following vulnerability has been resolved: ksmbd: fix tree connection use-after-free in smb2_tree_connect() ksmbd_tree_conn_connect() publishes a new tree connection in sess->tree_conns with a single reference and returns its pointer to smb2_tree_connect(). The handler continues to initialize the object and build the response after publication. A concurrent session logoff can erase the c...
CVE-2026-89789						In the Linux kernel, the following vulnerability has been resolved: gtp: add synchronize_net() in gtp_newlink() error path to prevent use-after-free gtp_newlink()'s error path frees tid_hash and addr_hash without waiting for an RCU grace period after clearing sk_user_data. A concurrent gtp_encap_recv() in softirq may still hold the gtp_dev pointer obtained via rcu_dereference_sk_user_data() and access the freed ...
CVE-2026-89790						In the Linux kernel, the following vulnerability has been resolved: ipv6: avoid divide by zero in rt6_multipath_rebalance rt6_multipath_rebalance() calculates the total eligible nexthop weight in one pass and programs upper bounds in a second pass. Since RTM_NEWROUTE is RTNL-free, a concurrent ignore_routes_with_linkdown update can make the first pass return zero while the second sees an eligible nexthop, causin...
CVE-2026-89791						In the Linux kernel, the following vulnerability has been resolved: perf: Fix use-after-free when perf mmap() revival races with the last munmap() perf_mmap_close() drops rb->mmap_count *without* holding event->mmap_mutex (the refcount_dec_and_test()) right before the refcount_dec_and_mutex_lock() of event->mmap_count). A concurrent perf_mmap_rb() can slot its entire "revival" path into that window (perf_mmap hol...
CVE-2026-89792						In the Linux kernel, the following vulnerability has been resolved: ksmbd: prevent out-of-bounds reads in share config responses Validate IPC share configuration payload sizes before consuming variable-length fields. Bound veto list parsing and account for the separator byte when deriving the path length.
CVE-2026-89793						In the Linux kernel, the following vulnerability has been resolved: ublk: clear VM_MAYWRITE on read-only ublk char device mmap ublk_ch_mmap() rejects mmap requests with VM_WRITE set, but never clears VM_MAYWRITE on the resulting read-only mapping. This allows a userspace daemon to mmap the per-queue command buffer PROT_READ, then upgrade it to PROT_WRITE via mprotect(), since VM_MAYWRITE was never cleared. The ...
CVE-2026-90971						Server-Side Request Forgery (SSRF) in the VMware synchronization feature in Devolutions Server 2026.2.16 and earlier allows a low-privileged authenticated user to obtain other users' credentials and reach internal or cloud-metadata network endpoints via a crafted connection definition submitted for datacenter discovery.
CVE-2026-92021						Use-after-free in the JavaScript Engine: JIT component. This vulnerability was fixed in Firefox ESR 140.16 and Thunderbird 140.16.
CVE-2026-92040						Use-after-free in the JavaScript: WebAssembly component. This vulnerability was fixed in Firefox 156 and Thunderbird 156.
CVE-2026-92237						Insertion of sensitive information into log file in the slow query logging feature in Devolutions PowerShell Universal 2026.2.5 and earlier allows an authenticated user with log read permission to obtain application tokens, data protection key material and other stored credentials via SQL parameter values written to the system log on instances backed by Microsoft SQL Server.