

videoGen

EXPERT PROJECT OVERVIEW

Architecture · Implementation · Runtime · Output Forensics · Maturity

INDEPENDENT EXPERT BASELINE | VERSION 1.0

Assessment date	10 August 2026
Repository	/Users/santosh/Desktop/projects/videoGen
Branch / HEAD	genesis / c85452b9
Classification	Internal expert review

Prepared for architecture, AI-systems, media-pipeline, and product review

Decision statement. *videoGen has demonstrated genuine local media production and contains several substantial, tested subsystems. It is not yet one constitutionally compliant, immutable, reproducible Cinema Production Engine. The current reality is a productive but fragmented set of script-led and service-led paths whose strongest renderer works through mutable shared output directories, ad-hoc briefs, and fabricated handoff certificates. The latest 12-scene film is useful provisional evidence, not a certified release.*

Document Control

Field	Value
Document ID	VIDEOGEN-EXPERT-OVERVIEW-2026-08-10
Version	1.0
Status	Expert review baseline
Scope	Architecture intent, implementation reality, execution paths, providers, tests, Git state, generated-output forensics, and current psychology-series requirements
Repository boundary	Read-only assessment of product/runtime sources; report artifacts written only under docs/expert_overview/
Evidence cutoff	Repository and audit evidence available on 10 August 2026; output census snapshot at 13:34 local time
Canonical source	docs/expert_overview/videoGen_Expert_Project_Overview_2026-08-10.md
Rendered derivatives	Matching <code>.docx</code> and <code>.pdf</code> in the same directory
Important limitation	Architecture documents express intended authority. Their existence, status labels, or “frozen” language do not prove implementation, Git adoption, immutability, or runtime reachability.

Contents

Document Control	2
Contents	3
1. Executive Assessment and Maturity	6
1.1 Overall assessment	6
1.2 Maturity judgment	6
1.3 Expert decision	6
2. Product, System, and ACI Vision	7
2.1 Product vision	7
2.2 System vision	7
2.3 ACI vision	7
2.4 Why the vision matters	7
3. Evolution: 30 June–10 August 2026	8
3.1 Chronological evolution	8
3.2 Commit history and artifact history are different clocks	8
3.3 Strategic destination	8
4. Target Constitutional Architecture	9
4.1 Intended authority chain	9
4.2 GENESIS target	9
4.3 Immutable PKP and artifact handoff	9
4.4 PROMETHEUS target	9
4.5 ORACLE target	9
4.6 ATLAS target	9
4.7 Target versus present	9
5. Design-versus-Reality Map	10
5.1 Component-level map	10
5.2 Central architectural contradiction	11
6. Actual Execution Paths	12
6.1 Web application path	12
6.2 Current script-led real-render path	12
6.3 Legacy Movie OS path	12
6.4 Deterministic fallback path	12
6.5 Scaffolded “full pipeline” path	12
7. Runtime and Provider Responsibilities	13
7.1 Active assessment model versus product models	13
7.2 Provider responsibility map	13
7.3 Character identity conditioning finding	13
8. Output Forensics and Census	14
8.1 Point-in-time census	14
8.2 Major subtree classification	15
8.3 Duplicate and invalid artifact findings	15

9. Film Lineage	16
9.1 Lineage chronology	16
9.2 Best stable predecessor	16
10. Current Provisional 12-Scene Deliverable	17
10.1 Candidate film	17
10.2 Why it is the likely current candidate	17
10.3 Why it is only provisional	17
10.4 Stale scenes 1–3 contamination	17
10.5 Visual scene finding	17
10.6 No true motion	18
10.7 Content quality finding	18
11. Integrity, Provenance, and Reproducibility	19
11.1 Overwritten concat manifest	19
11.2 Certificate reliability	19
11.3 Creative authority leakage	19
11.4 Silent fallback risk	19
11.5 Credential-like default warning	19
12. Psychology-Series Requirements and Content Contradictions	20
12.1 Current Mark/Sarah requirements	20
12.2 Standard and playbook themes	20
12.3 Contradiction table	21
13. Verification Evidence	22
13.1 Test results from authoritative audit	22
13.2 Media verification	22
13.3 What is verified versus not verified	22
14. Git and Reproducibility State	23
14.1 Repository state	23
14.2 Consequences	23
14.3 Required reproducibility baseline	23
15. Maturity Matrix	24
16. Prioritized Recommendations	25
P0 — Establish release truth before another long render	25
P0 — Choose the canonical pipeline	25
P0 — Replace fabricated certification	25
P1 — Fix the current psychology-film path	25
P1 — Make execution honest and observable	25
P2 — Implement the missing pillars incrementally	25
P2 — Source control and security	25
17. Questions for the Expert	27
17.1 Architecture and governance	27

17.2 Product and content	27
17.3 Validation and release	27
17.4 Operational and commercial	27
18. Source-of-Truth Map	28
19. Glossary	29
20. Methodology and Limitations	30
20.1 Methodology	30
20.2 Evidence hierarchy	30
20.3 Limitations	30
21. Appendices: Evidence Paths and Hashes	31
Appendix A — Principal evidence paths	31
Appendix B — Principal media hashes	31
Appendix C — Current scene-image hashes	31
Appendix D — Final expert conclusion	32

1. Executive Assessment and Maturity

1.1 Overall assessment

videoGen is best described as an **advanced experimental local film-production platform with real rendering capability, strong architectural ambition, and incomplete system consolidation**. It has moved beyond a toy: there are valid MP4 outputs, operational FLUX image generation through ComfyUI, Edge TTS voice generation, CC0 music use, FFmpeg audio/video assembly, large Python test suites, FastAPI and Next.js surfaces, and multiple GENESIS implementations.

The system nevertheless falls short of its own constitutional definition of completion. The designed chain is:

CIS → CIR → GENESIS compiler → immutable PKP → ATLAS → PROMETHEUS → ORACLE → ATLAS

The dominant real path is closer to:

synopsis / YAML / deterministic ad-hoc brief → direct Python orchestration → fabricated production-ready certificate → movie_os.prometheus → mutable filesystem output

This is not a semantic distinction. It means the current films cannot yet be claimed as compiled from frozen creative decisions, handed off through an immutable artifact, independently validated, archived under a durable provenance model, or reproducible from a declared release manifest.

1.2 Maturity judgment

Area	Assessment	Evidence-based judgment
Vision and architectural coherence	Strong intent	The constitutional corpus is unusually explicit about authority, immutability, deterministic replay, and separation of powers.
Text/pre-production intelligence	Substantial but fragmented	GENESIS v1, Genesis2, GENESIS 3, and the backend text pipeline all exist, but none is the single canonical compiler endpoint.
Media execution	Demonstrably productive	movie_os.prometheus has produced valid 1080p H.264/AAC films using FLUX, Edge TTS, music assets, mixing, Ken Burns, and FFmpeg.
Artifact contracts	Weak	The main productive path creates a ProductionCertificate in-process rather than reading a sealed PKP from ATLAS.
Validation and certification	Mostly design / proxies	ORACLE is not a runtime pillar. Existing QA agents and result records are not a constitutional ORACLE implementation.
Persistence and lineage	Weak	ATLAS is not a runtime pillar; shared paths, overwritten manifests, stale reuse, and duplicate artifacts undermine release authority.
Reproducibility	Not established	The latest film mixes generations, has no preserved run-scoped concat manifest, and is not tied to a frozen PKP/provider manifest.
Product readiness	Pre-production / expert-review stage	A capable prototype and engineering platform, but not ready to market as a deterministic, certified film factory.

1.3 Expert decision

Recommended disposition: revise and consolidate, not archive and not declare production-ready. Preserve the working renderer and strongest GENESIS implementation, but stop adding parallel architecture until one artifact contract, one release path, and one validation path are made real.

2. Product, System, and ACI Vision

2.1 Product vision

At product level, videoGen aims to turn a human story idea into a complete cinematic video through inspectable stages: story, scenes, dialogue, prompts, images or clips, audio, assembly, review, and export. The early [SPEC.md](#) frames this as a FastAPI + Next.js web application with regeneratable stages and a target of producing a 60-second MP4 in under ten minutes.

The content direction has become more specific: a recurring psychology-film series anchored by Mark and Sarah, with emotionally restrained conversation, recognizable domestic situations, intentional silence, and stable character identities across films.

2.2 System vision

The system vision evolved from scripts into a capability-oriented “Movie OS”:

- typed story, scene, shot, and character models;
- capability and provider registries;
- configurable prompts and grammars;
- local-first image and language services;
- persistent character/environment registries;
- graph-style orchestration;
- audio and video composition services;
- replaceable providers behind capability interfaces.

The enduring engineering principle is **capability over vendor integration**: a rendering need should be expressed as a capability and resolved to a provider, rather than hard-wired to a model or API.

2.3 ACI vision

The 21 July constitutional pivot expands the project beyond a video generator into an **Artificial Creative Intelligence (ACI) platform**. Its core proposition is “compile, do not generate”:

1. A human authors and pins intent.
2. A cognitive layer reasons about that intent without assuming decision authority.
3. A decision body records creative decisions with alternatives, rationale, confidence, and provenance.
4. GENESIS compiles frozen decisions into a production package.
5. PROMETHEUS renders without inventing creative content.
6. ORACLE validates without mutating.
7. ATLAS stores immutable knowledge, lineage, media, and reports.

Cinema is described as the first runtime, not the only runtime. Books, games, education, podcasts, devotionals, and future media could theoretically inherit the same governance, semantic model, and compilation discipline.

2.4 Why the vision matters

The vision addresses genuine weaknesses of generative production systems:

- model output is often non-repeatable;
- creative authority is diffuse;
- changes require wholesale regeneration;
- provenance is incomplete;
- validation is performed by the same system that created the work;
- model and provider turnover can strand creative assets.

The proposed answer—intent and decisions as durable knowledge, media as a regenerable projection—is strategically sound. The present risk is not the vision; it is **prematurely treating the vision as implemented reality**.

3. Evolution: 30 June–10 August 2026

3.1 Chronological evolution

Date / period	Evolution	Evidence and significance
30 Jun	Web product and project/story hierarchy	Planning evidence describes a FastAPI + Next.js application organizing stories under projects.
7 Jul	First concrete psychological-cinema proof	VID01 reported 11 scenes, 52 seconds, 1024×576. Lessons already included photorealism, recurring-character consistency, meaningful silence, and duration control.
8 Jul	"Movie OS" abstraction	Domain models, capability registries, provider abstraction, prompt repositories, FLUX/ComfyUI, Edge TTS, procedural audio, registries, LangGraph, and asset memory entered the design.
13 Jul	Repository bootstrap	Commit 68c09652 : 659 files and 118,490 insertions; initial Movie OS, frontend/backend, provider, agent, and production-script corpus.
13 Jul	First stabilization	Commit bf723d9d : connected image copying, screenplay dialogue extraction, music cues, audio offsets/mixing, and corrected malformed FFmpeg filtering.
17 Jul	Niche/product blueprint	Commit cbd6a62c : emotional wellness and Hindu history/Puranic videos positioned as primary niches. This remains main tip.
19–21 Jul	GENESIS pivot	Constitutions, ontology, agents, PKG/PKP ideas, validation, and governance moved the system from agent pipeline toward pre-production intelligence.
21 Jul	genesis branch baseline	Commit c85452b9 ("Genesis addition"): 449 files and 102,312 insertions; current audited HEAD.
21 Jul	ACI constitutional architecture	CIS/CIR, GENESIS compiler, frozen PKP, PROMETHEUS, ORACLE, and ATLAS articulated. Constitutional files are currently untracked in Git.
24–30 Jul	Real inference and deterministic fallback	Genesis2/3 Ollama wiring appeared; failures around conversations, TTS inputs, character consistency, empty mixes, Ollama, and ComfyUI led to deterministic fallback paths.
28–30 Jul	"Space Between Us" iterations	Deterministic, v6, v7, and v8 experiments produced valid, partial, empty, and duplicate artifacts, exposing reliability and lineage problems.
4–5 Aug	Reliability becomes mission	Scene 4 vertical slice and stability work focused on fail-closed behavior, liveness detection, serialized ComfyUI submission, MPS memory protection, checkpoints, and real assets.
7–8 Aug	Operationalization	Scope freeze, runtime contract, checkpoint/resume, operator runbook, and release checklist were identified as the next work; this correctly shifts priority from architecture writing to operations.
9–10 Aug	Real PROMETHEUS evidence	Three-scene and 12-scene renders were produced. The latest long render is 459.083 seconds but carries stale scenes 1–3 and lacks a preserved run manifest.
10 Aug, after 13:29	Active test churn	runtime_prompts , Test_Film_final.mp4 , and concat.txt changed during the audit, proving output/prometheus is a mutable workspace.

3.2 Commit history and artifact history are different clocks

Only four commits exist. Therefore, post-21-July evolution must be reconstructed from untracked files, modified tracked files, generated artifacts, filesystem timestamps, briefs, reports, and runtime probes. These are valuable evidence, but weaker than committed, tagged, reproducible release history.

3.3 Strategic destination

The immediate destination should be:

[approved synopsis](#) → [canonical GENESIS text artifacts](#) → [sealed PKP](#) → [PROMETHEUS real media](#) → [ORACLE validation](#) → [playable MP4](#) → [immutable release record](#) → [repeatable rerun](#)

The next milestone is not a fourth GENESIS or another constitutional rewrite. It is a **single, fail-closed, operator-ready production path**.

4. Target Constitutional Architecture

4.1 Intended authority chain

The target flow is:

Human CIS → Creative Mind → Directorial Board CIR → GENESIS compiler → immutable PKP → ATLAS → PROMETHEUS → ATLAS → ORACLE → ATLAS

A concise interpretation:

Layer	Owns	Must not do
Human / CIS	Explicit creative intent	Silently delegate intent authorship to the engine
Creative Mind	Cognitive enrichments, alternatives, conflicts, confidence	Make final creative decisions
Directorial Board / CIR	Creative decisions and rationale	Render or validate media
GENESIS compiler	Deterministic production specifications	Invent dialogue, symbolism, emotion, camera, music, or pacing
PKP	Frozen executable production knowledge	Mutate after freeze
PROMETHEUS	Media execution	Alter intent/PKP or invent missing creative choices
ORACLE	Independent reports, drift detection, certification	Modify media or source artifacts
ATLAS	Identity, versions, provenance, storage, retrieval	Decide, render, or validate

4.2 GENESIS target

008 – GENESIS Compiler Architecture.md specifies pre-compilation plus 19 canonical operations: 16 domain passes, package assembly, validation gate, and freeze/hash. Inputs are a frozen CIR; outputs are a frozen, versioned, hashed PKP. Each artifact must carry `cir_origin`, a CIR hash, provider versions, seeds, and pass diagnostics.

4.3 Immutable PKP and artifact handoff

The PKP is intended to be the production “binary”: it is read by identity and version from ATLAS. Handoff is explicitly **artifact-based**, **not call-based**. PROMETHEUS should not receive an arbitrary in-memory dictionary and a certificate manufactured by the caller.

4.4 PROMETHEUS target

PROMETHEUS is a pure executor. It should load a validated frozen PKP, verify its hash, render through provider abstractions, stamp every asset with provenance, and emit an execution report. If a creative detail is missing, it should report a rendering gap and fail closed rather than inventing.

4.5 ORACLE target

ORACLE is intended to validate five layers: constitution, semantics, creative intent/decision fidelity, runtime/media conformance, and certification. It reads CIS, CIR, PKP, media, and reports from ATLAS, and writes validation reports only.

4.6 ATLAS target

ATLAS is intended as the single durable persistence authority for CIS, CIR, PKP, media, validation reports, compilation/execution reports, memory, and institutional architecture history. It should enforce immutable revisions and provide a replay registry tying CIR version, PKP version, provider versions, seeds, and media hashes together.

4.7 Target versus present

The architecture documents themselves explicitly say they produced no implementation code. They are therefore **intent and governance artifacts**, **not proof of deployed pillars**. In the current repository, ATLAS and ORACLE do not exist as named runtime packages, and productive rendering does not consume a frozen PKP from an immutable store.

5. Design-versus-Reality Map

5.1 Component-level map

Component	Designed role	Current reality	Classification / gap
Constitutional architecture (00, 006, 008–012)	Supreme governed architecture	Comprehensive documents, currently outside Git at audited HEAD	Design-only / unadopted baseline. Strong intent, no runtime proof.
GENESIS v1: <code>movie_os/genesis</code>	Discovery, production knowledge, review, completion gate	7 discovery agents → 19 PKP agents → 5 reviewers; rich factory mock reached gate <code>True</code> , completeness <code>1.0</code> ; real-provider path not exercised in the audit	Implemented and heavily unit-tested, provider proof incomplete.
Genesis2: <code>movie_os/genesis2</code>	Twelve-phase creative/pre-production pipeline	Twelve phases implemented; direct default-mock smoke completed 10/12, with phases 6 and 12 failing	Implemented, not clean canonical endpoint.
GENESIS 3: <code>movie_os/genesis3</code>	Quality compilation/certification	Eight heuristic quality compilers plus mock compilers; default smoke returned QA <code>FAIL</code> , score <code>0.2781</code> , <code>production_ready=False</code>	Experimental QA subsystem, not constitutional 19-pass compiler.
GENESIS 3 API	Exposed certification/analysis service	API routed, tests present, certificates stored in module-level memory, separate from normal pipeline API, no PROMETHEUS handoff	Demo-grade persistence and isolated integration.
Backend web pipeline	User-facing prompt-to-preproduction path	Research → story → scenes → dialogue → prompts → YAML validation with Ollama; media endpoints separate; API tests bypass execution using <code>_skip_execution=True</code>	Implemented text path; live inference and unified film flow unproven.
<code>movie_os.prometheus</code>	Pure PKP executor	Concrete FLUX, Edge TTS, CC0 music, FFmpeg mixing, Ken Burns, concatenation, and grading; storyboard/editing partly metadata; isolated empty-brief smoke failed at Film	Partly operational and closest to real renderer, but contract-drifted and untracked.
Top-level <code>prometheus/</code>	Alternative runtime architecture	Placeholder paths, no emitted files; isolated execution crashes on progress-state mismatch; repository tests target <code>movie_os.prometheus</code> instead	Obsolete/scaffolded duplicate. Retire.
<code>movie_os.pipeline.run_full_pipeline</code>	Unified end-to-end path	Runs Genesis2 and Genesis3, then ignores the actual Genesis3 certificate and fabricates a new production-ready certificate with no real blueprint/brief	Contract-breaking scaffold.
Legacy Movie OS LangGraph	Capability-driven orchestration	Legacy Movie→Story→Visual/Voice/Music/SFX→QA→Publishing remains default; “new” graph has only orchestrator/revision nodes; auto-detection compares bool to string and is broken	Parallel legacy architecture with routing defect.
<code>generate_films.py</code>	Continuous deterministic film generation	Hardcodes Mark/Sarah premise and templates, builds a brief, pre-renders FLUX images, fabricates a production-ready certificate, invokes <code>movie_os.prometheus</code>	Productive experimental path that bypasses CIS/CIR/GENESIS/PKP/ATLAS/ORACLE.
<code>pipeline/run_v7.py</code>	Legacy vertical slice	“Space Between Us” specific; old text pipeline, PIL placeholders in image stage, Edge TTS, FFmpeg	Historical one-film path.
Deterministic pipeline	Reliable fallback	YAML/templates, optional ComfyUI, Edge TTS, FFmpeg; avoids Ollama, but Edge TTS remains cloud-backed	Working fallback, not fully local and not constitutionally compiled.
ATLAS	Immutable storage and provenance pillar	No named runtime module/package; filesystem stores, registries, and memories are precursors	Design-only as a pillar.
ORACLE	Independent validator/certifier	No named runtime module/package; QA agents, evaluators, and reports are partial precursors	Design-only as a pillar.

5.2 Central architectural contradiction

The system has developed multiple “centers”:

- GENESIS v1 is the most complete agent/PKP pipeline.
- Genesis2 has a clear 12-phase progression.
- GENESIS 3 is a QA/certification experiment.
- The backend has its own six-stage text pipeline.
- Legacy Movie OS remains graph-default.
- [movie_os.prometheus](#) is the strongest real renderer.
- [generate_films.py](#) is the most recent productive end-to-end script.

Without one canonical ingress, one production schema, and one release egress, passing tests demonstrate subsystem health but not system unity.

6. Actual Execution Paths

6.1 Web application path

`POST /api/v1/pipeline/start` → `PipelineService` → Ollama research/story/scenes/dialogue/prompts → in-memory pipeline state and filesystem text output → separate image/video/TTS operations

Assessment: most externally exposed path; not unified with GENESIS v1/v2/v3 or constitutional PKP execution. Live Ollama behavior is not established by API tests because execution is bypassed in test setup.

6.2 Current script-led real-render path

`generate_films.py` → deterministic Mark/Sarah `brief.json` → sequential FLUX image pre-render into shared idempotency paths → caller-created `ProductionCertificate(status=PRODUCTION_READY)` → `movie_os.prometheus.PrometheusPipeline.execute(...)` → Edge TTS voice + copied CC0 music + FFmpeg mix → Ken Burns still-image scene clips → FFmpeg concat / grade → shared output film

Assessment: real media is produced. Governance is bypassed, identity references are not wired into this call path, and shared-path idempotency caused stale cross-run reuse.

6.3 Legacy Movie OS path

Genesis2 bridge or hand-authored brief → legacy LangGraph agents → provider/capability layer → QA/publishing

Assessment: separate architecture, still default at graph level, and not the same runtime as `movie_os.prometheus`.

6.4 Deterministic fallback path

YAML / hardcoded templates → optional ComfyUI or placeholders → Edge TTS → FFmpeg audio/video assembly

Assessment: useful for reliability isolation and contract tests; not a substitute for constitutional compilation or fully local operation.

6.5 Scaffolded “full pipeline” path

Genesis2 → Genesis3 → discard/ignore actual certificate → construct fresh production-ready certificate → PROMETHEUS invocation

Assessment: this path demonstrates an API shape, not a trustworthy artifact handoff. A fabricated certificate cannot stand in for a frozen PKP and independent certification.

7. Runtime and Provider Responsibilities

7.1 Active assessment model versus product models

The model conducting this expert review is the active Hermes conversation model: ``gpt-5.6-sol`` via ``openai-codex``. It is not part of the videoGen runtime and must not be reported as the model that created product artifacts.

The product can optionally call local Ollama models for story or analysis stages. At the final live probe for this report:

- Ollama was reachable at `127.0.0.1:11434`.
- `ornith:lite` was the only model reported loaded, with no active inference evidence in the response; it is treated as loaded/idle.
- `qwen3.6` was not in the loaded-process response and is therefore described as stopped/not loaded, not unavailable from the library.
- ComfyUI was reachable at `127.0.0.1:8188` with `queue_running: []` and `queue_pending: []`.

This runtime snapshot is point-in-time operational evidence, not a persistent configuration guarantee.

7.2 Provider responsibility map

Capability	Intended responsibility	Observed implementation	Material caveat
Text/creative analysis	Ollama through provider/factory abstraction	Several local model configurations and fallbacks across GENESIS/backend paths	Configured model names drift from installed/loaded models; silent mock fallback can obscure live-provider failures.
Image generation	FLUX through ComfyUI	<code>FluxComfyUIProvider</code> , model <code>flux1-dev-fp8.safetensors</code> ; current 12 scene PNGs are valid and distinct	Current script path passes prompts/seeds only; no identity-conditioned reference image is supplied.
Voice	Character-directed TTS	Edge TTS voices rendered to MP3	Edge TTS is Microsoft cloud-backed, so the present pipeline is not fully offline/local.
Music	Procedural or generative provider behind registry	PROMETHEUS copies hardcoded CC0 music tracks	All 12 current scene music files are byte-identical; configuration and runtime responsibility have drifted.
Audio mixing	Mix voice, music, SFX to spec	FFmpeg-based mixing produces valid audio	Current quality evidence is aggregate loudness, not a full intelligibility/SFX/scene-level ORACLE assessment.
Video realization	True motion generation from images and motion specifications	No registered working video provider in the audited registry; SVD construction fails because the expected enum member is absent	No true generated motion. Scene clips use pan/zoom/Ken Burns over still images.
Assembly/grading	Deterministic timeline assembly	FFmpeg concatenation and fixed grading	Shared <code>concat.txt</code> is overwritten; fixed choices may be creative decisions inside PROMETHEUS.
Persistence	ATLAS immutable artifact store	Mutable filesystem directories and ad-hoc reports	No release identity/version boundary, append-only store, or immutable manifest.
Validation	ORACLE independent checks	Tests, placeholder evaluations, stage reports, and manual/forensic review	No integrated ORACLE certification.

7.3 Character identity conditioning finding

The repository contains identity-reference concepts in other paths (for example hero images and IP-Adapter-oriented code), but the active `generate_films.py` pre-render call constructs `ImageIntent` with prompt, negative prompt, dimensions, quality, seed, and metadata only. It does not pass reference images, IP-Adapter inputs, face embeddings, or another identity-conditioning mechanism.

The visual result is consistent with that wiring: scene concepts are distinct, but faces drift substantially.

8. Output Forensics and Census

8.1 Point-in-time census

At 13:34 local time on 10 August 2026, the audited `output/` tree contained:

- 1,466 files
- 108 directories
- 1,160,706,273 bytes = 1.081 GiB
- `du -sh`: 1.1G

Extension / class	Count
JSON	551
MP3	292
WAV	189
PNG	181
MP4	119
TXT	45
YAML	31
Markdown	23
M4A	18
Extensionless macOS metadata	17

The tree was **non-quiescent**: file count rose from 1,454 to 1,466 during the audit while test prompts and `Test Film_final.mp4` were rewritten. These numbers are a forensic snapshot, not a stable release inventory.

8.2 Major subtree classification

Subtree	Contents / size at snapshot	Classification
output/prometheus	130 meaningful files, 241,185,493 bytes: 12 images, 78 voice MP3s, 12 music MP3s, 12 mixed M4As, 12 scene MP4s, 3 final MP4s, concat file	Current mutable/shared workspace
output/continuous_films	One 37,276-byte brief: 12 scenes, 12 dialogue blocks, 72 spoken/inner-voice entries	Current source brief
output/runtime_prompts	477 JSON LLM logs at snapshot, including many test prompts	Current provenance/log stream; not deliverable
output/space_between_us	Four JSON briefs/packages/results, 338,899 bytes	Recent provenance; internally inconsistent/superseded
output/the_space_between_us_final	135 files, 154,209,833 bytes; audio, clean audio, two image sets, two video assemblies	Stable predecessor / superseded candidate
output/the_space_between_us_v8	86 meaningful files, 134,080,385 bytes; 14 empty MP3s; duplicate final names	Failed/partial historical iteration
output/the_space_between_us_det	37 files; 17 empty dialogue MP3s, 15 images, 5 WAVs; no completed video	Abandoned deterministic attempt
output/the_space_between_us_v7	122 meaningful files, 193,039,363 bytes; 8 scenes; 690-second final	Historical / superseded
output/the_space_between_us_v6	76 meaningful files, 14,951,792 bytes; 5 scenes; 286.9-second final	Historical / superseded
output/videos	199 meaningful files, 221,128,231 bytes; template, refined, manifest, Movie OS, and test-final lineages	Early prototype corpus
output/ew001_production	53 meaningful files, 139,936,464 bytes; 13 scene videos, voice/music, screenplay, evaluations, final video/audio	Older EW001 production lineage
output/genesis_e2e_ollama	70 meaningful files: 18 specifications in JSON/Markdown/YAML plus discovery/review files	Historical design/provenance
output/genesis_e2e	Three JSON files	Historical test run
output/genesis_to_prometheus	Certificate and serialized Prometheus result	Historical stub integration evidence
output/phases + root summary/PKP	Twelve phase JSONs; summary claims 12 completed on 20 July	Historical GENESIS-only output
output/20260708_212214	Five YAML artifacts for "Signal in the Silence"	Historical story-generation run
output/builder_assets	Six valid WAVs plus six .png files that are actually text	Test/placeholder assets
output/music and output/voice	Early stock music and Movie OS voice WAVs	Historical reusable/test assets
output/images	Empty	Unused scaffold
Root standalone output files	EW001 MP4, test WAV, voice samples, old PKP/summary, .DS_Store	Mostly stale/test artifacts

8.3 Duplicate and invalid artifact findings

Finding	Evidence
Zero-byte files	32, all audio: 17 deterministic, 14 v8, 1 stable-final test mix
False PNGs	9 files identified by file as text: 6 builder assets, 3 EW001 assets
JSON validity	All scanned JSON files parsed successfully
Exact duplicate groups	33 groups, 136 duplicate instances
Reclaimable bytes	116,848,243 bytes (111.44 MiB; 10.07% of tree)
Largest duplicate	All 12 current PROMETHEUS music tracks are byte-identical; SHA-256 3ef895dd4b75c71779611854b5b420b776745c2574b61adacce014651673c7a5 ; 42,189,092 redundant bytes
V8 final aliases	"v7" and "v10" are both 2,376,683 bytes; SHA-256 55354d54ca4de057c20855b765640f628b2be2ea2a8f2a04b6f334ee8e50ab4f
Placeholder quality reports	EW001 reports say passed while feedback says no screenplay/video was available to evaluate

9. Film Lineage

9.1 Lineage chronology

Period	Lineage	Outcome
7–9 Jul	VID01 template/refined/manifest shorts	1024×576, approximately 52.3 and 71.0 seconds; stock narration/music/SFX proof
8 Jul	“Signal in the Silence”	Five-scene structured YAML story run
10–17 Jul	EW001	Root 895-second MP4, then 13-scene 780-second production; low bitrate/quiet audio; evaluation placeholders
20–24 Jul	GENESIS/PKP bridge experiments	Twelve phase files, Ollama E2E corpus, 18 PKP specs; bridge output is serialized/stub evidence, not a real film
25 Jul	“Space Between Us” v6	Five scenes, 286.9 seconds, 720p; very quiet audio (-38.8 dB mean, -19.4 dB peak)
26 Jul	v7	Eight scenes, 690.1 seconds, 720p; long fixed scene audio and dialogue gaps
28–30 Jul	Deterministic/v8	Empty audio files, abandoned/partial runs, and byte-identical “v7”/“v10” finals
28 Jul, 8–9 Aug	the_space_between_us_final	Initial 81-second render, later 98.939-second 1080p render with normalized audio; best stable predecessor
9 Aug	Real PROMETHEUS three-scene HQ	110.633-second After losing... final; superseded but important real-render proof
10 Aug	Current 12-scene render	459.083-second Mark a proud... final; valid media, but mixed stale/current assets and mutable manifest
10 Aug audit period	Test-film churn	Test Film_final.mp4 and concat.txt repeatedly overwritten; transient invalid graded film appeared and disappeared

9.2 Best stable predecessor

[output/the_space_between_us_final/video/the_space_between_us.mp4](#)

Property	Value
Classification	Stable predecessor / superseded
Size	2,887,024 bytes
Runtime	98.939 seconds
Video	1920×1080, 48 fps, H.264
Audio	AAC stereo; mean -17.7 dB; peak -1.4 dB
SHA-256	72e8f6c54e2cabdc54868a904f5b4b62bdfde58b9408be4c3a9c956c2ba36ca2
Why “stable”	More self-contained and no evidence in the audit of an overwritten current assembly manifest contaminating its lineage
Why not current	It is superseded by the later Mark/Sarah 12-scene brief and output direction

10. Current Provisional 12-Scene Deliverable

10.1 Candidate film

output/prometheus/films/Mark a proud and emotionally guarded man_final.mp4

Property	Verified value
Classification	Provisional current candidate; not immutable or reproducible
Size	73,524,617 bytes
Runtime	459.083 seconds
Video	H.264, 1920×1080, 24 fps
Audio	AAC, 48 kHz, stereo
Audio mean	-18.8 dB
Audio peak	-1.4 dB
SHA-256	bedb3afc9f12686dbd1d4062eadbd3d860a49d6600f0c3d6d353dacc5bb8
Brief scene count	12
Current scene-file duration sum	459.065 seconds
Brief declared runtime	72.0 seconds
Runtime variance	+387.083 seconds; actual is 6.38× target

10.2 Why it is the likely current candidate

- It is the newest substantive non-test final in the latest content direction.
- Its title derives from the latest Mark/Sarah premise.
- Its 12 current scene files sum to the final’s duration within normal container/concat tolerance.
- It has valid video and audio streams and acceptable aggregate loudness relative to earlier attempts.

10.3 Why it is only provisional

- Scenes 1–3 predate the current brief and have different voice-file counts.
- Scenes 4–12 were generated after the current brief.
- The current shared `concat.txt` was overwritten by a one-scene test run.
- No run-scoped assembly manifest proves exactly which assets, hashes, provider versions, seeds, and code revision produced the final.
- The certificate path is caller-fabricated rather than a frozen GENESIS/ORACLE artifact handoff.
- The output directory is actively mutable.

10.4 Stale scenes 1–3 contamination

Evidence	Scenes 1–3	Scenes 4–12
Scene generation time	Around 00:30 on 10 Aug	01:41–02:31 on 10 Aug
Relative to latest brief	Older than 01:33:31 brief	Newer than brief
Voice files per scene	8	6
Brief expectation	5 spoken + 1 inner-voice item = 6	5 spoken + 1 inner-voice item = 6
Image dimensions	1024×576 for first three	1080×600 for later nine
Interpretation	Reused from preceding three-scene lineage	Generated for current 12-scene lineage

This is strong evidence that idempotent shared filenames (`scene_001.*`, etc.) carried the prior run into the new film.

10.5 Visual scene finding

A 4×3 contact-sheet review and exact SHA-256 check found **12 distinct scene PNG files**. No two images share the same hash, and the settings/compositions visibly vary.

However, identity continuity is poor:

- the apparent male face changes materially across scenes in facial structure, complexion, hair, beard, and apparent age;

- the apparent female face likewise changes in facial structure, complexion, hair, and apparent age;
- apparent ethnic presentation changes between scenes;
- wardrobe and framing change, sometimes appropriately for scene context;
- most images show both characters, while some emphasize one character or place the other partly out of frame;
- visual distinctness is therefore achieved, but **“same Mark and same Sarah” is not**.

The visual result aligns with code inspection: the active pre-render path does not supply identity-conditioned reference images to the image provider.

10.6 No true motion

The current scene videos create motion from still images through pan/zoom/Ken Burns-style transforms. The repository has video-provider/SVD concepts, but no operational registered video provider in the audited path, and SVD provider construction fails because the expected enum capability is absent. The final is a valid film container and an edited audiovisual sequence, but it should not be described as diffusion-generated moving footage.

10.7 Content quality finding

The brief meets the structural count guarantee—12 scenes, full beat sequence, 5 spoken lines plus one inner voice per scene—but dialogue is highly templated and repeats exact lines across many settings. The actual screenplay document is more scene-specific, yet the generated brief does not use most of that scene-specific writing. This weakens narrative progression and inflates runtime when every repeated line is synthesized and assembled.

11. Integrity, Provenance, and Reproducibility

11.1 Overwritten concat manifest

The current `output/prometheus/concat.txt` references only `scene_001.mp4` because a test run overwrote the shared file after the 12-scene film was assembled. Consequently, the final media can be probed, but its original concat input list is not preserved.

A mutable manifest is not release evidence. Each run needs an immutable directory containing:

- ordered asset list;
- per-asset SHA-256;
- brief/CIS/CIR/PKP identities and hashes;
- source Git commit and dirty-state fingerprint;
- provider/model versions;
- seeds and workflow IDs;
- stage timings and status;
- final media metadata and hash;
- validation/certification result.

11.2 Certificate reliability

Recent result JSONs point to overwritten shared paths and contain metadata inconsistent with rendered outputs—for example, `scene_count: 1` and `duration_seconds: 5.0` despite multiple scene files and a 110.633-second final. Other top-level durations appear to be pipeline elapsed time, not film duration.

Certificates should be treated as claims until cross-checked against immutable artifacts. A production-ready status created in `generate_films.py` before rendering is an authorization shortcut, not independent certification.

11.3 Creative authority leakage

PROMETHEUS currently contains choices that the constitution assigns upstream, including prompt heuristics, Mark/Sarah anchors in some paths, music selection, camera behavior, and fixed grading. These may be sensible defaults in a prototype, but they must either:

1. become explicit PKP fields compiled from a CIR, or
2. be clearly defined as technical transforms that do not alter creative meaning.

Otherwise, the runtime violates its own “zero creative authority” boundary.

11.4 Silent fallback risk

Mock and deterministic fallbacks keep tests reliable, but silent fallback can produce “green” execution that never exercised the intended real model. Every result should record whether each stage was real, cached, deterministic-template, mock, placeholder, or skipped. Production should fail closed on mock/placeholder output unless a human explicitly authorizes a test mode.

11.5 Credential-like default warning

A credential-like API-key default was observed in story-provider source/config. Its value is intentionally not reproduced in this report. Remove the default from code, load secrets only from an approved secret mechanism, audit history and working copies, and rotate the credential if it could be genuine.

12. Psychology-Series Requirements and Content Contradictions

12.1 Current Mark/Sarah requirements

The character bible and screenplay establish the current series contract:

Requirement	Current requirement
Recurring pair	Same Mark and same Sarah across all films
Identity	No face/hair/age/overall identity drift; expressions, angles, and blocking may vary
Mark	Dark hair, full beard, neutral clothing, guarded/proud/anxious, restrained performance
Sarah	Long wavy brown hair, soft neutral wardrobe, perceptive/calm/compassionate, steady performance
Presence	Both characters in meaningful conversation in every scene where possible
Dialogue	No monologue scenes; balanced back-and-forth; 4–5 dialogue beats per scene
Arc	Tension/distance → confrontation/fear/truth → vulnerability/repair/reconnection
Visual continuity	Reuse the same two character reference images with identity conditioning
Tone	Restrained psychological realism; implication over exposition; no melodrama
Sound	Intimate voice, room tone/ambience, deliberate silence, sparse music

12.2 Standard and playbook themes

The psychological-cinema standard/playbook emphasizes:

- ordinary gestures as emotional evidence;
- flawed, imperfect characters rather than composed archetypes;
- emotionally meaningful silence;
- slow observational camera language;
- warm low/practical light and natural shadows;
- room tone, breathing, cloth, footsteps, and other close sound layers;
- narration that feels internally discovered, not educational or optimized;
- restraint over loud argument or melodrama.

These are useful quality constraints, but they are not yet uniformly encoded into the current 12-scene brief or independently validated in the rendered media.

12.3 Contradiction table

Topic	Source A	Source B / reality	Expert interpretation
Title	Narrative contract and historical lineage: "The Space Between Us"	Current brief/film title is truncated premise: "Mark, a proud and emotionally guarded man, loses his job and..."	Choose one production identity and separate human title from filename-safe slug.
Ending	<code>narrative_contract.yaml: irreversible_separation, reconciliation_allowed: false</code>	Current brief and screenplay resolve to hope/reconnection	This is a major creative-authority conflict; a new CIR/contract version is required, not silent drift.
Form	Playbook brand genre includes <code>cinematic_monologue</code> and narration-centric rules	Character bible requires no monologues and balanced Mark/Sarah conversation	Define series profiles: narrated psychological essay versus two-character drama; do not mix silently.
Runtime	Current brief declares 72 seconds	Final is 459.083 seconds	Runtime contract is not enforced; voice duration drives scene length.
Handoff	Architecture requires frozen PKP from ATLAS	<code>generate_films.py</code> fabricates an in-process production-ready certificate	Artifact handoff is not implemented.
Certification	ORACLE should independently certify after render	Certificate exists before render and result records are inconsistent	Current certificate is authorization/scaffold, not independent quality certification.
Dialogue specificity	Screenplay contains scene-specific exchanges	Brief repeats the same template lines across many scenes	Current render underuses the stronger screenplay and inflates repetition.
Character continuity	Same identity/reference images required	12 distinct images show substantial face drift	Identity conditioning and ORACLE continuity checks are missing from active path.
Motion	Architecture lists video realization/SVD	Current films use Ken Burns over stills	Market as animated-still cinematic video until true motion is operational.

13. Verification Evidence

13.1 Test results from authoritative audit

Suite / area	Result	Interpretation
Root <code>tests/</code>	764 passed, 7 skipped	Broad Python confidence, but does not prove one unified live pipeline
GENESIS v1	392 passed, 2 skipped	Strong unit coverage
Genesis2	134 passed, 1 skipped	Strong unit coverage
GENESIS 3	107 passed	Strong subsystem coverage
<code>tests/prometheus</code>	80 passed	Uses mock FLUX providers; repository-root state may help non-hermetic tests
Backend + Genesis3 API	89 passed	API execution bypass caveat applies
Pipeline audio contract	20 passed	Useful deterministic contract evidence
<code>movie_os/tests</code>	344 passed, 1 failed	One workflow-validation failure; three FLUX workflow JSON files were invalid
Frontend Vitest	44 passed, 14 failed	Failures concentrated in <code>frontend/src/components/ads/slots.test.tsx</code>

The three invalid workflow files were:

- `movie_os/workflows/flux/optimized_draft.json`
- `movie_os/workflows/flux/optimized_production.json`
- `movie_os/workflows/flux/optimized_high_quality.json`

All principal Python modules imported successfully. An isolated temporary-directory PROMETHEUS smoke nevertheless failed at Film because a voice stage marked itself complete without producing audio. This demonstrates why repository-root passing tests must be supplemented by clean-room artifact assertions.

13.2 Media verification

Read-only forensic tools included:

- `ffprobe` for streams, dimensions, frame rates, codecs, and durations;
- `ffmpeg` volume detection for mean and peak audio levels;
- SHA-256 streaming hashes;
- `file` for signature validation;
- JSON parsing and structured extraction;
- filesystem inventory, timestamp, duplicate, and zero-byte scans;
- visual contact-sheet review of all 12 current scene images.

13.3 What is verified versus not verified

Claim	Status
Valid 12-scene candidate MP4 exists	Verified
Candidate has H.264 1080p24 video and AAC stereo audio	Verified
Candidate hash/size/duration/loudness	Verified
All 12 scene PNG files are byte-distinct	Verified
All 12 images depict the same two identities	Rejected by visual review
Film was rendered from current brief only	Not supported; stale scenes 1–3 contradict it
Film has preserved run-scoped assembly manifest	Not verified; current concat manifest overwritten
Film came from immutable PKP handoff	Not verified; active script fabricates certificate
ORACLE certified the film	Not verified; ORACLE runtime absent
Film is reproducible from repository state	Not established
Film contains true generated motion	Rejected; current path uses still-image motion

14. Git and Reproducibility State

14.1 Repository state

Property	Audited state
Branch	genesis
HEAD	c85452b9c4c426e50e768ef3709ecc798e852ecf (c85452b9)
Total commits	4
Modified tracked files	103
Actual untracked files	Approximately 445
Constitutional documents	Untracked
movie_os.prometheus	Untracked
GENESIS 3	Untracked
Current generator and recent operational files	Largely untracked

14.2 Consequences

- A checkout of HEAD cannot reproduce the audited implementation.
- Architecture marked “supreme” or “frozen” is not yet adopted by source control.
- The latest film cannot be tied to a clean commit.
- Untracked implementation, model configuration, workflow, and report files can disappear without Git history.
- A dirty tree invalidates simple “commit hash equals build identity” claims.

14.3 Required reproducibility baseline

Before the next full render:

1. classify every modified/untracked file as adopt, archive, generated, secret, or discard;
2. remove secrets and large runtime artifacts from source control scope;
3. commit the canonical architecture and chosen implementation path;
4. validate workflow JSON and tests in a clean checkout;
5. create an immutable run directory containing source/dirty-state fingerprints;
6. produce a release manifest with hashes and provider/workflow versions;
7. tag the release candidate only after independent validation.

15. Maturity Matrix

Scale: 1 = concept, 2 = scaffold, 3 = working prototype, 4 = controlled pre-production, 5 = production-grade.

Dimension	Score	Evidence	Gate to next level
Product vision	4	Clear film and long-range ACI direction	Freeze a single near-term product contract and audience promise
Constitutional architecture	4	Detailed laws, contracts, boundaries, and target flow	Ratify in Git and establish executable conformance tests
GENESIS/pre-production	3	Several tested implementations	Select one canonical compiler and schema; real-provider clean-room run
PROMETHEUS rendering	3	Valid real media and six-stage implementation	Consume sealed artifacts, eliminate creative leakage, isolate tests
ATLAS persistence	1	Detailed specification; precursors only	Implement immutable identity/versioned artifact store and APIs
ORACLE validation	1	Detailed specification; QA precursors only	Implement independent report-only validation and release gate
Provider abstraction	3	Capability patterns and real providers	Reconcile config/registry/direct calls; make all fallbacks explicit
Character continuity	2	Requirements and reference concepts exist	Wire identity conditioning; objective consistency scoring and thresholds
Motion generation	1	Design/provider stubs	Register and verify a true video provider or explicitly defer it
Audio production	3	Valid voice/music/mix outputs and loudness	Add scene-level intelligibility, ambience, silence, and sync validation
Testing	4 for units; 2 for E2E	764/7 root result, large subsystem suites	Clean-room live-provider E2E with valid artifact assertions
Output integrity	2	Rich corpus and forensic visibility	Run-scoped immutable manifests; remove shared-path cross-run reuse
Reproducibility	1	Hashes exist for outputs but no complete build lineage	Clean commit + sealed PKP + provider manifest + deterministic replay proof
Frontend readiness	2	Implemented app surfaces	Resolve 14 Vitest failures and prove live integrated workflow
Operational readiness	2	Reliability analysis and design briefs exist	Single launch contract, resume/recovery, runbook, release checklist
Security hygiene	2	Local-first intent	Remove/rotate credential-like default; formalize secret scanning

Composite judgment: approximately **2.5/5** — **working prototype approaching controlled pre-production**, with stronger architecture and unit coverage than release governance.

16. Prioritized Recommendations

P0 — Establish release truth before another long render

1. **Create immutable run directories.** Use a generated run ID; never write scene, concat, certificate, or final names into a cross-run shared namespace.
2. **Preserve the complete run manifest.** Hash every input and output, including brief, scene images, voices, music, mixes, clips, concat list, final, code state, models, workflows, and seeds.
3. **Fail on stale assets.** An asset may be reused only when its manifest key exactly matches the current input hash, provider version, workflow version, and seed.
4. **Separate test and production outputs.** Tests must write to temporary paths and must never overwrite production manifests or final filenames.

P0 — Choose the canonical pipeline

1. **Select one GENESIS implementation.** Base the decision on contract fit, real-provider behavior, test strength, and migration cost—not version number.
2. **Select one canonical PKP schema.** Version it explicitly and provide adapters from historical briefs only at the boundary.
3. **Retire duplicate/scaffold paths.** Archive or clearly deprecate top-level `prometheus/`, narrow legacy LangGraph, and stop treating `movie_os.pipeline` as full E2E until its handoff is real.

P0 — Replace fabricated certification

1. **Build a PKP-to-PROMETHEUS adapter.** PROMETHEUS must receive a frozen artifact identity/hash, not a caller-created production-ready certificate.
2. **Move certification after render.** A pre-render gate may authorize execution; it must not be called production certification. ORACLE certification follows media validation.
3. **Make missing creative fields fatal.** PROMETHEUS should return rendering gaps rather than selecting music, camera, grading, or character identity heuristics on its own.

P1 — Fix the current psychology-film path

1. **Resolve the creative contract.** Decide between irreversible separation and reconciliation; version the contract/CIR accordingly.
2. **Use the reviewed screenplay.** Replace repeated dialogue templates with the scene-specific screenplay or compile it into the PKP.
3. **Wire identity conditioning.** Store approved Mark/Sarah hero references and use IP-Adapter/FaceID/embedding-capable workflows with recorded strength and model versions.
4. **Add continuity validation.** Compute face/character consistency per scene, require thresholds, and route failures to rerender before assembly.
5. **Enforce duration.** Derive scene duration from actual speech plus bounded silence, then validate total runtime before film assembly.

P1 — Make execution honest and observable

1. **Label every stage result.** `real`, `cached`, `template`, `mock`, `placeholder`, `skipped`, or `failed` must be explicit in machine-readable reports.
2. **Make tests hermetic.** Run in temporary directories and assert signatures, non-zero sizes, codecs, durations, and expected scene/audio counts.
3. **Fix the failing suites.** Resolve the movie workflow failure, repair three invalid FLUX workflow JSON files, and resolve 14 frontend Vitest failures.
4. **Reconcile providers.** Configuration, registry, stage implementation, and live model availability must agree; direct hardcoded provider calls should be removed or justified.

P2 — Implement the missing pillars incrementally

1. **ATLAS minimum viable slice:** append-only artifact metadata, content-addressed blobs, identities/versions, hashes, lineage, and release manifests. A graph database is not required for the first correct slice.
2. **ORACLE minimum viable slice:** structural validation, duration/scene/audio checks, stale-asset detection, identity consistency, provenance completeness, and report-only certification.
3. **Then add semantic/creative validation.** Do not block basic artifact integrity on a comprehensive ontology implementation.

P2 — Source control and security

1. **Baseline the working tree.** Adopt, archive, ignore, or delete each modified/untracked class; produce a clean reproducible branch.
2. **Remove the credential-like default.** Rotate if genuine; add secret scanning and pre-commit/CI checks.

3. **Tag evidence-backed releases.** A release tag should resolve to code, PKP/manifest, validation report, and final media hash.

17. Questions for the Expert

17.1 Architecture and governance

1. Should the constitutional architecture be treated as binding now, or as a target to be ratified after a migration proof?
2. Which GENESIS implementation offers the least-risk route to a real CIR→PKP compiler: v1's agent/PKP breadth, Genesis2's phased structure, or a new adapter around the backend pipeline?
3. Is the 19-pass compiler appropriately granular for the immediate product, or should the first governed version compile a smaller mandatory PKP profile?
4. Which creative choices may legitimately remain runtime defaults without violating "zero creative authority"?
5. Can ATLAS begin as content-addressed filesystem + SQLite metadata before a typed graph store, while preserving future migration?

17.2 Product and content

1. Is the flagship format a narrated psychological essay, a two-character dramatic short, or two explicit product profiles?
2. Is reconciliation the approved ending, or must the irreversible-separation contract remain authoritative?
3. What is the intended runtime envelope: approximately 72–90 seconds, 5–8 minutes, or 15–20 minutes?
4. Is still-image Ken Burns cinema acceptable for the next release, or is true motion a launch requirement?
5. What measurable identity-consistency threshold is acceptable for recurring Mark/Sarah films?

17.3 Validation and release

1. What is the minimum evidence package required before a film may be labeled "certified"?
2. Which checks are blocking: stale assets, missing dialogue, face drift, runtime variance, audio loudness, subtitle absence, or provider fallback?
3. Should a human override produce `certified_with_overrides`, or should it be called `accepted_nonconformant` to preserve certification semantics?
4. What deterministic replay guarantee is practical for irreducibly non-deterministic cloud TTS and diffusion backends?
5. Which current artifact should be preserved as the first baseline release: the stable 98.939-second predecessor or a clean rerender of the 12-scene candidate?

17.4 Operational and commercial

1. What hardware/runtime envelope must the single-command local pipeline support?
2. Is cloud-backed Edge TTS acceptable under the "local-first" promise, and how should cloud use be disclosed?
3. Who is the first operator: developer, editor, or non-technical creator, and what controls must the runbook expose?
4. What failure/recovery SLA is required for a 12-scene production?
5. Which claims may be made publicly now, and which—immutable, reproducible, certified, true-motion—must wait for evidence?

18. Source-of-Truth Map

Concern	Present source of truth	Reliability / note
ACI constitutional law	006 – Artificial Creative Intelligence Constitution & Architectural Governance.md	Design authority; currently untracked, not runtime proof
Cinema vision	00 – Cinema Production Engine Vision, Philosophy & Reference Architecture.md	Design intent
Compiler target	008 – GENESIS Compiler Architecture.md	Design intent; 19-pass target
PKP target	009 – Production Knowledge Package (PKP) Architecture.md	Design intent; artifact handoff target
Runtime target	010 – PROMETHEUS Runtime Architecture.md	Design intent; zero-creative-authority target
Validation target	011 – ORACLE Validation Architecture.md	Design intent; named runtime absent
Knowledge target	012 – ATLAS Knowledge Architecture.md	Design intent; named runtime absent
Early web product	SPEC.md	Historical product specification; partially drifted
Current integration claims	PIPELINE.md	Useful but contains contradictory and overly broad “fully verified” claims
Current content contract	docs/mark_sarah_character_bible.md , docs/mark_sarah_screenplay.md	Strongest explicit Mark/Sarah requirements
Historical narrative contract	pipeline/contracts/narrative_contract.yaml	Conflicts with current reconciliation ending; must be versioned/resolved
Psychology style	videoContentStructure/Psychology/psychological_cinema_standard.yaml , psychological_cinema_playbook.yaml	Rich style requirements; not uniformly enforced
Current generated brief	output/continuous_films/brief.json	Current input artifact, mutable filesystem file
Current productive runner	generate_films.py	Actual script-led path; bypasses constitutional handoff
Current renderer	movie_os/prometheus/	Closest working PROMETHEUS implementation; untracked
Current candidate media	output/prometheus/films/Mark a proud and emotionally guarded man_final.mp4	Provisional evidence only
Stable predecessor	output/the_space_between_us_final/video/the_space_between_us.mp4	Superseded but more stable
Test truth	Recorded suite outputs plus clean-room probes	Unit breadth is strong; live E2E and hermeticity remain gaps
Source version	Git branch genesis , HEAD c85452b9 plus dirty-state inventory	HEAD alone is insufficient to identify build state

19. Glossary

Term	Meaning in this report
ACI	Artificial Creative Intelligence: the proposed runtime-independent governed creative platform
CIS	Creative Intent Specification: explicit, human-authored, pinned intent
CIR	Creative Intent Record / creative decision graph: frozen decisions, alternatives, rationale, confidence, and provenance
COM	Creative Object Model: common semantic types and relationships
GENESIS	Pre-production cognition/decision/compilation domain; must not render media
PKP	Production Knowledge Package: frozen executable production specification compiled from the CIR
PROMETHEUS	Execution runtime that renders the PKP without creative invention
ORACLE	Independent validator that writes reports and does not mutate artifacts
ATLAS	Durable knowledge/persistence authority for identity, versioning, provenance, and retrieval
Provider	Concrete implementation of a capability, such as FLUX/ComfyUI, Edge TTS, or FFmpeg
Capability	Abstract need such as image generation, voice synthesis, or video assembly
Constitutional compliance	Conformance to the authority boundaries, provenance, immutability, and validation laws in the architecture
Provisional current	Latest plausible candidate, but lacking complete release/provenance evidence
Stable predecessor	Older output with stronger self-contained lineage, though superseded in content direction
Hermetic test	Test that does not depend on pre-existing repository outputs, caches, or mutable services
Identity conditioning	Supplying a reference/embedding/control mechanism so a generated character retains the same identity
True motion	Generated or captured temporal scene motion; distinct from pan/zoom over a still image
Run manifest	Immutable record of ordered inputs/outputs, hashes, versions, seeds, code state, and stage results for one execution

20. Methodology and Limitations

20.1 Methodology

This overview synthesizes three complete delegated audit records and direct repository evidence. The work combined:

1. authority and architecture review;
2. Git branch/history/status classification;
3. design-versus-implementation reachability analysis;
4. test-result and clean-room smoke interpretation;
5. provider and live-service probes;
6. generated-output inventory and classification;
7. media metadata, signature, loudness, and hash verification;
8. duplicate/zero-byte/false-extension analysis;
9. brief, contract, screenplay, character-bible, and style comparison;
10. visual contact-sheet review of all current scene images;
11. code inspection of the active image pre-render and certificate handoff.

20.2 Evidence hierarchy

Evidence was weighted in this order:

1. valid on-disk media signatures, metadata, hashes, and direct runtime behavior;
2. reachable implementation and clean-room execution;
3. test behavior and assertions;
4. committed source history;
5. dirty working-tree source and generated artifacts;
6. reports/certificates whose claims match on-disk evidence;
7. architecture and status documents;
8. filenames and labels such as `final`, `complete`, or `production_ready`.

20.3 Limitations

- The output tree changed during the audit; the census is timestamped and non-quiescent.
- Architecture files and major recent implementations were untracked; Git cannot supply a complete post-21-July history.
- Real-provider execution was not repeated for every GENESIS path because of runtime cost and service dependence.
- The visual identity finding is an expert visual comparison, not a calibrated face-recognition metric.
- Aggregate audio loudness does not establish dialogue intelligibility, emotional performance, sync, ambience, or mix quality per scene.
- No claim is made that the current candidate is immutable, reproducible, constitutionally compiled, or ORACLE-certified.
- The credential-like value is deliberately omitted.
- Active chat-model identity is reported only to separate the assessment environment from product runtime models.

21. Appendices: Evidence Paths and Hashes

Appendix A — Principal evidence paths

- /Users/santosh/.hermes/cache/delegation/subagent-summary-0-20260810_134125_102587.txt
- /Users/santosh/.hermes/cache/delegation/subagent-summary-1-20260810_134125_103122.txt
- /Users/santosh/.hermes/cache/delegation/subagent-summary-2-20260810_134125_103581.txt
- /Users/santosh/Desktop/projects/videoGen/00 – Cinema Production Engine Vision, Philosophy & Reference Architecture.md
- /Users/santosh/Desktop/projects/videoGen/006 – Artificial Creative Intelligence Constitution & Architectural Governance.md
- /Users/santosh/Desktop/projects/videoGen/008 – GENESIS Compiler Architecture.md
- /Users/santosh/Desktop/projects/videoGen/009 – Production Knowledge Package (PKP) Architecture.md
- /Users/santosh/Desktop/projects/videoGen/010 – PROMETHEUS Runtime Architecture.md
- /Users/santosh/Desktop/projects/videoGen/011 – ORACLE Validation Architecture.md
- /Users/santosh/Desktop/projects/videoGen/012 – ATLAS Knowledge Architecture.md
- /Users/santosh/Desktop/projects/videoGen/docs/mark_sarah_character_bible.md
- /Users/santosh/Desktop/projects/videoGen/docs/mark_sarah_screenplay.md
- /Users/santosh/Desktop/projects/videoGen/videoContentStructure/Psychology/psychological_cinema_standard.yaml
- /Users/santosh/Desktop/projects/videoGen/videoContentStructure/Psychology/psychological_cinema_playbook.yaml
- /Users/santosh/Desktop/projects/videoGen/pipeline/contracts/narrative_contract.yaml
- /Users/santosh/Desktop/projects/videoGen/generate_films.py
- /Users/santosh/Desktop/projects/videoGen/output/continuous_films/brief.json

Appendix B — Principal media hashes

Artifact	Size / runtime	SHA-256
Current provisional 12-scene film: output/prometheus/films/Mark a proud and emotionally guarded man_final.mp4	73,524,617 bytes / 459.083 s	bedb3afcbdcc9f12686dbd1d4062eadbd3d860a49d6600f0c3d6d353dacc5bb8
Stable predecessor: output/the_space_between_us_final/video/the_space_between_us.mp4	2,887,024 bytes / 98.939 s	72e8f6c54e2cabdc54868a904f5b4b62bdfde58b9408be4c3a9c956c2ba36ca2
Superseded three-scene film: output/prometheus/films/After losing his job Mark becomes terrif_final.mp4	17,760,116 bytes / 110.633 s	a89461f20138f7378fc74f4eff91c8593d67370b16681e91268cf3541a708d7a
Byte-identical scene music content	Reused for all 12 scenes	3ef895dd4b75c71779611854b5b420b776745c2574b61adacce014651673c7a5
V8 alias finals	2,376,683 bytes each	55354d54ca4de057c20855b765640f628b2be2ea2a8f2a04b6f334ee8e50ab4f

Appendix C — Current scene-image hashes

All 12 scene images were byte-distinct at verification time:

Scene	SHA-256
001	4aad9d09ac2c00f9be9db60db1b6f018045e6cfa009ba125e8707309c95db8887
002	7774f46aa0b884706cad27f66d248b276aba733561fcc60c44110e55eb66db6a
003	03adf956103840adc504804e2c12dcfbac8e581b2a19108851a9d27f1f79e85c
004	e81dde12b5d789e70cfbb4da769fff968c645f408da14bd17ec3b97d2be47de5
005	fddf9f10f7a6098cb64fe43e12dd5819acf9f99ca3bc5e6480af1b8af94178ac
006	316f994c2c3447f7586e4b3f92dc659cb2307cbe73b46507c98fd990d0a15978
007	b51caa8a8f09889beeb47826f9da63948eb39d8037a24ba0542820bd3f9f8e80
008	b5124981f54b40c9a573051cb61db76f09b7807f4a71ce347531a2ee1a97cb0f
009	77ebcee1d11062a8f0b4bc38837eccfe1e07f7c42f08e8f277a9d5220944d9cc
010	10a2771831a9d13e651b94772206eff83a723bfea9ca74b6a358750f8df314ee

Scene	SHA-256
011	1b3cdefe967fc53c0f718ec36153b4e2276b092b43f28d58ff29e355288d52c7
012	77dfe33bf15a4b908e87be15e18315b99d3bd942b7ba3073b45a927e7897fdca

Appendix D — Final expert conclusion

videoGen has crossed the threshold from design exercise to real media system. Its greatest asset is the combination of a serious governance vision and a renderer that already produces valid films. Its greatest liability is that these two strengths are not yet connected by trustworthy artifacts, immutable lineage, and independent validation.

The correct next move is consolidation: one GENESIS, one PKP, one PROMETHEUS entry point, one immutable run manifest, one minimum viable ATLAS, and one minimum viable ORACLE. A clean re-render of the Mark/Sarah film—using the reviewed screenplay, identity conditioning, a resolved ending, enforced duration, and a sealed release manifest—would be the most valuable proof that the constitutional architecture has begun to become operational reality.