


TABLE OF CONTENTS

CHANGE LOG.....	05
Login and User Details.....	07
GenAcstok.....	08
Logout.....	10
User Details.....	10
Client Details.....	13
Watch Lists.....	16
Get WatchList Names.....	16
Get WatchList.....	17
Search Scrips.....	20
Add Scrip to Watch List.....	23
ReorderMWscrips.....	24
Delete Scrip to Watch List.....	25
Get SecurityInfo.....	26
Get Quotes.....	29
Rename WatchList Names.....	35
Order and Trades.....	36
Place Order.....	36
Modify Order.....	40
Cancel Order.....	43
Order Margin.....	45
Basket Margin.....	48
Order Book.....	50
Single Order History.....	55
Single Order Status.....	60
Trade Book.....	63
Positions Book.....	68
Interop Positions Book.....	72
Product Conversion.....	78
GetBasketOptSeq.....	89
Holdings and Limits.....	83
Holdings.....	83
Limits.....	86
Get Sub Limits.....	94
Get Max Payout Amount:.....	100
Annexure.....	101
Report Type:.....	101
Status Type:.....	102
Internal Status Type:.....	103

CHANGE LOG

Date	Change

Login and User Details



1. Redirect the user to the login page.
2. After successful log in, get the Code from the redirect URL.
3. POST the code and checksum (SHA-256 of Client_id + secret code + code) to call the [/GenAcsTok](#) api request.
4. Get the access_token in response.
5. Include the access_token in the Authorization header when making each individual API call. ([Postman](#))

GenAcstok

Request to be POSTed to uri : **/NorenWClientAPI/GenAcstok**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
code*		code will get from successful login url
checksum*		It is a SHA-256 hash created from the combination of the Client id, secret key, and code without any spaces. Example: If your client id is ABC, secret code is 123, and code is x1y2z3, Combine them as: ABC123x1y2z3 Then generate the SHA-256 hash of that string.

Example:

```
curl --location 'http://apitest.kambala.co.in/NorenWClientAPI/GenAcstok' \
--d 'jData={"code\":"c61de38b-7c0c-46e4-8abe-acb1f6a15089\","checksum\":"e5ff9e0357cfa219885495ace4390b38280a39790ad434ea713afd27e6ec93c5\"}'
```

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Login Success Or failure status
susertoken		It will be present only on login success.
lastaccesstime		It will be present only on login success.
exarr		Json array of strings with enabled exchange names
uname		User name
prarr		Json array of Product Obj with enabled products, as defined below.
actid		Account id
email		Email Id
brkname		Broker id
uid		UserId
brnchid		Region
cname		Company Name
emsg		This will be present only if Login fails. (Redirect to force change password if message is “Invalid Input : Password Expired” or “Invalid Input : Change Password”)
dmsg		Display message, (will be present only in case of success).
access_type		Access Type
lastpwdtime		It will be represent last password updated time.
values		Json array of non empty Market watchlists name.
mws		Json array of Market Watchlist scripts.
USERID		User ID
access_token		Access Token
expires_in		Access Token Expire date.
refresh_token		Refresh token
scope		Scope


Sample Success Response :

```
{
  "request_time": "20:18:47 19-05-2020",
  "stat": "Ok",
  "access_token": "ea97cd3fbb203ad9eb5ea51d296f7a5db18af504814a6b90209ea21aa76e867c",
  "expires_in": "1756979040",
  "refresh_token": "b3144ec3fb5610c07411d2544b0012a64d1a40d9f14f31de26c1d00d52143b79",
  "lastaccesstime": "1589899727"
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Invalid Input : INVALID_VERIFIER",
  "uid": "TEST"
}
```

This Postman screenshot demonstrates how to include the access token in the request header under the Authorization field.



Logout

Request to be POSTed to uri : `/NorenWClientTP/Logout`

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		User Id of the login user

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Logout Success Or failure status
request_time		It will be present only on successful logout.
emsg		This will be present only if Logout fails.

Sample Success Response :

```
{
  "stat": "Ok",
  "request_time": "10:43:41 28-05-2020"
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Server Timeout : "
}
```

User Details

Request to be POSTed to uri : /NorenWClientAPI/UserDetails

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	User details success or failure indication.
exarr		Json array of strings with enabled exchange names
orarr		Json array of strings with enabled price types for user
prarr		Json array of Product Obj with enabled products, as defined below.
brkname		Broker id
brnchid		Branch id
email		
actid		Account Id
uid		User Id
m_num		Mobile Number
uprev		Always it will be an INVESTOR, other types of user not allowed to login using this API.
access_type		Access Type
request_time		It will be present only in a successful response.
emsg		This will be present only in case of errors.

Product Obj format

Json Fields	Possible value	Description
prd		Product name
s_prdt_ali		Product display name
exch		Json array of strings with enabled, allowed exchange names

Sample Success Response:

```
{
  "request_time": "20:20:04 19-05-2020",
  "prarr": [
    { "prd": "C",
      "s_prdt_ali": "Delivery",
      "exch": ["NSE", "BSE"]
    },
    { "prd": "I",
```

```

        "s_prdt_ali" : "Intraday",
        "exch" : ["NSE", "BSE", "NFO"]
    },
    { "prd": "H",
      "s_prdt_ali" : "High Leverage",
      "exch" : ["NSE", "BSE", "NFO"]
    },
    { "prd": "B",
      "s_prdt_ali" : "Bracket Order",
      "exch" : ["NSE", "BSE", "NFO"]
    }
  ],
  "exarr": [
    "NSE",
    "NFO"
  ],
  "orarr": [
    "LMT",
    "SL-LMT",
    "DS",
    "2L",
    "3L",
    "4L"
  ],
  "brkname": "VIDYA",
  "brnchid": "VIDDU",
  "email": "gururaj@gmail.com",
  "actid": "GURURAJ",
  "uprev": "INVESTOR",
  "stat": "Ok"
}

```

Sample Failure Response:

```

{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}

```

Client Details

Request to be POSTed to uri : **/NorenWClientAPI/ClientDetails**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Login users account ID

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat		User details success or failure indication.
actid		Account ID
creatdte		Creation date
creattme		Creation time
m_num		Mobile Number
email		Email ID
pan		PAN
dob		Date of birth in DDMMYYYY format
act_sts		Account Status
addr		Address
addroffice		Office address
addrcity		City
addrstate		State

Json Fields	Possible value	Description
addr		Address
addroffice		Office address
addrcity		City
bankdetails		Array Object, details given below.
dp_acct_num		Array Object, details given below.
exarr	["CDS","NSE","NFO","MCX","BSE","NCX","BSTAR","B CD"]	Json array of strings with enabled exchange names
mandate_id_list		Mandate Id List [Array Object, details given below.]
partic_id_list		Partic Id List [Array Object, details given below.]
eqt_asba	True or False	
der_asba	True or False	
fx_asba	True or False	
com_asba	True or False	
request_time		It will be present only in a successful response.
emsg		This will be present only in case of errors.

bankdetails Obj format

Json Fields	Possible value	Description
bankn		Bank name
acctnum		Account number

dp_acct_num Obj format

Json Fields	Possible value	Description
dpnum		Dp account number

mandate_id_list Obj format

Json Fields	Possible value	Description
mandate_id		Mandate Id

Json Fields	Possible value	Description
partic_id		Partic Id

Watch Lists

Get WatchList Names

Request to be POSTed to uri : /NorenWClientAPI/MWList

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	MWList success or failure indication.
values		Watch List names as a json array of strings.
request_time		It will be present only in a successful response.
emsg		This will be present only in case of errors or No WatchLists are set yet.

Sample Success Response :

```
{
  "request_time": "12:34:52 21-05-2020",
  "values": [
```

```

    "default",
    "WL"
  ],
  "stat": "Ok"
}

```

Sample Failure Response :

```

{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}

```

Get WatchList

Request to be POSTed to uri : **/NorenWClientAPI/MarketWatch**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
wlname*		Name of the Watchlist, for which scrip list is required.

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Market watch success or failure indication.
values		Array of json objects. (object fields given in below table)
request_time		It will be present only in a successful response.
emsg		This will be present only in case of errors. That is : 1) Invalid Input : Invalid WatchList Name 2) Session Expired

Json Fields of object in values Array	Possible value	Description
exch	NSE, BSE, NFO ...	Exchange
tsym		Trading symbol of the scrip (contract)
token		Token of the scrip (contract)
nontrd		Non tradable instruments
weekly		Weekly Option, 'W1', 'W2', 'W3', 'W4' th week
pp		Price precision
ti		Tick size
ls		Lot size
dname		Broker specific contract display name, present only if applicable.
oi		Open Interest [#]
ltt		Last Trading Time[#]
ltq		Last Trade Quantity [#]
totbuyqty		Total Buy Quantity [#]
totsellqty		Total Sell Quantity[#]
wk52_h		Week52 High Price [#]
wk52_l		Week52 Low Price [#]
lp		LTP [#]
frzqty		Freeze Quantity [#]
uniq_key		Scrip Uniq Key [#]
sp1		ASK Price 1[#]
bq1		BID Quantity 1 [#]
h		Day High Price [#]
l		Day Low Price [#]

sq1		ASK Quantity 1 [#]
c		Close Price [#]
bp1		BID Price 1 [#]
v		Volume [#]
o		Open Price [#]
change		LTP - Previous Close Price [#]
pc		LTP Percentage Change [#]
cname		Company Name
seg		Segment
optt		option type
instname		instrument name

[#] - By Default disabled and Enabled on request basis.

Sample Success Response :

```
{
  "request_time": "11:11:06 08-07-2025",
  "values": [
    {
      "exch": "NSE",
      "token": "26009",
      "tsym": "Nifty Bank",
      "nontrd": "1",
      "pp": "2",
      "ls": "1",
      "ti": "0.05",
      "instname": "UNDIND",
      "cname": "BANKNIFTY",
      "seg": "EQT"
    },
    {
      "exch": "NSE",
      "token": "1465",
      "tsym": "ACCURACY-EQ",
      "pp": "2",
      "ls": "1",
      "ti": "0.01",

```

```

    "instname": "EQ",
    "cname": "ACCURACY SHIPPING LIMITED",
    "seg": "EQT"
  }
],
"stat": "Ok"
}

```

Sample Failure Response :

```

{
  "stat": "Not_Ok",
  "emsg": "Invalid Input : Missing uid or wlname."
}

```

Search Scripts

Request to be POSTed to uri : **/NorenWClientAPI/SearchScrip**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
stext*		Search Text
exch		Exchange (Select from 'exarr' Array provided in User Details response)

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Market watch success or failure indication.
values		Array of json objects. (object fields given in below table)
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

Json Fields of object in values Array	Possible value	Description
exch	NSE, BSE, NFO ...	Exchange
tsym		Trading symbol of the scrip (contract)
token		Token of the scrip (contract)
pp		Price precision
ti		Tick size
ls		Lot size
weekly		Weekly Option, 'W1', 'W2', 'W3', 'W4' th week
nontrd		Non tradable instruments
dname		display name
cname		company name
optt		option type
instname		instrument name
symname		symbol name
seg		segment
exd		expiry date

Sample Success Response :

```
{
  "stat": "Ok",
  "values": [
    {
      "exch": "NSE",
      "token": "18069",
      "tsym": "REL100NAV-EQ"
    },
    {
      "exch": "NSE",
      "token": "24225",
      "tsym": "RELAXO-EQ"
    }
  ],
}
```

```
{
  "exch": "NSE",
  "token": "4327",
  "tsym": "RELAXOFOOT-EQ"
},
{
  "exch": "NSE",
  "token": "18068",
  "tsym": "RELBANKNAV-EQ"
},
{
  "exch": "NSE",
  "token": "2882",
  "tsym": "RELCAPITAL-EQ"
},
{
  "exch": "NSE",
  "token": "18070",
  "tsym": "RELCONSNAV-EQ"
},
{
  "exch": "NSE",
  "token": "18071",
  "tsym": "RELDIVNAV-EQ"
},
{
  "exch": "NSE",
  "token": "18072",
  "tsym": "RELGOLDNAV-EQ"
},
{
  "exch": "NSE",
  "token": "2885",
  "tsym": "RELIANCE-EQ"
},
{
  "exch": "NSE",
  "token": "15068",
  "tsym": "RELIGARE-EQ"
},
{
  "exch": "NSE",
  "token": "553",
  "tsym": "RELINFRA-EQ"
},
}
```

```
{
  "exch": "NSE",
  "token": "18074",
  "tsym": "RELVN20NAV-EQ"
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "No Data : "
}
```

Add Scrip to Watch List

Request to be POSTed to uri : **/NorenWClientAPI/AddMultiScripsToMW**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
wlname*		Name of the Watchlist, for which scrip list is required.
scrips*		List of scrips, example format NSE 22#BSE 506734

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Watch list update success or failure indication.
request_time		It will be present only in a successful response.
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

Sample Success Response :

```
{
  "request_time": "13:50:40 21-05-2020",
  "stat": "Ok"
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}
```

ReorderMWScripts

Request to be POSTed to uri : **/NorenWClientAPI/ReorderMWScripts**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
wlname*		Name of the Watchlist, for which scrip list is required.
scrips*		List of scrips, example format NSE 22#BSE 506734

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Watch list update success or failure indication.
request_time		It will be present only in a successful response.
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

Sample Success Response :

```
{
  "request_time": "13:50:40 21-05-2023",
```

```
"stat": "Ok"
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}
```

Delete Scrip to Watch List

Request to be POSTed to uri : **/NorenWClientAPI/DeleteMultiMWScripts**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
wlname*		Name of the Watchlist, for which scrip list is required.
scrips*		List of scrips, example format NSE 22#BSE 506734

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Watch list update success or failure indication.
request_time		It will be present only in a successful response.
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

Sample Success Response :

```
{
  "request_time": "13:50:40 21-05-2020",
  "stat": "Ok"
}
```

Sample Failure Response :

```
{
```

```
"stat": "Not_Ok",
"emsg": "Invalid Input : Missing uid or wlname or scrips."
}
```

Get SecurityInfo

Request to be POSTed to uri : **/NorenWClientAPI/GetSecurityInfo**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
exch		Exchange
token		Contract Token

Example:

```
jData={"uid":"{{USER_ID}}", "exch":"NSE", "token":"22"}
```

Response Details :

Response data will have below fields.

Json Fields	Possible value	Description
request_time		It will be present only in a successful response.
stat	Ok or Not_Ok	Market watch success or failure indication.
exch	NSE, BSE, NFO ...	Exchange
tsym		Trading Symbol
cname		Company Name
symnam		Symbol Name
seg		Segment
exd		Expiry Date
instname		Intrument Name
strprc		Strike Price
optt		Option Type
isin		ISIN
und_exch		Underlying Exch seg
und_tk		Underlying Token
ti		Tick Size
ls		Lot Size
pp		Price precision
mult		Multiplier
gp_nd		gn/gd * pn/pd (text format)
prcunt		Price Units
prcqty		Price Quote Qty
trdunt		Trade Units
delunt		Delivery Units
frzqty		Freeze Qty

gsmind		scripupdate Gsm Ind
elmbmrg		Elm Buy Margin
elmsmrg		Elm Sell Margin
addbmrg		Additional Long Margin
addsmrg		Additional Short Margin
splbmrg		Special Long Margin
splsmrg		Special Short Margin
delmrg		Delivery Margin
tenmrg		Tender Margin
tenstrd		Tender Start Date
tenendd		Tender End Eate
exestr		Exercise Start Date
exeendd		Exercise End Date
mkt_t		Market type
issue_d		Issue date
listing_d		Listing date
last_trd_d		last trading date
elmmrg		Elm Margin
varmrg		Var Margin
expmrg		Exposure Margin
token		Contract Token
prcftr_d		$((GN / GD) * (PN/PD))$ (actual value for calculations)
weekly		Weekly Option, 'W1', 'W2', 'W3', 'W4' th week
nontrd		Non tradable instruments
dname		Broker specific contract display name, present only if applicable.

uc		Upper circuit limit
lc		Lower circuit limit
ord_msg		Order Message
exptime		Expiry Time

Sample Success Response :

```
{
  "request_time": "17:43:38 31-10-2020",
  "stat": "Ok",
  "exch": "NSE",
  "tsym": "ACC-EQ",
  "cname": "ACC LIMITED",
  "symname": "ACC",
  "seg": "EQT",
  "instname": "EQ",
  "isin": "INE012A01025",
  "pp": "2",
  "ls": "1",
  "ti": "0.05",
  "mult": "1",
  "prcftr_d": "(1 / 1) * (1 / 1)",
  "trdunt": "ACC.BO",
  "delunt": "ACC",
  "token": "22",
  "varmrg": "40.00"
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "request_time": "10:50:54 10-12-2020",
  "emsg": "Error Occurred : 5 \"no data\""
}
```

Get Quotes

Request to be POSTed to uri : **/NorenWClientAPI/GetQuotes**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
exch		Exchange
token		Contract Token

Example:

```
jData={"uid": "{{USER_ID}}", "exch": "NSE", "token": "22"}
```

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Watch list update success or failure indication.
request_time		It will be present only in a successful response.
exch	NSE, BSE, NFO ...	Exchange
tsym		Trading Symbol
pp		Price precision
ls		Lot Size
ti		Tick Size
mult		Multiplier
sptprc		Spot Price [#]
lut		Feed Time
lp		LTP
uc		Upper circuit limit
lc		Lower circuit limit
wk52_h		Week52 High Price [#]
wk52_l		Week52 Low Price [#]
oi		Open Interest
toi		Total Open Interest
strprc		Strike Price
cname		Company Name
symname		Symbol Name
seg		Segment
exd		Expiry date
instname		Instrument Name
optt		Option Type

isin		ISIN
preftr_d		Price factor ((GN / GD) * (PN/PD))
token		Token
nav		nav
o		Open Price
c		Close Price
h		Day High Price
l		Day Low Price
v		Volume
ap		Average trade price or VWAP for day
ltq		Last trade quantity
ltt		Last trade time
ltd	dd-mm-yy	Last Trade Date
tbq		Trade Buy Quantity
tsq		Trade Sell Quantity
bp1		Best Buy Price 1
sp1		Best Sell Price 1
bp2		Best Buy Price 2
sp2		Best Sell Price 2
bp3		Best Buy Price 3
sp3		Best Sell Price 3
bp4		Best Buy Price 4
sp4		Best Sell Price 4
bp5		Best Buy Price 5

sp5		Best Sell Price 5
bq1		Best Buy Quantity 1
sq1		Best Sell Quantity 1
bq2		Best Buy Quantity 2
sq2		Best Sell Quantity 2
bq3		Best Buy Quantity 3
sq3		Best Sell Quantity 3
bq4		Best Buy Quantity 4
sq4		Best Sell Quantity 4
bq5		Best Buy Quantity 5
sq5		Best Sell Quantity 5
bo1		Best Buy Orders 1
so1		Best Sell Orders 1
bo2		Best Buy Orders 2
so2		Best Sell Orders 2
bo3		Best Buy Orders 3
so3		Best Sell Orders 3
bo4		Best Buy Orders 4
so4		Best Sell Orders 4
bo5		Best Buy Orders 5
so5		Best Sell Orders 5
und_exch		Underlying Exch seg
und_tk		Underlying Token
ord_msg		Order Message
scrip_base_prc		Scrip Base Price

issuecap		issue capital
e_date		end date
cutof_all		Cut off All

[#] - By Default disabled and Enabled on request basis.

Sample Success Response :

```
{
  "request_time":"12:05:21 18-05-2021",
  "stat":"Ok",
  "exch":"NSE",
  "tsym":"ACC-EQ",
  "cname":"ACC LIMITED",
  "symname":"ACC",
  "seg":"EQT",
  "instname":"EQ",
  "isin":"INE012A01025",
  "pp":"2",
  "ls":"1",
  "ti":"0.05",
  "mult":"1",
  "uc":"2093.95",
  "lc":"1713.25",
  "prcftr_d":"(1 / 1) * (1 / 1)",
  "token":"22",
  "lp":"0.00",
  "h":"0.00",
  "l":"0.00",
  "v":"0",
  "ltq":"0",
  "ltt":"05:30:00",
  "bp1":"2000.00",
  "sp1":"0.00",
  "bp2":"0.00",
  "sp2":"0.00",
  "bp3":"0.00",
  "sp3":"0.00",
  "bp4":"0.00",
  "sp4":"0.00",
  "bp5":"0.00",
  "sp5":"0.00",
  "bq1":"2",
  "sq1":"0",
}
```

```

"bq2":"0",
"sq2":"0",
"bq3":"0",
"sq3":"0",
"bq4":"0",
"sq4":"0",
"bq5":"0",
"sq5":"0",
"bo1":"2",
"so1":"0",
"bo2":"0",
"so2":"0",
"bo3":"0",
"so3":"0",
"bo4":"0",
"so4":"0",
"bo5":"0",
"so5":"0"
}

```

Sample Failure Response :

```

{
  "stat":"Not_Ok",
  "request_time":"10:50:54 10-12-2020",
  "emsg":"Error Occurred : 5 \"no data\""
}

```

Rename WatchList Names

Request to be POSTed to uri : **/NorenWClientAPI/RenameMW**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
wlname*		Name of the existing Watchlist
newwlname*		New name for the Watchlist .

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Watch list update success or failure indication.
request_time		It will state the response's date and time of arrival.
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

Sample Success Response :

```
{
  "request_time": "17:30:49 24-06-2024",
  "stat": "Ok"
}
```

Sample Failure Response :

```
{
  "request_time": "17:30:17 24-06-2024",
  "emsg": "Invalid Input : Watchlist name mentioned in newwlname already exists",
  "stat": "Not_Ok"
}
```

Order and Trades

Place Order

Request to be POSTed to uri : **/NorenWClientAPI/PlaceOrder**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Login users account ID
exch*	NSE / NFO / BSE / MCX/CDS/NCX/BFO /BCD	Exchange (Select from 'exarr' Array provided in User Details response)
tsym*		Unique id of contract on which order to be placed. (use url encoding to avoid special char error for symbols like M&M)
qty*		Order Quantity
prc*		Order Price
trgprc		Only to be sent in case of SL-LMT order.
dscqty		Disclosed quantity (Max 10% for NSE, and 50% for MCX)
prd*	C / M //I/F/S/P (C-Delivery , M-Margin , I-Intraday, F-MTF, S-Special, P-Special2)	Product name (Select from 'prarr' Array provided in User Details response, and if same is allowed for selected, exchange. Show product display name, for user to select, and send corresponding prd in API call)
trantype*	B / S	B -> BUY, S -> SELL
prctyp*	LMT / SL-LMT / DS / 2L / 3L	
ret*	DAY / EOS / IOC	Retention type (Show options as per allowed exchanges)
remarks		Any tag by user to mark order.
ordersource	MOB / WEB / TT	Used to generate exchange info fields. [Optional field else it will take login access type]
bpprc		Book Profit Price applicable only if product is selected as B (Bracket order)
blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
trailprc		Trailing Price applicable only if product is selected as H and B (High Leverage and Bracket order)

ext_remarks		External remarks
cl_ord_id		Cli Order Id
channel		Channel
usr_agent		User Agent
app_inst_id		App Install Id
amo	Yes	The message "Invalid AMO" will be displayed if the "amo" field is not sent with a "Yes" value. If amo is not required, do not send this field.
tsym2		Trading symbol of second leg, mandatory for price type 2L and 3L (use url encoding to avoid special char error for symbols like M&M)
trantype2		Transaction type of second leg, mandatory for price type 2L and 3L
qty2		Quantity for second leg, mandatory for price type 2L and 3L
prc2		Price for second leg, mandatory for price type 2L and 3L
tsym3		Trading symbol of third leg, mandatory for price type 3L (use url encoding to avoid special char error for symbols like M&M)
trantype3		Transaction type of third leg, mandatory for price type 3L
qty3		Quantity for third leg, mandatory for price type 3L
prc3		Price for third leg, mandatory for price type 3L
instname		Instrument Name
ordersource		Order Source
channel		channel ("for more details ref: NSE/COMP/53164, NSE/INVG/64567, NSE/COMP/54007")
usr_agent		client user agent ("for more details ref: NSE/COMP/53164, NSE/INVG/64567, NSE/COMP/54007")
app_inst_id		client APP installed ID ("for more details ref: NSE/COMP/53164, NSE/INVG/64567, NSE/COMP/54007")
ipaddr		client IP address ("for more details ref: NSE/COMP/53164, NSE/INVG/64567, NSE/COMP/54007")
cau_msg		cautionary msg

algo_id		algo id
---------	--	---------

Example:

```
curl https://apitest.kambala.co.in/NorenWClientAPI/PlaceOrder \
-d "jsonData={\"uid\": \"VIDYA\", \"actid\": \"CLIENT1\", \"exch\": \"NSE\", \"tsym\": \"ACC-EQ\", \"qty\": \"50\", \"price\": \"1400\", \"prd\": \"H\", \"trantype\": \"B\", \"prctyp\": \"LMT\", \"ret\": \"DAY\"}"
```

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Place order success or failure indication.
request_time		Response received time.
norenordno		It will be present only on successful Order placement to OMS.
emsg		This will be present only if Order placement fails

Sample Success Response:

```
{
  "request_time": "10:48:03 20-05-2020",
  "stat": "Ok",
  "norenordno": "20052000000017"
}
```

Sample Error Response :

```
{
  "stat": "Not_Ok",
  "request_time": "20:40:01 19-05-2020",
  "emsg": "Error Occurred : 2 \"invalid input\""
}
```

Modify Order

Request to be POSTed to uri : **/NorenWClientAPI/ModifyOrder**

Request Details :

Parameter Name	Possible value	Description
jsonData*		Should send json object with fields in below list

Json Fields	Possible value	Description
exch*		Exchange
norenordno*		Noren order number, which needs to be modified
prctyp*	LMT / SL-LMT	This can be modified.
prc*		Modified / New price (if prctyp = 'MKT/ SL-MKT' then the price will be '0')
qty*		Modified / New Quantity / old quantity if not modified Quantity to Fill / Order Qty - This is the total qty to be filled for the order. Its Open Qty/Pending Qty plus Filled Shares (cumulative for the order) for the order. * Please do not send only the pending qty in this field
tsym*		Unque id of contract on which order was placed. Can't be modified, must be the same as that of original order. (use url encoding to avoid special char error for symbols like M&M)
ret	DAY / IOC / EOS	New Retention type of the order
mkt_protection		Market order protection percentage. Applicable only for MKT orders in BSE/BFO/BCS and MCX segments.
trgprc		New trigger price in case of SL-MKT or SL-LMT
dscqty		Disclosed quantity (Max 10% for NSE, and 50% for MCX)
ext_remarks		External remarks
cl_ord_id		Cli Order Id
channel		Channel
usr_agent		User Agent
app_inst_id		App Install Id
uid*		User id of the logged in user.
bpprc		Book Profit Price applicable only if product is selected as B (Bracket order)
blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
trailprc		Trailing Price applicable only if product is selected as H and B (High Leverage and Bracket order)

ipaddr		global Ip of internet access
ordersource	MOB / WEB / TT	Used to generate exchange info fields. [Optional field else it will take login access type]

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Modify order success or failure indication.
result		Noren Order number of the order modified.
request_time		Response received time.
emsg		This will be present only if Order modification fails

Sample Success Response :

```
{
  "request_time":"14:14:08 26-05-2020",
  "stat":"Ok",
  "result":"20052600000103"
}
```

Sample Failure Response :

```
{
  "request_time":"16:03:29 28-05-2020",
  "stat":"Not_Ok",
  "emsg":"Rejected : ORA:Order not found"
}
```

Cancel Order

Request to be POSTed to uri : **/NorenWClientAPI/CancelOrder**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
norenordno*		Noren order number, which needs to be modified
uid*		User id of the logged in user.
ext_remarks		External remarks
cl_ord_id		Cli Order Id
channel		Channel
usr_agent		User Agent
app_inst_id		App Install Id
ordersource		Order Source
ipaddr		global Ip of internet access

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Cancel order success or failure indication.
result		Noren Order number of the canceled order.
request_time		Response received time.
emsg		This will be present only if Order cancelation fails

Sample Success Response :

```
{
  "request_time":"14:14:10 26-05-2020",
  "stat":"Ok",
  "result":"20052600000103"
}
```

Sample Failure Response :

```
{
  "request_time":"16:01:48 28-05-2020",
  "stat":"Not_Ok",
  "emsg":"Rejected : ORA:Order not found to Cancel"
}
```

Order Margin

Request to be POSTed to uri : **/NorenWClientAPI/GetOrderMargin**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

	Possible value	Description
44 44 Json Fields		
uid*		Logged in User Id
actid*		Login users account ID
exch*	NSE / NFO / BSE / MCX	Exchange (Select from 'exarr' Array provided in User Details response)
tsym*		Unique id of contract on which order to be placed. (use url encoding to avoid special char error for symbols like M&M)
qty*		Order Quantity
prc*		Order Price
trgprc		Only to be sent in case of SL-LMT order.
prd*	C / M / H	Product name (Select from 'prarr' Array provided in User Details response, and if same is allowed for selected, exchange. Show product display name, for user to select, and send corresponding prd in API call)
trantype*	B / S	B -> BUY, S -> SELL
prctyp*	LMT / SL-LMT	
blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
rorgqty		Optional field. Application only for modify order, open order quantity
fillshares		Optional field. Application only for modify order, quantity already filled.
rorgprc		Optional field. Application only for modify order, open order price
orgtrgprc		Optional field. Application only for modify order, open order trigger price
norenordno		Optional field. Application only for H or B order modification

snonum		Optional field. Application only for H or B order modification
rms_exch		Optional field.
rms_seg		Optional filed
rms_prd		Optional filed

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Place order success or failure indication.
request_time		Response received time.
remarks		This field will be available only on success.
cash		Total credits available for order
marginused		Meaning changes with remarks as explained below.
ordermargin		Margin required for this order.
marginusedprev		Margin used excluding this order.
emsg		This will be present only if Order placement fails

Possible Response Cases for Order margin:

"remarks": "Order Success" => Order will go through "cash" -> field will have total cash available with the user. "marginused" -> field will have Margin used if the user places order.
"remarks": "Insufficient Balance" => Order will get rejected. "cash" -> field will have total cash available for this type of order . "marginused" -> field will have Additional margin required for this order to pass through. (Show caption as Shortfall margin)
"remarks": "Order Success : Eligible Sell: <total qty available>" => Order will go through
"remarks": "Eligible Sell: <total qty available>" => Order will get rejected.
"remarks": "No Holdings uploaded" => Order will get rejected, no holding for this symbol
"remarks": "Invalid scrip" or "RED is under Reconciliation" => Order will get rejected.
"remarks": "Squareoff Order" => Order will go through

Basket Margin

Request to be POSTed to uri : **/NorenWClientAPI/GetBasketMargin**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Login users account ID
exch*	NSE / NFO / BSE / MCX	Exchange (Select from 'exarr' Array provided in User Details response)
tsym*		Unique id of contract on which order to be placed. (use url encoding to avoid special char error for symbols like M&M)
qty*		Order Quantity
prc*		Order Price
trgprc		Only to be sent in case of SL / SL-M order.
prd*	C / M / H	Product name (Select from 'prarr' Array provided in User Details response, and if same is allowed for selected, exchange. Show product display name, for user to select, and send corresponding prd in API call)
trantype*	B / S	B -> BUY, S -> SELL
prctyp*	LMT / SL-LMT	
blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
rorgqty		Optional field. Application only for modify order, open order quantity
fillshares		Optional field. Application only for modify order, quantity already filled.
rorgprc		Optional field. Application only for modify order, open order price
orgtrgprc		Optional field. Application only for modify order, open order trigger price
norenordno		Optional field. Application only for H or B order modification
snonum		Optional field. Application only for H or B order modification
basketlists		Optional field. Array of json objects. (object fields given in below table)

NOTE : "Out of basketlists, the parameter provided will be considered as the first order."

Json Fields of object in values Array	Possible value	Description
exch*	NSE / NFO / BSE / MCX	Exchange (Select from 'exarr' Array provided in User Details response)
tsym*		Unique id of contract on which order to be placed. (use url encoding to avoid special char error for symbols like M&M)
qty*		Order Quantity
prc*		Order Price
trgprc		Only to be sent in case of SL / SL-M order.
prd*	C / M / H	Product name (Select from 'prarr' Array provided in User Details response, and if same is allowed for selected, exchange. Show product display name, for user to select, and send corresponding prd in API call)
trantype*	B / S	B -> BUY, S -> SELL
prctyp*	LMT / SL-LMT	

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Place order success or failure indication.
request_time		Response received time.
remarks		This field will contain rejection reason.
marginused		Total margin used.
marginusedtrade		Margin used after trade.
emsg		This will be present only if Order placement fails

calculation : The /Limits API must be called first in order to calculate the post-trade margin and basket margin. Here, the marginused in the Limits API response will be [marginused(Limits)].

1. not ticked - include existing margin

post trade margin = marginusedtrade(GetBasketMargin) - marginused(Limits)

basket margin = marginused(GetBasketMargin) - marginused(Limits)

2.ticked - include existing margin
 post trade margin = marginusedtrade(GetBasketMargin)
 basket margin = marginused(GetBasketMargin)

Order Book

Request to be POSTed to uri : /NorenWClientAPI/OrderBook

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
prd	H / M / ...	Product name

Example:

```
curl https://apitest.kambala.co.in/NorenWClientAPI/OrderBook \
-d "jData={\"uid\": \"VIDYA\"}" \
```

Response Details :

Response data will be in json Array of objects with below fields in case of success.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Order book success or failure indication.
uid		Logged in User Id
actid		Login users account ID
exch		Exchange Segment
tsym		Trading symbol / contract on which order is placed.
norenordno		Noren Order Number
prc		Order Price
qty		Order Quantity
prd		Display product alias name, using prarr returned in user details.
s_prdt_ali		Product display name
status		Order status
trantype	B / S	Transaction type of the order
prctyp	LMT / SL-LMT	Price type
fillshares		Total Traded Quantity of this order (will not be present if no trades for this order)
avgprc		Average trade price of total traded quantity (will not be present if no trades for this order)
rejreason		If order is rejected, reason in text form
exchordid		Exchange Order Number
cancelqty		Canceled quantity for order which is in status cancelled.
remarks		Any message Entered during order entry.
dscqty		Order disclosed quantity.
trgprc		Order trigger price
ret	DAY / IOC / EOS	Order validity
bpprc		Book Profit Price applicable only if product is selected as B (Bracket order)

blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
trailprc		Trailing Price applicable only if product is selected as H and B (High Leverage and Bracket order)
amo		Yes / No
pp		Price precision
ti		Tick size
ls		Lot size
token		Contract Token
norentm		Noren time stamp
ordenttm		Order entry time
exch_tm		Exchange update time Format: dd-mm-YYYY hh:MM:SS
snoordt		0 for profit leg and 1 for stoploss leg
snonum		This field will be present for product H and B; and only if it is profit/sl order.
sno_fillid		SNO fill id
preftr		Contract price factor $(GN*PN)/(GD*PD)$, (used for order value calculation)
mult		Contract price multiplier, (used for order value calculation)
dname		Broker specific contract display name, present only if applicable.
cname		Company Name
rqty		To be used in get margin from modify window.
rprc		To be used in get margin from modify window.
rtrgprc		To be used in get margin from modify window, for H/B products only
rbprc		To be used in get margin from modify window, for H/B products only
rorgqty		To be used in get margin from modify window.
rorgprc		To be used in get margin from modify window.

orgtrgprc		To be used in get margin from modify window, for H/B products only
orgblprc		To be used in get margin from modify window, for H/B products only
algo_name		Algo Name
add_ord_id		The "added_ord_id" response in the order book for the ICEBURG order is "AQU_ID," and for the GTT order, it is "GTT Order id".
C		CUST_FIRM_C
brnchid		Region id
instname		Instrument Name
ordersource		Order Source
st intrn		
rejby		If an order is rejected, it will indicate from where it got rejected.
src_uid		Source User Id

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Order book failure indication.
request_time		Response received time.
emsg		Error message

Sample Success Output :

Success response :

```
[
  {
    "stat": "Ok",
    "exch": "NSE",
    "tsym": "ACC-EQ",
    "norenordno": "20062500000001223",
    "prc": "127230",
    "qty": "100",
    "prd": "C",
    "status": "Open",
    "trantype": "B",
    "prctyp": "LMT",
    "fillshares": "0",
    "avgprc": "0",
    "exchordid": "250620000000343421",
```

```

    "uid": "VIDYA",
    "actid": "CLIENT1",
    "ret": "DAY",
    "amo": "Yes"
  },
  {
    "stat": "Ok",
    "exch": "NSE",
    "tsym": "ABB-EQ",
    "norenordno": "20062500000002543",
    "prc": "127830",
    "qty": "50",
    "prd": "C",
    "status": "REJECT",
    "trantype": "B",
    "prctyp": "LMT",
    "fillshares": "0",
    "avgprc": "0",
    "rejreason": "Insufficient funds"
    "uid": "VIDYA",
    "actid": "CLIENT1",
    "ret": "DAY",
    "amo": "No"
  }
]

```

Sample Failure Response :

```

{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}

```

Single Order History

Request to be POSTed to uri : /NorenWClientAPI/SingleOrdHist

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
norenordno*		Noren Order Number

- **Example:**

```

curl https://apitest.kambala.co.in/NorenWClientAPI/SingleOrdHist \
-d "jData={\"uid\": \"VIDYA\", \"norenordno\": \"20121300065716\" }" \

```

Response Details :

Response data will be in json Array of objects with below fields in case of success.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Order book success or failure indication.
exch		Exchange Segment
tsym		Trading symbol / contract on which order is placed.
norenordno		Noren Order Number
prc		Order Price
qty		Order Quantity
prd		Display product alias name, using prarr returned in user details.
s_prdt_ali		Product display name
status		Order status
rpt		Report Type (fill/complete etc)
trantype	B / S	Transaction type of the order
prctyp	LMT	Price type
fillshares		Total Traded Quantity of this order
avgprc		Average trade price of total traded quantity
rejreason		If order is rejected, reason in text form
exchordid		Exchange Order Number
cancelqty		Canceled quantity for order which is in status cancelled.
remarks		Any message Entered during order entry.
dscqty		Order disclosed quantity.
trgprc		Order trigger price
ret	DAY / IOC / EOS	Order validity
uid		
actid		
bpprc		Book Profit Price applicable only if product is selected as B (Bracket order)

blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
trailprc		Trailing Price applicable only if product is selected as H and B (High Leverage and Bracket order)
amo		Yes / No
pp		Price precision
ti		Tick size
ls		Lot size
token		Contract Token
norentm		
ordenttm		
exch_tm		Format: dd-mm-YYYY hh:MM:SS

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Order book failure indication.
request_time		Response received time.
emsg		Error message

Sample Success Output :

```
[
  {
    "stat": "Ok",
    "norenordno": "20121300065716",
    "uid": "DEMO1",
    "actid": "DEMO1",
    "exch": "NSE",
    "tsym": "ACCELYA-EQ",
    "qty": "180",
    "trantype": "B",
    "prctyp": "LMT",
    "ret": "DAY",
```

```
"token": "7053",
"pp": "2",
"ls": "1",
"ti": "0.05",
"prc": "800.00",
"avgprc": "800.00",
"dscqty": "0",
"prd": "M",
"status": "COMPLETE",
"rpt": "Fill",
"fillshares": "180",
"norentm": "19:59:32 13-12-2020",
"exch_tm": "01-01-1980 00:00:00",
"remarks": "WC TEST Order",
"exchordid": "6858"
},
{
  "stat": "Ok",
  "norenordno": "20121300065716",
  "uid": "DEMO1",
  "actid": "DEMO1",
  "exch": "NSE",
  "tsym": "ACCELYA-EQ",
  "qty": "180",
  "trantype": "B",
  "prctyp": "LMT",
  "ret": "DAY",
  "token": "7053",
  "pp": "2",
  "ls": "1",
  "ti": "0.05",
  "prc": "800.00",
  "dscqty": "0",
  "prd": "M",
  "status": "OPEN",
  "rpt": "New",
  "norentm": "19:59:32 13-12-2020",
  "exch_tm": "01-01-1980 00:00:00",
  "remarks": "WC TEST Order",
```

```
"exchordid": "6858"
},
{
  "stat": "Ok",
  "norenordno": "20121300065716",
  "uid": "DEMO1",
  "actid": "DEMO1",
  "exch": "NSE",
  "tsym": "ACCELYA-EQ",
  "qty": "180",
  "trantype": "B",
  "prctyp": "LMT",
  "ret": "DAY",
  "token": "7053",
  "pp": "2",
  "ls": "1",
  "ti": "0.05",
  "prc": "800.00",
  "dscqty": "0",
  "prd": "M",
  "status": "PENDING",
  "rpt": "PendingNew",
  "norentm": "19:59:32 13-12-2020",
  "remarks": "WC TEST Order"
},
{
  "stat": "Ok",
  "norenordno": "20121300065716",
  "uid": "DEMO1",
  "actid": "DEMO1",
  "exch": "NSE",
  "tsym": "ACCELYA-EQ",
  "qty": "180",
  "trantype": "B",
  "prctyp": "LMT",
  "ret": "DAY",
  "token": "7053",
  "pp": "2",
  "ls": "1",
```

```

      "ti": "0.05",
      "prc": "800.00",
      "prd": "M",
      "status": "PENDING",
      "rpt": "NewAck",
      "norentm": "19:59:32 13-12-2020",
      "remarks": "WC TEST Order"
    }
  ]

```

Single Order Status

Request to be POSTed to uri : **/NorenWClientAPI/SingleOrdStatus**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
norenordno*		Noren Order Number
actid*		Account id for which order was placed
exch*		Exchange on which order was placed.

- **Example:**

```

curl https://apitest.kambala.co.in/NorenWClientAPI/SingleOrdStatus \
-d "jData={\"uid\": \"VIDYA\"}" \

```

Response Details :

Response data will be in json Array of objects with below fields in case of success (but only 1 object will be there in json array, unlike single order history, this is kept to help easy migration from single order history to single order status, where user is only interested in the status).

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Order book success or failure indication.
exch		Exchange Segment
tsym		Trading symbol / contract on which order is placed.
norenordno		Noren Order Number
prc		Order Price
qty		Order Quantity
prd		Display product alias name, using prarr returned in user details.
s_prdt_ali		Product display name
status		Order status
rpt		Report Type (fill/complete etc)
trantype	B / S	Transaction type of the order
prctyp	LMT	Price type
fillshares		Total Traded Quantity of this order
avgprc		Average trade price of total traded quantity
rejreason		If order is rejected, reason in text form
exchordid		Exchange Order Number
cancelqty		Canceled quantity for order which is in status cancelled.
remarks		Any message Entered during order entry.
dscqty		Order disclosed quantity.
trgprc		Order trigger price
ret	DAY / IOC / EOS	Order validity
uid		
actid		
bpprc		Book Profit Price applicable only if product is selected as B (Bracket order)

blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
trailprc		Trailing Price applicable only if product is selected as H and B (High Leverage and Bracket order)
amo		Yes / No
pp		Price precision
ti		Tick size
ls		Lot size
token		Contract Token
norentm		Noren time stamp
ordenttm		
exch_tm		Format: dd-mm-YYYY hh:MM:SS

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Order book failure indication.
request_time		Response received time.
emsg		Error message

Sample success response:

```
[
  {
    "stat": "Ok",
    "norenordno": "23072300000001",
    "kidid": "1",
    "uid": "TESTINV",
    "src_uid": "",
    "actid": "TESTINV",
    "exch": "NSE",
    "tsym": "ACC-EQ",
    "qty": "250",
```

```

    "trantype": "S",
    "prctyp": "LMT",
    "ret": "DAY",
    "rejby": "RED",
    "pan": "AAAAA1234A",
    "ordersource": "WEB",
    "token": "22",
    "pp": "2",
    "ls": "1",
    "ti": "0.05",
    "prc": "2400.00",
    "dscqty": "0",
    "s_prdt_ali": "Regular",
    "prd": "M",
    "status": "REJECTED",
    "st_intrn": "REJECTED",
    "rpt": "Rejected",
    "ordenttm": "1690107153",
    "norentm": "15:42:33 23-07-2023",
    "remarks": "WC TEST Order",
    "rejreason": "RED:RULE:{Check circuit limit including square off order}Current:INR 2,400.00 LowerCircuit:INR
1,590.05 UpperCircuit:INR 1,943.35:NSE.ACC-EQ for C-TESTINV [DEFAULT]",
    "introp_exch": "EQT"
  }
]

```

Trade Book

Request to be POSTed to uri : /NorenWClientAPI/TradeBook

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Account Id of logged in user

Example:

```
curl https://apitest.kambala.co.in/NorenWClientAPI/TradeBook \
-d "jData={\"uid\": \"VIDYA\", \"actid\": \"DEMO1\"}" \
```

Response Details :

Response data will be in json Array of objects with below fields in case of success.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Order book success or failure indication.
exch		Exchange Segment
tsym		Trading symbol / contract on which order is placed.
norenordno		Noren Order Number
qty		Order Quantity
prd		Display product alias name, using prarr returned in user details.
s_prdt_ali		Product display name
trantype	B / S	Transaction type of the order
prctyp	LMT	Price type
fillshares		Total Traded Quantity of this order
avgprc		Average trade price of total traded quantity
exchordid		Exchange Order Number
remarks		Any message Entered during order entry.
ret	DAY / IOC / EOS	Order validity
uid		
actid		
pp		Price precision
ti		Tick size
ls		Lot size
cstFrm		Custom Firm
fltm		Fill Time
flid		Fill ID
flqty		Fill Qty
flprc		Fill Price

ordersource		Order Source
token		Token
norentm		Noren time stamp
exch_tm		Exchange update time Format: dd-mm-YYYY hh:MM:SS
snoordt		0 for profit leg and 1 for stoploss leg
snonum		This field will be present for product H and B; and only if it is profit/sl order.
remarks		Any message Entered during order entry.
prc		Order Price
mult		Multiplier

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Order book failure indication.
request_time		Response received time.
emsg		Error message

Sample Success Output :

```
[
  {
    "stat": "Ok",
    "norenordno": "20121300065715",
    "uid": "GURURAJ",
    "actid": "GURURAJ",
    "exch": "NSE",
    "prctyp": "LMT",
    "ret": "DAY",
    "prd": "M",
    "flid": "102",
    "fltm": "01-01-1980 00:00:00",
    "trantype": "S",
```

```
"tsym": "ACCELYA-EQ",
"qty": "180",
"token": "7053",
"fillshares": "180",
"flqty": "180",
"pp": "2",
"ls": "1",
"ti": "0.05",
"prc": "800.00",
"flprc": "800.00",
"norentm": "19:59:32 13-12-2020",
"exch_tm": "01-01-1980 00:00:00",
"remarks": "WC TEST Order",
"exchordid": "6857"
},
{
  "stat": "Ok",
  "norenordno": "20121300065716",
  "uid": "GURURAJ",
  "actid": "GURURAJ",
  "exch": "NSE",
  "prctyp": "LMT",
  "ret": "DAY",
  "prd": "M",
  "flid": "101",
  "fltm": "01-01-1980 00:00:00",
  "trantype": "B",
  "tsym": "ACCELYA-EQ",
  "qty": "180",
  "token": "7053",
  "fillshares": "180",
  "flqty": "180",
  "pp": "2",
  "ls": "1",
  "ti": "0.05",
  "prc": "800.00",
  "flprc": "800.00",
  "norentm": "19:59:32 13-12-2020",
  "exch_tm": "01-01-1980 00:00:00",
```

```

    "remarks": "WC TEST Order",
    "exchordid": "6858"
  }
]

```

Positions Book

Request to be POSTed to uri : /NorenWClientAPI/PositionBook

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Account id of the logged in user.

Example:

```

curl https://apitest.kambala.co.in/NorenWClientAPI/PositionBook \
-d "jData={\"uid\": \"VIDYA\", \"actid\": \"ACCT_1\"}" \

```

Response Details :

Response data will be in json format with Array of Objects with below fields in case of success.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Position book success or failure indication.
exch		Exchange segment
tsym		Trading symbol / contract.
token		Contract token
uid		User Id
actid		Account Id
prd		Product name to be shown.
s_prdt_ali		Product display name
netqty		Net Position quantity
netavgprc		Net position average price
dayavgprc		Day average price
daybuyqty		Day Buy Quantity
daysellqty		Day Sell Quantity
daybuyavgprc		Day Buy average price
daysellavgprc		Day buy average price
daybuyamt		Day Buy Amount
daysellamt		Day Sell Amount
cfbuyqty		Carry Forward Buy Quantity
cforgavgprc		Original Avg Price
cfsellqty		Carry Forward Sell Quantity
cfbuyavgprc		Carry Forward Buy average price
cfsellavgprc		Carry Forward Buy average price
cfbuyamt		Carry Forward Buy Amount
cfsellamt		Carry Forward Sell Amount

totbuyamt		Total Buy Amount
totsellamt		Total Sell Amount
totbuyavgprc		Total Buy Avg Price
totsellavgprc		Total Sell Avg Price
lp		LTP
rpnl		RealizedPNL
urmtom		UnrealizedMTOM. (Can be recalculated in LTP update : = netqty * (lp from web socket - netavgprc) * prcftr
bep		Break even price
openbuyqty		Open Buy Quantity
opensellqty		Open Sell Quantity
openbuyamt		Open Buy Amount
opensellamt		Open Sell Amount
openbuyavgprc		Open Buy Average Price
opensellavgprc		Open Sell Average Price
mult		Contract price multiplier; (used for order value calculation)
pp		Price precision
prcftr		$gn * pn / (gd * pd)$.
ti		Tick size
ls		Lot size
instname		Instrument Name
upldprc		Upload price
netupldprc		Net Upload Price
request_time		This will be present only in a failure response.
dname		Broker specific contract display name, present only if applicable.

cname		Company Name.
-------	--	---------------

Note: calculation of MTM and PnL

1. ActualUnrealizedMtoM = $\text{netqty}(\text{in weights}) * \text{prcftr} * \text{mult} * (\text{LTP} - \text{avgprc})$

For MTM, $\text{avgprc} = \text{netavgprc}$;

For PnL, $\text{avgprc} = \text{netupldprc}$; if $\text{netupldprc} = 0$ then $\text{avgprc} = \text{netavgprc}$;

2. $\text{NetBuyQty} = \text{daybuyqty} + \text{cfbuyqty}$;

3. $\text{NetSellQty} = \text{daysellqty} + \text{cfsellqty}$;

4. ActualSellAvgPrice

if ($\text{NetSellQty} \neq 0$) {

$\text{ActualSellAvgPrice} = ((\text{daysellamt} / \text{mult}) + (\text{upldprc} * \text{prcftr} * \text{cfsellqty})) / \text{NetSellQty}$;

} else

$\text{ActualSellAvgPrice} = 0.0$;

5. ActualBuyAvgPrice

if ($\text{NetBuyQty} \neq 0$) {

$\text{ActualBuyAvgPrice} = ((\text{daybuyamt} / \text{mult}) + (\text{upldprc} * \text{prcftr} * \text{cfbuyqty})) / \text{NetBuyQty}$;

} else

$\text{ActualBuyAvgPrice} = 0.0$;

[Don't use ActualSellAvgPrice and ActualBuyAvgPrice for display purpose since it used for ActualBookedPNL calculation if required for display purpose then use below formula

$\text{ActualSellAvgPrice} = ((\text{daysellamt} / \text{mult}) + (\text{upldprc} * \text{prcftr} * \text{cfsellqty})) / (\text{NetSellQty} * \text{prcftr})$;

$\text{ActualBuyAvgPrice} = ((\text{daybuyamt} / \text{mult}) + (\text{upldprc} * \text{prcftr} * \text{cfbuyqty})) / (\text{NetBuyQty} * \text{prcftr})$;

6. ActualBookedPNL

if ($\text{netqty}(\text{in weights}) > 0$) {

$\text{ActualBookedPNL} = (\text{ActualSellAvgPrice} - \text{ActualBuyAvgPrice}) * \text{NetSellQty} * \text{mult}$;

} else {

$\text{ActualBookedPNL} = (\text{ActualSellAvgPrice} - \text{ActualBuyAvgPrice}) * \text{NetBuyQty} * \text{mult}$;

}

7. $\text{MTM} = \text{rpnl} + \text{ActualUnrealizedMtoM}$

8. $\text{PnL} = \text{ActualBookedPNL} + \text{ActualUnrealizedMtoM}$

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Position book request failure indication.
request_time		Response received time.
emsg		Error message

Sample Success Response :

```
[
  {
    "stat": "Ok",
    "uid": "POORNA",
    "actid": "POORNA",
    "exch": "NSE",
    "tsym": "ACC-EQ",
    "prarr": "C",
    "pp": "2",
    "ls": "1",
    "ti": "5.00",
    "mult": "1",
    "prcfr": "1.000000",
    "daybuyqty": "2",
    "daysellqty": "2",
    "daybuyamt": "2610.00",
    "daybuyavgprc": "1305.00",
    "daysellamt": "2610.00",
    "daysellavgprc": "1305.00",
    "cfbuyqty": "0",
    "cfsellqty": "0",
    "cfbuyamt": "0.00",
    "cfbuyavgprc": "0.00",
    "cfsellamt": "0.00",
    "cfsellavgprc": "0.00",
    "openbuyqty": "0",
    "opensellqty": "23",
    "openbuyamt": "0.00",
    "openbuyavgprc": "0.00",
    "opensellamt": "30015.00",
    "opensellavgprc": "1305.00",
    "netqty": "0",
    "netavgprc": "0.00",
    "lp": "0.00",
    "urmtom": "0.00",
    "rpnl": "0.00",
    "cforgavgprc": "0.00"
  }
]
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "request_time": "14:14:11 26-05-2020",
  "emsg": "Error Occurred : 5 \no data\""}
}
```

Interop Positions Book

Request to be POSTed to uri : /NorenWClientAPI/InteropPositionBook

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
actid*		Account id of the logged in user.

Example:

```
curl https://apitest.kambala.co.in/NorenWClientAPI/InteropPositionBook \
-d "jData={ \"actid\": \"ACCT_1\" }\" \
```

Response Details :

Response data will be in json format with Array of Objects with below fields in case of success.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Position book success or failure indication.
exch		Exchange segment
tsym		Trading symbol / contract.
token		Contract token
uid		User Id
actid		Account Id
prd		Product name to be shown.
s_prdt_ali		Product display name
daybuyqty		Day Buy Quantity
daysellqty		Day Sell Quantity
daybuyamt		Day Buy Amount
daysellamt		Day Sell Amount
cfbuyqty		Carry Forward Buy Quantity
cfsellqty		Carry Forward Sell Quantity
cfbuyamt		Carry Forward Buy Amount
cfsellamt		Carry Forward Sell Amount
openbuyqty		Open Buy Quantity
opensellqty		Open Sell Quantity
openbuyamt		Open Buy Amount
opensellamt		Open Sell Amount
instname		Instrument Name
upload_prc		Upload Price
buyavgprc		Buy Average Price [(daybuyamt + cfbuyamt) / (daybuyqty + cfbuyqty)]
sellavgprc		Sell Average Price [(daysellamt + cfsellamt) / (daysellqty + cfsellqty)]

rpnl		Realized panel
netqty		Net Quantity [daybuyqty + cfbuyqty - daysellqty - cfsellqty]
totbuyamt		Total Buy Amount
totsellamt		Total Sell Amount
totbuyavgprc		Total Buy Avg Price
totsellavgprc		Total Sell Avg Price
openbuyavgprc		Open Buy Average Price
opensellavgprc		Open Sell Average Price
cfbuyavgprc		Carry Forward Buy average price
cfsellavgprc		Carry Forward Buy average price
child_orders		Array Object ,Details given below
netavgprc		Net Average Price
mult		Multiplier
urmtom		Unrealized mtom
prcftr		Price Factor

child_orders Obj format

Json Fields	Possible value	Description
exch		Exchange segment
token		Contract token
daybuyqty		Day Buy Quantity
daysellqty		Day Sell Quantity
daybuyamt		Day Buy Amount
daysellamt		Day Sell Amount
cfbuyqty		CF Buy Quantity
cfsellqty		CF Sell Quantity
cfbuyamt		CF Buy Amount
cfsellamt		CF Sell Amount
openbuyqty		Open Buy Quantity
opensellqty		Open Sell Quantity
openbuyamt		Open Buy Amount
opensellamt		Open Sell Amount
upload_prc		Upload Price
totbuyamt		Total Buy Amount
totsellamt		Total Sell Amount
totbuyavgprc		Total Buy Avg Price
totsellavgprc		Total Sell Avg Price
openbuyavgprc		Open Buy Average Price
opensellavgprc		Open Sell Average Price
cfbuyavgprc		Carry Forward Buy average price
cfsellavgprc		Carry Forward Buy average price
netupldprc		Net Upload Price

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Interop Position book request failure indication.
request_time		Response received time.
emsg		Error message

Sample Success Response :

```
[
  {
    "stat": "Ok",
    "actid": "TESTINV1",
    "exch": "EQT",
    "token": "PRAKASH",
    "prd": "I",
    "openbuyqty": "00",
    "opensellqty": "09",
    "openbuyamt": "00",
    "opensellamt": "54000",
    "daybuyqty": "01",
    "daysellqty": "01",
    "daybuyamt": "6000",
    "daysellamt": "6000",
    "cfbuyqty": "00",
    "cfsellqty": "00",
    "cfbuyamt": "00",
    "cfsellamt": "6000",
    "child_orders": [
      {
        "exch": "NSE",
        "token": "2708",
        "openbuyqty": "00",
        "opensellqty": "09",
        "openbuyamt": "00",
        "opensellamt": "54000",
        "daybuyqty": "00",
        "daysellqty": "01",
        "daybuyamt": "00",
        "daysellamt": "6000",
        "cfbuyqty": "00",
        "cfsellqty": "00",
        "cfbuyamt": "00",
        "cfsellamt": "00",
        "upload_prc": "00"
      }
    ]
  }
]
```

```
{
  "exch": "BSE",
  "token": "506022",
  "openbuyqty": "00",
  "opensellqty": "00",
  "openbuyamt": "00",
  "opensellamt": "00",
  "daybuyqty": "01",
  "daysellqty": "00",
  "daybuyamt": "6000",
  "daysellamt": "00",
  "cfbuyqty": "00",
  "cfsellqty": "00",
  "cfbuyamt": "00",
  "cfsellamt": "00",
  "upload_prc": "00"
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "request_time": "14:14:11 26-05-2020",
  "emsg": "Error Occurred : 5 \"no data\""
}
```

Product Conversion

Request to be POSTed to uri : **/NorenWClientAPI/ProductConversion**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
exch*		Exchange
tsym*		Unique id of contract on which order was placed. Can't be modified, must be the same as that of original order. (use url encoding to avoid special char error for symbols like M&M)
qty*		Quantity to be converted.
uid*		User id of the logged in user.
actid*		Account id
prd*		Product to which the user wants to convert position.
prevprd*		Original product of the position.
trantype*		Transaction type
postype*	Day / CF	Converting Day or Carry forward position
ordersource	MOB	For Logging

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Position conversion success or failure indication.
emsg		This will be present only if Position conversion fails.

Sample Success Response :

```
{
  "request_time":"10:52:12 02-06-2020",
  "stat":"Ok"
}
```

Sample Failure Response :

```
{
  "stat":"Not_Ok",
  "emsg":"Invalid Input : Invalid Position Type"
}
```

GetBasketOptSeq

Request to be POSTed to uri : /NorenWClient/GetBasketOptSeq

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Use id of log in user.
actid*		Account id of logged in user.
exch*		Account id
trantype*	B / S	B -> BUY, S -> SELL
prd*	M/I/C/F/H/B	Product Name
tsym*		Trading Symbol
qty*		Order Quantity
prc*		Order Price
prctyp*	LMT / SL-LMT / DS / 2L / 3L	
basketlists		Optional field. Array of json objects. (object fields given in below table)

NOTE : "Out of basketlists, the parameter provided will be considered as the first order."

Json Fields of object in values Array	Possible value	Description
exch*	NSE / NFO / BSE / MCX	Exchange (Select from 'exarr' Array provided in User Details response)
tsym*		Unique id of contract on which order to be placed. (use url encoding to avoid special char error for symbols like M&M)
qty*		Order Quantity
prc*		Order Price
prd*	C / M / H	Product name (Select from 'prarr' Array provided in User Details response, and if same is allowed for selected, exchange. Show product display name, for user to select, and send corresponding prd in API call)
trantype*	B / S	B -> BUY, S -> SELL
prctyp*	LMT / SL-LMT	

Example:

```
curl https://apitest.kambala.co.in/NorenWClientAPI/GetBasketOptSeq \
-d "jsonData={\"uid\": \"VIDYA\", \"actid\": \"CLIENT1\", \"exch\": \"NSE\", \"trantype\": \"S\",
\"prctyp\": \"LMT\", \"prd\": \"M\", \"tsym\": \"FINNIFTY27FEB25C13500\", \"qty\": \"25\",
\"prc\": \"0\", \"basketlists\": \"[{\"exch\": \"NFO\", \"trantype\": \"B\", \"prctyp\": \"LMT\", \"prd\": \"M\",
\"qty\": \"25\", \"prc\": \"0\", \"tsym\": \"FINNIFTY27FEB25C13500\"}], {\"exch\": \"NFO\", \"trantype\": \"B\",
\"prctyp\": \"LMT\", \"prd\": \"M\", \"qty\": \"25\", \"prc\": \"0\", \"tsym\": \"FINNIFTY27FEB25C13500\"}]\"
}"
```

\Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Place order success or failure indication.
request_time		Response received time.
remarks		This field will contain rejection reasons.
marginused		Total margin used.
marginusedtrade		Margin used after trade.
marginusedprev		Margin used excluding this order.
msg_str		msg_sequence of Leg entered in Basket.
bkt_mar_list		Basket margin list, array of objects as defined below,
emsg		This will be present only if Order placement fails

bkt_mar_list object:

Json Fields of object in values Array	Possible value	Description
bkt_mar		Basket margine for each order

Sample Success Response :

```
{
  "request_time": "10:34:42 20-02-2025",
  "stat": "Ok",
  "marginused": "31152740.27",
  "marginusedtrade": "6234185.41",
  "marginusedprev": "0.00",
  "msg_str": [
    "1",
    "0",
    "2"
  ],
  "bkt_mar_list": [
    {
      "bkt_mar": "24965945.14"
    },
    {
      "bkt_mar": "24965945.14"
    }
  ],
}
```

```
{
  "bkt_mar": "31152740.27"
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}
```

Holdings and Limits

Holdings

Request to be POSTed to uri : /NorenWClientAPI/Holdings

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Account id of the logged in user.
prd*		Product name

Response Details :

Response data will be in json format with the below fields in case of Success:

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Holding request success or failure indication.
exch_tsym		Array of objects exch_tsym objects as defined below.
holdqty		Holding quantity
dpqty		DP Holding quantity
npoadqty		Non Poa display quantity
colqty		Collateral quantity
benqty		Beneficiary quantity
unplgdqty		Unpledged quantity
brkcolqty		Broker Collateral
btstqty		BTST quantity
btstcolqty		BTST Collateral quantity
usedqty		Holding used today
upldprc		Average price uploaded along with holdings
hair_cut		Hair Cut
prd		Product
s_prdt_ali		Product display name
trdqty		Trade Quantity
sell_amt		Sell Amount
npoadt1qty		nonpoa display t1 qty
brk_hair_cut		Broker HairCut
epi_done_qty		EPI done Quantity
combrkcollqty		Com Broker Collateral Quantiry
eqtbrkcollqty		Eqt Broker Collateral Quantity
derbrkcollqty		Derivative Broker Collateral Quantity
fxbrkcollqty		Fx Broker Collateral Quantity

Notes:

Valuation : $btstqty + holdqty + brkcolqty + unplgdqty + benqty + \text{Max}(npoadqty, dpqty) - usedqty$

Salable: $btstqty + holdqty + unplgdqty + benqty + dpqty - usedqty$

Exch_tsym object:

Json Fields of object in values Array	Possible value	Description
exch	NSE, BSE, NFO ...	Exchange
tsym		Trading symbol of the scrip (contract)
token		Token of the scrip (contract)
pp		Price precision
ti		Tick size
ls		Lot size
lp		LTP [#]
cname		Company Name
dname		Display Name

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Position book request failure indication.
request_time		Response received time.
emsg		Error message

[#] - By Default disabled and Enabled on request basis.

Sample Success Response :

```
[
  {
    "stat": "Ok",
    "exch_tsym": [
      {
        "exch": "NSE",
        "token": "13",
        "tsym": "ABB-EQ"
      }
    ],
    "holdqty": "2000000",
  }
]
```

```

    "colqty":"200",
    "btstqty":"0",
    "btstcolqty":"0",
    "usedqty":"0",
    "upldprc" : "1800.00"
  },
  {
    "stat":"Ok",
    "exch_tsym":[
      {
        "exch":"NSE",
        "token":"22",
        "tsym":"ACC-EQ"
      }
    ],
    "holdqty":"2000000",
    "colqty":"200",
    "btstqty":"0",
    "btstcolqty":"0",
    "usedqty":"0",
    "upldprc" : "1400.00"
  }
]

```

Sample Failure Response :

```

{
  "stat":"Not_Ok",
  "emsg":"Invalid Input : Missing uid or actid or prd."
}

```

Limits

Request to be POSTed to uri : /NorenWClientAPI/Limits

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Account id of the logged in user.
prd		Product name
s_prdt_ali		Product display name
seg	EQT/DER/FX/COM	Segment
exch		Exchange

Response Details :

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Limits request success or failure indication.
actid		Account id
prd		Product name
seg	EQT/DER/FX/C OM	Segment
exch		Exchange
-----Cash Primary Fields-----		
cash		Cash Margin available
payin		Total Amount transferred using Payins today
payout		Total amount requested for withdrawal today
remarks_amt		Remarks amount
remarks_text		Remarks Text
cac_daycash		CAC Day Cash
-----Cash Additional Fields-----		
brkcollamt		Prevalued Collateral Amount
unclearedcash		Uncleared Cash (Payin through cheques)
daycash		Additional leverage amount / Amount added to handle system errors - by broker.
-----Margin Utilized-----		
marginused		Total margin / fund used today
mtomcurper		Mtom current percentage
-----Margin Used components-----		
cbu		CAC Buy used
csc		CAC Sell Credits
rpnl		Current realized PNL
unmtom		Current unrealized mtom

marprt		Covered Product margins
span		Span used
expo		Exposure margin
premium		Premium used
varelm		Var Elm Margin
grexpo		Gross Exposure
grexpo_d		Gross Exposure derivative
scripbskmar		Scrip basket margin
addscripbskmrg		Additional scrip basket margin
brokerage		Brokerage amount
collateral		Collateral calculated based on uploaded holdings
cash_coll		Cash Collateral
grcoll		Valuation of uploaded holding pre haircut
-----Additional Risk Limits-----		
turnoverlmt		
pendordvallmt		
-----Additional Risk Indicators-----		
turnover		Turnover
pendordval		Pending Order value
-----Margin used detailed breakup fields-----		
rzpnl_e_i		Current realized PNL (Equity Intraday)
rzpnl_e_m		Current realized PNL (Equity Margin)
rzpnl_e_c		Current realized PNL (Equity Cash n Carry)
rzpnl_d_i		Current realized PNL (Derivative Intraday)
rzpnl_d_m		Current realized PNL (Derivative Margin)

rzpnl_f_i		Current realized PNL (FX Intraday)
rzpnl_f_m		Current realized PNL (FX Margin)
rzpnl_c_i		Current realized PNL (Commodity Intraday)
rzpnl_c_m		Current realized PNL (Commodity Margin)
uzpnl_e_i		Current unrealized MTOM (Equity Intraday)
uzpnl_e_m		Current unrealized MTOM (Equity Margin)
uzpnl_e_c		Current unrealized MTOM (Equity Cash n Carry)
uzpnl_d_i		Current unrealized MTOM (Derivative Intraday)
uzpnl_d_m		Current unrealized MTOM (Derivative Margin)
uzpnl_f_i		Current unrealized MTOM (FX Intraday)
uzpnl_f_m		Current unrealized MTOM (FX Margin)
uzpnl_c_i		Current unrealized MTOM (Commodity Intraday)
uzpnl_c_m		Current unrealized MTOM (Commodity Margin)
span_d_i		Span Margin (Derivative Intraday)
span_d_m		Span Margin (Derivative Margin)
span_f_i		Span Margin (FX Intraday)
span_f_m		Span Margin (FX Margin)
span_c_i		Span Margin (Commodity Intraday)
span_c_m		Span Margin (Commodity Margin)
expo_d_i		Exposure Margin (Derivative Intraday)
expo_d_m		Exposure Margin (Derivative Margin)
expo_f_i		Exposure Margin (FX Intraday)
expo_f_m		Exposure Margin (FX Margin)
expo_c_i		Exposure Margin (Commodity Intraday)
expo_c_m		Exposure Margin (Commodity Margin)

premium_d_i		Option premium (Derivative Intraday)
premium_d_m		Option premium (Derivative Margin)
premium_f_i		Option premium (FX Intraday)
premium_f_m		Option premium (FX Margin)
premium_c_i		Option premium (Commodity Intraday)
premium_c_m		Option premium (Commodity Margin)
varelm_e_i		Var Elm (Equity Intraday)
varelm_e_m		Var Elm (Equity Margin)
varelm_e_c		Var Elm (Equity Cash n Carry)
marprt_e_h		Covered Product margins (Equity High leverage)
marprt_e_b		Covered Product margins (Equity Bracket Order)
marprt_d_h		Covered Product margins (Derivative High leverage)
marprt_d_b		Covered Product margins (Derivative Bracket Order)
marprt_f_h		Covered Product margins (FX High leverage)
marprt_f_b		Covered Product margins (FX Bracket Order)
marprt_c_h		Covered Product margins (Commodity High leverage)
marprt_c_b		Covered Product margins (Commodity Bracket Order)
scripbskmar_e_i		Scrip basket margin (Equity Intraday)
scripbskmar_e_m		Scrip basket margin (Equity Margin)
scripbskmar_e_c		Scrip basket margin (Equity Cash n Carry)
addscripbskmg_d_i		Additional scrip basket margin (Derivative Intraday)
addscripbskmg_d_m		Additional scrip basket margin (Derivative Margin)
addscripbskmg_f_i		Additional scrip basket margin (FX Intraday)
addscripbskmg_f_m		Additional scrip basket margin (FX Margin)
addscripbskmg_c_i		Additional scrip basket margin (Commodity Intraday)

addscripbskmrg_c_m		Additional scrip basket margin (Commodity Margin)
brkage_e_i		Brokerage (Equity Intraday)
brkage_e_m		Brokerage (Equity Margin)
brkage_e_c		Brokerage (Equity CAC)
brkage_e_h		Brokerage (Equity High Leverage)
brkage_e_b		Brokerage (Equity Bracket Order)
brkage_d_i		Brokerage (Derivative Intraday)
brkage_d_m		Brokerage (Derivative Margin)
brkage_d_h		Brokerage (Derivative High Leverage)
brkage_d_b		Brokerage (Derivative Bracket Order)
brkage_f_i		Brokerage (FX Intraday)
brkage_f_m		Brokerage (FX Margin)
brkage_f_h		Brokerage (FX High Leverage)
brkage_f_b		Brokerage (FX Bracket Order)
brkage_c_i		Brokerage (Commodity Intraday)
brkage_c_m		Brokerage (Commodity Margin)
brkage_c_h		Brokerage (Commodity High Leverage)
brkage_c_b		Brokerage (Commodity Bracket Order)
peak_mar		Peak margin used by the client
mr_eqt_u		MR equity used
mr_der_u		MR derivatives used
mr_fx_u		MR fx used
mr_com_u		MR commodity used
mr_sell		MR sell credit
mr_t1sell		MR t1 sell credit

mr_eqt_a		MR equity allocated
mr_der_a		MR derivatives allocated
mr_fx_a		MR fx allocated
mr_com_a		MR commodity allocated
request_time		This will be present only in a successful response.
emsg		This will be present only in a failure response.
prfname		profile name
aux_daycash		aux daylong cash
aux_brkcollamt		aux broker collateral
aux_unclearedcash		aux uncleared cash
blk_amt		block amt

Sample Success Response :

```
{
  "request_time":"18:07:31 29-05-2020",
  "stat":"Ok",
  "cash":"1500000000000000.00",
  "payin":"0.00",
  "payout":"0.00",
  "brkcollamt":"0.00",
  "unclearedcash":"0.00",
  "daycash":"0.00",
  "turnoverlmt":"50000000000000.00",
  "pendordvallmt":"2000000000000000.00",
  "turnover":"3915000.00",
  "pendordval":"2871000.00",
  "marginused":"3945540.00",
  "mtomcurper":"0.00",
  "urmtom":"30540.00",
  "grexpo":"3915000.00",
  "uzpnl_e_i":"15270.00",
  "uzpnl_e_m":"61080.00",
  "uzpnl_e_c":"-45810.00"
}
```

Sample Failure Response :

```
{
  "stat":"Not_Ok",
  "emsg":"Server Timeout : "
}
```

Calculation :

1.Available Margin=total -marginused;

where total = cash +payin+payout+daycash+unclearedcash+brkcollamt+collateral+aux_brkcollamt;

2.Total Credits=cash +payin+payout+daycash+unclearedcash+brkcollamt+collateral+aux_brkcollamt;

3.Utilization = marginused;

Get Sub Limits

Request to be POSTed to uri : /NorenWClientAPI/GetSubLimits

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		Logged in User Id
actid		Account id of the logged in user.

Response Details :

Response data will be in json Array of objects with below fields in case of success.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Limits request success or failure indication.
actid		Account id
prd		Product name
s_prdt_ali		Product display name
seg	EQT/DER/FX/C OM	Segment
exch		Exchange
-----Cash Primary Fields-----		
cash		Cash Margin available
payin		Total Amount transferred using Payins today
payout		Total amount requested for withdrawal today
-----Cash Additional Fields-----		
brkcollamt		Prevalued Collateral Amount
unclearedcash		Uncleared Cash (Payin through cheques)
daycash		Additional leverage amount / Amount added to handle system errors - by broker.
-----Margin Utilized-----		
marginused		Total margin / fund used today
mtomcurper		Mtom current percentage
-----Margin Used components-----		
cbu		CAC Buy used
csc		CAC Sell Credits
rpnl		Current realized PNL
unmtom		Current unrealized mtom
marprt		Covered Product margins
span		Span used

expo		Exposure margin
premium		Premium used
varelm		Var Elm Margin
grexpo		Gross Exposure
greexpo_d		Gross Exposure derivative
scripbskmar		Scrip basket margin
addscripbskmrg		Additional scrip basket margin
brokerage		Brokerage amount
collateral		Collateral calculated based on uploaded holdings
grcoll		Valuation of uploaded holding pre haircut
-----Margin used detailed breakup fields-----		
rzpnl_e_i		Current realized PNL (Equity Intraday)
rzpnl_e_m		Current realized PNL (Equity Margin)
rzpnl_e_c		Current realized PNL (Equity Cash n Carry)
rzpnl_d_i		Current realized PNL (Derivative Intraday)
rzpnl_d_m		Current realized PNL (Derivative Margin)
rzpnl_f_i		Current realized PNL (FX Intraday)
rzpnl_f_m		Current realized PNL (FX Margin)
rzpnl_c_i		Current realized PNL (Commodity Intraday)
rzpnl_c_m		Current realized PNL (Commodity Margin)
uzpnl_e_i		Current unrealized MTOM (Equity Intraday)
uzpnl_e_m		Current unrealized MTOM (Equity Margin)
uzpnl_e_c		Current unrealized MTOM (Equity Cash n Carry)
uzpnl_d_i		Current unrealized MTOM (Derivative Intraday)
uzpnl_d_m		Current unrealized MTOM (Derivative Margin)

uzpnl_f_i		Current unrealized MTOM (FX Intraday)
uzpnl_f_m		Current unrealized MTOM (FX Margin)
uzpnl_c_i		Current unrealized MTOM (Commodity Intraday)
uzpnl_c_m		Current unrealized MTOM (Commodity Margin)
span_d_i		Span Margin (Derivative Intraday)
span_d_m		Span Margin (Derivative Margin)
span_f_i		Span Margin (FX Intraday)
span_f_m		Span Margin (FX Margin)
span_c_i		Span Margin (Commodity Intraday)
span_c_m		Span Margin (Commodity Margin)
expo_d_i		Exposure Margin (Derivative Intraday)
expo_d_m		Exposure Margin (Derivative Margin)
expo_f_i		Exposure Margin (FX Intraday)
expo_f_m		Exposure Margin (FX Margin)
expo_c_i		Exposure Margin (Commodity Intraday)
expo_c_m		Exposure Margin (Commodity Margin)
premium_d_i		Option premium (Derivative Intraday)
premium_d_m		Option premium (Derivative Margin)
premium_f_i		Option premium (FX Intraday)
premium_f_m		Option premium (FX Margin)
premium_c_i		Option premium (Commodity Intraday)
premium_c_m		Option premium (Commodity Margin)
varelm_e_i		Var Elm (Equity Intraday)
varelm_e_m		Var Elm (Equity Margin)
varelm_e_c		Var Elm (Equity Cash n Carry)

marprt_e_h		Covered Product margins (Equity High leverage)
marprt_e_b		Covered Product margins (Equity Bracket Order)
marprt_d_h		Covered Product margins (Derivative High leverage)
marprt_d_b		Covered Product margins (Derivative Bracket Order)
marprt_f_h		Covered Product margins (FX High leverage)
marprt_f_b		Covered Product margins (FX Bracket Order)
marprt_c_h		Covered Product margins (Commodity High leverage)
marprt_c_b		Covered Product margins (Commodity Bracket Order)
scripbskmar_e_i		Scrip basket margin (Equity Intraday)
scripbskmar_e_m		Scrip basket margin (Equity Margin)
scripbskmar_e_c		Scrip basket margin (Equity Cash n Carry)
addscripbskmrg_d_i		Additional scrip basket margin (Derivative Intraday)
Addscripbskmrg_d_m		Additional scrip basket margin (Derivative Margin)
addscripbskmrg_f_i		Additional scrip basket margin (FX Intraday)
addscripbskmrg_f_m		Additional scrip basket margin (FX Margin)
addscripbskmrg_c_i		Additional scrip basket margin (Commodity Intraday)
addscripbskmrg_c_m		Additional scrip basket margin (Commodity Margin)
brkage_e_i		Brokerage (Equity Intraday)
brkage_e_m		Brokerage (Equity Margin)
brkage_e_c		Brokerage (Equity CAC)
brkage_e_h		Brokerage (Equity High Leverage)
brkage_e_b		Brokerage (Equity Bracket Order)
brkage_d_i		Brokerage (Derivative Intraday)
brkage_d_m		Brokerage (Derivative Margin)

brkage_d_h		Brokerage (Derivative High Leverage)
brkage_d_b		Brokerage (Derivative Bracket Order)
brkage_f_i		Brokerage (FX Intraday)
brkage_f_m		Brokerage (FX Margin)
brkage_f_h		Brokerage (FX High Leverage)
brkage_f_b		Brokerage (FX Bracket Order)
brkage_c_i		Brokerage (Commodity Intraday)
brkage_c_m		Brokerage (Commodity Margin)
brkage_c_h		Brokerage (Commodity High Leverage)
brkage_c_b		Brokerage (Commodity Bracket Order)
peak_mar		Peak margin used by the client
request_time		This will be present only in a successful response.
emsg		This will be present only in a failure response.

Sample Success Response :

```
[
  {
    "request_time":"17:03:37 04-07-2022",
    "stat":"Ok",
    "prfname":"KAMBALA",
    "cash":"50000000.00",
    "daycash":"0.00",
    "blk_amt":"0.00",
    "unclearedcash":"0.00",
    "brkcollamt":"0.00",
    "payin":"320.00",
    "payout":"-24.00"
  },
  {
    "request_time":"17:03:37 04-07-2022",
    "stat":"Ok",
    "prfname":"DEFAULT",
    "cash":"213145.00",
    "daycash":"0.00",
    "blk_amt":"0.00",
    "unclearedcash":"0.00",
    "brkcollamt":"0.00",
    "payin":"320.00",
    "payout":"-24.00"
  }
]
```

```

    },
    {
      "request_time":"17:03:37 04-07-2022",
      "stat":"Ok",
      "prfname":"DEFAULT",
      "cash":"12345.00",
      "daycash":"0.00",
      "blk_amt":"0.00",
      "unclearedcash":"0.00",
      "brkcollamt":"0.00",
      "payin":"320.00",
      "payout":"-24.00"
    }
  ]

```

Sample Failure Response :

```

{
  "stat":"Not_Ok",
  "emsg":"Server Timeout : "
}

```

Get Max Payout Amount:

Request to be POSTed to uri : **/NorenWClientAPI/GetMaxPayoutAmount**

Request Details :

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
uid*		User id of the logged in user.
actid*		Login users account ID
seg		EQT/FX/DER/COM can be sent if limits are managed at segregated level
exch		NSE/BSE/NFO... can be sent if limits are managed at exchange level
prd		C/I/M/F/H/B can be sent if limits are set at product level

Response Details :

Response data will have below fields.

Json Fields	Possible value	Description
stat		success or failure indication.
request_time		This will be present only in a successful response.
actid		Account id
payout		Maximum payout amount

Sample Success Response :

```
{
  "request_time":"15:52:26 10-05-2021",
  "stat":"Ok",
  "actid":"C-GURURAJ",
  "payout":"21200.20"
}
```

Sample Failure Response :

```
{
  "stat":"Not_Ok",
  "emsg":"Session Expired : Invalid Session Key"
}
```

Annexure

Report Type:

Possible Values
NewAck
ModAck
CanAck
PendingNew
PendingReplace
PendingCancel
New
Replaced
Canceled
Fill
Rejected
ReplaceRejected
CancelRejected
INVALID_REPORT_TYPE

Status Type:

Possible Values
PENDING
CANCELED
OPEN
REJECTED
COMPLETE
TRIGGER_PENDING
INVALID_STATUS_TYPE

Internal Status Type:

Possible Values
COMPLETE
REJECTED
CANCELED
MODIFY PENDING
CANCEL PENDING
ORDER PENDING
OPEN
ORDER ACK
MODIFY ACK
CANCEL ACK
TRIGGER_PENDING
AMO OPEN
AMO MODIFIED
AMO CANCELED

Retention Type :

Exchange	Possible Values
NSE	DAY ,IOC
BSE	EOS,DAY, IOC
NFO	DAY,IOC
CDS	DAY, IOC
NCX	DAY, IOC
BFO	EOS, DAY, IOC
BCD	EOS, DAY, IOC